

References

- Abbaspour KC, Rouholahnejad E, Vaghefi S, Srinivasan R, Yang H, Kløve BA (2015). continental-scale hydrology and water quality model for Europe: Calibration and uncertainty of a high-resolution large scale SWAT model. *Journal of Hydrology*, 524(5):733-752. <https://doi.org/10.1016/j.jhydrol.2015.03.027> .
- Abbot, J., & Marohasy, J. (2012). Application of artificial neural networks to rainfall forecasting in Queensland, Australia. *Advances in Atmospheric Sciences*, 29, 717-730.
- Abbot, J., & Marohasy, J. (2017). Skilful rainfall forecasts from artificial neural networks with long duration series and single-month optimization. *Atmospheric Research*, 197, 289-299.
- Adnan RM, Petroselli A, Heddam S, et al (2021). Comparison of different methodologies for rainfall–runoff modeling: machine learning vs. conceptual approach. *Nat Hazards*, 105:2987–3011. <https://doi.org/10.1007/s11069-020-04438-2>.
- Ahsan, M. J., Issac, R. K., & Imtiyaz, M. (2015). Impact of land use and land cover changes at Upper Betwa Region, using SWAT. *International Journal of Engineering Research & Technology*, 4(2), 159-162.
- Alipour, M., & Hosseini, M. (2018). Simulation of surface runoff in Karaj dam basin, Iran. *Applied Water Science*, 8, 1-10.
- Al-Khafaji, M. S., & Al-Sweiti, F. H. (2017). Integrated impact of digital elevation model and land cover resolutions on simulated runoff by SWAT Model. *Hydrology And Earth System Sciences Discussions*, 1-26.
- Arnold JG, Moriasi DN, Gassman PW, Abbaspour KC, White MJ, Srinivasan R, Jha MK (2012). SWAT: Model use, calibration, and validation. *Transactions of the ASABE*, 55(4): 1491-1508.
- Asadi, H., Shahedi, K., Jarihani, B. and Sidle, R.C. (2019) Rainfall-runoff modelling using hydrological connectivity index and artificial neural network approach. *Water* 11(2), 212.

Asadi, H., Shahedi, K., Jarihani, B. and Sidle, R.C. (2019) Rainfall-runoff modelling using hydrological connectivity index and artificial neural network approach. *Water* 11(2), 212.

Asati SR, Rathore SS (2012). Comparative Study of Stream Flow Prediction Models. *International Journal of Life Sciences Biotechnology and Pharma Research*, 1(2): 139-151.

Aytek, A., Asce, M., & Alp, M. (2008). An application of artificial intelligence for rainfall-runoff modeling. *Journal of Earth System Science*, 117, 145-155.

Bafitlhile TM, Li Z (2019). Applicability of ϵ -support vector machine and artificial neural network for flood forecasting in humid, Semi-Humid and Semi-Arid Basins in China. *Water* 11(1): Article 85.

Bhagat, N. K. (2017). Rainfall Runoff Co-relationship for Lower Mahi Basin, India. *Int J Hydro*, 1(5), 127-130.

Bhagwat PP, Maity R (2012). Multistep-ahead river flow prediction using LS-SVR at daily scale. *Journal of Water Resource and Protection*, 4: 528– 539. <https://doi.org/10.4236/jwarp.2012.47062>.

Bhatt, V. K., Tiwari, A. K., & Sena, D. R. (2016). Application of SWAT model for simulation of runoff in micro watersheds of lower Himalayan region of India.

Bhattacharya B, Solomatine DP (2005). Neural Networks and M5 Model Trees in Modeling Water Level-Discharge Relationship. *Neuro-computing*, 63: 381-396. <http://dx.doi.org/10.1016/j.neucom.2004.04.016>

Bhuiyan H, McNairn H, Powers J, Merzouki A (2017). Application of HEC-HMS in a Cold Region Watershed and Use of RADARSAT-2 Soil Moisture in Initializing the Model. *Hydrology*, 4:9.

Bosch, D. D., Truman, C. C., Potter, T. L., West, L. T., Strickland, T. C., & Hubbard, R. K. (2012). Tillage and slope position impact on field-scale hydrologic processes in the South Atlantic Coastal Plain. *Agricultural Water Management*, 111, 40-52.

Breiman L (2001). Random forests. *Machine Learning*, 45:5–32.

- Breiman L, Cutler A (2004). Random Forests. http://stat-www.berkeley.edu/users/breiman/RandomForests/cc_home.htm
- Brouziyne, Y., Abouabdillah, A., Bouabid, R., & Benaabidate, L. (2018). SWAT streamflow modeling for hydrological components' understanding within an agro-sylvo-pastoral watershed in Morocco. *J. Mater. Environ. Sci*, 9(1), 128-138.
- Callegari M, Mazzoli P, de Gregorio L, Notarnicola C, Pasolli L, Petitta M, Pistocchi A (2015). Seasonal River Discharge Forecasting Using Support Vector Regression: A Case Study in the Italian Alps. *Water*, 7: 2494–2515.
- Chadalawada, J., Herath, H.M.V.V. and Babovic, V. (2020) Hydrologically Informed Machine Learning for Rainfall-Runoff Modeling: A Genetic Programming-Based Toolkit for Automatic Model Induction. *Water Resources Research* 56(4), e2019WR026933.
- Chang NB (2009). Environmental sensing, informatics, and decision making. *Civil Engineering and Environmental Systems*, 26(1): 1-1.
- Chen, X.Y., et al. (2019) Uncertainty analysis on hybrid double feedforward neural network model for sediment load estimation with LUBE method. *Water Resources Management* 33 (10), 3563-3577.
- Chen, Y., Xu, C. Y., Chen, X., Xu, Y., Yin, Y., Gao, L., & Liu, M. (2019). Uncertainty in simulation of land-use change impacts on catchment runoff with multi-timescales based on the comparison of the HSPF and SWAT models. *Journal of Hydrology*, 573, 486-500.
- Chlumecký, M., Buchtele, J. and Richta, K. (2017) Application of random number generators in genetic algorithms to improve rainfall-runoff modelling. *Journal of Hydrology* 553, 350-355.
- Choudhari K, Panigrahi, B, Paul JC (2014) Simulation of rainfall-runoff process using HEC-HMS model for Balijore Nala watershed, Odisha, India. *Int J Geom Geosci* 5(2). ISSN 0976–4380.
- Chu, H., Wei, J., Qiu, J., Li, Q., & Wang, G. (2019). Identification of the impact of climate change and human activities on rainfall-runoff relationship variation in the Three-River Headwaters region. *Ecological Indicators*, 106, 105516.

Cortes C, Vapnik V (1995). Support-vector networks. *Machine Learning*, 20(3): 273-297.

Dakhlaoui, H., Ruelland, D., Trambly, Y. and Bargaoui, Z. (2017) Evaluating the robustness of conceptual rainfall-runoff models under climate variability in northern Tunisia. *Journal of Hydrology* 550, 201-217.

Darji, M. P., Dabhi, V. K., & Prajapati, H. B. (2015, March). Rainfall forecasting using neural network: A survey. In 2015 international conference on advances in computer engineering and applications (pp. 706-713). IEEE.

Dastorani MT, Moghadamnia A, Piri J, Rico-Ramirez M (2009) Application of ANN and ANFIS Models for reconstructing missing flow data. *J Environ Monit Assess* 166:421–434.

Debele B, Srinivasan R, Gosain A (2010). Comparison of process based and temperature-index snowmelt modeling in SWAT. *Water Resour Manage*, 24(6):1065–1088.

Del Giudice, G. and Padulano, R. (2016) Sensitivity analysis and calibration of a rainfall-runoff model with the combined use of EPA-SWMM and genetic algorithm. *ActaGeophysica* 64(5), 1755-1778.

Demirel MC, Anabela Venancio MC, Ercan Kahya MC (2009) Flow forecast by SWAT model and ANN in Pracana basin, Portugal. *Adv Eng Softw* 40:467–473.

Deo RC, Sahin M (2015). Application of artificial neural network model for predication of monthly standardized precipitation and evapotranspiration index using hydro meteorological parameters and climate index in eastern Australia. *Atmos. Res.* 161: 65-81.

DeVera, M. R. (1984). Rainfall-runoff relationship of some catchments with karstic geomorphology under arid to semi-arid conditions. *Journal of hydrology*, 68(1-4), 85-93.

Ditthakit P, Nakrod S, Viriyanantavong N, Tolche AD, Pham QB (2021). Estimating Base flow and Base flow Index in Ungauged Basins Using Spatial Interpolation Techniques: A Case Study of the Southern River Basin of Thailand. *Water*, 13(21):3113. <https://doi.org/10.3390/w13213113>.

Duan Z et al (2019) Hydrological evaluation of open-access precipitation and air temperature datasets using SWAT in a poorly Gauged basin in Ethiopia. *J Hydrol* 569:612–626.

- Dubey, A. D. (2015). Artificial neural network models for rainfall prediction in Pondicherry. *International Journal of Computer Applications*, 120(3).
- El-Shafie, A., Noureldin, A., Taha, M., Hussain, A., & Mukhlisin, M. (2012). Dynamic versus static neural network model for rainfall forecasting at Klang River Basin, Malaysia. *Hydrology and Earth System Sciences*, 16(4), 1151-1169.
- Fallah-Ghalhary, G. A., Mousavi-Baygi, M., & Nokhandan, M. H. (2009). Annual rainfall forecasting by using mamdani fuzzy inference system. *Research Journal of Environmental Sciences*, 3(4), 400-413.
- Fotovatikhah, F., et al. (2018) Survey of Computational Intelligence as Basis to Big Flood Management: Challenges, research directions and Future Work. *Engineering Applications of Computational Fluid Mechanics* 12 (1), 411-437.
- Fowler, K.J., Peel, M.C., Western, A.W., Zhang, L. and Peterson, T.J. (2016) Simulating runoff under changing climatic conditions: Revisiting an apparent deficiency of conceptual rainfall-runoff models. *Water Resources Research* 52(3), 1820-1846.
- Fraga, I., Cea, L. and Puertas, J. (2019) Effect of rainfall uncertainty on the performance of physically based rainfall–runoff models. *Hydrological Processes* 33(1), 160-173.
- Francesconi W, Srinivasan R, Pérez-Miñana E, Willcock SP, Quintero M (2016). Using the soil and water assessment tool (SWAT) to model ecosystem services: a systematic review. *J Hydrol* 535:625–636.
- French, M. N., Krajewski, W. F., & Cuykendall, R. R. (1992). Rainfall forecasting in space and time using a neural network. *Journal of hydrology*, 137(1-4), 1-31.
- Fu, Minglei, et al. (2020) Deep learning data-intelligence model based on adjusted forecasting window scale: application in daily streamflow simulation. *IEEE Access* 8, 32632-32651.
- Ganti, R. (2014, October). Monthly monsoon rainfall forecasting using artificial neural networks. In *AIP Conference Proceedings* (Vol. 1618, No. 1, pp. 807-810). American Institute of Physics.

Garcia, F., Folton, N. and Oudin, L. (2017) Which objective function to calibrate rainfall–runoff models for low-flow index simulations. *Hydrological sciences journal* 62(7), 1149–1166.

Gassman PW, Reyes MR, Green CH, Arnold JG (2007). The soil and water assessment tool: historical development, applications, and future research directions. *Trans ASABE* 50(4):1211–1250.

Gharde, K. D., Kothari, M., Mittal, H. K., Singh, P. K., & Dahiphale, P. A. (2015). Sediment yield modelling of Kal river in Maharashtra using artificial neural network model. *Research Journal of Recent Sciences*, ISSN, 2277, 2502.

Gholizadeh, M. H., & Darand, M. (2009). Forecasting precipitation with artificial neural networks (case study: Tehran). *Journal of applied Sciences*, 9(9), 1786–1790.

Gizaw MS, Gan TY (2016). Possible impact of climate change on future extreme precipitation of the Oldman, Bow and Red Deer River Basins of Alberta. *International Journal of Climatology*, 36(1):208–224.

Goeschel K (2016). Reducing false positives in intrusion detection systems using data-mining techniques utilizing support vector machines, decision trees, and naive Bayes for off-line analysis. , *Southeast Con. 2016*, 2016, pp. 1–6, doi: 10.1109/SECON.2016.7506774.

Golmohammadi G, Rudra R, Dickinson T, Goel P, Veliz M (2017). Predicting the temporal variation of flow contributing areas using SWAT. *J Hydrol* 547:375–386.

Grusson Y, Sun X, Gascoin S, Sauvage S, Raghavan S, Anctil F, Sánchez-Pérez JM (2015). Assessing the capability of the SWAT model to simulate snow, snow melt and stream flow dynamics over an alpine watershed. *J. Hydrol.* 531, 574–588.

Gunathilake MB, Panditharathne P, Gunathilake AS, Warakagoda ND (2019). Application of HEC-HMS Model on Event-Based Simulations in the Seethawaka Ganga River, Sri Lanka. In *Sch. J. Appl. Sci. Res.*, 2: 32–40.

Guo, D., Westra, S. and Maier, H.R. (2017) Impact of evapotranspiration process representation on runoff projections from conceptual rainfall-runoff models. *Water Resources Research* 53(1), 435–454.

- Gupta, M., Srivastava, P. K., Islam, T., & Ishak, A. M. B. (2014). Evaluation of TRMM rainfall for soil moisture prediction in a subtropical climate. *Environmental earth sciences*, 71, 4421-4431.
- Her Y, Frankenberger J, Chaubey I, Srinivasan R (2015). Threshold effects in HRU definition of the soil and water assessment tool. *Transactions of the ASABE*, 58(2): 367-378.
- Hock R (2003). Temperature index melt modelling in mountain areas. *Journal of Hydrology*, 282(1-4): 0–115. doi:10.1016/s0022-1694(03)00257-9.
- Hsu, K. L., Gupta, H. V., & Sorooshian, S. (1995). Artificial neural network modeling of the rainfall-runoff process. *Water resources research*, 31(10), 2517-2530.
- Hung, N. Q., Babel, M. S., Weesakul, S., & Tripathi, N. K. (2008). An artificial neural network model for rainfall forecasting in Bangkok, Thailand. *Hydrology and Earth System Sciences Discussions*, 5(1), 183-218.
- Ishtiaq H, Abdul Razzaq Gh, Hashim NH, Abdul Sattar Sh (2010). Investigation of the impact of global warming on precipitation pattern of Saudi Arabia. *Civil Engineering and Environmental Systems*, 27(4): 365-376.
- Ishtiaq H, Abdul Razzaq Gh, Hashim NH, Abdul Sattar Sh (2010). Investigation of the impact of global warming on precipitation pattern of Saudi Arabia. *Civil Engineering and Environmental Systems*, 27(4): 365-376.
- Jain, S. K., Jain, S. K., Jain, N., & Xu, C. Y. (2017). Hydrologic modeling of a Himalayan mountain basin by using the SWAT mode. *Hydrology and Earth System Sciences Discussions*, 1-26.
- Jain, S. K., Keshri, R., Goswami, A., & Sarkar, A. (2010). Application of meteorological and vegetation indices for evaluation of drought impact: a case study for Rajasthan, India. *Natural hazards*, 54, 643-656.
- Jaiswal, R.K., Ali, S. and Bharti, B. (2020) Comparative evaluation of conceptual and physical rainfall–runoff models. *Applied Water Science* 10(1), 1-14.
- Kalteh, A. M. (2008). Rainfall-runoff modelling using artificial neural networks (ANNs): modelling and understanding.

Kangsabanik, S., & Murmu, S. (2017, May). Rainfall-runoff modelling of Ajay river catchment using SWAT model. In IOP Conference Series: Earth and Environmental Science (Vol. 67, No. 1, p. 012033). IOP Publishing.

Karamage, F., Liu, Y., Fan, X., Francis Justine, M., Wu, G., Liu, Y., ... & Wang, R. (2018). Spatial relationship between precipitation and runoff in Africa. *Hydrology and Earth System Sciences Discussions*, 1-27.

Khalili, N., Khodashenas, S. R., Davary, K., & Karimaldini, F. (2011, May). Daily rainfall forecasting for Mashhad synoptic station using artificial neural networks. In 2011 International Conference on Environmental and Computer Science IPCBEE (Vol. 19).

Kisi O, Cigizoglu HK (2007). Comparison of different ANN techniques in river flow prediction. *Civil Engineering and Environmental Systems*, 35(3): 233-246.

Kisi Ö, Haktanir T, Ardiclioglu M, Ozturk O, Yalcin E, Uludag S (2009). Adaptive neuro-fuzzy computing technique for suspended sediment estimation. *Advances in Engineering Software*, 40 (6): 438-444.

Kisi O, Shiri j (2012). River suspended sediment estimation by climatic variables implication: Comparative study among soft computing techniques. *Computers & Geosciences*, 43: 73–82. doi:10.1016/j.cageo.2012.02.007.

Knoben, W.J., Freer, J.E., Fowler, K.J., Peel, M.C. and Woods, R.A., 2019. Modular Assessment of Rainfall-Runoff Models Toolbox (MARRMoT) v1.2: an open-source, extendable framework providing implementations of 46 conceptual hydrologic models as continuous state-space formulations.

Kocabasa F, Kisi O, Ardiclioglu M (2009). An artificial neural network model for the prediction of critical submergence for intake in a stratified fluid medium. *Civil Engineering and Environmental Systems*, 26(4): 367-375.

Kratzert, F., Klotz, D., Brenner, C., Schulz, K. and Herrnegger, M. (2018) Rainfall–runoff modelling using long short-term memory (LSTM) networks. *Hydrol. Earth Syst. Sci.* 22(11), 6005-6022.

- Kuligowski, R. J., & Barros, A. P. (1998). Using artificial neural networks to estimate missing rainfall data 1. *JAWRA Journal of the American Water Resources Association*, 34(6), 1437-1447.
- Kumar, S., Roshni, T. and Himayoun, D. (2019) A comparison of emotional neural network (ENN) and artificial neural network (ANN) approach for rainfall-runoff modelling. *Civil Engineering Journal* 5(10), 2120-2130.
- Kumari, R., Mayoor, M., Mahapatra, S., Parhi, P. K., & Singh, H. P. (2019). Estimation of rainfall-runoff relationship and correlation of runoff with infiltration capacity and temperature over East Singhbhum district of Jharkhand. *International Journal of Engineering and Advanced Technology*, 9(2), 461.
- Kyada, P. M. (2018). Rainfall forecasting using artificial neural network (ANN) and adaptive neuro-fuzzy inference system (ANFIS) models. *International Journal of Agriculture Sciences*, ISSN, 0975-3710.
- Lakhote, A. B., Khode, B., & Baisware, E. (2014). Estimation of runoff for agricultural watershed and silt load assessment. *International Journal of Innovative Research in Advanced Engineering*, 1, 62-69.
- Leavesley GH, Markstrom SL, Restrepo PJ, Viger RJ (2002). A modular approach to addressing model design, scale, and parameter estimation issue in distributed hydrological modeling. *Hydrological Processes*, 16(2): 173-187.
- Ledesma, J.L. and Futter, M.N. (2017) Gridded climate data products are an alternative to instrumental measurements as inputs to rainfall-runoff models. *Hydrological Processes* 31(18), 3283-3293.
- Lee, D., Min, S. K., Fischer, E., Shiogama, H., Bethke, I., Lierhammer, L., & Scinocca, J. F. (2018). Impacts of half a degree additional warming on the Asian summer monsoon rainfall characteristics. *Environmental Research Letters*, 13(4), 044033.
- Legates DR, McCabe GJ (1999). Evaluating the use of “goodness-of-fit” Measures in hydrologic and hydro climatic model validation. *Water Resources Research*, 35(1): 233–241. doi:10.1029/1998wr900018.

- Liong SY, Sivapragasam C (2002). Flood Stage Forecasting with Support Vector Machines. , 38(1): 173–186. doi:10.1111/j.1752-1688.2002.tb01544.x.
- Liu R, Xu F, Zhang P, Yu W, Men C (2016). Identifying non-point source critical source areas based on multi-factors at a basin scale with SWAT. *J Hydrol* 533:379–388.
- Luk, K. C., Ball, J. E., & Sharma, A. (2000). A study of optimal model lag and spatial inputs to artificial neural network for rainfall forecasting. *Journal of Hydrology*, 227(1-4), 56-65.
- Luo Y, Arnold J, Liu S, Wang X, Chen X (2013). Inclusion of glacier processes for distributed hydrological modeling at basin scale with application to a watershed in Tianshan Mountains, Northwest China. *J Hydrol* 477:72–85.
- Maharjan, G. R., Park, Y. S., Kim, N. W., Shin, D. S., Choi, J. W., Hyun, G. W., ... & Lim, K. J. (2013). Evaluation of SWAT sub-daily runoff estimation at small agricultural watershed in Korea. *Frontiers of Environmental Science & Engineering*, 7, 109-119.
- Malagò A et al (2016). Regional scale hydrologic modeling of a karst dominant geomorphology: the case study of the Island of Crete. *J Hydrol* 540:64–81.
- Marino, N. A., Srivastava, D. S., MacDonald, A. A. M., Leal, J. S., Campos, A. B., & Farjalla, V. F. (2017). Rainfall and hydrological stability alter the impact of top predators on food web structure and function. *Global change biology*, 23(2), 673-685.
- Mekanik, F., Imteaz, M. A., Gato-Trinidad, S., & Elmahdi, A. (2013). Multiple regression and Artificial Neural Network for long-term rainfall forecasting using large scale climate modes. *Journal of Hydrology*, 503, 11-21.
- Meresa HK, Gatachew MT (2018). Climate change impact on river flow extremes in the Upper Blue Nile River Basin. *Water and Climate Change*. <https://doi.org/10.2166/wcc.2018.154>.
- Mishra, V., Aaadhar, S., Shah, H., Kumar, R., Pattanaik, D. R., & Tiwari, A. D. (2018). The Kerala flood of 2018: combined impact of extreme rainfall and reservoir storage.
- Mistry, A. K., & Joshi, B. R. (2018). Rainfall runoff modelling of Shakkar River using SWAT model. *International Journal of Science Technology & Engineering*, 4(10), 49-52.

Moore ID, OLoughlin EM, Burch GJ (1988). A contour based topographic model for hydrological and ecological application. *Earth Surface Processes Landforms*, 13(14): 305-320.

Moore ID, OLoughlin EM, Burch GJ (1988). A contour based topographic model for hydrological and ecological application. *Earth Surface Processes Landforms*, 13(14): 305-320.

Moriasi DN, Arnold JG, Van Liew MW, Bingner RL, Harmel RD, Veith TL (2007). Model Evaluation Guidelines for Systematic Quantification of Accuracy in Watershed Simulations. *Transactions of the ASABE* 50(3): 885 –900. doi:10.13031/2013.23153.

Mosavi, A., et al. (2018) Flood Prediction Using Machine Learning Models: Literature Review. *Water* 10 (11), 1536 2018.

Mount NJ, Maier HR, Toth E, Elshorbagy A, Solomatine D, Chang FJ, Abrahart RJ (2016). Data-Driven Modelling Approaches for Socio-Hydrology: Opportunities and Challenges within the Panta Rhei Science Plan. *Hydrol. Sci. J.* 61:1–17.

Nastos, P. T., Kapsomenakis, J., & Douvis, K. C. (2013). Analysis of precipitation extremes based on satellite and high-resolution gridded data set over Mediterranean basin. *Atmospheric Research*, 131, 46-59.

Nguyen HH et al (2019). Comparison of the alternative models SOURCE and SWAT for predicting catchment streamflow, sediment and nutrient loads under the effect of land use changes. *Sci Total Environ* 662:254–265

Nhu VH, Mohammadi A, Shahabi H, Ahmad BB, Al-Ansari N, Shirzadi A, Geertsema M, R. Kress V, Karimzadeh S, Valizadeh Kamran K, Chen W, Nguyen H (2020). Landslide Detection and Susceptibility Modeling on Cameron Highlands (Malaysia): A Comparison between Random Forest, Logistic Regression and Logistic Model Tree Algorithms. *Forests*, 11(8):830. <https://doi.org/10.3390/f11080830>.

Nourani, V. (2017) An emotional ANN (EANN) approach to modeling rainfall-runoff process. *Journal of Hydrology* 544, 267-277.

Nourani, V., DavanlouTajbakhsh, A., Molajou, A. and Gokcekus, H. (2019) Hybrid wavelet-M5 model tree for rainfall-runoff modeling. *Journal of Hydrologic Engineering* 24(5), 04019012.

Ouédraogo, W.; Raude, J.; Gathenya, J. Continuous Modeling of the Mkurumudzi River Catchment in Kenya Using the HEC-HMS Conceptual Model: Calibration, Validation, Model Performance Evaluation and Sensitivity Analysis. *Hydrology* 2018, 5, 44.

Panhalkar, S. S. (2014). RETRACTED: hydrological modeling using SWAT model and geoinformatic techniques.

Parikh, M., & Parekh, F. (2019). Hydrological Modelling of Deo River Sub-Basin using SWAT Model and Performance Evaluation using SWAT-CUP. *Int. J. of Innovative Technology and Exploring Engineering*, 8, 2890-96.

Patil, A., & Ramsankaran, R. A. A. J. (2017). Improving streamflow simulations and forecasting performance of SWAT model by assimilating remotely sensed soil moisture observations. *Journal of Hydrology*, 555, 683-696.

Pereira, D. D. R., Martinez, M. A., Pruski, F. F., & da Silva, D. D. (2016). Hydrological simulation in a basin of typical tropical climate and soil using the SWAT model part I: Calibration and validation tests. *Journal of Hydrology: Regional Studies*, 7, 14-37.

Purnomo, H. D., Hartomo, K. D., & Prasetyo, S. Y. J. (2017, March). Artificial neural network for monthly rainfall rate prediction. In *IOP conference series: materials science and engineering* (Vol. 180, No. 1, p. 012057). IOP Publishing.

Quinlan JR (1992). Learning with continuous classes. *Proceedings of Australian Joint Conference on Artificial Intelligence*. World Scientific Press, Singapore, pp 343–348.

Ramirez, M. C. V., de Campos Velho, H. F., & Ferreira, N. J. (2005). Artificial neural network technique for rainfall forecasting applied to the Sao Paulo region. *Journal of hydrology*, 301(1-4), 146-162.

Rasel, H. M., & Imteaz, M. A. (2016). Application of Artificial Neural Network for seasonal rainfall forecasting: A case study for South Australia. In *Proceedings of the World Congress on Engineering* (Vol. 1).

- Reshma, T., Reddy, K.V., Pratap, D. and Agilan, V. (2018) Parameters optimization using Fuzzy rule based multi-objective genetic algorithm for an event based rainfall-runoff model. *Water resources management* 32(4), 1501-1516.
- Rossi, A., Massei, N., Laignel, B., Sebag, D., & Copard, Y. (2009). The response of the Mississippi River to climate fluctuations and reservoir construction as indicated by wavelet analysis of streamflow and suspended-sediment load, 1950–1975. *Journal of Hydrology*, 377(3-4), 237-244.
- Rostamian R, Aazam J, Afyuni M, Mousavi F, Heidarpour M, Jalalian A, Abbaspour KC (2008). Application of a SWAT model for estimating runoff and sediment in two mountainous basins in central Iran. *Hydrological Sciences Journal*, 53(5): 977-988.
- Roushangar, Kiyoumars, and Farhad Alizadeh. (2019) Scenario-based prediction of short-term river stage–discharge process using wavelet-EEMD-based relevance vector machine. *Journal of Hydroinformatics* 21(1), 56-76.
- Roushangar, Kiyoumars, Farhad Alizadeh, and Jan Adamowski. (2018) Exploring the effects of climatic variables on monthly precipitation variation using a continuous wavelet-based multiscale entropy approach. *Environmental research* 165, 176-192.
- Ruan, H., Zou, S., Cong, Z., Wang, Y., Yin, Z., Lu, Z., ... & Xu, B. (2016). Runoff simulation by SWAT model using high-resolution gridded precipitation in the upper Heihe River Basin, Northeastern Tibetan Plateau. *Hydrology and Earth System Sciences Discussions*, 1-23.
- Sadler JM, Goodall JL, Morsy MM, Spencer K (2018). Modeling urban coastal flood severity from crowd-sourced flood reports using Poisson regression and Random Forest. *Journal of Hydrology*, 559: 43–55. doi:10.1016/j.jhydrol.2018.01.044.
- Saft, M., Western, A. W., Zhang, L., Peel, M. C., & Potter, N. J. (2015). The influence of multiyear drought on the annual rainfall-runoff relationship: An Australian perspective. *Water Resources Research*, 51(4), 2444-2463.
- Sepaskhah, A. R., & MOOSAVI, F. S. (2010). Determination of rainfall-runoff relationship based on soil physical properties for use in microcatchment water harvesting system design.

Shahid M, Rahman KU, Haider S, Gabriel HF, Khan AJ, Pham QB, Pande CB, Linh NTT, Anh DT (2021) Quantitative assessment of regional land use and climate change impact on runoff across Gilgit watershed. *Environ Earth Sci* 80(22):1–18

Shamshirband S, Hashemi S, Salimi H, Samadianfard S, Asadi E, Shadkani S, Kargar K, Mosavi A, Nabipour N, Chau K (2020). Predicting Standardized Streamflow index for hydrological drought using machine learning models. *Engineering Applications of Computational Fluid Mechanics* 14 (1): 339–350. <https://doi.org/10.1080/19942060.2020.1715844>.

Sharma, A., & Nijhawan, G. (2015). Rainfall prediction using neural network. *IJCST*, 3(3), 65-69.

Sharma, A., Patel, P. L., & Sharma, P. J. (2022). Influence of climate and land-use changes on the sensitivity of SWAT model parameters and water availability in a semi-arid river basin. *Catena*, 215, 106298.

Sharma, S. K., Kansal, M. L., & Tyagi, A. (2015). Resource assessment and strategic planning for improvement of water supply to Shimla city in India using geo-spatial techniques. *The Egyptian Journal of Remote Sensing and Space Science*, 18(1), 85-97.

Shrivastava, G., Karmakar, S., Kowar, M. K., & Guhathakurta, P. (2012). Application of artificial neural networks in weather forecasting: a comprehensive literature review. *International Journal of Computer Applications*, 51(18), 17-29.

Singh, P. K., & Purty, P. (2016). Estimation of rainfall-runoff relationship in East Singhbhum District, Jharkhand, India. *BEST: International Journal of Management. Information Technology and Engineering*, 4(10), 15-28.

Sinha, P., Mohanty, U. C., Kar, S. C., Dash, S. K., & Kumari, S. (2013). Sensitivity of the GCM driven summer monsoon simulations to cumulus parameterization schemes in nested RegCM3. *Theoretical and applied climatology*, 112, 285-306.

Sitterson, J., Knightes, C., Parmar, R., Wolfe, K., Avant, B. and Muche, M. (2018) An overview of rainfall-runoff model types.

- Sojitra, M., Purohit, R., Pandya, P., & Kyada, P. (2016). Short Duration Rainfall Forecasting Modeling through ANNS.
- Song, J.H., Her, Y., Park, J. and Kang, M.S. (2019) Exploring parsimonious daily rainfall-runoff model structure using the hyperbolic tangent function and Tank model. *Journal of Hydrology* 574, 574-587.
- Spruill, C. A., Workman, S. R., & Taraba, J. L. (2000). Simulation of daily and monthly stream discharge from small watersheds using the SWAT model. *Transactions of the ASAE*, 43(6), 1431-1439.
- Štravs L, Brilly M (2007). Development of a low-flow forecasting model using the M5 machine learning method. *Hydrological Sciences Journal*, 52(3): 466–477. doi:10.1623/hysj.52.3.466.
- Sudheer, K. P., Gosain, A. K., & Ramasastri, K. S. (2002). A data-driven algorithm for constructing artificial neural network rainfall-runoff models. *Hydrological processes*, 16(6), 1325-1330.
- Taghi Sattari M, Pal M, Apaydin H et al. (2013). M5 model tree application in daily river flow forecasting in Sohu Stream, Turkey. *Water Resour* 40: 233–242. <https://doi.org/10.1134/S0097807813030123>.
- Talebizadeh M, Ayyoubzadeh S, Ghasemzadeh M (2010) Uncertainty analysis in sediment load modeling using ANN and SWAT model. *Water Resour Manag* 24(9):1747–1761.
- Tandon, P. N., & Nimbalkar, P. T. (2014). Rainfall-runoff relationships using curve number method: a case study. *International Journal of Advanced Engineering Research and Studies*, 4(1), 73-77.
- Taormina, R., et al. (2015) ANN-based interval forecasting of streamflow discharges using the method and MOFIPS. *Engineering Applications of Artificial Intelligence* 45, 429-440.
- Tassew BG, Belete MA, Miegel K (2019). Application of HEC-HMS model for flow simulation in the Lake Tana basin: The case of Gilgel Abay catchment, upper Blue Nile basin, Ethiopia. *Hydrology*, 6: 21.

Thavhana, M. P. (2018). Runoff simulation using the SWAT model for flood frequency analysis and design flood estimations in the Luvuvhu River catchment, South Africa (Doctoral dissertation).

Tokar A.S., Markus M. (2000): Precipitation runoff modeling using artificial neural networks and conceptual models. *Journal of Hydrological Engineering*, 5: 156–161.

Tongal H, Booij MJ (2018). Simulation and forecasting of stream flows using machine learning models coupled with base flow separation. *Journal of Hydrology*, S0022169418305092–. doi:10.1016/j.jhydrol.2018.07.004.

Troin M, Caya D (2014). Evaluating the SWAT's snow hydrology over a Northern Quebec watershed. *Hydrol Process* 28(4):1858–1873.

Tuo Y, Duan Z, Disse M, Chiogna G (2016) Evaluation of precipitation input for SWAT modeling in alpine catchment: A case study in the Adige river basin (Italy). *Sci Total Environ* 573:66–82.

Üneş, F., Keskin, L. and Demirci, M. (2019) Artificial Neural Networks Method for Prediction of Rainfall-Runoff Relation: Regional Practice. *Natural and Engineering Sciences* 4(3), 220-230.

Vapnik VN (1995). *The nature of statistical learning theory*. Springer-Verlag New York, Inc., 188 pp.

Velasco, L. C. P., Serquiña, R. P., Zamad, M. S. A. A., Juanico, B. F., & Lomocso, J. C. (2019). Week-ahead rainfall forecasting using multilayer perceptron neural network. *Procedia Computer Science*, 161, 386-397.

Vidyarthi, V.K. and Chourasiya, S. (2020) Particle Swarm Optimization for Training Artificial Neural Network-Based Rainfall–Runoff Model, Case Study: Jardine River Basin. In *Micro-Electronics and Telecommunication Engineering* 641-647.

Walter MT et al (2005) Process-based snowmelt modeling: Does it require more input data than temperature-index modeling? *J Hydrol* 300(1–4):65–75.

Wang W, Gelder PHAJMV, Vrijling JK, Ma J (2006). Forecasting daily streamflow using hybrid ANN models. *Journal of Hydrology*, 324(1–4): 383-399.

- Weeser, B., Jacobs, S., Kraft, P., Rufino, M.C. and Breuer, L. (2019) Rainfall-Runoff modeling using crowdsourced Water level data. *Water Resources Research* 55(12), 10856-10871.
- Welderufael, W. A., Le Roux, P. A. L., & Hensley, M. (2008). Quantifying rainfall–runoff relationships on the Dera Calcic Fluvic Regosol ecotope in Ethiopia. *Agricultural water management*, 95(11), 1223-1232.
- Wilby, R. L., Abrahart, R. J., & Dawson, C. W. (2003). Detection of conceptual model rainfall—runoff processes inside an artificial neural network. *Hydrological Sciences Journal*, 48(2), 163-181.
- Willems P (2000). Probabilistic modeling of the emission receiving surface waters, PhD Thesis, Faculty of Engineering, Katholieke Universiteit, Leuven, Belgium.
- Wu, C.L., et al. (2013) Prediction of Rainfall Time Series Using Modular Soft Computing Methods. *Engineering Applications of Artificial Intelligence* 26 (3), 997-1007.
- Xiang, Z., Yan, J. and Demir, I. (2020) A rainfall-runoff model with LSTM-based sequence-to-sequence learning. *Water resources research* 56(1), e2019WR025326.
- Yaghoubi M, Massah A (2014) Sensitivity analysis and comparison of capability of three conceptual models HEC-HMS, HBV and IHACRES in simulating continuous rainfall-runoff in semi-arid basins. *J Earth Space Phys* 2:153–172 .
- Yang CT, Marsooli R, Aalami MT (2009). Evaluation of total load sediment transport formulas using ANN.” *International Journal of Sediment Research*, 24(3): 274-286.
- Yoon H, Jun SC, Hyun Y, Bae GO, Lee KK (2011). A comparative study of artificial neural networks and support vector machines for predicting groundwater levels in a coastal aquifer. , 396(1-2): 128–138. doi:10.1016/j.jhydrol.2010.11.002.
- Yu PS, Yang TC, Chen SY, Kuo CM, Tseng HW (2017). Comparison of random forests and support vector machine for real-time radar-derived rainfall forecasting. *Journal of Hydrology*, 552(), 92–104. doi:10.1016/j.jhydrol.2017.06.020.
- Zeberie, W. (2019). Modelling of rainfall-runoff relationship in Big-Akaki watershed, upper Awash Basin, Ethiopia. *World News of Natural Sciences*, 27.

Zhang X, Srinivasan R, Debele B, Hao F (2008). Runoff Simulation of the Headwaters of the Yellow River using the SWAT Model with Three Snowmelt Algorithms. *Journal of the American Water Resources Association*, 44(1), 48–61. doi:10.1111/j.1752-1688.2007.00137.

Zhou Y, Chang FJ, Chang LC, Kao IF, Wang YS, Kang CC (2019). Multi-output support vector machine for regional multi-step-ahead PM2.5 forecasting. *Science of the Total Environment*, 651: 230–240. doi:10.

List of Publications

1. Kumar, S., & Pandey, K. K. (2023). Rainfall-Runoff Simulation And Modeling Using HEC-HMS Model. *Journal of Survey in Fisheries Sciences*, 667-673. Volume 10-Issue 2(2023) (Published)
2. Kumar, S., Pandey, K. K., Kumar, S., & Supriya, S. (2022). Estimating rainfall–runoff modeling using the rainfall prognostic model-based artificial framework with a well-ordered selective genetic algorithm. *Journal of Hydroinformatics*, 24(5), 1066-1090. (Published)