

REFERENCES

- [1] Bharatmala : Road to Prosperity (Annual Report 2018-19), “Ministry of Road Transport & Highways, Government of India, New Delhi,” 2019.
- [2] “Basic Road Statistics of India 2015-16, MoRTH, Government of India,” 2016.
- [3] P. Di Mascio, G. Loprencipe, and L. Moretti, “Technical and economic criteria to select pavement surfaces of port handling plants,” *Coatings*, vol. 9, no. 2, 2019.
- [4] M. Bienvenu and X. Jiao, “Comparison of Fuel Consumption on Rigid Versus Flexible Pavements Along I-95 in Florida, Florida International University,” 2013.
- [5] Satish Chandra, “Flexible Pavement versus Rigid Pavement,” *NBM & CW*, 2017. <https://www.nbmcw.com/tech-articles/roads-and-pavements/36977-flexible-pavement-versus-rigid-pavement.html> (accessed Jan. 12, 2020).
- [6] Bharatmala Pariyojana Phase-1, “Press Information Bureau, Ministry of Road Transport and Highways,” 2017.
- [7] United States Geological Survey, “Mineral Commodity Summaries,” 2007.
- [8] C. R. Gagg, “Cement and concrete as an engineering material: An historic appraisal and case study analysis,” *Engineering Failure Analysis*, vol. 40, pp. 114–140, 2014.
- [9] IBEF, “Cement industry in India,” 2019. <https://www.ibef.org/industry/cement-india/infographic> (accessed Apr. 29, 2020).
- [10] S. Kenai, W. Soboyejo, and A. Soboyejo, “Some engineering properties of limestone concrete,” *Materials and Manufacturing Processes*, vol. 19, no. 5, pp. 949–961, 2004.
- [11] Jos G.J. Olivier, G. Janssens-Maenhout, M. Muntean, and J. A. H. W. Peters, “Trends in global CO₂ emissions : 2014 Report, PBL Netherlands Environmental Assessment Agency,” 2014.
- [12] M. Madani Hosseini, Y. Shao, and J. K. Whalen, “Biocement production from silicon-rich plant residues: Perspectives and future potential in Canada,” *Biosystems Engineering*, vol. 110, no. 4, pp. 351–362, 2011.
- [13] S. U. Khan, M. F. Nuruddin, T. Ayub, and N. Shafiq, “Effects of different mineral admixtures on the properties of fresh concrete,” *The Scientific World Journal*, 2014.
- [14] L. Black, *Low clinker cement as a sustainable construction material*, Second Edi. Elsevier Ltd., 2016.
- [15] G. Constantinides, “Nanoscience and nanoengineering of cement-based materials,” *Nanotechnology in Eco-Efficient Construction*, pp. 9–38, 2013.

References

- [16] S. Singh, G. D. R. N. Ransinchung, K. Monu, and P. Kumar, "Laboratory investigation of RAP aggregates for dry lean concrete mixes," *Construction and Building Materials*, vol. 166, pp. 808–816, 2018.
- [17] ASTM C1240, "Standard Specification for Silica Fume Used in Cementitious Mixtures," *ASTM International*, 2015.
- [18] ACI 234R, "Guide for the use of silica fume in concrete," *American Concrete Institute*, 2006.
- [19] V. Kumar, A. Imam, V. Srivastava, and A. Y. Kushwaha, "Effect of Micro Silica on the properties of hardened concrete," *International Journal Of Engineering Research And Development*, vol. 13, no. 11, pp. 8–12, 2017.
- [20] A. S. Baid and S. D. Bhole, "Effect of Silica fume on mechanical properties of Concrete," *International Journal of Engineering Research and Technology*, vol. 2, no. 8, pp. 230–238, 2013.
- [21] S. Singh, G. D. Ransinchung, and P. Kumar, "Effect of mineral admixtures on fresh, mechanical and durability properties of RAP inclusive concrete," *Construction and Building Materials*, vol. 156, pp. 19–27, 2017.
- [22] G. D. Ransinchung and B. Kumar, "Investigations on pastes and mortars of ordinary portland cement admixed with wollastonite and microsilica," *Journal of Materials in Civil Engineering*, vol. 22, no. 4, pp. 305–313, 2010.
- [23] B. Malviya and B. Sealey, "Use of Microsilica in High Performance Precast Concrete," *The Masterbuilder*, 2016.
- [24] IARI, "Crop residues management with conservation agriculture: Potential, constraints and policy needs," *Indian Agricultural Research Institute, New Delhi*, p. 31, 2012.
- [25] Agricultural Statistics at a Glance 2014, *Ministry of Agriculture, Government of India*. 2015.
- [26] K. Karimi, G. Emtiazi, and M. J. Taherzadeh, "Ethanol production from dilute-acid pretreated rice straw by simultaneous saccharification and fermentation with *Mucor indicus*, *Rhizopus oryzae*, and *Saccharomyces cerevisiae*," *Enzyme and Microbial Technology*, vol. 40, no. 1, pp. 138–144, 2006.
- [27] N. H. Ravindranath *et al.*, "Assessment of sustainable non-plantation biomass resources potential for energy in India," *Biomass and Bioenergy*, vol. 29, no. 3, pp. 178–190, 2005.
- [28] Y.-F. Huang and S.-L. Lo, "Utilization of rice hull and straw," in *Rice*, Elsevier Inc. in cooperation with AACC International, 2019, pp. 627–661.
- [29] P. Binod *et al.*, "Bioethanol production from rice straw: An overview," *Bioresource Technology*, vol. 101, no. 13, pp. 4767–4774, 2010.

- [30] L. Domínguez-Escribà and M. Porcar, "Rice straw management: the big waste," *Biofuels, Bioproducts and Biorefining*, vol. 4, no. 2010, pp. 154–159, 2009.
- [31] M. A. El-Sayed and T. M. El-Samni, "Physical and Chemical Properties of Rice Straw Ash and Its Effect on the Cement Paste Produced from Different Cement Types," *Journal of King Saud University - Engineering Sciences*, vol. 19, no. 1, pp. 21–29, 2006.
- [32] A. Chakraverty and S. Kaleemullah, "Production of amorphous silica and combustible gas from rice straw," *Journal of Materials Science*, vol. 26, no. 17, pp. 4554–4560, 1991.
- [33] J. Roselló, L. Soriano, M. P. Santamarina, J. L. Akasaki, J. Monzó, and J. Payá, "Rice straw ash: A potential pozzolanic supplementary material for cementing systems," *Industrial Crops and Products*, vol. 103, pp. 39–50, 2017.
- [34] S. Munshi and R. P. Sharma, "Experimental investigation on strength and water permeability of mortar incorporate with rice straw ash," *Advances in Materials Science and Engineering*, vol. 2016, 2016.
- [35] R. Shamsudin, H. Ismail, and M. A. A. Hamid, "The suitability of rice straw ash as a precursor for synthesizing β -wollastonite," *Materials Science Forum*, vol. 846, pp. 216–222, 2016.
- [36] X. Yao, K. Xu, and Y. Liang, "Comparing the thermo-physical properties of rice husk and rice straw as feedstock for thermochemical conversion and characterization of their waste ashes from combustion," *BioResources*, vol. 11, no. 4, pp. 10549–10564, 2016.
- [37] R. R. Zaky, M. M. Hessien, A. A. El-Midany, M. H. Khedr, E. A. Abdel-Aal, and K. A. El-Barawy, "Preparation of silica nanoparticles from semi-burned rice straw ash," *Powder Technology*, vol. 185, no. 1, pp. 31–35, 2008.
- [38] M. S. Shetty, *Cement*. S. Chand & Company Ltd., 2005.
- [39] R. Maddalena, C. Hall, and A. Hamilton, "Effect of silica particle size on the formation of calcium silicate hydrate [C-S-H] using thermal analysis," *Thermochimica Acta*, vol. 672, no. September 2017, pp. 142–149, 2019.
- [40] L. P. Singh, S. K. Bhattacharyya, S. P. Shah, G. Mishra, and U. Sharma, "Studies on early stage hydration of tricalcium silicate incorporating silica nanoparticles: Part II," *Construction and Building Materials*, vol. 102, pp. 943–949, 2016.
- [41] S. Bae, C. Meral, J. E. Oh, J. Moon, M. Kunz, and P. J. M. Monteiro, "Characterization of morphology and hydration products of high-volume fly ash paste by monochromatic scanning x-ray micro-diffraction (μ -SXRD)," *Cement and Concrete Research*, vol. 59, pp. 155–164, 2014.
- [42] S. Kawashima, P. Hou, D. J. Corr, and S. P. Shah, "Cement & Concrete Composites Modification of cement-based materials with nanoparticles," *Cement and Concrete Composites*, vol. 36, pp. 8–15, 2013.

References

- [43] ASTM C618-19, “Standard specification for coal fly ash and raw or calcined natural pozzolan for use,” *ASTM International*, 2019.
- [44] X. Shi, Z. Yang, Y. Liu, and D. Cross, “Strength and corrosion properties of Portland cement mortar and concrete with mineral admixtures,” *Construction and Building Materials*, vol. 25, no. 8, pp. 3245–3256, 2011.
- [45] B. Yilmaz and A. Olgun, “Studies on cement and mortar containing low-calcium fly ash, limestone, and dolomitic limestone,” *Cement and Concrete Composites*, vol. 30, no. 3, pp. 194–201, 2008.
- [46] M. Cyr, P. Lawrence, and E. Ringot, “Efficiency of mineral admixtures in mortars: Quantification of the physical and chemical effects of fine admixtures in relation with compressive strength,” *Cement and Concrete Research*, vol. 36, no. 2, pp. 264–277, 2006.
- [47] Y. Kocak and S. Nas, “The effect of using fly ash on the strength and hydration characteristics of blended cements,” *Construction and Building Materials*, vol. 73, pp. 25–32, 2014.
- [48] T. Nochaiya, W. Wongkeo, and A. Chaipanich, “Utilization of fly ash with silica fume and properties of Portland cement-fly ash-silica fume concrete,” *Fuel*, vol. 89, no. 3, pp. 768–774, 2010.
- [49] P. Hou, S. Kawashima, K. Wang, D. J. Corr, J. Qian, and S. P. Shah, “Effects of colloidal nanosilica on rheological and mechanical properties of fly ash – cement mortar,” *Cement and Concrete Composites*, vol. 35, no. 1, pp. 12–22, 2013.
- [50] P. Chindaprasirt, C. Jaturapitakkul, and T. Sinsiri, “Effect of fly ash fineness on compressive strength and pore size of blended cement paste,” *Cement and Concrete Composites*, vol. 27, no. 4, pp. 425–428, 2005.
- [51] K. S. Latha, S. Rao, and S. V Reddy, “Estimation of GGBS and HVFA strength efficiencies in concrete with age,” *International Journal of Engineering and Advanced Technology*, vol. 2, no. 2, pp. 221–225, 2012.
- [52] C. L. Hwang and D. H. Shen, “The effects of blast-furnace slag and fly ash on the hydration of portland cement,” *Cement and Concrete Research*, vol. 21, no. 4, pp. 410–425, 1991.
- [53] A. Alhozaimy, A. Al-Negheimish, O. A. Alawad, M. S. Jaafar, and J. Noorzaei, “Binary and ternary effects of ground dune sand and blast furnace slag on the compressive strength of mortar,” *Cement and Concrete Composites*, vol. 34, no. 6, pp. 734–738, 2012.
- [54] S. Kourounis, S. Tsivilis, P. E. Tsakiridis, G. D. Papadimitriou, and Z. Tsibouki, “Properties and hydration of blended cements with steelmaking slag,” *Cement and Concrete Research*, vol. 37, no. 6, pp. 815–822, 2007.
- [55] H. Yazici, H. Yiğiter, A. Ş. Karabulut, and B. Baradan, “Utilization of fly ash and ground granulated blast furnace slag as an alternative silica source in reactive powder concrete,” *Fuel*, vol. 87, no. 12, pp. 2401–2407, 2008.

- [56] S. Y. Hong and F. P. Glasser, "Phase relations in the CaO-SiO₂-H₂O system to 200 °C at saturated steam pressure," *Cement and Concrete Research*, vol. 34, no. 9, pp. 1529–1534, 2004.
- [57] E. Güneyisi, M. Gesoğlu, and K. Mermerdaş, "Improving strength, drying shrinkage, and pore structure of concrete using metakaolin," *Materials and Structures/Materiaux et Constructions*, vol. 41, no. 5, pp. 937–949, 2008.
- [58] E. Güneyisi, M. Gesoğlu, S. Karaoğlu, and K. Mermerdaş, "Strength, permeability and shrinkage cracking of silica fume and metakaolin concretes," *Construction and Building Materials*, vol. 34, pp. 120–130, 2012.
- [59] A. P. Shelorkar and P. D. Jadhao, "Strength appraisal of high grade concrete by using high reactive metakaolin," *International Journal of Innovative Research in Science, Engineering and Technology*, vol. 2, no. 3, pp. 657–663, 2013.
- [60] B. B. Patil and P. D. Kumbhar, "Strength and durability properties of high performance concrete incorporating high reactivity metakaolin," *International Journal of Modern Engineering Research (IJMER)*, vol. 2, no. 3, pp. 1099–1104, 2012.
- [61] T.-L. L. Weng, W.-T. T. Lin, and A. Cheng, "Effect of metakaolin on strength and efflorescence quantity of cement-based composites," *The Scientific World Journal*, vol. 2013, pp. 1–11, 2013.
- [62] W. Wang, X. Liu, L. Guo, and P. Duan, "Evaluation of properties and microstructure of cement paste blended with metakaolin subjected to high temperatures," *Materials*, vol. 16, no. 6, 2019.
- [63] J. J. Brooks, M. A. M. Johari, and M. Mazloom, "Effect of admixtures on the setting times of high-strength," *Cement and Concrete Composites*, vol. 22, pp. 293–301, 2000.
- [64] M. S. Ismail and A. M. Waliuddin, "Effect of rice husk ash on high strength concrete," *Construction and Building Materials*, vol. 10, no. 7, pp. 521–526, 1996.
- [65] G. Rodríguez De Sensale, "Strength development of concrete with rice-husk ash," *Cement and Concrete Composites*, vol. 28, no. 2, pp. 158–160, 2006.
- [66] K. Sakr, "Effects of silica fume and rice husk ash on the properties of heavy weight concrete," *Journal of Materials in Civil Engineering*, vol. 18, no. 3, pp. 367–376, 2006.
- [67] A. N. Givi, S. A. Rashid, F. N. A. Aziz, and M. A. M. Salleh, "Assessment of the effects of rice husk ash particle size on strength, water permeability and workability of binary blended concrete," *Construction and Building Materials*, vol. 24, no. 11, pp. 2145–2150, 2010.
- [68] V. Ramasamy, "Compressive strength and durability properties of rice husk ash concrete," *KSCE Journal of Civil Engineering*, vol. 16, no. 1, pp. 93–102, 2012.

References

- [69] H. Chao-Lung, B. Le Anh-Tuan, and C. Chun-Tsun, "Effect of rice husk ash on the strength and durability characteristics of concrete," *Construction and Building Materials*, vol. 25, no. 9, pp. 3768–3772, 2011.
- [70] A. Muthadhi and S. Kothandaraman, "Experimental investigations of performance characteristics of rice husk ash-blended concrete," *Journal of Materials in Civil Engineering*, vol. 25, no. 8, pp. 1115–1118, 2013.
- [71] N. B. Singh, V. D. Singh, S. Rai, and S. Chaturvedi, "Effect of lignosulfonate, calcium chloride and their mixture on the hydration of RHA-blended portland cement," *Cement and Concrete Research*, vol. 32, no. 3, pp. 387–392, 2002.
- [72] K. Kartini, H. B. Mahmud, and M. S. Hamidah, "Absorption and permeability performance of selangor rice husk ash blended grade 30 concrete," *Journal of Engineering Science and Technology*, vol. 5, no. 1, pp. 1–16, 2010.
- [73] C. Marthong, "Effect of rice husk ash (RHA) as partial replacement of cement on concrete properties," *International Journal of Engineering Research & Technology (IJERT)*, vol. 1, no. 6, pp. 1–3, 2012.
- [74] H. T. Le, "Behaviour of rice husk ash in self-compacting high performance concrete," F.A. Finger-Institute for Building Materials Science, 2015.
- [75] N. Van Tuan, G. Ye, K. Van Breugel, A. L. A. Fraaij, and D. D. Bui, "The study of using rice husk ash to produce ultra high performance concrete," *Construction and Building Materials*, vol. 25, no. 4, pp. 2030–2035, 2011.
- [76] N. Van Tuan, G. Ye, K. Van Breugel, and O. Copuroglu, "Hydration and microstructure of ultra high performance concrete incorporating rice husk ash," *Cement and Concrete Research*, vol. 41, no. 11, pp. 1104–1111, 2011.
- [77] P. Chindaprasirt, C. Jaturapitakkul, and U. Rattanasak, "Influence of fineness of rice husk ash and additives on the properties of lightweight aggregate," *Fuel*, vol. 88, no. 1, pp. 158–162, 2009.
- [78] P. Chindaprasirt, S. Homwuttiwong, and C. Jaturapitakkul, "Strength and water permeability of concrete containing palm oil fuel ash and rice husk-bark ash," *Construction and Building Materials*, vol. 21, no. 7, pp. 1492–1499, 2007.
- [79] E. Mohseni, F. Naseri, R. Amjadi, M. M. Khotbehsara, and M. M. Ranjbar, "Microstructure and durability properties of cement mortars containing nano-TiO₂ and rice husk ash," *Construction and Building Materials*, vol. 114, pp. 656–664, 2016.
- [80] R. Zerbino, G. Giaccio, and G. C. Isaia, "Concrete incorporating rice-husk ash without processing," *Construction and Building Materials*, vol. 25, no. 1, pp. 371–378, 2011.
- [81] A. L. G. Gastaldini, G. C. Isaia, T. F. Hoppe, F. Missau, and A. P. Saciloto, "Influence of the use of rice husk ash on the electrical resistivity of concrete: A technical and economic feasibility study," *Construction and Building Materials*, vol. 23, no. 11, pp. 3411–3419, 2009.

- [82] A. L. G. Gastaldini, G. C. Isaia, A. P. Saciloto, F. Missau, and T. F. Hoppe, "Influence of curing time on the chloride penetration resistance of concrete containing rice husk ash: A technical and economical feasibility study," *Cement and Concrete Composites*, vol. 32, no. 10, pp. 783–793, 2010.
- [83] V. M. Malhotra and N. J. Carino, *Handbook on Nondestructive Testing of Concrete*, Second Edi. CRC Press, 2004.
- [84] G. D. Ransinchung, B. Kumar, and V. Kumar, "Assessment of water absorption and chloride ion penetration of pavement quality concrete admixed with wollastonite and microsilica," *Construction and Building Materials*, vol. 23, no. 2, pp. 1168–1177, 2009.
- [85] M. Abdel Wahab, I. Abdel Latif, M. Kohail, and A. Almasry, "The use of Wollastonite to enhance the mechanical properties of mortar mixes," *Construction and Building Materials*, vol. 152, pp. 304–309, 2017.
- [86] R. I. Khan and W. Ashraf, "Effects of ground wollastonite on cement hydration kinetics and strength development," *Construction and Building Materials*, vol. 218, pp. 150–161, 2019.
- [87] A. M. Soliman and M. L. Nehdi, "Effects of shrinkage reducing admixture and wollastonite microfiber on early-age behavior of ultra-high performance concrete," *Cement and Concrete Composites*, vol. 46, pp. 81–89, 2014.
- [88] D. Wang, C. Shi, N. Farzadnia, Z. Shi, H. Jia, and Z. Ou, "A review on use of limestone powder in cement-based materials: Mechanism, hydration and microstructures," *Construction and Building Materials*, vol. 181, pp. 659–672, 2018.
- [89] M. Zajac, A. Rossberg, G. Le Saout, and B. Lothenbach, "Influence of limestone and anhydrite on the hydration of Portland cements," *Cement and Concrete Composites*, vol. 46, pp. 99–108, 2014.
- [90] D. P. Bentz, T. Sato, I. De La Varga, and W. J. Weiss, "Fine limestone additions to regulate setting in high volume fly ash mixtures," *Cement and Concrete Composites*, vol. 34, no. 1, pp. 11–17, 2012.
- [91] J. Shannon, I. L. Howard, and V. Tim Cost, "Potential of Portland-Limestone cement to improve performance of concrete made with high slag cement and fly ash replacement rates," *Journal of Testing and Evaluation*, vol. 45, no. 3, pp. 873–889, 2017.
- [92] I. L. Howard, J. Shannon, V. T. Cost, and M. Stovall, "Davis wade stadium expansion and renovation: Performance of concrete produced with portland-limestone cement, fly ash, and slag cement," *Journal of Materials in Civil Engineering*, vol. 27, no. 12, pp. 1–12, 2015.
- [93] M. Aqel and D. K. Panesar, "Hydration kinetics and compressive strength of steam-cured cement pastes and mortars containing limestone filler," *Construction and Building Materials*, vol. 113, pp. 359–368, 2016.

References

- [94] T. Vuk, V. Tinta, R. Gabrovšek, and V. Kaučič, “The effects of limestone addition, clinker type and fineness on properties of Portland cement,” *Cement and Concrete Research*, vol. 31, no. 1, pp. 135–139, 2001.
- [95] V. Rahhal, V. Bonavetti, L. Trusilewicz, C. Pedrajas, and R. Talero, “Role of the filler on Portland cement hydration at early ages,” *Construction and Building Materials*, vol. 27, no. 1, pp. 82–90, 2012.
- [96] D. P. Bentz, C. F. Ferraris, S. Z. Jones, D. Lootens, and F. Zunino, “Limestone and silica powder replacements for cement: Early-age performance,” *Cement and Concrete Composites*, vol. 78, pp. 43–56, 2017.
- [97] T. Oey, A. Kumar, J. W. Bullard, N. Neithalath, and G. Sant, “The filler effect: The influence of filler content and surface area on cementitious reaction rates,” *Journal of the American Ceramic Society*, vol. 96, no. 6, pp. 1978–1990, 2013.
- [98] M. Cyr, P. Lawrence, and E. Ringot, “Mineral admixtures in mortars: Quantification of the physical effects of inert materials on short-term hydration,” *Cement and Concrete Research*, vol. 35, no. 4, pp. 719–730, 2005.
- [99] E. V. Morales, E. Villar-Cociña, M. Frías, S. F. Santos, and H. Savastano, “Effects of calcining conditions on the microstructure of sugar cane waste ashes (SCWA): Influence in the pozzolanic activation,” *Cement and Concrete Composites*, vol. 31, no. 1, pp. 22–28, 2009.
- [100] K. Ganesan, K. Rajagopal, and K. Thangavel, “Evaluation of bagasse ash as supplementary cementitious material,” *Cement and Concrete Composites*, vol. 29, no. 6, pp. 515–524, 2007.
- [101] A. K. Parande, K. Stalin, R. K. Thangarajan, and M. S. Karthikeyan, “Utilization of agroresidual waste in effective blending in portland cement,” *ISRN Civil Engineering*, vol. 2011, pp. 1–12, 2011.
- [102] N. Shafiq, A. A. E. Hussein, M. F. Nuruddin, and H. Al Mattarneh, “Effects of sugarcane bagasse ash on the properties of concrete,” *Proceedings of the Institution of Civil Engineers: Engineering Sustainability*, vol. 171, no. 3, pp. 123–132, 2018.
- [103] J. C. Arenas-Piedrahita, P. Montes-García, J. M. Mendoza-Rangel, H. Z. López Calvo, P. L. Valdez-Tamez, and J. Martínez-Reyes, “Mechanical and durability properties of mortars prepared with untreated sugarcane bagasse ash and untreated fly ash,” *Construction and Building Materials*, vol. 105, pp. 69–81, 2016.
- [104] G. C. Cordeiro, R. D. Toledo Filho, L. M. Tavares, and E. M. R. Fairbairn, “Pozzolanic activity and filler effect of sugar cane bagasse ash in Portland cement and lime mortars,” *Cement and Concrete Composites*, vol. 30, no. 5, pp. 410–418, 2008.
- [105] N. Chusilp, C. Jaturapitakkul, and K. Kiattikomol, “Utilization of bagasse ash as a pozzolanic material in concrete,” *Construction and Building Materials*, vol. 23, no. 11, pp. 3352–3358, 2009.

- [106] G. C. Cordeiro, R. D. T. Filho, and E. M. R. Fairbairn, “Ultrafine sugar cane bagasse ash: high potential pozzolanic material for tropical countries,” *IBRACON Structures and Materials*, vol. 3, no. 1, pp. 50–67, 2010.
- [107] T. H. Panzera, J. C. Rubio, C. R. Bowen, W. L. Vasconcelos, and K. Strecker, “Correlation between structure and pulse velocity of cementitious composites,” *Advances in Cement Research*, vol. 20, no. 3, pp. 101–108, 2008.
- [108] D. Breyse, “Nondestructive evaluation of concrete strength: An historical review and a new perspective by combining NDT methods,” *Construction and Building Materials*, vol. 33, pp. 139–163, 2012.
- [109] R. Demirboğa, I. Türkmen, and M. B. Karakoç, “Relationship between ultrasonic velocity and compressive strength for high-volume mineral-admixed concrete,” *Cement and Concrete Research*, vol. 34, no. 12, pp. 2329–2336, 2004.
- [110] J. M. R. Dotto, A. G. De Abreu, D. C. C. Dal Molin, and I. L. Müller, “Influence of silica fume addition on concretes physical properties and on corrosion behaviour of reinforcement bars,” *Cement and Concrete Composites*, vol. 26, no. 1, pp. 31–39, 2004.
- [111] A. A. Ramezani pour and H. Bahrami Jovein, “Influence of metakaolin as supplementary cementing material on strength and durability of concretes,” *Construction and Building Materials*, vol. 30, pp. 470–479, 2012.
- [112] G. Fajardo, P. Valdez, and J. Pacheco, “Corrosion of steel rebar embedded in natural pozzolan based mortars exposed to chlorides,” *Construction and Building Materials*, vol. 23, no. 2, pp. 768–774, 2009.
- [113] A. Lübeck, A. L. G. Gastaldini, D. S. Barin, and H. C. Siqueira, “Compressive strength and electrical properties of concrete with white Portland cement and blast-furnace slag,” *Cement and Concrete Composites*, vol. 34, no. 3, pp. 392–399, 2012.
- [114] ASTM C1202, “Standard test method for electrical indication of concrete’s ability to resist chloride ion penetration,” *ASTM International*, 2019.
- [115] C. Shi, “Effect of mixing proportions of concrete on its electrical conductivity and the rapid chloride permeability test (ASTM C1202 or AASHTO T277) results,” *Cement and Concrete Research*, vol. 34, no. 3, pp. 537–545, 2004.
- [116] F. T. Isfahani, E. Redaelli, F. Lollini, W. Li, and L. Bertolini, “Effects of nanosilica on compressive strength and durability properties of concrete with different water to binder ratios,” *Advances in Materials Science and Engineering*, vol. 2016, 2016.
- [117] L. Senff, J. A. Labrincha, V. M. Ferreira, D. Hotza, and W. L. Repette, “Effect of nano-silica on rheology and fresh properties of cement pastes and mortars,” *Construction and Building Materials*, vol. 23, no. 7, pp. 2487–2491, 2009.

References

- [118] P. Hou, S. Kawashima, D. Kong, D. J. Corr, J. Qian, and S. P. Shah, "Modification effects of colloidal nanoSiO₂ on cement hydration and its gel property," *Composites Part B: Engineering*, vol. 45, no. 1, pp. 440–448, 2013.
- [119] J. Björnström, A. Martinelli, A. Matic, L. Börjesson, and I. Panas, "Accelerating effects of colloidal nano-silica for beneficial calcium-silicate-hydrate formation in cement," *Chemical Physics Letters*, vol. 392, no. 1–3, pp. 242–248, 2004.
- [120] Y. Qing, Z. Zenan, K. Deyu, and C. Rongshen, "Influence of nano-SiO₂ addition on properties of hardened cement paste as compared with silica fume," *Construction and Building Materials*, vol. 21, no. 3, pp. 539–545, 2007.
- [121] J. I. Tobón, O. M. Reales, O. J. Restrepo, M. V. Borrachero, and J. Payá, "Effect of pyrogenic silica and nanosilica on portland cement matrices," *Journal of Materials in Civil Engineering*, vol. 30, no. 10, pp. 1–10, 2018.
- [122] H. Uchikawa, S. Hanehara, and D. Sawaki, "The role of steric repulsive force in the dispersion of cement particles in fresh paste prepared with organic admixture," *Cement and Concrete Research*, vol. 27, no. 1, pp. 37–50, 1997.
- [123] R. Zhang and P. Somasundaran, "Advances in adsorption of surfactants and their mixtures at solid/solution interfaces," *Advances in Colloid and Interface Science*, vol. 123–126, pp. 213–229, 2006.
- [124] T. Zhang, S. Shang, F. Yin, A. Aishah, A. Salmiah, and T. L. Ooi, "Adsorptive behavior of surfactants on surface of Portland cement," *Cement and Concrete Research*, vol. 31, no. 7, pp. 1009–1015, 2001.
- [125] S. Haruehansapong, T. Pulngern, and S. Chucheeepsakul, "Effect of the particle size of nanosilica on the compressive strength and the optimum replacement content of cement mortar containing nano-SiO₂," *Construction and Building Materials*, vol. 50, pp. 471–477, 2014.
- [126] B. W. Jo, C. H. Kim, J. H. Lim, G. ho Tae, and J. Bin Park, "Characteristics of cement mortar with nano-SiO₂ particles," *Construction and Building Materials*, vol. 21, no. 6, pp. 1351–1355, 2007.
- [127] H. Li, M. hua Zhang, and J. ping Ou, "Abrasion resistance of concrete containing nano-particles for pavement," *Wear*, vol. 260, no. 11–12, pp. 1262–1266, 2006.
- [128] H. Li, M. hua Zhang, and J. ping Ou, "Flexural fatigue performance of concrete containing nano-particles for pavement," *International Journal of Fatigue*, vol. 29, no. 7, pp. 1292–1301, 2007.
- [129] E. Chaichana, B. Jongsomjit, and P. Prasertthdam, "Effect of nano-SiO₂ particle size on the formation of LLDPE/SiO₂ nanocomposite synthesized via the in situ polymerization with metallocene catalyst," *Chemical Engineering Science*, vol. 62, no. 3, pp. 899–905, 2007.
- [130] F. Sanchez and K. Sobolev, "Nanotechnology in concrete - A review," *Construction and Building Materials*, vol. 24, no. 11, pp. 2060–2071, 2010.

- [131] L. P. Singh, S. R. Karade, S. K. Bhattacharyya, M. M. Yousuf, and S. Ahalawat, "Beneficial role of nanosilica in cement based materials - A review," *Construction and Building Materials*, vol. 47, pp. 1069–1077, 2013.
- [132] H. Li, H. gang Xiao, and J. ping Ou, "A study on mechanical and pressure-sensitive properties of cement mortar with nanophase materials," *Cement and Concrete Research*, vol. 34, no. 3, pp. 435–438, 2004.
- [133] H. Li, H. G. Xiao, J. Yuan, and J. Ou, "Microstructure of cement mortar with nano-particles," *Composites Part B: Engineering*, vol. 35, no. 2, pp. 185–189, 2004.
- [134] W. Kubissa, R. Jaskulski, and M. Brodňan, "Influence of SCM on the permeability of concrete with recycled aggregate," *Periodica Polytechnica Civil Engineering*, vol. 60, no. 4, pp. 583–590, 2016.
- [135] P. Duan, Z. Shui, W. Chen, and C. Shen, "Effects of metakaolin, silica fume and slag on pore structure, interfacial transition zone and compressive strength of concrete," *Construction and Building Materials*, vol. 44, pp. 1–6, 2013.
- [136] Z. Zhang, B. Zhang, and P. Yan, "Comparative study of effect of raw and densified silica fume in the paste, mortar and concrete," *Construction and Building Materials*, vol. 105, pp. 82–93, 2016.
- [137] G. Inan Sezer, "Compressive strength and sulfate resistance of limestone and/or silica fume mortars," *Construction and Building Materials*, vol. 26, no. 1, pp. 613–618, 2012.
- [138] M. A. Megat Johari, J. J. Brooks, S. Kabir, and P. Rivard, "Influence of supplementary cementitious materials on engineering properties of high strength concrete," *Construction and Building Materials*, vol. 25, no. 5, pp. 2639–2648, 2011.
- [139] E. F. Irassar, D. Violini, V. F. Rahhal, C. Milanese, M. A. Trezza, and V. L. Bonavetti, "Influence of limestone content, gypsum content and fineness on early age properties of Portland limestone cement produced by inter-grinding," *Cement and Concrete Composites*, vol. 33, no. 2, pp. 192–200, 2011.
- [140] L. Mo, M. Deng, and M. Tang, "Effects of calcination condition on expansion property of MgO-type expansive agent used in cement-based materials," *Cement and Concrete Research*, vol. 40, no. 3, pp. 437–446, 2010.
- [141] T. M. Borhan and R. S. Al-Rawi, "Combined effect of MgO and SO₃ contents in cement on compressive strength of concrete," *Al-Qadisiyah Journal for Engineering Sciences*, vol. 9, no. 4, pp. 516–525, 2016.
- [142] T. Gonçalves, R. V. Silva, J. De Brito, J. M. Fernández, and A. R. Esquinas, "Hydration of reactive MgO as partial cement replacement and its influence on the macroperformance of cementitious mortars," *Advances in Materials Science and Engineering*, vol. 2019, 2019.

References

- [143] Q. Yuan, J. Pump, and R. Conrad, "Straw application in paddy soil enhances methane production also from other carbon sources," *Biogeosciences*, vol. 11, no. 2, pp. 237–246, 2014.
- [144] S. Munshi, G. Dey, and R. Prasad Sharma, "Use of rice straw ash as pozzolanic material in cement mortar," *International Journal of Engineering and Technology*, vol. 5, no. 5, pp. 603–606, 2013.
- [145] S. Munshi and R. P. Sharma, "Investigation on the pozzolanic properties of rice straw ash prepared at different temperatures," *Materials Express*, vol. 8, no. 2, pp. 157–164, 2018.
- [146] Ş. Yazici and H. Ş. Arel, "Effects of fly ash fineness on the mechanical properties of concrete," *Sadhana - Academy Proceedings in Engineering Sciences*, vol. 37, no. 3, pp. 389–403, 2012.
- [147] P. Chindaprasirt, T. Chareerat, S. Hatanaka, and T. Cao, "High-strength geopolymer using fine high-calcium fly ash," *Journal of Materials in Civil Engineering*, vol. 23, no. 3, pp. 264–270, 2011.
- [148] J. Tangpagasit, R. Cheerarot, C. Jaturapitakkul, and K. Kiattikomol, "Packing effect and pozzolanic reaction of fly ash in mortar," *Cement and Concrete Research*, vol. 35, no. 6, pp. 1145–1151, 2005.
- [149] H. Kizhakkumodom Venkatanarayanan and P. R. Rangaraju, "Decoupling the effects of chemical composition and fineness of fly ash in mitigating alkali-silica reaction," *Cement and Concrete Composites*, vol. 43, pp. 54–68, 2013.
- [150] S. Barbhuiya and D. Kumala, "Behaviour of a sustainable concrete in acidic environment," *Sustainability (Switzerland)*, vol. 9, no. 9, 2017.
- [151] J. J. Gaitero, I. Campillo, and A. Guerrero, "Reduction of the calcium leaching rate of cement paste by addition of silica nanoparticles," *Cement and Concrete Research*, vol. 38, no. 8–9, pp. 1112–1118, 2008.
- [152] S. Miyamoto, H. Minagawa, and M. Hisada, "Deterioration rate of hardened cement caused by high concentrated mixed acid attack," *Construction and Building Materials*, vol. 67, pp. 47–54, 2014.
- [153] S. Hussain, D. Bhunia, and S. B. Singh, "Comparative study of accelerated carbonation of plain cement and fly-ash concrete," *Journal of Building Engineering*, vol. 10, no. June 2016, pp. 26–31, 2017.
- [154] A. K. Saha, "Effect of class F fly ash on the durability properties of concrete," *Sustainable Environment Research*, vol. 28, no. 1, pp. 25–31, 2018.
- [155] A. K. Saha and P. K. Sarker, "Sustainable use of ferronickel slag fine aggregate and fly ash in structural concrete: Mechanical properties and leaching study," *Journal of Cleaner Production*, vol. 162, pp. 438–448, 2017.
- [156] R. Siddique, "Performance characteristics of high-volume Class F fly ash concrete," *Cement and Concrete Research*, vol. 34, no. 3, pp. 487–493, 2004.

- [157] A. K. Saha and P. K. Sarker, “Compressive strength of mortar containing ferronickel slag as replacement of natural sand,” *Procedia Engineering*, vol. 171, pp. 689–694, 2017.
- [158] M. Kuroda, T. Watanabe, and N. Terashi, “Increase of bond strength at interfacial transition zone by the use of fly ash,” *Cement and Concrete Research*, vol. 30, no. 2, pp. 253–258, 2000.
- [159] S. W. M. Supit and F. U. A. Shaikh, “Durability properties of high volume fly ash concrete containing nano-silica,” *Materials and Structures/Materiaux et Constructions*, vol. 48, no. 8, pp. 2431–2445, 2015.
- [160] F. U. A. Shaikh and S. W. M. Supit, “Compressive strength and durability properties of high volume fly ash (HVFA) concretes containing ultrafine fly ash (UFFA),” *Construction and Building Materials*, vol. 82, pp. 192–205, 2015.
- [161] P. Chindapasirt, C. Chotithanorn, H. T. Cao, and V. Sirivivatnanon, “Influence of fly ash fineness on the chloride penetration of concrete,” *Construction and Building Materials*, vol. 21, no. 2, pp. 356–361, 2007.
- [162] A. Oner and S. Akyuz, “An experimental study on optimum usage of GGBS for the compressive strength of concrete,” *Cement and Concrete Composites*, vol. 29, no. 6, pp. 505–514, 2007.
- [163] B. S. Divsholi, T. Y. D. Lim, and S. Teng, “Durability properties and microstructure of ground granulated blast furnace slag cement concrete,” *International Journal of Concrete Structures and Materials*, vol. 8, no. 2, pp. 157–164, 2014.
- [164] L. Czarnecki and P. Woyciechowski, “Modelling of concrete carbonation; Is it a process unlimited in time and restricted in space?,” *Bulletin of the Polish Academy of Sciences: Technical Sciences*, vol. 63, no. 1, pp. 43–54, 2015.
- [165] A. Mohan and K. M. Mini, “Strength and durability studies of SCC incorporating silica fume and ultra fine GGBS,” *Construction and Building Materials*, vol. 171, pp. 919–928, 2018.
- [166] A. Elahi, P. A. M. Basheer, S. V. Nanukuttan, and Q. U. Z. Khan, “Mechanical and durability properties of high performance concretes containing supplementary cementitious materials,” *Construction and Building Materials*, vol. 24, no. 3, pp. 292–299, 2010.
- [167] J. Thomas, N. N. Thaickavil, and T. N. Syamala, “Supplementary cement replacement materials for sustainable concrete,” in *Green Buildings and Sustainable Engineering*, Springer Singapore, 2018, pp. 387–403.
- [168] A. Guerrero, S. Goñi, and A. Macías, “Durability of new fly ash-belite cement mortars in sulfated and chloride medium,” *Cement and Concrete Research*, vol. 30, no. 8, pp. 1231–1238, 2000.
- [169] S. Chandra, “Hydrochloric acid attack on cement mortar - An analytical study,” *Cement and Concrete Research*, vol. 18, no. 2, pp. 193–203, 1988.

References

- [170] V. Kannan and K. Ganesan, "Chloride and chemical resistance of self compacting concrete containing rice husk ash and metakaolin," *Construction and Building Materials*, vol. 51, pp. 225–234, 2014.
- [171] A. Kanellopoulos, M. F. Petrou, and I. Ioannou, "Durability performance of self-compacting concrete," *Construction and Building Materials*, vol. 37, pp. 320–325, 2012.
- [172] L. A. P. de Oliveira, J. P. de Castro Gomes, and C. N. G. Pereira, "Study of sorptivity of self-compacting concrete with mineral additives," *Journal of Civil Engineering and Management*, vol. 12, no. 3, pp. 215–220, 2006.
- [173] B. Mobasher, M. Shekarchi, A. Bonakdar, M. Bakhshi, and A. Mirdamadi, "Transport properties in metakaolin blended concrete," *Construction and Building Materials*, vol. 24, no. 11, pp. 2217–2223, 2010.
- [174] M. Uysal, K. Yilmaz, and M. Ipek, "The effect of mineral admixtures on mechanical properties, chloride ion permeability and impermeability of self-compacting concrete," *Construction and Building Materials*, vol. 27, no. 1, pp. 263–270, 2012.
- [175] M. Merlini, G. Artioli, T. Cerulli, F. Cella, and A. Bravo, "Tricalcium aluminate hydration in additivated systems. A crystallographic study by SR-XRPD," *Cement and Concrete Research*, vol. 38, no. 4, pp. 477–486, 2008.
- [176] R. San Nicolas, M. Cyr, and G. Escadeillas, "Performance-based approach to durability of concrete containing flash-calcined metakaolin as cement replacement," *Construction and Building Materials*, vol. 55, pp. 313–322, 2014.
- [177] T. W. Davies, "Flash dehydroxylation of kaolinite: The effect of heating rate on the properties of the calcine," *Journal of Materials Science Letters*, vol. 5, no. 2, pp. 186–187, 1986.
- [178] T. W. Davies, "Equipment for the Study of the Flash Heating of Particle Suspensions.," *High temperature technology*, vol. 2, no. 3, pp. 141–147, 1984.
- [179] J. M. Chi, R. Huang, and C. C. Yang, "Effects of carbonation on mechanical properties and durability of concrete using accelerated testing method," *Journal of Marine Science and Technology*, vol. 10, no. 1, pp. 14–20, 2002.
- [180] B. Liu, G. Luo, and Y. Xie, "Effect of curing conditions on the permeability of concrete with high volume mineral admixtures," *Construction and Building Materials*, vol. 167, pp. 359–371, 2018.
- [181] Z. Shi *et al.*, "Experimental studies and thermodynamic modeling of the carbonation of Portland cement, metakaolin and limestone mortars," *Cement and Concrete Research*, vol. 88, pp. 60–72, 2016.
- [182] M. I. Khan and C. J. Lynsdale, "Strength, permeability, and carbonation of high-performance concrete," *Cement and Concrete Research*, vol. 32, no. 1, pp. 123–131, 2002.

- [183] A. E. Abalaka, “Strength and some durability properties of concrete containing rice husk ash produced in a charcoal incinerator at low specific surface,” *International Journal of Concrete Structures and Materials*, vol. 7, no. 4, pp. 287–293, 2013.
- [184] K. Ganesan, K. Rajagopal, and K. Thangavel, “Rice husk ash blended cement: Assessment of optimal level of replacement for strength and permeability properties of concrete,” *Construction and Building Materials*, vol. 22, no. 8, pp. 1675–1683, 2008.
- [185] S. A. Zareei, F. Ameri, F. Dorostkar, and M. Ahmadi, “Rice husk ash as a partial replacement of cement in high strength concrete containing micro silica: Evaluating durability and mechanical properties,” *Case Studies in Construction Materials*, vol. 7, no. October 2016, pp. 73–81, 2017.
- [186] P. Chindaprasirt and S. Rukzon, “Strength, porosity and corrosion resistance of ternary blend Portland cement, rice husk ash and fly ash mortar,” *Construction and Building Materials*, vol. 22, no. 8, pp. 1601–1606, 2008.
- [187] P. Kalla, A. Rana, Y. B. Chad, A. Misra, and L. Csetenyi, “Durability studies on concrete containing wollastonite,” *Journal of Cleaner Production*, vol. 87, no. C, pp. 726–734, 2015.
- [188] R. Mathur, A. K. Misra, P. Goel, R. Mathur, A. K. Misra, and P. Goel, “Influence of wollastonite on mechanical properties of concrete,” *Journal of Scientific and Industrial Research*, vol. 66, no. 12, pp. 1029–1034, 2007.
- [189] R. Mathur, A. K. Misra, and P. Goel, “Marble slurry dust and wollastonite-inert mineral admixtures for cement concrete,” *Indian Highways*, pp. 41–46, 2007.
- [190] S. A. Zareei, F. Ameri, P. Shoaeei, and N. Bahrami, “Recycled ceramic waste high strength concrete containing wollastonite particles and micro-silica: A comprehensive experimental study,” *Construction and Building Materials*, vol. 201, pp. 11–32, 2019.
- [191] P. Kalla, A. Misra, R. C. Gupta, L. Csetenyi, V. Gahlot, and A. Arora, “Mechanical and durability studies on concrete containing wollastonite-fly ash combination,” *Construction and Building Materials*, vol. 40, pp. 1142–1150, 2013.
- [192] C. Shi, Z. Tu, M. Z. Guo, and D. Wang, “Accelerated carbonation as a fast curing technology for concrete blocks,” in *Sustainable and Nonconventional Construction Materials using Inorganic Bonded Fiber Composites*, Elsevier Ltd, 2017, pp. 313–341.
- [193] A. K. Al-Tamimi and M. Sonebi, “Assessment of self-compacting concrete immersed in acidic solutions,” *Journal of Materials in Civil Engineering*, vol. 15, no. 4, pp. 354–357, 2003.
- [194] F. Lollini, E. Redaelli, and L. Bertolini, “Effects of portland cement replacement with limestone on the properties of hardened concrete,” *Cement and Concrete Composites*, vol. 46, pp. 32–40, 2014.

References

- [195] L. G. Li and A. K. H. Kwan, "Adding limestone fines as cementitious paste replacement to improve tensile strength, stiffness and durability of concrete," *Cement and Concrete Composites*, vol. 60, pp. 17–24, 2015.
- [196] M. Gesoğlu, E. Güneyisi, M. E. Kocabağ, V. Bayram, and K. Mermerdaş, "Fresh and hardened characteristics of self compacting concretes made with combined use of marble powder, limestone filler, and fly ash," *Construction and Building Materials*, vol. 37, pp. 160–170, 2012.
- [197] J. J. Chen and A. K. H. Kwan, "Adding limestone fines to reduce heat generation of curing concrete," *Magazine of Concrete Research*, vol. 64, no. 12, pp. 1101–1111, 2012.
- [198] C. Tasdemir, "Combined effects of mineral admixtures and curing conditions on the sorptivity coefficient of concrete," *Cement and Concrete Research*, vol. 33, no. 10, pp. 1637–1642, 2003.
- [199] A. Bahurudeen, D. Kanraj, V. Gokul Dev, and M. Santhanam, "Performance evaluation of sugarcane bagasse ash blended cement in concrete," *Cement and Concrete Composites*, vol. 59, pp. 77–88, 2015.
- [200] S. Rukzon and P. Chindaprasirt, "Utilization of bagasse ash in high-strength concrete," *Materials and Design*, vol. 34, pp. 45–50, 2012.
- [201] R. Somna, C. Jaturapitakkul, P. Rattanachu, and W. Chalee, "Effect of ground bagasse ash on mechanical and durability properties of recycled aggregate concrete," *Materials and Design*, vol. 36, pp. 597–603, 2012.
- [202] ASTM C1585-13, "Standard Test Method for Measurement of Rate of Absorption of Water by Hydraulic-Cement Concretes," *ASTM International*, 2013.
- [203] M. G. Alexander, "Guide to the use of durability indexes for achieving durability in concrete structures," *Research monograph 2*, 1999.
- [204] K. Githachuri and M. G. Alexander, "Durability performance potential and strength of blended Portland limestone cement concrete," *Cement and Concrete Composites*, vol. 39, pp. 115–121, 2013.
- [205] J. P. Moretti, A. Sales, F. C. R. Almeida, M. A. M. Rezende, and P. P. Gromboni, "Joint use of construction waste (CW) and sugarcane bagasse ash sand (SBAS) in concrete," *Construction and Building Materials*, vol. 113, pp. 317–323, 2016.
- [206] A. Sales and S. A. Lima, "Use of Brazilian sugarcane bagasse ash in concrete as sand replacement," *Waste Management*, vol. 30, no. 6, pp. 1114–1122, 2010.
- [207] E. Arif, M. W. Clark, and N. Lake, "Sugar cane bagasse ash from a high-efficiency co-generation boiler as filler in concrete," *Construction and Building Materials*, vol. 151, pp. 692–703, 2017.

- [208] R. E. Beddoe and H. W. Dörner, “Modelling acid attack on concrete: Part I. The essential mechanisms,” *Cement and Concrete Research*, vol. 35, no. 12, pp. 2333–2339, 2005.
- [209] P. Chindaprasirt, S. Homwuttiwong, and V. Sirivivatnanon, “Influence of fly ash fineness on strength, drying shrinkage and sulfate resistance of blended cement mortar,” *Cement and Concrete Research*, vol. 34, no. 7, pp. 1087–1092, 2004.
- [210] E. Ghafari, H. Costa, E. Júlio, A. Portugal, and L. Durães, “The effect of nanosilica addition on flowability, strength and transport properties of ultra high performance concrete,” *Materials and Design*, vol. 59, pp. 1–9, 2014.
- [211] K. L. Lin, W. C. Chang, D. F. Lin, H. L. Luo, and M. C. Tsai, “Effects of nano-SiO₂ and different ash particle sizes on sludge ash-cement mortar,” *Journal of Environmental Management*, vol. 88, no. 4, pp. 708–714, 2008.
- [212] H. Madani, A. Bagheri, and T. Parhizkar, “The pozzolanic reactivity of monodispersed nanosilica hydrosols and their influence on the hydration characteristics of Portland cement,” *Cement and Concrete Research*, vol. 42, no. 12, pp. 1563–1570, 2012.
- [213] A. Pourjavadi, S. M. Fakoorpoor, A. Khaloo, and P. Hosseini, “Improving the performance of cement-based composites containing superabsorbent polymers by utilization of nano-SiO₂ particles,” *Materials and Design*, vol. 42, pp. 94–101, 2012.
- [214] G. Quercia, P. Spiesz, G. Hüsken, and H. J. H. Brouwers, “SCC modification by use of amorphous nano-silica,” *Cement and Concrete Composites*, vol. 45, pp. 69–81, 2014.
- [215] H. Du, S. Du, and X. Liu, “Durability performances of concrete with nano-silica,” *Construction and Building Materials*, vol. 73, pp. 705–712, 2014.
- [216] M. Jalal, E. Mansouri, M. Sharifipour, and A. R. Pouladkhan, “Mechanical, rheological, durability and microstructural properties of high performance self-compacting concrete containing SiO₂ micro and nanoparticles,” *Materials and Design*, vol. 34, pp. 389–400, 2012.
- [217] J. Massana, E. Reyes, J. Bernal, N. León, and E. Sánchez-Espinosa, “Influence of nano- and micro-silica additions on the durability of a high-performance self-compacting concrete,” *Construction and Building Materials*, vol. 165, pp. 93–103, 2018.
- [218] W. Liu, H. L. Tan, C. L. Ni, Z. Bin Chen, T. Z. Luo, and L. Yu, “Effect of Silica Fume and Fly Ash on Compressive Strength and Weight Loss of High Strength Concrete Material in Sulfuric and Acetic Acid Attack,” *Key Engineering Materials*, vol. 748, pp. 301–310, 2017.
- [219] M. Gesoglu, E. Güneyisi, D. S. Asaad, and G. F. Muhyaddin, “Properties of low binder ultra-high performance cementitious composites: Comparison of nanosilica and microsilica,” *Construction and Building Materials*, vol. 102, pp. 706–713, 2016.

References

- [220] M. Á. Sanjuán, C. Argiz, J. C. Gálvez, and A. Moragues, “Effect of silica fume fineness on the improvement of Portland cement strength performance,” *Construction and Building Materials*, vol. 96, pp. 55–64, 2015.
- [221] ASTM C114, “Standard Test Methods for Chemical Analysis of Hydraulic Cement,” *ASTM International*, 2008.
- [222] M. K. Mohammed, A. R. Dawson, and N. H. Thom, “Carbonation of filler typed self-compacting concrete and its impact on the microstructure by utilization of 100% CO₂ accelerating techniques,” *Construction and Building Materials*, vol. 50, pp. 508–516, 2014.
- [223] S. Munshi and R. P. Sharma, “Utilization of rice straw ash as a mineral admixture in construction work,” *Materials Today: Proceedings*, vol. 11, pp. 637–644, 2019.
- [224] R. Singh, A. K. Sodhi, and N. Bhanot, “Investigation on the potential use of EAF dust and RSA for sustainable concrete production,” *Recycled Waste Materials - Lecture Notes in Civil Engineering*, vol. 32, pp. 127–135, 2019.
- [225] IS 2386 - Part I, “Method of test for aggregate for concrete- Particle size and shape,” *Bureau of Indian Standards, New Delhi*, 1963.
- [226] IRC 44, “Guidelines for cement concrete mix design for pavements,” *Indian Road Congress, New Delhi*. 2017.
- [227] IS 2386 - Part IV, “Methods of test for aggregates for concrete - Mechanical properties,” *Bureau of Indian Standards, New Delhi*, 1963.
- [228] IS 2386 - Part III, “Methods of test for aggregates for concrete - Specific gravity, density, voids, absorption and bulking,” *Bureau of Indian Standards, New Delhi*, 1963.
- [229] ASTM C188, “Standard test method for density of hydraulic cement,” *ASTM International*, 2017.
- [230] IS 4031 - Part I, “Methods of physical tests for hydraulic cement - Determination of fineness by dry sieving,” *Bureau of Indian Standards, New Delhi*, 1996.
- [231] IS 4031 - Part II, “Methods of physical tests for hydraulic cement - Determination of fineness by Blaine air permeability method,” *Bureau of Indian Standards, New Delhi*, 1999.
- [232] ASTM C1365-18, “Standard test method for determination of the proportion of phases in Portland cement and Portland-cement clinker using X-ray powder diffraction analysis,” *ASTM International*, 2018.
- [233] ASTM C1723, “Standard Guide for Examination of Hardened Concrete Using Scanning Electron Microscopy,” *ASTM International*, 2016.

- [234] IS 4031 - Part IV, “Methods of Physical Tests for Hydraulic Cement - Determination of Consistency of Standard Cement Paste,” *Bureau of Indian Standards, New Delhi*, 1988.
- [235] IS 4031 - Part V, “Methods of Physical Tests for Hydraulic Cement - Determination of Initial and Final Setting Times,” *Bureau of Indian Standards, New Delhi*, 1988.
- [236] IS 4031 - Part III, “Methods of Physical Tests for Hydraulic Cement - Determination of Soundness,” *Bureau of Indian Standards, New Delhi*, 1988.
- [237] IS 4031 - Part VI, “Methods of Physical Tests for Hydraulic Cement - Determination Of Compressive Strength Of Hydraulic Cement Other Than Masonry Cement,” *Bureau of Indian Standards, New Delhi*, 1998.
- [238] IS 516, “Methods of Tests for Strength of Concrete,” *Bureau of Indian Standards, New Delhi*, 1959.
- [239] IS 10262, “Concrete Mix Proportioning - Guidelines,” *Bureau of Indian Standards, New Delhi*, 2009.
- [240] IS 1199, “Methods of sampling and analysis of concrete,” *Bureau of Indian Standards, 1959*.
- [241] ASTM C192, “Standard Practice for Making and Curing Test Specimens in the Laboratory,” *ASTM International*, 2016.
- [242] IS 5816, “Splitting tensile strength of concrete - Method of test,” *Bureau of Indian Standards, New Delhi*, 1999.
- [243] ASTM C856, “Standard Practice for Petrographic Examination of Hardened Concrete,” *ASTM International*, 2018.
- [244] ASTM C231/C231M, “Standard Test Method for Air Content of Freshly Mixed Concrete by the Pressure Method,” *ASTM International*, 2010.
- [245] ASTM C642-13, “Standard test method for density, absorption, and voids in hardened concrete,” *ASTM International*, 2013.
- [246] ASTM C1543, “Standard Test Method for Determining The Penetration of Chloride Ion into Concrete by Ponding,” *ASTM International*, 1996.
- [247] ASTM C1152/1152M, “Standard Test Method for Acid-Soluble Chloride in Mortar and Concrete,” *ASTM International*, 2006.
- [248] IS 516, “Methods of tests for strength of concrete,” *Bureau of Indian Standards, New Delhi, India*, 1959.
- [249] A. Morandea, M. Thiéry, and P. Dangla, “Investigation of the carbonation mechanism of CH and C-S-H in terms of kinetics, microstructure changes and moisture properties,” *Cement and Concrete Research*, vol. 56, pp. 153–170, 2014.

References

- [250] IRC 58, “Guidelines for the Design of Rigid Pavements for Highways,” *Indian Road Congress, New Delhi*, 2015.
- [251] IS 383, “Specification for coarse and fine aggregates from natural sources for concrete,” *Bureau of Indian Standards, New Delhi*, 1970.
- [252] IS 8112, “Ordinary Portland Cement, 43 Grade — Specification,” *Bureau of Indian Standards, New Delhi*, 2013.
- [253] Report No. 1464 (Rev.), “Ignition and charring temperatures of wood,” *Forest Service US Department of Agriculture*, 1958.
- [254] R. R. Romasanta *et al.*, “How does burning of rice straw affect CH₄ and N₂O emissions? A comparative experiment of different on-field straw management practices,” *Agriculture, Ecosystems and Environment*, vol. 239, pp. 143–153, 2017.
- [255] K. T. H. S. Eggleston, L. Buendia, K. Miwa, T. Ngara, “2006 IPCC guidelines for national greenhouse gas inventories,” *Prepared by the National Greenhouse Gas Inventories Programme, IGES, Japan*, 2006.
- [256] B. Gadde, S. Bonnet, C. Menke, and S. Garivait, “Air pollutant emissions from rice straw open field burning in India, Thailand and the Philippines,” *Environmental Pollution*, vol. 157, no. 5, pp. 1554–1558, 2009.
- [257] P. K. Gupta *et al.*, “Residue burning in rice–wheat cropping system: Causes and implications,” *Current Science*, vol. 87, no. 12, pp. 1713–1717, 2004.
- [258] Y. Miura, T. Kanno, and Y. Miura, “Emissions of trace gases (CO₂, CO, CH₄, and N₂O) resulting from rice straw burning,” *Soil Science and Plant Nutrition*, vol. 43, no. 4, pp. 849–854, 1997.
- [259] H. Arai, Y. Hosen, V. N. Pham Hong, N. T. Thi, C. N. Huu, and K. Inubushi, “Greenhouse gas emissions from rice straw burning and straw-mushroom cultivation in a triple rice cropping system in the Mekong Delta,” *Soil Science and Plant Nutrition*, vol. 61, no. 4, pp. 719–735, 2015.
- [260] K. G. Mansaray and A. E. Ghaly, “Physical and thermochemical properties of rice husk,” *Energy Sources*, vol. 19, no. 9, pp. 989–1004, 1997.
- [261] G. Akeke, M. Ephraim, I. Akobo, and J. Ukpata, “Structural properties of rice husk ash concrete,” *International Journal of Engineering and Applied Sciences*, vol. 3, no. 3, pp. 57–62, 2013.
- [262] J. Payá, J. Monzó, M. V. Borrachero, E. Peris, and E. González-López, “Mechanical treatments of fly ashes. Part III: Studies on strength development of ground fly ashes (GFA) - Cement mortars,” *Cement and Concrete Research*, vol. 27, no. 9, pp. 1365–1377, 1997.
- [263] J. Payá, J. Monzó, E. Peris-Mora, M. V. Borrachero, R. Tercero, and C. Pinillos, “Early-strength development of portland cement mortars containing air classified fly ashes,” *Cement and Concrete Research*, vol. 25, no. 2, pp. 449–456, 1995.

- [264] K. Kiattikomol, C. Jaturapitakkul, S. Songpiriyakij, and S. Chutubtim, "A study of ground coarse fly ashes with different finenesses from various sources as pozzolanic materials," *Cement and Concrete Composites*, vol. 23, no. 4–5, pp. 335–343, 2001.
- [265] P. K. Mehta, "The chemistry and technology of cement made from rice husk ash," *Proc. UNIDO/Escap Workshop on Rice Husk Ash Cement, Peshawar, Pakistan*, 1979.
- [266] B. W. Jo, S. Chakraborty, K. H. Kim, and Y. S. Lee, "Effectiveness of the top-down nanotechnology in the production of ultrafine cement (220 nm)," *Journal of Nanomaterials*, vol. 2014, no. June, 2014.
- [267] Y. Ruangtaweep, N. Srisittipokakun, K. Boonin, P. Yasaka, and J. Kaewkhao, "Characterization of rice straw ash and utilization in glass production," *Advanced Materials Research*, vol. 748, pp. 304–308, 2013.
- [268] N. Quaranta, M. Unsen, H. López, C. Giansiracusa, J. A. Roether, and A. R. Boccaccini, "Ash from sunflower husk as raw material for ceramic products," *Ceramics International*, vol. 37, no. 1, pp. 377–385, 2011.
- [269] R. P. Jaya, M. A. A. Muhamad Nor, Z. A. Ahmad, and Z. Mohd Amin, "Properties of mortar containing rice husk ash at different temperature and exposed to aggressive environment," *Advanced Materials Research*, vol. 620, no. January, pp. 87–93, 2013.
- [270] IS 456, "Plain and Reinforced concrete - Code of Practice," *Bureau of Indian Standards, New Delhi*, 2000.
- [271] IS 9103, "Concrete Admixtures - Specification," *Bureau of Indian Standards, New Delhi*, 1999.
- [272] BS EN 934 - Part II, "Admixtures for Concrete, Mortar and Grout. Concrete Admixture - Definitions, Requirement, Conformity, Marking and Labelling," *British Standards Institution*, 2009.
- [273] D. J. Hannant, "Cement-based Composites," in *Comprehensive Composite Materials*, Elsevier Science Ltd., 2000.
- [274] H. M. . Jennings and J. J. Thomas, "The Pore System and Classification of Pores," *The Science of Concrete*. .
- [275] G. A. Rao, "Investigations on the performance of silica fume-incorporated cement pastes and mortars," *Cement and Concrete Research*, vol. 33, no. 11, pp. 1765–1770, 2003.
- [276] A. Burneau, O. Barres, J. Gallas, and J. C. Lavalley, "Comparative study of the surface hydroxyl groups of fumed and precipitated silicas. 2. Characterization by infrared spectroscopy of the interactions with water," *Langmuir*, vol. 6, no. 8, pp. 1364–1372, 1990.

References

- [277] L. Mo, M. Deng, and A. Wang, “Effects of MgO-based expansive additive on compensating the shrinkage of cement paste under non-wet curing conditions,” *Cement and Concrete Composites*, vol. 34, no. 3, pp. 377–383, 2012.
- [278] N. Roussel and R. Le Roy, “The Marsh cone: A test or a rheological apparatus?,” *Cement and Concrete Research*, vol. 35, no. 5, pp. 823–830, 2005.
- [279] P. Sulapha, S. F. Wong, T. H. Wee, and S. Swaddiwudhipong, “Carbonation of concrete containing mineral admixtures,” *Journal of materials*, vol. 15, no. 2, pp. 134–143, 2003.
- [280] S. Rukzon and P. Chindaprasirt, “Strength and carbonation model of rice husk ash cement mortar with different fineness,” *Journal of Materials in Civil Engineering*, vol. 22, no. 3, pp. 253–259, 2010.
- [281] A. L. G. Gastaldini, G. C. Isaia, N. S. Gomes, and J. E. K. Sperb, “Chloride penetration and carbonation in concrete with rice husk ash and chemical activators,” *Cement and Concrete Composites*, vol. 29, no. 3, pp. 176–180, 2007.
- [282] G. C. Isaia, A. L. G. Gastaldini, and R. Moraes, “Physical and pozzolanic action of mineral additions on the mechanical strength of high-performance concrete,” *Cement and Concrete Composites*, vol. 25, no. 1, pp. 69–76, 2003.
- [283] Q. Wang, M. Li, and G. Jiang, “The difference among the effects of higher temperature curing on the early hydration properties of different cementitious systems,” *Journal of Thermal Analysis and Calorimetry*, vol. 118, no. 1, pp. 51–58, 2014.
- [284] L. Mlinárik, K. Kopeckó, and A. Borosnyói, “Properties of cement mortars in fresh and hardened condition influenced by combined application of SCMs,” *Építőanyag - Journal of Silicate Based and Composite Materials*, vol. 68, no. 2, pp. 62–66, 2016.
- [285] X. Ding, C. Li, Y. Xu, F. Li, and S. Zhao, “Experimental study on long-term compressive strength of concrete with manufactured sand,” *Construction and Building Materials*, vol. 108, pp. 67–73, 2016.
- [286] N. Shirahama, M. Yamashita, and H. Tanaka, “Effects of sulphur trioxide in clinker on the properties of low heat portland cement,” *Cement Science and Concrete Technology*, vol. 68, no. 1, pp. 89–95, 2014.
- [287] P. Mazurok, T. Turgunov, V. Svidersky, and V. Tokarchuk, “Effect of calcium and magnesium oxides on the properties of expanding cements and plugging mortars,” *Eastern-European Journal of Enterprise Technologies*, vol. 4, no. 6–88, pp. 47–52, 2017.
- [288] X. Liu and Y. Li, “Effect of MgO on the composition and properties of alite-sulphoaluminate cement,” *Cement and Concrete Research*, vol. 35, no. 9, pp. 1685–1687, 2005.
- [289] S. Swaddiwudhipong, H. R. Lu, and T. H. Wee, “Direct tension test and tensile strain capacity of concrete at early age,” *Cement and Concrete Research*, vol. 33, no. 12, pp. 2077–2084, 2003.

- [290] E.- Thornley *et al.*, “Scanning electron microscope,” pp. 1–13, 2019.
- [291] D. Li, Z. Li, C. Lv, G. Zhang, and Y. Yin, “A predictive model of the effective tensile and compressive strengths of concrete considering porosity and pore size,” *Construction and Building Materials*, vol. 170, pp. 520–526, 2018.
- [292] B. Lagerblad, “Leaching performance of concrete based on studies of samples from old concrete constructions,” *SKB Technical Report 01-27*, 2001.
- [293] Fredrik Bengtsson, “Effect of leaching on compressive strength of cement mortar,” Master’s Thesis BOMX02-17-54, Chalmers University of Technology, 2017.
- [294] PCA R&D Serial No. 2166, “Concrete information - Ettringite formation and the performance of concrete,” *Portland Cement Association*, 2001.
- [295] C. J. Larosche, “Types and causes of cracking in concrete structures,” in *Failure, distress and repair of concrete structures*, Woodhead Publishing Limited, 2009, pp. 57–83.
- [296] E. Ringot and A. Bascoul, “About the analysis of microcracking in concrete,” *Cement and Concrete Composites*, vol. 23, no. 2–3, pp. 261–266, 2001.
- [297] M. G. Alexander and S. Mindess, “Aggregate in Concrete,” in *Modern concrete technology*, Taylor & Francis, New York, 2005, p. 318.
- [298] T. Slamečka and F. Škvára, “The effect of water ratio on microstructure and composition of the hydration products of Portland cement pastes,” *Ceramics - Silikaty*, vol. 46, no. 4, pp. 152–158, 2002.
- [299] K. Anbuvelan and K. Subramanian, “An empirical relationship between modulus of elasticity, modulus of rupture and compressive strength of M60 concrete containing metakaolin,” *Research Journal of Applied Sciences, Engineering and Technology*, vol. 8, no. 11, pp. 1294–1298, 2014.
- [300] I. T. Yusuf, Y. A. Jimoh, and W. A. Salami, “An appropriate relationship between flexural strength and compressive strength of palm kernel shell concrete,” *Alexandria Engineering Journal*, vol. 55, no. 2, pp. 1553–1562, 2016.
- [301] A. J. Hamad, “Size and shape effect of specimen on the compressive strength of HPLWFC reinforced with glass fibres,” *Journal of King Saud University - Engineering Sciences*, vol. 29, no. 4, pp. 373–380, 2017.
- [302] D. J. Elwell and G. Fu, “Compression testing of concrete: cylinders vs. cube,” *Special Report 119, Transportation Research and Development Bureau, New York State Department of Transportation*, p. 21, 1995.
- [303] R. Kumari, “Review paper based on the relation between the strength of concrete cubes and cylinders,” *Journal of Engineering Research and Applications* www.ijera.com, vol. 5, no. 2, pp. 52–54, 2015.

References

- [304] A. W. Beeby and R. S. Narayanan, "Designers' Handbook to Eurocode 2: 1. Design of concrete structures," *Transport Research Laboratory*, p. 242, 1995.
- [305] A. W. Beeby and R. S. Narayanan, "Design of Concrete Structures. CSA A 23.3:1994," *Technical Committee, Canadian Standards Association, Rexdale, Ontario*, 1994.
- [306] M. F. M. Zain, H. B. Mahmud, A. Ilham, and M. Faizal, "Prediction of splitting tensile strength of high-performance concrete," *Cement and Concrete Research*, vol. 32, no. 8, pp. 1251–1258, 2002.
- [307] A. M. Neville, "Properties of Concrete," *Pearson Education Limited*, 2011.
- [308] ACI 363R-92, "State-of-the-Art Report on High-Strength Concrete," *American Concrete Institute*, no. Reapproved 1997.
- [309] ACI 318-99, "Building Code Requirements for Structural Concrete," *American Concrete Institute*, 1999.
- [310] Bulletin d'Information No. 199, "Evaluation of the Time dependent Behaviour of Concrete," *Comite Euro-International du Béton, Lausanne*, 1990.
- [311] A. A. Ramezani pour and V. M. Malhotra, "Effect of curing on the compressive strength, resistance to chloride-ion penetration and porosity of concretes incorporating slag, fly ash or silica fume," *Cement and Concrete Composites*, vol. 17, no. 2, pp. 125–133, 1995.
- [312] L. P. Singh, A. Goel, S. K. Bhattacharyya, and G. Mishra, "Quantification of hydration products in cementitious materials incorporating silica nanoparticles," *Frontiers of Structural and Civil Engineering*, vol. 10, no. 2, pp. 162–167, 2016.
- [313] M. Limbachiya, M. S. Meddah, and Y. Ouchagour, "Use of recycled concrete aggregate in fly-ash concrete," *Construction and Building Materials*, vol. 27, no. 1, pp. 439–449, 2012.
- [314] E. N. A. Larmie, "Rehabilitation and maintenance of road pavements using high early strength concrete," in *MSc. Thesis*, 2005, p. University of Maryland, College park.
- [315] Concrete Technology Today, "Control of air content in concrete," *Portland Cement Association*, vol. 19, no. 1, pp. 1–8, 1998.
- [316] D. Whiting and D. Stark, "Control of Air Content in Concrete," *NCHRP 258, Transport Research Board*, 1983.
- [317] G. De Schutter and K. Audenaert, "Evaluation of water absorption of concrete as a measure for resistance against carbonation and chloride migration," *Materials and Structures/Materiaux et Constructions*, vol. 37, no. 273, pp. 591–596, 2004.
- [318] W. Goede and L. Haselbach, "Investigation into the structural performance of pervious concrete," *Journal of Transportation Engineering*, vol. 138, no. 1, pp. 98–104, 2011.

- [319] S. P. Zhang and L. Zong, "Evaluation of relationship between water absorption and durability of concrete materials," *Advances in Materials Science and Engineering*, vol. 2014, p. 650373, 2014.
- [320] P. S. Abdurahman Alhozaimy and Faiz Mirza, "Effects of curing conditions and age on chloride permeability of fly ash mortar," *ACI Materials Journal*, vol. 93, no. 1, pp. 87–95, 1996.
- [321] E. Elawady, A. A. El Hefnawy, and R. A. F. Ibrahim, "Comparative study on strength, permeability and sorptivity of concrete and their relation with concrete durability," *International Journal of Engineering and Innovative Technology*, vol. 4, no. 4, pp. 132–139, 2014.
- [322] M. Ramli and A. Akhavan Tabassi, "Effects of polymer modification on the permeability of cement mortars under different curing conditions: A correlational study that includes pore distributions, water absorption and compressive strength," *Construction and Building Materials*, vol. 28, no. 1, pp. 561–570, 2012.
- [323] N. Shafiq and J. G. Cabrera, "Effects of initial curing condition on the fluid transport properties in OPC and fly ash blended cement concrete," *Cement and Concrete Composites*, vol. 26, no. 4, pp. 381–387, 2004.
- [324] A. Karaşin and M. Doğruyol, "An experimental study on strength and durability for utilization of fly ash in concrete mix," *Advances in Materials Science and Engineering*, vol. 2014, 2014.
- [325] J. Pitroda and F. S. Umrigar, "Evaluation of sorptivity and water absorption of concrete with partial replacement of cement by thermal industry waste (Fly Ash)," *International Journal of Engineering and Innovative Technology*, vol. 2, no. 7, pp. 245–249, 2008.
- [326] W. P. S. Dias, "Reduction of concrete sorptivity with age through carbonation," *Cement and Concrete Research*, vol. 30, no. 8, pp. 1255–1261, 2000.
- [327] N. S. Martys and C. F. Ferraris, "Capillary transport in mortars and concrete," *Cement and Concrete Research*, vol. 27, no. 5, pp. 747–760, 1997.
- [328] A. R. A. Javier, N. E. Lopez, and J. B. P. Juanzon, "Compressive strength and chloride penetration tests of modified type IP cement concrete with rice ash," *Procedia Engineering*, vol. 171, pp. 543–548, 2017.
- [329] A. Brykov, N. Paritskaya, A. Velichko, and M. Mokeev, "Influence of benzenediols—Pyrocatechol and Resorcinol—on the resistance of Portland cement mortars with Aluminum sulfate to sulfate attack," *Materials Sciences and Applications*, vol. 09, no. 02, pp. 305–313, 2018.
- [330] S. Uttamraj, "A study on durability of self-compacting concrete immersed in acidic solutions - A review," *Indian Journal of Scientific Research*, vol. 17, no. 2, pp. 100–107, 2018.

References

- [331] A. Allahverdi and F. Škvára, “Acidic corrosion of hydrated cement based materials. Part 1. Mechanism of the phenomenon,” *Ceramics - Silikaty*, vol. 44, no. 3, pp. 114–120, 2000.
- [332] Aref M. al-Swaidani, Mohammad K. Baddoura, Samira D. Aliyan, and Walid Choeb, “Acid resistance, water permeability and chloride penetrability of concrete containing crushed basalt as aggregates,” *Journal of Materials Science and Engineering A*, vol. 5, no. 8, pp. 285–304, 2015.
- [333] V. Zivica and A. Bajza, “Acidic attack of cement based materials - A review. Part 1. Principle of acidic attack,” *Construction and Building Materials*, vol. 15, no. 8, pp. 331–340, 2001.
- [334] M. L. Kosmatka, Steven H.; Wilson, *Design and control of concrete mixtures – The guide to applications, methods and materials*. Portland Cement Association, 2011.
- [335] S. Ahmad, R. A. Assaggaf, M. Maslehuddin, O. S. B. Al-Amoudi, S. K. Adekunle, and S. I. Ali, “Effects of carbonation pressure and duration on strength evolution of concrete subjected to accelerated carbonation curing,” *Construction and Building Materials*, vol. 136, pp. 565–573, 2017.
- [336] V. D. Pizzol *et al.*, “Mineralogical and microstructural changes promoted by accelerated carbonation and ageing cycles of hybrid fiber-cement composites,” *Construction and Building Materials*, vol. 68, pp. 750–756, 2014.
- [337] B. J. A. Grubb, H. S. Limaye, and A. M. Kakade, “Testing pH of concrete,” *Concrete International*, pp. 78–83, 2007.
- [338] C. T. Tam, H. B. Lim, and K. Sisomphon, “Carbonation of concrete in the tropical environment of Singapore,” *IES Journal Part A: Civil and Structural Engineering*, vol. 1, no. 2, pp. 146–153, 2008.
- [339] C. Shi and Y. Wu, “Studies on some factors affecting CO₂ curing of lightweight concrete products,” *Resources, Conservation and Recycling*, vol. 52, no. 8–9, pp. 1087–1092, 2008.
- [340] R. L. Berger and W. A. Klemm, “Accelerated curing of cementitious systems by carbon dioxide - Part II. Hydraulic calcium silicates and aluminates,” *Cement and Concrete Research*, vol. 2, pp. 647–652, 1972.
- [341] J. F. Young, R. L. Berger, and J. Breese, “Accelerated curing of compacted calcium silicate mortars on exposure to CO₂,” *Journal of the American Ceramic Society*, vol. 57, no. 9, pp. 394–397, 1974.
- [342] A. Kostrzanowska-Siedlarz and J. Gołaszewski, “Rheological properties and the air content in fresh concrete for self compacting high performance concrete,” *Construction and Building Materials*, vol. 94, pp. 555–564, 2015.
- [343] A. Kotwa, “Effect of selected admixtures on the properties of ordinary concrete,” *Procedia Engineering*, vol. 108, pp. 504–509, 2015.

- [344] M. A. Glinicki, D. Józwiak-Niedźwiedzka, K. Gibas, and M. Dabrowski, "Influence of blended cements with calcareous fly ash on chloride ion migration and carbonation resistance of concrete for durable structures," *Materials*, vol. 9, no. 1, 2016.
- [345] K. J. Taku, D. Y. Amartey, and T. Kassar, "Effect of acidic curing environment on the strength and durability of concrete," *Civil and Environmental Research*, vol. 7, no. 12, pp. 8–13, 2015.
- [346] S. Türkel, B. Felekoğlu, and S. Dulluç, "Influence of various acids on the physico-mechanical properties of pozzolanic cement mortars," *Sadhana - Academy Proceedings in Engineering Sciences*, vol. 32, no. 6, pp. 683–691, 2007.
- [347] P. Chowdaiah, H. S. Rao, and V. G. Ghorpade, "Behaviour of flyash-phosphogypsum and GGBS blended geopolymer concrete in acidic environment," *Journal of Chemical and Pharmaceutical Sciences*, vol. 11, no. 1, pp. 11–16, 2018.
- [348] M. V. S. Reddy, Ramana Reddy, K Madan Mohan Reddy, and C M Ravi Kumar, "Durability aspects of standard concrete," *International Journal of Structural and Civil Engineering Research*, vol. 2, no. 1, pp. 40–46, 2013.
- [349] R. M. Edmeades and P. C. Hewlett, "Cement admixtures," in *Lea's Chemistry of Cement and Concrete*, 2003, pp. 841–905.
- [350] H. Siad, H. A. Mesbah, H. Khelafi, S. Kamali-Bernard, and M. Mouli, "Effect of mineral admixture on resistance to sulphuric and hydrochloric acid attacks in self-compacting concrete," *Canadian Journal of Civil Engineering*, vol. 37, no. 3, pp. 441–449, 2010.
- [351] I. Aiad, H. El-Didamony, M. Heikal, and S. Al-Masry, "Effect of delayed addition time of synthesized SSPF condensate on the durability of sulphate resisting cement pastes incorporating micro-silica," *Construction and Building Materials*, vol. 48, pp. 1092–1103, 2013.
- [352] B. Karthikeyan and G. Dhinakaran, "Effect of ultra-fine SiO₂ and metakaolin on high strength concrete in aggressive environment," *Scientia Iranica*, vol. 24, no. 1, pp. 1–10, 2017.
- [353] P. K. Mehta, "Studies on chemical resistance of low water/cement ratio concretes," *Cement and Concrete Research*, vol. 15, pp. 969–978, 1985.
- [354] B. Chatveera and P. Lertwattanakul, "Durability of conventional concretes containing black rice husk ash," *Journal of Environmental Management*, vol. 92, no. 1, pp. 59–66, 2011.
- [355] M. Ghrici, S. Kenai, M. Said-Mansour, and E. H. Kadri, "Some engineering properties of concrete containing natural pozzolana and silica fume," *Journal of Asian Architecture and Building Engineering*, vol. 5, no. 2, pp. 349–354, 2006.

References

- [356] P. Dinakar, K. G. Babu, and M. Santhanam, "Durability properties of high volume fly ash self compacting concretes," *Cement and Concrete Composites*, vol. 30, no. 10, pp. 880–886, 2008.
- [357] M. J. Shannag and H. A. Shaia, "Sulfate resistance of high-performance concrete," *Cement and Concrete Composites*, vol. 25, no. 3, pp. 363–369, 2003.
- [358] K. Kawai, S. Yamaji, and T. Shinmi, "Concrete Deterioration Caused by Sulfuric Acid Attack," *10DBMC International Conférence On Durability of Building Materials and Components LYON [France]*, no. April, 2005.
- [359] P. Huang, Y. Bao, and Y. Yao, "Influence of HCl corrosion on the mechanical properties of concrete," *Cement and Concrete Research*, vol. 35, no. 3, pp. 584–589, 2005.
- [360] H. T. H. Ueda, J. Takada, "Degradation mechanism of cement paste affected by acid," *Proceedings of the Japan Concrete Institute*, vol. 18, no. 1. pp. 879–884, 1996.
- [361] M. F. Alnahhal, U. J. Alengaram, M. Z. Jumaat, B. Alsubari, M. A. Alqedra, and K. H. Mo, "Effect of aggressive chemicals on durability and microstructure properties of concrete containing crushed new concrete aggregate and non-traditional supplementary cementitious materials," *Construction and Building Materials*, vol. 163, pp. 482–495, 2018.
- [362] S. Izquierdo, E. Rodríguez, and R. M. De Gutiérrez, "Resistance to acid corrosion of blended cements mortars with spent fluid catalytic cracking (sFCC) catalyst," *Revista Ingenieria de Construcción*, vol. 30, no. 3, pp. 169–176, 2015.
- [363] D. Israel, D. E. Macphee, and E. E. Lachowski, "Acid attack on pore-reduced cements," *Journal of Materials Science*, vol. 32, no. 15, pp. 4109–4116, 1997.
- [364] V. Rostami, Y. Shao, A. J. Boyd, and Z. He, "Microstructure of cement paste subject to early carbonation curing," *Cement and Concrete Research*, vol. 42, no. 1, pp. 186–193, 2012.
- [365] M. A. Peter, A. Muntean, S. A. Meier, and M. Böhm, "Competition of several carbonation reactions in concrete: A parametric study," *Cement and Concrete Research*, vol. 38, no. 12, pp. 1385–1393, 2008.
- [366] M. Castellote, L. Fernandez, C. Andrade, and C. Alonso, "Chemical changes and phase analysis of OPC pastes carbonated at different CO₂ concentrations," *Materials and Structures/Materiaux et Constructions*, vol. 42, no. 4, pp. 515–525, 2009.
- [367] Q. Shen, G. Pan, and B. Bao, "Influence of CSH carbonation on the porosity of cement paste," *Magazine of Concrete Research*, vol. 68, no. 10, pp. 504–514, 2016.
- [368] A. Pandey and B. Kumar, "Effects of rice straw ash and micro silica on mechanical properties of pavement quality concrete," *Journal of Building Engineering*, vol. 26, no. June, p. 100889, 2019.

- [369] B. Zhan, C. S. Poon, Q. Liu, S. Kou, and C. Shi, “Experimental study on CO₂ curing for enhancement of recycled aggregate properties,” *Construction and Building Materials*, vol. 67, pp. 3–7, 2014.
- [370] B. J. Zhan, D. X. Xuan, C. S. Poon, and C. J. Shi, “Effect of curing parameters on CO₂ curing of concrete blocks containing recycled aggregates,” *Cement and Concrete Composites*, vol. 71, pp. 122–130, 2016.
- [371] B. J. Zhan, C. S. Poon, and C. J. Shi, “Materials characteristics affecting CO₂ curing of concrete blocks containing recycled aggregates,” *Cement and Concrete Composites*, vol. 67, pp. 50–59, 2016.