

Contents

List of Figures	i
List of Tables	iii
List of Symbols	iv
List of Abbreviations	vii
Preface	ix
1 Introduction	1
1.1 Overview	1
1.2 Motivation of the Research Work	3
1.3 Contributions and Organisation of the Thesis	4
2 Background	9
2.1 Introduction	9
2.2 Preliminaries	11
2.2.1 Components of a Sensor Node in WSNs	11
2.2.2 Coverage Models	13
2.2.3 Classification of Coverage in WSNs	15
2.3 Issues and Challenges	16
2.3.1 Deterministic vs. Random Deployment of WSNs	16

2.3.2	Homogeneous vs. Heterogeneous WSNs	17
2.3.3	Static vs. Mobile WSNs	17
2.3.4	Directional vs. Omni-directional WSNs	18
2.3.5	Two-dimensional vs. Three-dimensional WSNs	18
2.3.6	Centralized vs. Distributed Approaches	19
2.3.7	Fault Tolerant in WSNs	20
2.3.8	Maximizing Network Lifetime	20
2.3.9	Border Effects	20
2.4	Approaches for Solving Coverage Problems	21
2.4.1	Computational Geometry Based Approaches	21
2.4.2	Probabilistic approaches for coverage in WSNs	26
2.5	Coverage and Connectivity (CaC) in WSNs	32
2.5.1	Maximizing Network Lifetime	34
2.5.2	Critical Sensor Density of Sensor Nodes	36
2.5.3	Outside Deployment of Sensor Nodes	38
2.5.4	Regular Deployment of Sensor Nodes for CaC Problem	39
2.6	Conclusion	39
3	Analysis of k-Target Tracking and m-Connectivity in Directional WSNs	46
3.1	Introduction	46
3.1.1	Contributions of Work	48
3.1.2	Motivation and Limitations in Existing Work:	49
3.2	Preliminaries and Problem Definition	52
3.2.1	Assumptions	52
3.2.2	Tracking Model	52
3.2.3	Communication Model	53
3.2.4	Target Tracking Problem	55
3.3	Solution of Target Tracking Problem	55

3.3.1	Coordinates of the Nodes in a Pattern	56
3.3.2	Orientation of the Tracking Region	57
3.3.3	Optimal Side Length in Regular Patterns	62
3.3.4	Placement of the Sensor Nodes in the FoI	63
3.3.5	Practical Challenges	65
3.4	Simulation and Numerical Results	66
3.4.1	Impact of Tracking Angle	67
3.4.2	Impact of Tracking Range	68
3.4.3	Impact of k -Target Tracking	69
3.4.4	Compare With Existing Work	71
3.5	Target Tracking System	72
3.5.1	Overview of TTS	72
3.5.2	Working Principle of TTS	73
3.5.3	Placement Scenarios of TTS	74
3.5.4	Experimental Results	75
3.6	Conclusion	77

4 An Energy Efficient Routing Algorithm for Target Tracking in Directional WSNs **78**

4.1	Introduction	78
4.2	Preliminaries and Models	82
4.2.1	Fuzzy Logic	82
4.2.2	Logistic Regression	84
4.2.3	Target Tracking Model	85
4.2.4	Deployment of Directional Sensor Nodes	86
4.2.5	Communication Model	87
4.2.6	Energy Consumption Model	88
4.2.7	Lifetime of WSNs	89

4.3	An Energy-Efficient Routing Algorithm	89
4.3.1	Inputs of the FLS	89
4.3.2	Route Selection Metric for Routing Algorithm	94
4.3.3	Routing Algorithm	94
4.4	Moving Target Tracking System	97
4.4.1	Specification of Hardware	98
4.4.2	Overview of MTS	101
4.4.3	Experimental Results	104
4.5	Conclusion	112
5	Effects of Different Mobility Models on Target Tracking in Directional WSNs	114
5.1	Introduction	114
5.2	Characteristics of Mobility of Targets	115
5.2.1	Pause Time	116
5.2.2	Repeated Time	116
5.2.3	Velocity	116
5.2.4	Direction Angle Change	117
5.2.5	Shape of the FoI	117
5.3	Mobility Models	117
5.3.1	Random Walk Mobility Model	118
5.3.2	Random Waypoint Mobility Model	118
5.3.3	Random Direction Mobility Model	119
5.4	Simulation Results	120
5.4.1	Impact of Pause Time on Energy Consumption of the Network	121
5.4.2	Impact of Velocity on Accuracy of Target Tracking System	121
5.4.3	Impact of Direction Angle Change on Accuracy of Target Tracking System	124

5.5 Conclusion	125
6 Conclusion and Discussion	126
List of Publications	153