

Bibliography

- Abbah, E. C., Nwandikom, G. I., Egwuonwu, C. C., & Nwakuba, N. R. (2016). Effect of reaction temperature on the yield of biodiesel from neem seed oil. *American Journal of Energy Science*, 3(3), 16-20.
- Aboelazayem, O., Gadalla, M., & Saha, B. (2018). Biodiesel production from waste cooking oil via supercritical methanol: Optimisation and reactor simulation. *Renewable Energy*, 124, 144-154.
- All India report by CEA, MNRE on India installed power capacity (2019).
- Amais, R. S., Garcia, E. E., Monteiro, M. R., Nogueira, A. R. A., & Nóbrega, J. A. (2010). Direct analysis of biodiesel microemulsions using an inductively coupled plasma mass spectrometry. *Microchemical Journal*, 96(1), 146-150.
- Ambat, I., Srivastava, V., Iftekhar, S., Haapaniemi, E., & Sillanpaa, M. (2020). Effect of different co-solvents on biodiesel production from various low-cost feedstocks using Sr–Al double oxides. *Renewable Energy*, 146, 2158-2169.
- Anuar, M. R., & Abdullah, A. Z. (2016). Challenges in biodiesel industry with regards to feedstock, environmental, social and sustainability issues: a critical review. *Renewable and Sustainable Energy Reviews*, 58, 208-223.
- Apostolakou, A.A., Kookos I.K., Marazioti, C., Angelopoulos K.C. (2009). Techno-economic analysis of a biodiesel production process from vegetable oils. *Fuel Process Technology*, 90(7-8), 1023-1031.
- Arora, A.K., Raj, S., Mandal, T., Christopher, J., Puri, S.K., & Gupta, A.K (2014). An effective heterogeneous catalyst from waste material for the biodiesel

Bibliography

- production. *Journal of Surface Science and Technology*, 30(1), 45-58.
- Arpornpong, N., Attaphong, C., Charoensaeng, A., Sabatini, D. A., & Khaodhiar, S. (2014). Ethanol-in-palm oil/diesel microemulsion-based biofuel: Phase behavior, viscosity, and droplet size. *Fuel*, 132, 101-106.
- Arumugam, A. & Ponnusami, V. (2019). Biodiesel production from Calophyllum inophyllum oil a potential non-edible feedstock: An overview. *Renewable Energy*, 131, 459-471.
- Atadashi, I. M., Aroua, M. K., Aziz, A. A., & Sulaiman, N. M. N. (2013). The effects of catalysts in biodiesel production: A review. *Journal of industrial and engineering chemistry*, 19(1), 14-26.
- Ayoob, A.K. and Fadhil, A.B. (2020). Valorization of waste tires in the synthesis of an effective carbon based catalyst for biodiesel production from a mixture of non-edible oils. *Fuel*, 264, 116754.
- Bai, G., Wang, J., Yang, Z., Wang, H., Wang, Z., & Yang, S. (2014). Preparation of a highly effective lubricating oil additive–ceria/graphene composite. *RSC Advances*, 4(87), 47096-47105.
- Balajii, M., & Niju, S. (2020). Banana peduncle–A green and renewable heterogeneous base catalyst for biodiesel production from Ceiba pentandra oil. *Renewable Energy*, 146, 2255-2269.
- Balasubramanian, N., & Steward, K. F. (2019). Biodiesel: History of an innovation to keep the world moving. *Substantia*, 3, 57-71.
- Balat, M., & Balat, H. (2010). Progress in biodiesel processing. *Applied energy*, 87(6), 1815-1835.

- Banerjee, S., Sahani, S., & Sharma, Y. C. (2019). Process dynamic investigations and emission analyses of biodiesel produced using Sr–Ce mixed metal oxide heterogeneous catalyst. *Journal of Environmental Management*, 248, 109218.
- Basahel, S. N., & Diefallah, E. H. M. (1992). Kinetic analysis of thermal decomposition reactions. VII. Effect of radiation and doping on the thermal decomposition of BaCO₃–TiO₂ and SrCO₃–TiO₂ crystalline mixtures. *Canadian Journal of Chemistry*, 70(3), 888-893.
- Baskar, G., Gurugulladevi, A., Nishanthini, T., Aiswarya, R., & Tamilarasan, K. (2017). Optimization and kinetics of biodiesel production from Mahua oil using manganese doped zinc oxide nanocatalyst. *Renewable Energy*, 103, 641-646.
- Berbenni, V., Marini, A., & Bruni, G. (2001). Effect of mechanical milling on solid state formation of BaTiO₃ from BaCO₃–TiO₂ (rutile) mixtures. *Thermochimica acta*, 374(2), 151-158.
- Biofuel outlook (2020), EPA.
- Borah, M.J., Devi, A., Borah, R., & Deka, D.(2019). Synthesis and application of Co doped ZnO as heterogeneous nanocatalyst for biodiesel production from non-edible oil. *Renewable Energy*, 133, 512-519.
- Borchert, H., Shevchenko, E. V., Robert, A., Mekis, I., Kornowski, A., Grübel, G., & Weller, H. (2005). Determination of nanocrystal sizes: a comparison of TEM, SAXS, and XRD studies of highly monodisperse CoPt₃ particles. *Langmuir*, 21(5), 1931-1936.
- Boschini, F., Robertz, B., Rulmont, A., & Cloots, R. (2003). Preparation of nanosized barium zirconate powder by thermal decomposition of urea in an aqueous

Bibliography

- solution containing barium and zirconium, and by calcination of the precipitate. *Journal of the European Ceramic Society*, 23(16), 3035-3042.
- Brzozowski, E., & Castro, M. S. (2003). Lowering the synthesis temperature of high-purity BaTiO₃ powders by modifications in the processing conditions. *Thermochimica Acta*, 398(1-2), 123-129.
- Candeia, R. A., Silva, M. C. D., Carvalho Filho, J. R., Brasilino, M. G. A., Bicudo, T. C., Santos, I. M. G., & Souza, A. G. (2009). Influence of soybean biodiesel content on basic properties of biodiesel–diesel blends. *Fuel*, 88(4), 738-743.
- Chen, C., Cai, L., Zhang, L., Fu, W., Hong, Y., Gao, X., Jiang, Y., Liang, L., Yan, X., & Wu, G. (2020). Transesterification of rice bran oil to biodiesel using mesoporous NaBeta zeolite-supported molybdenum catalyst: Experimental and kinetic studies. *Chemical Engineering Journal*, 382, 122839.
- Cheng, Y. T., Wang, Z., Gilbert, C. J., Fan, W., & Huber, G. W. (2012). Production of p- xylene from biomass by catalytic fast pyrolysis using ZSM- 5 catalysts with reduced pore openings. *Angewandte Chemie International Edition*, 51(44), 11097-11100.
- Correa, R. A.L., Castro, C. S., Damasceno, A. S., & Assaf, J. M. (2020). The enhanced activity of base metal modified MgAl mixed oxides from sol-gel hydrotalcite for ethylic transesterification. *Renewable Energy*, 146, 1984-1990.
- Czernik, S., & French, R. (2014). Distributed production of hydrogen by auto-thermal reforming of fast pyrolysis bio-oil. *International journal of hydrogen energy*, 39(2), 744-750.
- Dai, Y. M., Wu, J. S., Chen, C. C., & Chen, K. T. (2015). Evaluating the optimum

- operating parameters on transesterification reaction for biodiesel production over a LiAlO_2 catalyst. *Chemical Engineering Journal*, 280, 370-376.
- Dash, S.K.(2020). Production of Biodiesel from Jatropha Oil Using a Heterogeneous Catalyst. In *International Conference on Emerging Trends in Engineering (ICETE)* (767-773). Springer, Cham.
- Devi, R.M., Subadevi, R., Paul Raj, S., & Sivakumar, M. (2015). Comparative studies on biodiesel from rubber seed oil using homogeneous and heterogeneous catalysts. *International Journal of Green Energy*, 12(12), 1215-1221.
- Driessche, A. E. V., Kellermeier, M., Benning, L. G., & Gebauer, D. (Eds.). (2016). New perspectives on mineral nucleation and growth: From solution precursors to solid materials. *Springer*.
- Dupin, J. C., Gonbeau, D., Vinatier, P., & Levasseur, A. (2000). Systematic XPS studies of metal oxides, hydroxides and peroxides. *Physical Chemistry Chemical Physics*, 2(6), 1319-1324.
- Farahmandjou, M., Zarinkamar, M., & Firoozabadi, T. P. (2016). Synthesis of Cerium Oxide (CeO_2) nanoparticles using simple CO-precipitation method. *Revista mexicana de física*, 62(5), 496-499.
- Freedman, B., Butterfield, R. O., & Pryde, E. H. (1986). Transesterification kinetics of soybean oil 1. *Journal of the American Oil Chemists' Society*, 63(10), 1375-1380.
- French, R., & Czernik, S. (2010). Catalytic pyrolysis of biomass for biofuels production. *Fuel Processing Technology*, 91(1), 25-32.
- Gadekar, S. P., Pawar, G. T., Magar, R. R., & Lande, M. K. (2020). Preparation,

Bibliography

- Characterizations of TS-1 Zeolite: An Effective Solid Acid Catalyst for the Synthesis of 1, 3, 5-Triaryl-2-Pyrazolins. *Polycyclic Aromatic Compounds*, 40(1), 126-134.
- Gardy, J., Osatiashtiani, A., Céspedes, O., Hassanpour, A., Lai, X., Lee, A. F., Wilson, K., & Rehan, M. (2018). A magnetically separable SO₄/Fe-Al-TiO₂ solid acid catalyst for biodiesel production from waste cooking oil. *Applied Catalysis B: Environmental*, 234, 268-278.
- Gebremariam, S. N., & Marchetti, J. M. (2018). Economics of biodiesel production. *Energy Conversion and Management*, 168, 74-84.
- Ghamsari, M. S., & Bahramian, A. R. (2008). High transparent sol-gel derived nanostructured TiO₂ thin film. *Materials Letters*, 62(3), 361-364.
- Global Energy & CO₂ Status Report (2019). IEA.
- Gohain, M., Laskar, K., Phukon, H., Bora, U., Kalita, D., & Deka, D. (2020). Towards sustainable biodiesel and chemical production: Multifunctional use of heterogeneous catalyst from littered *Tectona grandis* leaves. *Waste Management*, 102, 212-221.
- Gomes, J. F., Puna, J. F., Bordado, J. C., & Correia, M. J. N. (2008). Development of heterogeneous catalysts for transesterification of triglycerides. *Reaction Kinetics and Catalysis Letters*, 95(2), 273-279.
- Gomes, R., Bhanja, P., & Bhaumik, A. (2016). Sulfonated porous organic polymer as a highly efficient catalyst for the synthesis of biodiesel at room temperature. *Journal of Molecular Catalysis A: Chemical*, 411, 110-116.
- Guerra, E.M., & Gude, V. G. (2014). Transesterification of used vegetable oil catalyzed

- by barium oxide under simultaneous microwave and ultrasound irradiations. *Energy conversion and management*, 88, 633-640.
- Guldhe, A., Singh, P., Ansari, F. A., Singh, B., & Bux, F. (2017). Biodiesel synthesis from microalgal lipids using tungstated zirconia as a heterogeneous acid catalyst and its comparison with homogeneous acid and enzyme catalysts. *Fuel*, 187, 180-188.
- Gusain, D., Dubey, S., Upadhyay, S. N., Weng, C. H., & Sharma, Y. C. (2016). Studies on optimization of removal of orange G from aqueous solutions by a novel nano adsorbent, nano zirconia. *Journal of Industrial and Engineering Chemistry*, 33, 42-50.
- Hansen, S., Mirkouei, A., & Diaz, L. A. (2020). A comprehensive state-of-technology review for upgrading bio-oil to renewable or blended hydrocarbon fuels. *Renewable and Sustainable Energy Reviews*, 118, 109548.
- Hinnen, C., Van Huong, C. N., & Marcus, P. (1995). Comparative X-ray photoemission study of $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$ and $\text{Bi}_{1.6}\text{Pb}_{0.4}\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$. *Journal of Electron Spectroscopy and Related Phenomena*, 73(3), 293-304.
- International Energy Outlook 2013, EIA.
- Jaimeewong, P., Promsawat, M., Jiansirisomboon, S., & Watcharapasorn, A. (2016). Influence of pH values on the surface and properties of BCZT nanopowders synthesized via sol-gel auto-combustion method. *Surface and Coatings Technology*, 306, 16-20.
- Jonson, B., Rebenstorf, B., Larsson, R., & Primet, M. (1986). Infrared emission spectroscopy studies of metal oxide catalysts. *Applied Spectroscopy*, 40(6), 798-

Bibliography

803.

Joshi, G., Rawat, D. S., Lamba, B. Y., Bisht, K. K., Kumar, P., Kumar, N., & Kumar, S. (2015). Transesterification of Jatropha and Karanja oils by using waste egg shell derived calcium based mixed metal oxides. *Energy Conversion and Management*, 96, 258-267.

Jothi, N., & Manivannan, A. (2013). Optimization of microwave-assisted transesterification of mahua oil using response surface methodology. *International Journal of Science, Engineering and Technology Research*, 2, 1411-1422.

Junior, E.G.S., Barcelos, L.F.T., Perez, V.H., Justo, O.R., Ramirez, L.C., de Moraes Rêgo Filho, L. and de Castro, M.P.P. (2019). Biodiesel production from non-edible forage turnip oil by extruded catalyst. *Industrial Crops and Products*, 139,111503.

Kashyap, S. S., Gogate, P. R., & Joshi, S. M. (2019). Ultrasound assisted intensified production of biodiesel from sustainable source as karanja oil using interesterification based on heterogeneous catalyst (γ -alumina). *Chemical Engineering and Processing-Process Intensification*, 136, 11-16.

Kawashima, A., Matsubara, K., & Honda, K. (2008). Development of heterogeneous base catalysts for biodiesel production. *Bioresource Technology*, 99(9), 3439-3443.

Key World Energy Statistics (2015).IEA.

Khedra, M. H., Nasrb, M. I., Halimb, K. A., Farghalia, A. A., & Solimanc, N. K. (2014). Catalytic decomposition of hydrocarbon gas over various

- nanostructured metal oxides for hydrocarbon removal and production of carbon nanotubes. *International Journal of Engineering Research and General Science*, 2(5), 413-424.
- Kim, D. S., Hanifzadeh, M., & Kumar, A. (2018). Trend of biodiesel feedstock and its impact on biodiesel emission characteristics. *Environmental Progress & Sustainable Energy*, 37(1), 7-19.
- Kumar, A. S., Balaji, R., Puviarasu, P., & Jayakumar, S. (2017). Structural and morphological analysis of barium cerate electrolyte for SOFC application. *Materials Science-Poland*, 35(1), 120-125.
- Kumar, D., & Singh, B. (2019). BaZrO₃ and Cs-BaZrO₃ catalysed transesterification of *Millettia Pinnata* oil and optimisation of reaction variables by response surface Box-Behnken design. *Renewable Energy*, 133, 411-421.
- Kumar, D., Singh, B., Banerjee, A., & Chatterjee, S. (2018). Cement wastes as transesterification catalysts for the production of biodiesel from Karanja oil. *Journal of Cleaner Production*, 183, 26-34.
- Lakshmi, S.B.A.V.S., Pillai, N.S., Mohamed, M.S.B.K. and Narayanan, A. (2020). Biodiesel production from rubber seed oil using calcined eggshells impregnated with Al₂O₃ as heterogeneous catalyst: A comparative study of RSM and ANN optimization. *Brazilian Journal of Chemical Engineering*, 1-18.
- Lamba, N., Gupta, R., Modak, J. M., & Madras, G. (2019). ZnO catalyzed transesterification of *Madhuca indica* oil in supercritical methanol. *Fuel*, 242, 323-333.
- Lee, A. F., Bennett, J. A., Manayil, J. C., & Wilson, K. (2014). Heterogeneous catalysis

Bibliography

- for sustainable biodiesel production via esterification and transesterification. *Chemical Society Reviews*, 43(22), 7887-7916.
- Likozar, B., & Levec, J. (2014). Effect of process conditions on equilibrium, reaction kinetics and mass transfer for triglyceride transesterification to biodiesel: experimental and modeling based on fatty acid composition. *Fuel Processing Technology*, 122, 30-41.
- Lima, J. R.O., Ghani, Y. A., da Silva, R. B., Batista, F. M. C., Bini, R. A., Varanda, L. C., & de Oliveira, J. E. (2012). Strontium zirconate heterogeneous catalyst for biodiesel production: Synthesis, characterization and catalytic activity evaluation. *Applied Catalysis A: General*, 445, 76-82.
- Liu, J. Z., Cui, Q., Kang, Y. F., Meng, Y., Gao, M. Z., Efferth, T., & Fu, Y. J. (2019). *Euonymus maackii* Rupr. Seed oil as a new potential non-edible feedstock for biodiesel. *Renewable energy*, 133, 261-267.
- Liu, Y., Xin, H. L., & Yan, Y. J. (2009). Physicochemical properties of stillingia oil: feasibility for biodiesel production by enzyme transesterification. *Industrial Crops and Products*, 30(3), 431-436.
- Ma, Y., Wang, Q., Sun, X., Wu, C., & Gao, Z. (2017). Kinetics studies of biodiesel production from waste cooking oil using FeCl₃-modified resin as heterogeneous catalyst. *Renewable Energy*, 107, 522-530.
- Madhu, D., Arora, R., Sahani, S., Singh, V., & Sharma, Y. C. (2017). Synthesis of high-quality biodiesel using feedstock and catalyst derived from fish wastes. *Journal of Agricultural and Food Chemistry*, 65(10), 2100-2109.
- Mahesh, S. E., Ramanathan, A., Begum, K. M. S., & Narayanan, A. (2015). Biodiesel

- production from waste cooking oil using KBr impregnated CaO as catalyst. *Energy Conversion and Management*, *91*, 442-450.
- Malani, R. S., Umriwad, S. B., Kumar, K., Goyal, A., & Moholkar, V. S. (2019). Ultrasound–assisted enzymatic biodiesel production using blended feedstock of non–edible oils: Kinetic analysis. *Energy Conversion and Management*, *188*, 142-150.
- Malani, R.S., Shinde, V., Ayachit, S., Goyal, A. and Moholkar, V.S.(2019). Ultrasound–assisted biodiesel production using heterogeneous base catalyst and mixed non–edible oils. *Ultrasonics Sonochemistry*, *52*, 232-243.
- Marciel, A. P., Longo, E., & Leite, E. R. (2003). Nanostructured tin dioxide: Synthesis and growth of nanocrystals and nanoribbons. *Quimica Nova*, *26*(6) 855-862.
- Meher, L. C., Sagar, D. V., & Naik, S. N. (2006). Technical aspects of biodiesel production by transesterification-a review. *Renewable and Sustainable Energy Reviews*, *10*(3), 248-268.
- Mladenović, N.D., Kiss, F., Škrbić, B., Tomić, M., Mičić, R., & Predojević, Z. (2018). Current state of the biodiesel production and the indigenous feedstock potential in Serbia. *Renewable and Sustainable Energy Reviews*, *81*, 280-291.
- Moghadam, M. B., Zebarjad, S. M., Emampour, J. S., & Youssefi, A. (2013). A study on the role of ethylene glycol/alcohol ratio on synthesis of nano-size SnO₂. *Particulate Science and Technology*, *31*(1), 66-70.
- Mohadesi, M., Hojabri, Z., & Moradi, G. (2014). Biodiesel production using alkali earth metal oxides catalysts synthesized by sol-gel method. *Biofuel Research Journal*, *1*(1), 30-33.

Bibliography

- Moura, C. V., Neres, H. L., Lima, M. G., Moura, E. M., Moita Neto, J. M., Oliveira, J. E., Lima, J. R. O., Sttolind, I. M., Araujod, E. C. E., (2016). Cr/Al oxide as solid acid catalyst to afford Babassu biodisel. *Journal of the Brazilian Chemical Society*, 27(3), 515-525.
- Musa, I. A. (2016). The effects of alcohol to oil molar ratios and the type of alcohol on biodiesel production using transesterification process. *Egyptian Journal of Petroleum*, 25(1), 21-31.
- Muthukumar, C., Praniash, R., Navamani, P., Swathi, R., Sharmila, G., & Kumar, N. M. (2017). Process optimization and kinetic modeling of biodiesel production using non-edible *Madhuca indica* oil. *Fuel*, 195, 217-225.
- Narasimharao, K., Lee, A., & Wilson, K. (2007). Catalysts in production of biodiesel: a review. *Journal of Biobased Materials and Bioenergy*, 1(1), 19-30.
- National policies on Biofuels (2019).
- National Policy on Biofuels (2018).
- Omar, W. N. N. W., & Amin, N. A. S. (2011). Optimization of heterogeneous biodiesel production from waste cooking palm oil via response surface methodology. *Biomass and Bioenergy*, 35(3), 1329-1338.
- Palm Oil Biofuels Market May See Shake-Up in 2020, Heightening Leakage Risks (2019). Chain Reaction Research.
- Pan, H., Liu, X., Zhang, H., Yang, K., Huang, S., & Yang, S. (2017). Multi-SO₃H functionalized mesoporous polymeric acid catalyst for biodiesel production and fructose-to-biodiesel additive conversion. *Renewable Energy*, 107, 245-252.

- Pandian, S., Saravanan, A. S., Sivanandi, P., Santra, M., & Booramurthy, V. K. (2020). Application of heterogeneous acid catalyst derived from biomass for biodiesel process intensification: a comprehensive review. In *Refining Biomass Residues for Sustainable Energy and Bioproducts*, 87-109. Academic Press.
- Pascacio, V. G. T., Sanchez, B. T., Magro, L. D., Ortiz, J. J. V., Ruiz, F. J. S., Rodrigues, R. C., & Lafuente, R. F. (2019). Comparison of acid, basic and enzymatic catalysis on the production of biodiesel after RSM optimization. *Renewable energy*, 135, 1-9.
- Patel, R. L., & Sankhavara, C. D. (2017). Biodiesel production from Karanja oil and its use in diesel engine: A review. *Renewable and Sustainable Energy Reviews*, 71, 464-474.
- Pavlovic, S. M., Marinkovic, D. M., Kostic, M. D., Jankovic-Castvan, I. M., Mojovic, L. V., Stankovic, M. V., & Veljkovic, V. B. (2020). A CaO/zeolite-based catalyst obtained from waste chicken eggshell and coal fly ash for biodiesel production. *Fuel*, 267, 117171.
- Perera, F. P. (2016). Multiple threats to child health from fossil fuel combustion: impacts of air pollution and climate change. *Environmental health perspectives*, 125(2), 141-148.
- Pilleux, M. E., Grahmann, C. R., & Fuenzalida, V. M. (1994). Hydrothermal Strontium Titanate Films on Titanium: An XPS and AES Depth-Profiling Study. *Journal of the American Ceramic Society*, 77(6), 1601-1604.
- Puhan, S., Vedaraman, N., Rambrahamam, B. V., & Nagarajan, G. (2005). Mahua (*Madhuca indica*) seed oil: A source of renewable energy in India. *Journal of*

Bibliography

Scientific and Industrial Research, 64, 890-896.

Putra, M. D., Irawan, C., Ristianingsih, Y., & Nata, I. F. (2018). A cleaner process for biodiesel production from waste cooking oil using waste materials as a heterogeneous catalyst and its kinetic study. *Journal of Cleaner Production*, 195, 1249-1258.

Qi, D. H., Chen, H., Geng, L. M., & Bian, Y. Z. (2010). Experimental studies on the combustion characteristics and performance of a direct injection engine fueled with biodiesel/diesel blends. *Energy Conversion and Management*, 51(12), 2985-2992.

Quah, R. V., Tan, Y. H., Mubarak, N. M., Khalid, M., Abdullah, E. C., & Nolasco-Hipolito, C. (2019). An overview of biodiesel production using recyclable biomass and non-biomass derived magnetic catalysts. *Journal of Environmental Chemical Engineering*, 7, 103219.

Rabie, A. M., Shaban, M., Abukhadra, M. R., Hosny, R., Ahmed, S. A., & Negm, N. A. (2019). Diatomite supported by CaO/MgO nanocomposite as heterogeneous catalyst for biodiesel production from waste cooking oil. *Journal of Molecular Liquids*, 279, 224-231.

Ranganathan, E. S., Bej, S. K., & Thompson, L. T. (2005). Methanol steam reforming over Pd/ZnO and Pd/CeO₂ catalysts. *Applied Catalysis A: General*, 289(2), 153-162.

Razack, S. A., & Durairasan, S. (2016). Response surface methodology assisted biodiesel production from waste cooking oil using encapsulated mixed enzyme. *Waste Management*, 47, 98-104.

- Rincón, L. E., Jaramillo, J. J., & Cardona, C. A. (2014). Comparison of feedstocks and technologies for biodiesel production: An environmental and techno-economic evaluation. *Renewable Energy*, 69, 479-487.
- Roy, T., Sahani, S., & Sharma, Y. C. (2020). Study on kinetics-thermodynamics and environmental parameter of biodiesel production from waste cooking oil and castor oil using potassium modified ceria oxide catalyst. *Journal of Cleaner Production*, 247, 119166.
- Sahani, S., & Sharma, Y. C. (2018). Economically viable production of biodiesel using a novel heterogeneous catalyst: Kinetic and thermodynamic investigations. *Energy Conversion and Management*, 171, 969-983.
- Sahani, S., Banerjee, S., & Sharma, Y. C. (2018). Study of co-solvent effect on production of biodiesel from *Schleichera oleosa* oil using a mixed metal oxide as a potential catalyst. *Journal of the Taiwan Institute of Chemical Engineers*, 86, 42-56.
- Sahani, S., Roy, T., & Sharma, Y. C. (2019). Clean and efficient production of biodiesel using barium cerate as a heterogeneous catalyst for the biodiesel production; kinetics and thermodynamic study. *Journal of Cleaner Production*, 237, 117699.
- Sahani, S., Roy, T., & Sharma, Y. C. (2020). Studies on fast and green biodiesel production from an indigenous nonedible Indian feedstock using single phase strontium titanate catalyst. *Energy Conversion and Management*, 203, 112180.
- Sai, B.A., Subramaniapillai, N., Mohamed, M.S.B.K. and Narayanan, A. (2020). Optimization of continuous biodiesel production from rubber seed oil (RSO)

Bibliography

- using calcined eggshells as heterogeneous catalyst. *Journal of Environmental Chemical Engineering*, 8(1), 103603.
- Sarve, A. N., Varma, M. N., & Sonawane, S. S. (2016). Ultrasound assisted two-stage biodiesel synthesis from non-edible *Schleichera triguga* oil using heterogeneous catalyst: kinetics and thermodynamic analysis. *Ultrasonics sonochemistry*, 29, 288-298.
- Satyarthi, J. K., Srinivas, D., & Ratnasamy, P. (2009). Estimation of free fatty acid content in oils, fats, and biodiesel by ^1H NMR spectroscopy. *Energy & Fuels*, 23(4), 2273-2277.
- Senthil, M., Visagavel, K., Saravanan, C. G., & Rajendran, K. (2016). Investigations of red mud as a catalyst in Mahua oil biodiesel production and its engine performance. *Fuel processing technology*, 149, 7-14.
- Shahid, T., Arfan, M., Zeb, A., BiBi, T., & Khan, T. M. (2018). Preparation and physical properties of functional barium carbonate nanostructures by a facile composite-hydroxide-mediated route. *Nanomaterials and Nanotechnology*, 8, 1-8.
- Sharma, Y. C., Singh, B., & Upadhyay, S. N. (2008). Advancements in development and characterization of biodiesel: a review. *Fuel*, 87(12), 2355-2373.
- Sharma, Y.C., Singh, B., & Korstad, J. (2011). Latest developments on application of heterogeneous basic catalysts for an efficient and eco friendly synthesis of biodiesel: A review. *Fuel*, 90(4), 1309-1324.
- Silitonga, A. S., Masjuki, H. H., Mahlia, T. M. I., Ong, H. C., Kusumo, F., Aditiya, H. B., & Ghazali, N. N. N. (2015). *Schleichera oleosa* L oil as feedstock for

- biodiesel production. *Fuel*, 156, 63-70.
- Singh, V., Belova, L., Singh, B., & Sharma, Y. C. (2018). Biodiesel production using a novel heterogeneous catalyst, magnesium zirconate ($Mg_2Zr_5O_{12}$): Process optimization through response surface methodology (RSM). *Energy Conversion and Management*, 174, 198-207.
- Singh, V., Hameed, B. H., & Sharma, Y. C. (2016). Economically viable production of biodiesel from a rural feedstock from eastern India, *P. pinnata* oil using a recyclable laboratory synthesized heterogeneous catalyst. *Energy conversion and management*, 122, 52-62.
- Smith, B. C. (2016). The infrared spectroscopy of Alkenes. *Spectroscopy* 31(11), 28-34.
- Smith, B. C., (2015). Electromagnetic Radiation, Spectral Units, and Alkanes. *Spectroscopy*, 30(4), 18-23.
- Taher, H., Giwa, A., Abusabiekeh, H., & Al-Zuhair, S. (2020). Biodiesel production from *Nannochloropsis gaditana* using supercritical CO₂ for lipid extraction and immobilized lipase transesterification: Economic and environmental impact assessments. *Fuel Processing Technology*, 198, 106249.
- Tariq, M., Ali, S., Ahmad, F., Ahmad, M., Zafar, M., Khalid, N., & Khan, M. A. (2011). Identification, FT-IR, NMR (¹H and ¹³C) and GC/MS studies of fatty acid methyl esters in biodiesel from rocket seed oil. *Fuel Processing Technology*, 92(3), 336-341.
- Trends in global CO₂ emissions report (2016). Emissions database of global atmosphere research. PBL Netherlands Environmental Assessment Agency.

Bibliography

- Umdu, E. S., & Seker, E. (2012). Transesterification of sunflower oil on single step sol-gel made Al₂O₃ supported CaO catalysts: Effect of basic strength and basicity on turnover frequency. *Bioresource technology*, *106*, 178-181.
- Vahur, S., Teearu, A., Peets, P., Joosu, L., & Leito, I. (2016). ATR-FT-IR spectral collection of conservation materials in the extended region of 4000-80 cm⁻¹. *Analytical and Bioanalytical Chemistry*, *408*(13), 3373-3379.
- Valechha, D., Lokhande, S., Klementova, M., Subrt, J., Rayalu, S., & Labhsetwar, N. (2011). Study of nano-structured ceria for catalytic CO oxidation. *Journal of Materials Chemistry*, *21*(11), 3718-3725.
- Van Gerpen, J. (2005). Biodiesel processing and production. *Fuel Processing Technology*, *86*(10), 1097-1107.
- Vasic, K., Hojnik Podrepsek, G., Knez, Z., & Leitgeb, M. (2020). Biodiesel Production Using Solid Acid Catalysts Based on Metal Oxides. *Catalysts*, *10*(2), 237.
- Venkatasubramanian, A., Gopalan, P., & Prasanna, T. R. S. (2010). Synthesis and characterization of electrolytes based on BaO-CeO₂-GdO_{1.5} system for intermediate temperature solid oxide fuel cells. *International Journal of Hydrogen Energy*, *35*(10), 4597-4605.
- Verma, P., Sharma, M. P., & Dwivedi, G. (2016). Impact of alcohol on biodiesel production and properties. *Renewable and Sustainable Energy Reviews*, *56*, 319-333.
- Vivek, G. A., & Gupta, A. K. (2004). Biodiesel production from Karanja oil. *Journal of Scientific & Industrial Research*, *63*(1), 39-47.
- Vyas, A. P., Verma, J. L., & Subrahmanyam, N. (2011). Effects of molar ratio, alkali

- catalyst concentration and temperature on transesterification of jatropha oil with methanol under ultrasonic irradiation. *Advances in Chemical Engineering and Science*, 1(02), 45-50.
- Waal, D.D., Range, K. J., Königstein, M., & Kiefer, W. (1998). Raman spectra of the barium oxide peroxide and strontium oxide peroxide series. *Journal of Raman spectroscopy*, 29(2), 109-113.
- Wang, C., Li, M., & Fang, Y. (2016). Coprocessing of catalytic-pyrolysis-derived bio-oil with VGO in a pilot-scale FCC riser. *Industrial & Engineering Chemistry Research*, 55(12), 3525-3534.
- World energy outlook (2016). British petroleum statistical review of world energy.
- World energy outlook (2016). IEA.
- World energy outlook (2014). International Energy Agency.
- Wu, Q. H., Liu, M., & Jaegermann, W.(2005). X-ray photoelectron spectroscopy of $\text{La}_{0.5}\text{Sr}_{0.5}\text{MnO}_3$. *Materials Letters*, 59(16), 1980-1983.
- Xu, X., Lv, M., Sun, X., & Liu, G. (2016). Role of surface composition upon the photocatalytic hydrogen production of Cr-doped and La/Cr-codoped SrTiO_3 . *Journal of materials science*, 51(13), 6464-6473.
- Yadav, A. K., Khan, M. E., Pal, A., & Ghosh, U. (2018). Performance and emission characteristics of a stationary diesel engine fuelled by *Schleichera oleosa* Oil Methyl Ester (SOME) produced through hydrodynamic cavitation process. *Egyptian Journal of Petroleum*, 27(1), 89-93.
- Yadav, M., & Sharma, Y. C. (2018). Process optimization and catalyst poisoning study

Bibliography

- of biodiesel production from kusum oil using potassium aluminum oxide as efficient and reusable heterogeneous catalyst. *Journal of Cleaner Production*, 199, 593-602.
- Yadav, M., Upadhyay, S., & Sharma, Y. C. (2018). Process optimization, kinetics of production Jatropha curcus methyl ester, and its utilization in single cylinder diesel engine. *Energy conversion and management*, 160, 364-374.
- Yancheshmeh, M. S., Sahraei, O. A., Aissaoui, M., & Iliuta, M. C. (2020). A novel synthesis of NiAl₂O₄ spinel from a Ni-Al mixed-metal alkoxide as a highly efficient catalyst for hydrogen production by glycerol steam reforming. *Applied Catalysis B: Environmental*, 265, 118535.
- Yesilyurt, M.K. and Cesur, C. (2020). Biodiesel synthesis from Styra^x officinalis L. seed oil as a novel and potential non-edible feedstock: A parametric optimization study through the Taguchi technique. *Fuel*, 265, 117025.
- Yue, Z., Zhou, J., Li, L., Zhang, H., & Gui, Z. (2000). Synthesis of nanocrystalline NiCuZn ferrite powders by sol-gel auto-combustion method. *Journal of Magnetism and Magnetic Materials*, 208(1-2), 55-60.
- Zhang, C. Y., Shao, W. L., Zhou, W. X., Liu, Y., Han, Y. Y., Zheng, Y., & Liu, Y. J. (2019). Biodiesel Production by Esterification Reaction on K⁺ Modified MgAl-Hydrotalcites Catalysts. *Catalysts*, 9(9), 742.
- Zhang, N., Xue, H., & Hu, R. (2018). The activity and stability of CeO₂@ CaO catalysts for the production of biodiesel. *RSC advances*, 8(57), 32922-32929.