



REFERENCES

References

- Aguadero** A., Fawcett L., Taub S., Woolley R., Wu K.T., “Materials development for intermediate-temperature solid oxide electrochemical devices” *J. Mater. Sci.* 47, 3925–48 (2012).
- Atkinson** A., Barnett S., Gorte R. J., Irvine J. T. S., Mcevoy A. J., Mogensen M., Singhal S. C., Vohs J., “Advanced anodes for high-temperature fuel cells” *Nat. Mater.*, 3, 17-27 (2004).
- Aguadero** A., Alonso J.A., Martí’nez-Coronado R., Martí’nez-Lope M.J., Ferná’ndez-Dí’az M.T., “Evaluation of $\text{Sr}_2\text{CoMoO}_{6-\delta}$ as anode material in solid-oxide fuel cells: A neutron diffraction study” *J. Appl. Phys.*, 109, 034907 (2011).
- Arlt** G., Hennings D., and de G. With “Dielectric properties of fine-grained barium titanate ceramics” *Journal of Applied Physics* 58, 1619-1625 (1985).
- Anderson** H.U. “Fabrication and property control of LaCrO_3 based oxides” *Proces. Crystal. Ceram. Mater. Sci. Res.*, 11, 469–77 (1978).
- Anderson** H.U., Nasrallah M. M., Flandermeyer B. K., Agrawal A.K., “High-temperature redox behavior of doped SrTiO_3 and LaCrO_3 ” *J Solid State Chem.*, 56, 325–34 (1985).
- Anderson** H.U., Kuo J.H., Sparlin D.M., “Review of defect chemistry of LaMnO_3 and LaCrO_3 ” *Proc. Electrochem. Soc*; 89, 111–28 (1989).
- Anderson** H. U., “Review of p-type doped perovskite materials for SOFC and other applications” *Solid State Ionics*, 52, 33–41(1992).
- Akashi** T., Maruyama T., Goto T., “Transport of lanthanum ion and hole in LaCrO_3 determined by electrical conductivity measurements” *Solid State Ionics*, 64:177–83 (2003).
- Agarwal** P., Orazem M. E., “Measurement Models for Electrochemical Impedance Spectroscopy I. Demonstration of Applicability” *J. Electrochem. Soc.*, 139, 1917-1927 (1992).
- Basu** S., Devi P., and Maithi H. S., “A potential low temperature oxide ion conductor $\text{La}_{2-x}\text{Ba}_x\text{Mo}_2\text{O}_9$ ” *Appl. Phy. Lett.* 85, 3486-3488 (2004).
- Bhalla** A. S., Guo R., Roy R., “The perovskite structure a review of its role in ceramic science and technology” *Mat. Res. Innovat.* 4, 3–26 (2000).
- Bukhari** S. M., Giorgi J. B., “Tuneability of $\text{Sm}_{(1-x)}\text{Ce}_x\text{FeO}_{3\pm\lambda}$, Perovskites: Thermal Stability and Electrical Conductivity” *Solid State Ionics*, 180, 198–204 (2009).
- Boukamp** B. A., “Fuel cells: The amazing perovskite anode” *Nat. Mater.*, 2, 294-296 (2003).

References

- Boukamp** B. A., “Electrochemical impedance spectroscopy in Solid State Ionics: recent advances” *Solid State Ionics*, 169, 65–73 (2004).
- Button** D. D., Archer D. “Development of $\text{La}_{1-x}\text{Sr}_x\text{CoO}_3$ air electrodes for solid electrolyte fuel cells” In American Ceramic Society Meeting. Washington; (1966).
- Brazdil** J. F., “Scheelite: A versatile structural template for selective alkene oxidation catalysts” *Catal. Sci. Technol.*, 5, 1-10 (2013).
- Bansal** K. P., Kumari S., Das B. K., Jain G. C., “Electrical conduction in titania-doped lanthanum chromite ceramics” *Journal of Materials Science* 16, 1994-1998 (1981).
- Blennow** P., Hansen K. K., Wallenberg L. R., Mogensen M., “Electrochemical characterization and redox behavior of Nb-doped SrTiO_3 ” *Solid State Ionics*, 180, 63–70 (2009).
- Badwal** S.P.S., Ciacchi F.T, Milosovic D., “Scandia–zirconia electrolytes for intermediate temperature solid oxide fuel cell operation” *Solid State Ionics*, 91, 136–137 (2000).
- Badwal** S. P. S. & Foger K., “Solid Oxide Electrolyte Fuel Cell Review” *Ceramics International*, 22, 257-265 (1996).
- Badwal** S. P. S., “Zirconia-based solid electrolytes: microstructure, stability and ionic conductivity” *Solid State Ionics*, 52, 23-32 (1992).
- Bao** W., Guan H., Cheng J., “A new anode material for intermediate solid oxide fuel cells” *Journal of Power Sources*, 175, 232–237(2008).
- Choudhury** A., Chandra H., Arora A., *Renewable and Sustainable Energy Reviews*, 20, 430-442 (2013).
- Correa** H. P. S., Paiva-Santos C.O., Setz L.F., Martinez L.G., Mello-Castanhe S.R.H., Orlando M.T.D., “Crystal structure refinement of Co-doped lanthanum chromites” *Powder Diff. Suppl.*, 23, S18-S22 (2008).
- Chen** J., Liang F.L., Liu L.N., Jiang S.P., Chi B., Pu J., “Nano-structured (La, Sr)(Co, Fe) O_3 + YSZ composite cathodes for intermediate temperature solid oxide fuel cells” *J. Power Sources* 183, 586–589 (2008).
- Collado**, J. A., Aranda, M. A. G., Cabeza A., Olivera-Pastor P., Bruque S., “Synthesis, structures and thermal expansion of $\text{La}_2\text{W}_{2-x}\text{Mo}_x\text{O}_9$ series” *J. of solid state Chem.*, 167, 80-95 (2002).
- Carvajal** J. R., “An introduction to the program Full prof program” (2002).

References

- Chen L.**, Yuan C., Xue J., Wang J., “B-site ordering and magnetic behaviours in Ni-doped double perovskite $\text{Sr}_2\text{FeMoO}_6$ ” *J. Phys. D Appl. Phys.*, 38, 4003–4008 (2005).
- Cheriti M.** and Kahoul A., “Composite Electrode Boosts the Activity of $\text{Ba}_{0.5}\text{Sr}_{0.5}\text{Co}_{0.8}\text{Fe}_{0.2}\text{O}_{3-\delta}$ Perovskite and Carbon toward Oxygen Reduction in Alkaline Media” *Materials Research Bulletin* 47, 135–141 (2012).
- Copel M.**, Gribelyuk M., Gusev E., “Structure and stability of ultrathin zirconium oxide layers on Si(001)” *Appl. Phys. Lett.* 76, 436-438 (2000).
- Chan N. H.**, Sharma R. K., and Smyth D. M., “Nonstoichiometry in SrTiO_3 ,” *J. Electrochem. Soc.*, 128(8), pp. 1762–1769 (1981).
- Cowin P. I.**, Petit C. T. G., Lan R., Irvine J. T. S., and Tao S., “Recent Progress in the Development of Anode Materials for Solid Oxide Fuel Cells” *Adv. Energy Mater.* 1,314–332 (2011).
- Chen T.**, Pang S., Shen X., Jiang X. and Wang W., “Evaluation of Ba-deficient $\text{PrBa}_{1-x}\text{Fe}_2\text{O}_{5+\delta}$ oxides as cathode materials for intermediate-temperature solid oxide fuel cells” *RSC Adv.*, 6, 13829-13836 (2016).
- Cascos V.**, Antonio J. A. and Fernández-Díaz M. T., “Novel Mg-Doped SrMoO_3 Perovskites Designed as Anode Materials for Solid Oxide Fuel Cells” *Materials*, 9, 588 (2016).
- Che X.**, Shen Y., Li H., He T., “Assessment of $\text{LnBaCo}_{1.6}\text{Ni}_{0.4}\text{O}_{5+\delta}$ (Ln= Pr, Nd, and Sm) double-perovskites as cathodes for intermediate-temperature solid-oxide fuel cells” *Journal of Power Sources* 222, 288-29 (2013).
- Cheng Z.**, Zha S., Liu M. “*Stability of materials as candidates for sulfur-resistant anodes of solid oxide fuel cells*” *J. Electrochem. Soc.* 153:A1302–A1309 (2006).
- Chavan S.V.**, Tyagi A. K. “Preparation and characterization of $\text{Sr}_{0.09}\text{Ce}_{0.91}\text{O}_{1.91}$, SrCeO_3 , and Sr_2CeO_4 by glycine–nitrate combustion: Crucial role of oxidant-to-fuel ratio” *Journal of materials research*, 19, 474–480 (2004).
- Dorai A. K.**, Masuda Y., Joo J., Woo S. and Kim S., *Mater.* “Influence of Fe doping on the electrical properties of $\text{Sr}_2\text{MgMoO}_{6-\delta}$ ” *Chem. Phys.*, 139, 360–36 (2013).
- Dokiya M.** Eds., “The electrochemical Society Proceeding series” PV95-1, p.1028, Pennington, NJ(1995).
- Dambies L.**, Guimon C., Yiacoumi S., Guibal E., “Characterization of metal ion interactions

References

with chitosan by X-ray photoelectron spectroscopy” *Colloids Surf. A Physicochem. Eng. Asp.*, 177, 203-214 (2001).

Davies P. K., “Cation ordering in complex oxides” *Current Opinion in Solid State and Materials Science* 4, 467–471 (1999).

Devi P., Rao M. S., Preparation, structure, and properties of strontium-doped lanthanum chromites: $\text{La}_{1-x}\text{Sr}_x\text{CrO}_3$, *J. Solid State Chem.*, 98, 237-244 (1992).

Dwivedi R. K., Parkash O., Kumar D., Srivastava K. K. and Singh P., Ferroelectric transitions in valence compensated $\text{Ba}_{1-x}\text{La}_x\text{Ti}_{1-x}\text{Cr}_x\text{O}_3$ ceramics, *J. Mater. Sci.*, 42, 72 (2007).

Ding S.W., Jia G., Wang J., He Z. Y., “Electrical properties of Y-and Mn-doped BaTiO_3 based PTC ceramics” *Ceramics International*, 34, 2007–2010 (2008).

Desu S. B. and Payne A. D., “Interfacial Segregation in Perovskites: I, Theory”, *J. Am. Ceram. Soc.*, 73(11), 3391–3397 (1990).

Diebold U. “The surface science of titanium dioxide” *Surface science reports* 48, 53-229 (2003).

Dong X., Ma S., Huang K., Chen F., “ $\text{La}_{0.9-x}\text{Ca}_x\text{Ce}_{0.1}\text{CrO}_{3-\delta}$ as potential anode materials for solid oxide fuel cells” *Int. J. Hydrogen Energy* 37, 10866–10873 (2012).

Ezzahi A., Manoun B., Ider A., Bih L., Benmokhtar S., Azrou M., Azdouz M., Igartua J.M., Lazor P., “X-ray diffraction and Raman spectroscopy studies of BaSrMWO_6 (M=Ni, Co, Mg) double perovskite oxides” *Journal of Molecular Structure* 985, 339–345(2011).

Eriksson A.K., Eriksson S. G., Ivanov S. A., Knee C. S., Eriksen J., Rundlof H., Tseggai M., “Structural studies of $\text{Sr}_2\text{GaSbO}_6$, $\text{Sr}_2\text{NiMoO}_6$, and $\text{Sr}_2\text{FeNbO}_6$ using pressure and temperature” *Mater. Res. Bull.*, 41, 144 (2006).

England D.M., Virkar A.V., “Oxidation kinetics of some nickel-based superalloy foils and electronic resistance of the oxide scale formed in air” *J. Electrochem. Soc.*, 146, 3196-3202 (1999).

EL-Sheikh S. M., Rashad M. M., “Effect of Sm^{3+} and Sr^{2+} dopants on the FT-IR, photoluminescence and surface texture of lanthanum chromite nanoparticles” *J. Alloys Comp.*, 496, 723-732 (2010).

Etsell T. H., Flengas S. N., “The electrical properties of solid oxide electrolytes” *Chem. Rev.*, 70, 339-76 (1970).

Frontera C., García-Muñoz J.L., Castaño O., Ritter C., Caneiro A. “The effect of oxygen

References

disorder on magnetic properties of PrBaCo₂O_{5.50} layered cobaltite” J. Phys.: Condens. Matter., 20, 104228(8) (2008).

Filonova E. A., Dmitriev A. S., Pikalov P. S., Medvedev D. A. and Pikalova E. Y., “The structural and electrical properties of Sr₂Ni_{0.75}Mg_{0.25}MoO₆ and its compatibility with solid state electrolytes” Solid State Ionics, 262, 365–369 (2014).

Figueiredo F. M., Frade J. R., Marques F. M. B., “Electrical and electrochemical behaviour of LaCoO_{3-δ} + La₂(Zr,Y)₂O₇ based electrode materials” Solid State Ionics 118, 81-87(1999).

Fergus J. W. “Oxide anode materials for solid oxide fuel cells” Solid State Ionics, 177, 1529–1541 (2006).

Fergus J. W., “Lanthanum chromite-based materials for solid oxide fuel cell interconnects” Solid State Ionics 171, 1–15 (2004).

Ferreira V.M., Azough F., Baptista J.L., and Feer R., “Magnesium titanate microwave dielectric ceramics” Ferroelectrics 133, 127-132 (1992).

Gravesa C., Sudireddy B. R., Mogensen M., “Molybdate Based Ceramic Negative-electrode Materials for Solid Oxide Cells” ECS Transactions, 28 (11) 173-192 (2010).

Garcia-Barriocanal J., Rivera-Calzada A., Varela M., Sefrioui Z., Ibora E., Leon C., Pennycook S.J., Santamaria J., “Colossal Ionic Conductivity at Interfaces of Epitaxial ZrO₂:Y₂O₃/SrTiO₃ Heterostructures” Science, 321, 676-680 (2008).

Gerhardt R. J., “Impedance and dielectric spectroscopy revisited: distinguishing localized relaxation from long-range conductivity” Phys. Chem. Solids, 55, 1491-1506 (1994).

Goldschmidt V.M., Skrifter Norske Videnskaps (Oslo) I. math-Naturwiss Kl. No. 87 (1926).

Ge X.M., Chan S.H., Liu Q.L., Sun Q., “Solid Oxide Fuel Cell Anode Materials for Direct Hydrocarbon Utilization” Adv. Energy Mater., 2, 1156–1181 (2012).

Hewat A. W., “The Rietveld computer program for the profile refinement of neutron diffraction powder patterns modified for anisotropic thermal vibrations” Harwell Report No. 73/239, (1973).

Heidarpour A., Choi G. M., Abbasi M. H., Saidi A., “A novel approach to co-sintering of doped lanthanum chromite interconnect on Ni–YSZ anode substrate for SOFC applications” J. Alloys Comp., 512, 156-159 (2012).

References

- He B.**, Wang Z., Zhao L., Pan X., Wu X. and Xia C., “Ti-doped molybdenum-based perovskites as anodes for solid oxide fuel cells” *Journal of Power Sources*, 241, 627-633 (2013).
- Hao G.**, Liu X., Wang H., and Su W., “Performance of $\text{Ce}_{0.85}\text{Sm}_{0.15}\text{O}_{1.9-\text{La}_{0.9}\text{Sr}_{0.1}\text{Ga}_{0.8}\text{Mg}_{0.2}\text{O}_{2.85}}$ composite electrolytes for intermediate-temperature solid oxide fuel cells” *Solid State Ionics*, 225, 81-84, (2012).
- Hodge I. M.**, Ingram M. D., West A. R., “Impedance and modulus spectroscopy of polycrystalline solid electrolytes” *J. Electroanal. Chem.*, 74, 125-143 (1976).
- Hiller J. M.**, Miller D. J., Thornton K., Voorhees P.W., Adler S. B., Barnett S. A., “Three-dimensional reconstruction of a solid oxide fuel-cell anode” *Nat. Mater.*, 5, 541-544 (2006).
- Hilpert K.**, Steinbrech R.W., Boroomand F., Wessel E., Meschke F., Zuev A., “Defect formation and mechanical stability of perovskites based on LaCrO_3 for solid oxide fuel cells (SOFC)” *J. Euro. Ceram. Soc.* 23, 3009–3020 (2003).
- Hench L. L.**, “Dielectric Relaxation in Materials Analysis, Soc. of Aerospace Material Process Engineers” 14th Annual Symp. and Exhibition, Nov. 1968.
- Hirose N.**, West A. R., “Impedance Spectroscopy of Undoped BaTiO_3 Ceramics” *J. Am. Ceram. Soc.* 79/6/1633-41 (1996).
- Hui S.**, Roller J., Yick S., Zhang X., Petit C. D., Xie Y., Maric R., Ghosh D., “A brief review of the ionic conductivity enhancement for selected oxide electrolytes” *Journal of Power Sources* 172, 493–502 (2007).
- Hui S.**, Petric A., “Evaluation of yttrium-doped SrTiO_3 as an anode for solid oxide fuel cells” *J Eur Ceram Soc.*, 22, 1673–1681 (2002).
- He Y.**, “Heat capacity, thermal conductivity, and thermal expansion of barium titanate-based ceramics” *Thermochimica Acta* 419, 135–141(2004).
- Huang Y.**, Liang G., Croft M., Lehtimäki M., M. Karppinen, and Goodenough J. B., “Double-Perovskite Anode Materials Sr_2MMoO_6 (M = Co, Ni) for Solid Oxide Fuel Cells” *Chem. Mater.*, 21, 2319–2326 (2009).
- Huang Y. H.**, Dass R. I., Xing Z. L, Goodenough J. B., “Double Perovskites as Anode Materials for Solid-Oxide Fuel Cells”, *Science*, 312, 254-257 (2006).

References

- Huang** Y. H., Dass R. I., Denyszyn J. C., Goodenough J. B., “Synthesis and Characterization of $\text{Sr}_2\text{MgMoO}_{6-\delta}$ An Anode Material for the Solid Oxide Fuel Cell” *J. Electrochem. Soc.*, 153, A1266-A1272 (2006).
- Huang** Y. H., Liang G., Croft M., Lehtimaki M., Karppinen M., Goodenough J. B., “Double perovskites as anode materials for solid-oxide fuel cells” *Chem. Mater.*, 21, 2319-2326 (2009).
- Hakuta** Y., Onai S., Terayama H., Adschiri T., Arai K., “Production of ultra-fine ceria particles by hydrothermal synthesis under supercritical conditions” *Journal of Materials Science Letters*, 17, 1211-1213(1998).
- Holtappels** P., Poulsen F. W., Mogensen M., “Electrical conductivities and chemical stabilities of mixed conducting pyrochlores for SOFC applications” *Solid State Ionics*, 135, 675–679 (2000).
- Irvine** J. T. S., Fagg D. P., Labrincha J., Marques F. M. B., “Development of novel anodes for solid oxide fuel cells” *Catal. Today* 38, 467-472 (1997).
- Ishihara** T., Kudo, T., Matsuda H. & Takita Y., “Doped PrMnO_3 Perovskite Oxide as a New Cathode of Solid Oxide Fuel-Cells for Low-Temperature Operation” *Journal of the Electrochemical Society*, 142, 1519-1524 (1995).
- Ishihara** T., Ishikawa S., Hosoi K., Nishiguchi H., Takitsa T., “Oxide ionic and electronic conduction in Ni doped LaGaO_3 - based oxide, solid state ion” 175, 319-322 (2004).
- Ishihara** T., Matsuda H., Takita Y., “Effects of rare earth cations doped for La^{3+} site on the oxide ionic conductivity of LaGaO_3 -based perovskite type oxide” *Solid State Ionics* 79, 147-151(1995).
- Ishihara** T., Yamada T., Arikawa H., Nishiguchi H., Takita Y., “Mixed electronic–oxide ionic conductivity and oxygen permeating property of Fe-, Co- or Ni-doped LaGaO_3 perovskite oxide” *Solid State Ionics*, 135, 631–636 (2000).
- Ishihara** T., “Perovskite oxide for solid oxide fuel cells” Book (2009).
- Jacobson** A. J., “Materials for solid oxide fuel cells” *Chem. Mater.*, 22, 660–674 (2010).
- Jun** A., Lim T., Shin J., Kim G., “Electrochemical properties of B-site Ni doped layered perovskite cathodes for IT-SOFCs” *International Journal of Hydrogen Energy*, Volume 39, Issue 35, 20791–20798 (2014).

References

Jung D.Y. and Demazeau G., “Structural and Magnetic Study on the Perovskite Rhodium(III) Oxides, $\text{Sr}_2\text{b1Rh(III)O}_6$ (M=Nb, Ta)” *Solid State Communications*, Vol. 94, No. 12, pp. 963-967, (1995).

Jamnik J., “Impedance spectroscopy of mixed conductors with semi-blocking boundaries” *Solid State Ionics*, 157, 19-28 (2003).

Jiang L., Wei T., Zeng R., Zhang W., Huang Y., “Thermal and electrochemical properties of $\text{PrBa}_{0.5}\text{Sr}_{0.5}\text{Co}_{2-x}\text{Fe}_x\text{O}_{5+\delta}$ ($x = 0.5, 1.0, 1.5$) cathode materials for solid-oxide fuel cells” *Journal of Power Sources* 232, 279-285 (2013).

Jiang L., Wei T., R. Zeng, Zhang W., Huang Y., “Thermal and electrochemical properties of $\text{PrBa}_{0.5}\text{Sr}_{0.5}\text{Co}_{2-x}\text{Fe}_x\text{O}_{5+\delta}$ ($x = 0.5, 1.0, 1.5$) cathode materials for solid-oxide fuel cells” *Journal of Power Sources*, 232, 279–285 (2013).

Jiang L., Liang G., Han J. and Huang Y., “Effects of Sr-site deficiency on structure and electrochemical performance in $\text{Sr}_2\text{MgMoO}_6$ for solid-oxide fuel cell” *J. Power Sources*, 270, 441–448 (2014).

Jiang S. P., Liu L., Ong K. P., Wu P., Li J., Pu J., “Electrical conductivity and performance of doped LaCrO_3 , perovskite oxides for solid oxide fuel cells” *Journal of Power Sources*, 176, 82–89 (2008).

Jo S. H., Muralidharan P., Kim D. K., “Electrical conductivity studies on the LSGM–CGO composite electrolytes” *Journal of Alloys and Compounds*, 491, 416–419 (2010).

Jong S. D., Ok R. K., Bin P. S., Young K.K. and Rak-Hyun S., “Synthesis and properties of $\text{Ce}_{1-x}\text{Gd}_x\text{O}_{2-x/2}$ solid solution prepared by flame spray pyrolysis” *Materials Research Bulletin* 41, 359–366 (2006).

Ji Y., Huang Y. H., Ying J. R. and Goodenough J. B., “Electrochemical performance of La-doped $\text{Sr}_2\text{MgMoO}_{6-\delta}$ in natural gas”, *Electrochem. Commun.*, 9, 1881–1885 (2007).

Kilner A., Walters C.D., “The effects of dopant cation-oxygen vacancy complexes on the anion transport properties of non-stoichiometric fluorite oxides” *Solid State Ionics*, 6, 253-259 (1982).

Kaiser, A. Bradley J. L., Slater P.R., Irvine, J. T. S. “Tetragonal tungsten bronze type phases $(\text{Sr}_{1-x}\text{Ba}_x)_{0.6}\text{Ti}_{0.2}\text{Nb}_{0.8}\text{O}_{3-\delta}$: Material characterization and performance as SOFC anodes” *Solid State Ionics*, 135, 519-524 (2000).

References

- Khattak** C. P. Cox & D.E., “Profile analysis of X-ray powder diffractometer data: structural refinement of $\text{La}_{0.75}\text{Sr}_{0.25}\text{CrO}_3$ ”, *J. Applied Cryst.*, 10, 405-411 (1977).
- Kamata** H., Yonemura Y., Mizusaki, T. J., Tagawa H., Narayat K. And Sasamotot T., “High temperature electrical properties of the perovskite-type oxide $\text{La}_{1-x}\text{Sr}_x\text{MnO}_{3-\delta}$ ” *Journal of Phys Chem. Solids*, vol.56 no.7, 943-950 (1995).
- Kim** J. H., Kim Y. M., Connor P. A., Irvine J. T. S., Bae J., Wzcs Z. “Structural, thermal and electrochemical properties of layered perovskite $\text{SmBaCo}_2\text{O}_{5+\delta}$, a potential cathode material for intermediate-temperature solid oxide fuel cells” *J. Power Sources*, 194, 704–711 (2009).
- Kingsley** J. and Patil K. C., “A novel combustion process for the synthesis of fine particle α -alumina and related oxide materials” *Mater. Lett.*, 6, 427-432 (1988).
- Kubo** J. and Ueda W., “Catalytic behavior of AMoO_x (A = Ba, Sr) in oxidation of 2-propanol”, *Mater. Res. Bull.*, 44, 906-912 (2009).
- Kong** L., Liu B., Zhao J., Gu Y., Zhang Y., “Synthesis of nano-crystalline $\text{Sr}_2\text{MgMoO}_{6-\delta}$ anode material by a sol–gel thermolysis method” *J. Power Sources*, 188, 114-117 (2009).
- Koc** R., Anderson H. U., “Electrical conductivity and Seebeck coefficient of $(\text{La}, \text{Ca}) (\text{Cr}, \text{Co})\text{O}_3$ ” *J. Mater. Sci.*, 27, 5477-5482 (1991).
- Kim** S.G., Yoon S. P., Nam S. W., Hyun S.H., Hong S. A., “Fabrication and characterization of a YSZ/YDC composite electrolyte by a sol–gel coating method” *J. Power Sources*, 110(1), 222-228 (2002).
- Kolotygin** V.A., Tsipis E.V., Lü M.F., Pivak Y.V., “Yarmolenko S.N., Bredikhin S.I., Kharton V.V., Functional properties of SOFC anode materials based on LaCrO_3 , $\text{La}(\text{Ti},\text{Mn})\text{O}_3$ and $\text{Sr}(\text{Nb},\text{Mn})\text{O}_3$ perovskites: A comparative analysis” *Solid State Ionics*, 251, 28–33 (2013).
- Kobsiriphat** W., Madsen B. D., Wang Y., Shah M., Marks L. D., Barnett S. A., “Nickel- and Ruthenium-Doped Lanthanum Chromite Anodes: Effects of Nanoscale Metal Precipitation on Solid Oxide Fuel Cell Performance” *J. Electrochem. Soc.*, 157, B279-B284 (2010).
- Karim** D.P., Aldred A.T., “Localized level hopping transport in $\text{La}(\text{Sr})\text{CrO}_3$ ” *Phy. Rev. B* 20, 2255-2263 (1979).
- Li** C., Wang W., Zhao N., Liu Y., He B., Hu F., Chen C., “Structure properties and catalytic performance in methane combustion of double perovskites $\text{Sr}_2\text{Mg}_{1-x}\text{Mn}_x\text{MoO}_{6-\delta}$ ” *Applied Catalysis B: Environmental* 102, 78–84 (2011).

References

- Logvinovich D.**, Aguirre M. H., Hejtmanek J., Aguiar R., Ebbinghaus S. G., Reller A. and Weidenkaff A., “Phase formation, structural and microstructural characterization of novel oxynitride–perovskites synthesized by thermal ammonolysis of (Ca,Ba)MoO₄ and (Ca,Ba)MoO₃”, *J. Solid State Chem.*, 181, 2243-2249 (2008).
- Li L.**, Wei Q., Kang Z., Rai M., Su W., The synthesis of La_{0.875-x}Eu_xNa_{0.125}CrO₃ and its study by ¹⁵¹Eu Mossbauer spectroscopy, *J. Alloys Comp.*, 249, 264-267 (1997).
- Liang F.L.**, Chen J., Jiang S.P., Chi B., Pu J., Jian L., “Development of nanostructured and palladium promoted (La,Sr)MnO₃ based cathodes for intermediate-temperature SOFCs” *Electrochem. Solid State Lett.*, 11, B213-216 (2008).
- Liang F.L.**, Chen J., Jiang S.P., Chi B., Pu J., Jian L., “High performance solid oxide fuel cells with electrocatalytically enhanced (La,Sr)MnO₃ cathodes” *Electrochem. Commun.*, 11, 1048-1051 (2009).
- Lee J. H.**, Yoon S.M., Kim B.K., Lee H.W., Song H.S., “Electrical conductivity and defect structure of yttria-doped ceria-stabilized zirconia” *Solid State Ionics*, 144, 175-184 (2001).
- Leiro J. A.**, Minni E. E., “The XPS valence band of chromium” *Philos. Mag.*, B 49, L61-L64 (1984).
- Lufaso M.W.**, Macquart R., Lee, Vogtand Y. T., Loye H., “Structural studies of Sr₂GaSbO₆, Sr₂NiMoO₆, and Sr₂FeNbO₆ using pressure and temperature” *J. Phys. Condens. Matter*, 1, 8761–8780 (2006).
- Lang M.**, Zhang F., Zhang J., Wang J., Lian J., Weber W. J., Schuster B., Trautmann C., Neumann R., Ewing R. C. “Review of A₂B₂O₇ pyrochlore response to irradiation and pressure” *Nuclear Instruments and Methods in Physics Research B*, 268, 2951–2959 (2010).
- Laguna-Bercero M. A.**, “Recent advances in high temperature electrolysis using solid oxide fuel cells: A review” *Journal of Power Sources* 203, 4–16 (2012).
- Lacorre P.**, Goutenoire F., Bohnke O., Retoux R. and Lagilant Y., “Designing fast oxide ion conductors based on La₂Mo₂O₉” *Nature*, 404, 856-858, (2000).
- Liu Q.**, Dong X., Xiao G., Zhao F., Chen F., “A novel electrode material for symmetrical SOFCs” *Adv. Mater.* 22, 5478-5482 (2010).
- Li S.**, Li Z., Bergman B., “Lanthanum gallate and ceria composite as electrolyte for solid oxide fuel cells” *J. Alloys Compd.*, 492, 392-395 (2010).

References

Liu X., Su W., Lu Z., “Study on valence state and electrical conductivity of $\text{La}_{1-x}\text{Ca}_x\text{CrO}_3$ ” *J. Phys. Chem. Solids*, 62, 1919-1921 (2001).

Liu X., W. Su, Lu Z., Pei L., Liu W., He L., “Mixed valence state and electrical conductivity of $\text{La}_{1-x}\text{Sr}_x\text{CrO}_3$ ” *J. Alloys Comp.*, 305, 21-23 (2000).

Markov A. A., Savinskaya O.A., Patrakeev M. V., Nemudry A. P., Leonidov I. A., Pavlyukhin Y. T., Ishchenko A.V., Kozhevnikov V. L., “Structural features, nonstoichiometry and high-temperature transport in $\text{SrFe}_{1-x}\text{Mo}_x\text{O}_{3-\delta}$ ” *Journal of Solid State Chemistry*, 182, 799–806 (2009).

Manthiram A., Kim J.H., Kim Y.N., Lee K.T. “Crystal chemistry and properties of mixed ionic electronic conductors” *J. Electroceram.*, 27, 93–107 (2011).

Manoun B., Ezzahi A., Benmokhtar S., Ider A., Lazor P., Bih L., Igartua J.M., “X-ray diffraction and Raman spectroscopy studies of temperature and composition induced phase transitions in $\text{Ba}_{2-x}\text{Sr}_x\text{ZnWO}_6$ ($0 \leq x \leq 2$) double perovskite oxides” *Journal of Alloys and Compounds* 533, 43– 52(2012).

Meghan C. Knapp, Patrick M. Woodward, “A-site cation ordering in $\text{AA}'\text{BB}'\text{O}_6$ perovskites” *Journal of Solid State Chemistry*, 179, 1076–1085 (2006).

Michael C. Tucker, “Progress in metal-supported solid oxide fuel cells: A review” *Journal of Power Sources*, 195, 4570–4582(2010).

Marrero-lopez D., Canales-Vazquez J., Ruiz-Morales J. C., Irvine J. T. S., Nunez P., “Electrical conductivity, and redox stability of $\text{La}_2\text{Mo}_{2-x}\text{W}_x\text{O}_9$ materials” *Electroch. Acta* 50, 4385-4395 (2005).

Marrero-Lo´pez D., Pen˜a-Mart´ınez J., Ruiz-Morales J.C., Gaba’s M., Nu´n˜ez P., Aranda M. A. G., Ramos-Barrado J. R., “Redox behaviour, chemical compatibility and electrochemical performance of $\text{Sr}_2\text{MgMoO}_{6-\delta}$ as SOFC anode” *Solid State Ionics*, 180, 1672-1682 (2010).

Ma D., Lu Z., Tang Y., Li T., Tang Z.and Yangb Z., “Effect of lattice strain on the oxygen vacancy formation and hydrogen adsorption at $\text{CeO}_2(111)$ surface” *Phys. Lett., A*, 378, 2570-2575 (2014).

Maguirea E., Gharbageb B., Marquesb F. M. B., Labrincha J. A., “Cathode materials for intermediate temperature SOFCs” *Solid State Ionics*, 127, 329–335(2000).

References

- Malmros** G. & Thomas J. O., “Least-squares structure refinement based on profile analysis of powder film intensity data measured on an automatic microdensitometer” *J. Applied Cryst.*, 10, 7-11 (1977).
- Möbius** H-H. “On the history of solid electrolyte fuel cells” *J Solid State Electrochem.*, 1, 2–16 (1997).
- Mizusaki** J., Yonemura Y., Kamata H., Ohyama K., Mori N., Takai H., “Electronic conductivity, Seebeck coefficient, defect and electronic structure of nonstoichiometric $\text{La}_{1-x}\text{Sr}_x\text{MnO}_3$ ” *Solid State Ionics*;132,167–80 (2000).
- Macdonald** J. R., *Impedance spectroscopy* (Wiley, New York, 1987).
- Mori** M., Wang Z., Serizawa N., and Itoh T., “*Journal of Fuel Cell Science and Technology*” 051010-1-6 / Vol. 8, (2011).
- Meghan** C. Knapp, Patrick M. Woodward, “A-site cation ordering in $\text{AA}'\text{BB}'\text{O}_6$ perovskites” *Journal of Solid State Chemistry* 179, 1076–1085 (2006).
- Minh**, N. Q., “Solid oxide fuel cell technology—features and applications” *Solid State Ionics*, 174, 271-277, (2004).
- Minh** N. Q., “Ceramic Fuel Cells,” *J. Am. Ceram. Soc.*, 76(3), pp. 563–588 (1993).
- Minh** N. Q. and Takahashi, “*Science and technology of ceramic fuel cells* Elsevier, Amsterdam. (1995).
- Marina** O. A., Canfield N. L., and Stevenson J. W. “Thermal, Electrical, and Electrocatalytical Properties of Lanthanum-Doped Strontium Titanate” *Solid State Ionics* 149(1-2), 21-28 (2002).
- Moss** R., Hardtl K. H., “Electronic transport properties of $\text{Sr}_{1-x}\text{La}_x\text{TiO}_3$ ceramics” *J. Appl. Phys.*, 80, 393-400 (1996).
- Mukherjee** S., Gonal M. R., Patel M. K., Roy M., Patra A., Tyagi A. K., “Microstructure Characterization and Electrical Conductivity Measurement of $\text{La}_{1-x}\text{Ca}_x\text{CrO}_3$ ($x = 0.25, 0.4, 0.5$) Prepared by Aspartic Acid-Assisted Solution Combustion” *J. Am. Ceram. Soc.*,95, 290-295 (2012).
- Mishima** Y., Mitsuyasu H., Ohtaki M., Eguchi K., “Solid Oxide Fuel Cell with Composite Electrolyte Consisting of Samaria-Doped Ceria and Yttria-Stabilized Zirconia” *J. electrochem. Society* 145, 1004-1007 (1998).

References

- Matsuzaki** Y., Yasuda I., “Dependence of SOFC Cathode Degradation by Chromium-Containing Alloy on Compositions of Electrodes and Electrolytes” *J. Electrochem. Soc.*, 148, A126 (2001).
- Nakamura** A. and Mizusaki J. “Fluorite New Research Trends of Fluorite-Based Oxide Materials: From Basic Chemistry and Materials Science to Engineering Applications” Book, 1631173502, 1-325, (2014).
- Neagu** D., Irvine J. T. S., “Structure and Properties of $\text{La}_{0.4}\text{Sr}_{0.4}\text{TiO}_3$ Ceramics for Use as Anode Materials in Solid Oxide Fuel Cells” *Chem. Mater.* 22, 5042-5053 (2010).
- Neagu** D. and Irvine J. T. S., “Enhancing Electronic Conductivity in Strontium Titanates through Correlated A and B-Site Doping” *Chem. Mater.*, 23, 1607–1617 (2011).
- Nakamura** K., Ogawa K., “Excess Oxygen in $\text{LaMnO}_{3+\delta}$ ” *Journal of Solid State Chemistry* 163, 65-76 (2002).
- Nakamura** T., Petzow G., Gauckler L. J., “Stability of the perovskite phase LaBO_3 (B = V, Cr, Mn, Fe, Co, Ni) in reducing atmosphere: I. Experimental results” *Mater Res Bullet* 14, 649–59 (1979).
- Ohno** Y., Nagata S., Sato H., “Effect of electrode materials on the properties of high-temperature solid electrolyte fuel cells” *Solid State Ionics*, 3–4, 439-442 (1981).
- Ong** K. P., Wu P., “Optimization of electrical conductivity of LaCrO_3 through doping: A combined study of molecular modeling and experiment” *J. Appl. Phys. Lett.*, 90, 044109-044112 (2007).
- Orlovskaya** N., Brownig N., “Mixed ionic electronic conducting perovskite for advanced energy” Book, 173 (2003).
- Prasatkhetragarn** A., Ketsuwan P., Maensiri S., Yimnirun R., Huang C., and Cann D. P., “Structure and electrical properties of double perovskite $\text{Sr}(\text{Ni}_{1/2}\text{Mo}_{1/2})\text{O}_3$ ceramics” *J. Appl. Phys.* 106, 094105-4 (2009).
- Prasatkhetragarn** A., Kaowphong S., Yimnirun R., “Synthesis, structural and electrical properties of double perovskite $\text{Sr}_2\text{NiMoO}_6$ ceramics” *Appl. Phys. A*, 107, 117-121 (2012).
- Poddar** A., Das S., Chattopadhyay B., “Effect of alkaline-earth and transition metals on the electrical transport of double perovskites” *J. Appl. Phys.*, 95, 6261-2667 (2004).

References

- Popov** G. and Greenblatt M., “Large effects of A-site average cation size on the properties of the double perovskites $\text{Ba}_2\text{A}_x\text{Sr}_x\text{MnReO}_6$: A d_5-d_1 system” *Physical review B* 67, 024406-9 (2003).
- Pudmich** G., Boukamp B. A., Gonzalez-Cuenca M., Jungen W., Zipprich W., Tietz F., “Chromite/titanate based perovskites for application as anodes in solid oxide fuel cells” *Solid State Ionics* 135, 433-438 (2000).
- Petric** H. S., “Electrical properties of yttrium-doped strontium titanate under reducing conditions” *J. Electrochem Soc.*, 149, J1–J10 (2002).
- Phillipps** M. B., Sammes N. M., Yamamoto O., Phillipps M. B., Sammes N. M., Yamamoto O., “ $\text{Gd}_{1-x}\text{A}_x\text{Co}_{1-y}\text{Mn}_y\text{O}_3$ (A=Sr, Ca) as a cathode for the SOFC” *Solid State Ionics*, 123, 131–138 (1999).
- Qiu** L., Ichikawa T., Hirano A., Imanishi N. & Takeda Y., “ $\text{Ln}_{(1-x)}\text{Sr}_{(x)}\text{Co}_{(1-y)}\text{Fe}_{(y)}\text{O}_{(3-\delta)}$ (Ln=Pr, Nd, Gd; x=0.2, 0.3) for the electrodes of solid oxide fuel cells” *Solid State Ionics*, 158, 55-65 (2003).
- Ringuede** A., Labrincha J. A., Frade J. R., “A combustion synthesis method to obtain alternative cermet materials for SOFC anodes” *Solid State Ionics*, 141, 549-557 (2001).
- Rao** C.N.R., Raveau B., “Transition Metal Oxides” second edition, Wiley-VCH, New York, 1998.
- Ruiz-Trejo** E., Sirman J. D., Baikov Y. M. & Kilner J. A., “Oxygen ion diffusivity, surface exchange and ionic conductivity in single crystal Gadolinia doped Ceria” *Solid State Ionics*, 115, 565-569 (1998).
- Rietveld** H. M., “Line profiles of neutron powder-diffraction peaks for structure refinement” *Acta Cryst.*, 22, 151 (1967).
- Rietveld** H. M., “A profile refinement method for nuclear and magnetic structures” *J. Applied Cryst.*, 2, 65-67 (1969).
- Rahmauni** H., Selmi A., Khirouni K., Kallel N., “Chromium effects on the transport properties in $\text{La}_{0.7}\text{Sr}_{0.3}\text{Mn}_{1-x}\text{Cr}_x\text{O}_3$ ” *J. Alloys Comp.*, 533, 93–96 (2012).
- Ralph** J. M., Kilner J. A., and Steele B. C. H., “New Materials for Batteries and Fuel Cells” *Proc. Symp. San Francisco*, pp 309 (1999).
- Rida** K., Benabbas A., Bouremmad F., Pen˜a M. A., Sastre E., Martı´nez-Arias A., “Effect of strontium and cerium doping on the structural characteristics

References

and catalytic activity for C_3H_6 combustion of perovskite $LaCrO_3$ prepared by sol-gel” *Applied Catalysis B: Environmental* 84, 457–467 (2008).

Rajeev K. P. & Raychaudhuri A. K., “Quantum Corrections to the Conductivity in a Perovskite Oxide - a Low-Temperature Study of $LaNi_{1-x}Co_xO_3$ (0-Less-Than-or-Equal- to-X- Less-Thanor- Equal-to-0.75)” *Physical Review B*, 46, 1309-1320 (1992).

Retuerto M., Mart'inez-Lope M. J., Garc'ia-Hern'andez M. and Alonso J. A., “High-pressure synthesis of the double perovskite Sr_2FeMoO_6 : increment of the cationic ordering and enhanced magnetic properties” *J. Phys.: Condens. Matter*, 21, 186003 (6pp) (2009).

Rad M. H., Imanieh M. H., Nadarajah A., “Perovskite ceramics and recent experimental progress in reactor design for chemical looping combustion application” *Chemical Papers*, 69 (5), 627–649 (2015).

Rodriguez-Martinez L. M. and Attfield J. P., “Cation disorder and the metal-insulator transition temperature in manganese oxide perovskites” *Physical Review B*, 58, 2426-2429, (1998).

Skinner S. J., “Recent advances in Perovskite-type materials for solid oxide fuel cell cathodes” *International Journal of Inorganic Materials* 3, 113–121 (2001).

Sengodan S., Choi S., Jun A., Shin T. H., Ju Y., Jeong H. Y., Shin J., Irvine J. T. S., Kim G., “Layered oxygen-deficient double perovskite as an efficient and stable anode for direct hydrocarbon solid oxide fuel cells” *Nat. Mater.*, 14, 205-209 (2015).

Stambouli A. B., Traversa E., “Solid oxide fuel cells (SOFCs): a review of an environmentally clean and efficient source of energy” *Renewable and Sustainable Energy Reviews*, 6, 433–455(2002).

Steele B., “Appraisal of $Ce_{1-y}Gd_yO_{2-y/2}$ electrolytes for IT-SOFC operation at $500^\circ C$ ” *Solid state ionics*, 129, 95-110 (2000).

Steele B. C. H, Zheng K., Rudkin R. A., N. K Kiratzis, Metcalfe I. S., and Christlein M., “Solid oxide fuel cells” IV/(1995).

Stanek C. R., Minervini L., and Grimes R. W., “Nonstoichiometry in $A_2B_2O_7$ Pyrochlores” *J. Am. Ceram. Soc.*, 85 [11], 2792–98 (2002).

Savaniu C. D., Irvine J. T. S., “La-doped $SrTiO_3$ as anode material for IT-SOFC” *Solid State Ionics* 192, 491–493(2011).

References

- Smyth** D. M., “Compositional Characterization Of Dielectric Oxides” *Prog. Solid State Chem.* 15,145 (1984).
- Subba Rao** G. V., Wanklyn B.M., Rao C.N.R., “Electrical transport in rare earth ortho-chromites, -manganites and –ferrites” *J. Phys. Chem. Solids*, 32, 345-358 (1971).
- Sfeir** J., “LaCrO₃ based anode: stability consideration” *J. Power Sources*, 118, 276 (2003).
- Shahi** K., Wagner J.B., Fast ion transport in silver halide solid solutions and multiphase systems, *J. Appl. Phys. Lett.*, 37, 757-759 (1980).
- Shahi** K., Wagner J.B., Phase transition and the Ag⁺-ion diffusion in AgI: Effect of homovalent Br⁻-ion substitution, *Phys. Rev.*, B 23, 6417-6421 (1981).
- Sammes** N. M., Tompsett G. A., NaË fea H. and Aldingera F., “Bismuth Based Oxide Electrolytes, Structure and Ionic Conductivity” *Journal of the European Ceramic Society*, 19, 1801-1826 (1999).
- Sakai** N., Yokokawa H., Horita T., Yamaji K., “Lanthanum chromite-based interconnects as key materials for SOFC stack development” *Int. J. Appl. Ceram. Technol.*, 1, 23–30 (2004).
- Singh** N. K., Singh P., Singh M. K., Kumar D., Parkash O., “Auto-combustion synthesis and properties of Ce_{0.85}Gd_{0.15}O_{1.925} for intermediate temperature solid oxide fuel cells electrolyte” *Solid State Ionics*, 192, 1, 431–434 (2011).
- Slater** P.R. and Irvine J.T.S. “Niobium based tetragonal tungsten bronzes as potential anodes for solid oxide fuel cells: synthesis and electrical characterization” *Solid State Ionics* 120, 125–134 (1999).
- Skinner** S. J., “Recent advances in perovskite-type materials for SOFC cathodes” *Fuel Cells Bulletin* 4 (33), 6-12 (2001).
- Singhal** S. C., “Science and Technology of Solid Oxide Fuel Cells” *MRS Bull.*, 25, 16 (2000).
- Shaikh** S. P. S., Muchtar A., Somalu M. R., “A review on the selection of anode materials for solid-oxide fuel cells” *Renewable and Sustainable Energy Reviews*, 51, 1–8 (2015).
- Srilomasak** S., D. P. Schilling, H. U. Andersonin, in: S. C. Singhal (Ed.), vol. 129, Pennington, New Jersey, USA, (The electrochemical society proceedings series) 1989.
- Shao** Z., Zhou W., Zhu Z., “Advanced synthesis of materials for intermediate-temperature solid oxide fuel cells” *Progress in Materials Science*, 57, 804–874 (2012).

References

Shao Z. P. and Haile S. M., “A high-performance cathode for the next generation of solid-oxide fuel cells” *Nature* 431, 170-173 (2004).

Shanwen, Canales-Vázquez J., J.T.S. Irvine, “Structural and Electrical Properties of the Perovskite Oxide $\text{Sr}_2\text{FeNbO}_6$ ” *Chem. Mater.*, 16, 2309-2316 (2004).

Sayers R., Parker J.E., Tang C.C., Skinner S.J. “In situ compatibility studies of lanthanum nickelate with a ceria-based electrolyte for SOFC composite cathodes” *J. Mater. Chem.*, 22, 3536-3543 (2012).

Subramanian M. A., Aravamudan G., Subba Rao G. V., “Oxide pyrochlores—a review” *Progress in Solid State Chemistry*, 15, 55-143 (1983).

Silva A. L. A., Conceição L., Rocco A. M., and Souza M. M., “Structural Characterization of Sr-doped LaMnO_3 and LaCrO_3 Powders Synthesized by Combustion Method” *ECS Trans.* 25(2), 2327-2334 (2009).

Shannon R. D. “Revised effective ionic radii and systematic studies of interatomic distances in halides and chalcogenides” *Acta Cryst.*, A32, 751-767 (1976).

Taskin A. A., Lavrov A. N., Ando Y., “Achieving fast oxygen diffusion in perovskites by cation ordering” *Appl. Phys. Lett.*, 86, 091910-4 (2005).

Troncoso L., Martínez-Lope M. J., Alonso J.A., Fernández-Díaz M.T., “Evaluation of Sr_2MMoO_6 (M = Mg, Mn) as anode materials in solid-oxide fuel cells: A neutron diffraction study” *J. Appl. Phys.*, 113, 023511-8 (2013).

Tarancón A., Morata A., Dezanneau G., Skinner S.J., Kilner J.A., Estradé S, Hernández-Ramírez F., Peiró F., Morante J.R. “ $\text{GdBaCo}_2\text{O}_{5+x}$ layered perovskite as an intermediate temperature solid oxide fuel cell cathode” *J. Power Sources*, 174:255–26 (2007).

Tarancón A., Burriel M., Santiso J., Skinner S.J., Kilner J.A., “Advances in layered oxide cathodes for intermediate temperature solid oxide fuel cells” *J. Mater. Chem.*, 20, 3799-3813 (2010).

Tripathi A. K., Lal H. B., “Electrical transport in light rare-earth orthochromites” *J. Mater. Sci.*, 17, 1595 (1982).

Tsipis E.V., Kharton V. V., “Electrode materials and reaction mechanisms in solid oxide fuel cells: a brief review. III. Recent trends and selected methodological aspects” *J. Solid State Electrochem.*, 15, 1007–1040 (2011).

Tietz F., “Thermal expansion of SOFC materials” *Ionics*, 5, 129-139 (1999).

References

- Tsukuda** H., Okuma S., and Tomida K., “Influence of La Substitute on Sintering Behavior, Electronic Properties and Thermal Expansion of $\text{Sr}_{1-1.5x}\text{La}_x\text{TiO}_3$,” *J. Jpn. Soc. Powder Metallurgy*, 56(2), pp. 65–70 (2009).
- Tomida** K., Yamashita A., Tukuda H., Kabata T., Ikeda K., Hisatome N., and Yamazaki Y., “Optimization of Segmented-in-Series Tubular SOFCs With an (La, Sr)CoO₃ System Cathode and the Generation Characteristics Under Pressurization” *Electrochemistry*, 77(12), pp. 1018–1027 (2009).
- Trofimenko** N., Ullmann H., “Transition metal doped lanthanum gallates” *Solid State Ionics* 118, 215-227 (1999).
- Tao** S. W., Irvine J. T. S., “A redox-stable, efficient anode for solid-oxide fuel cells” *Nature Materials*, 2, 320-323 (2003).
- Tao** S. and Irvine J. T. S., “Discovery and Characterization of Novel Oxide Anodes for Solid Oxide Fuel Cells” *The Japan Chemical Journal Forum and Wiley Periodicals, Inc.* (2004).
- Teraoka**, Y., Zhang, H. M., Okamoto, K. & Yamazoe, N., “Mixed Ionic-Electronic Conductivity of $\text{La}_{1-x}\text{Sr}_x\text{Co}_{1-y}\text{Fe}_y\text{O}_{3-\delta}$ Perovskite-Type Oxides” *Materials Research Bulletin*, 23, 51-58 (1988).
- Teraoka**, Y., Zhang, H. M., Furukawa, H. & Yamazoe, N., “Oxygen Permeation Through Perovskite-type Oxides” *Chemistry Letters*, 1743-1746 (1985).
- Teraoka**, Y., Nobunaga, T. & Yamazoe, N., “Effect of Cation Substitution on the Oxygen Semi permeability of Perovskite-Type Oxides” *Chemistry Letters* 503-506 (1988).
- Teraoka** Y., Nobunaga T., Okamoto K., Miura N. & Yamazoe N., “Influence of Constituent Metal-Cations in Substituted LaCoO_3 on Mixed Conductivity and Oxygen Permeability” *Solid State Ionics*, 48, 207-212(1991).
- Tarancón** A., Skinner S. J., Chater R. J., Hernández-Ramírez F. and Kilner J. A. “Layered perovskites as promising cathodes for intermediate temperature solid oxide fuel cells” *J. Mater. Chem.*, 17, 3175–3181 (2007).
- Ullmann** H., Trofimenko N., Tietz F., Stöver D., Ahmad-Khanlou A., “Correlation between thermal expansion and oxide ion transport in mixed conducting perovskite-type oxides for SOFC cathodes” *Solid State Ionics*, 138, 79–90 (2000).
- Veal** B. W., Baldo P. M., Paulikas A. P., Eastman J. A., “Understanding Artifacts in Impedance Spectroscopy” *J. Electrochem. Soc.*, 162(1), H47-H57 (2015).

References

- Vijayakumar** C., Kumar H. P., Kavitha V. T., Sam S., Thomas J. K., Wariar P. R. S., “Synthesis, characterization and dielectric properties of nanocrystalline Ba₂DySbO₆ perovskite” *J Alloys Compd.*, 475, 778–781 (2009).
- Rivas-Vázquez** L. P., Rendón-Angeles J. C., Rodríguez-Galicia J. L., Zhu K., Yanagisawa K., “Hydrothermal synthesis and sintering of lanthanum chromite powders doped with calcium” *Solid State Ionics*, 172, 389–392 (2004).
- Vozdecky** P., Roosen A., Ma Q. L., Tietz F., Buchkremer H. P., “Properties of tape cast Y-substituted strontium titanate for planar anode substrates in SOFC applications” *J. Materials Science*, 46, 3493–3499 (2011).
- Vasala** S., Karppinen M., “A₂B'B''O₆ perovskites: A review” *Progress in Solid State Chemistry*, 43, 1-36 (2015).
- Vasala** S., Yamauchi H. and Karppinen M., “Role of SrMoO₄ in Sr₂MgMoO₆ Synthesis” *J. Solid State Chem.*, 184, 1312-1317 (2011).
- Vasala** S., Lehtimäki M., Haw S.C., Chen J. M., Liu R. S., Yamauchi H., Karppinen M., “Isovalent and aliovalent substitution effects on redox chemistry of Sr₂MgMoO_{6-δ} SOFC-anode material” *Solid State Ionics* 181, 754–759 (2010).
- West** A. R., “Solid State Chemistry and its Applications”, John Wiley & Sons, Singapore, (1984).
- Wendel** C. H., Kazempoor P., Braun R. J., “Novel electrical energy storage system based on reversible solid oxide cells: System design and operating conditions” *Journal of Power Sources*, 276, 133–144 (2015).
- Webb** J. B., Sayer M., Mansingh A., “Polaronic conduction in lanthanum strontium chromite” *Cond. J. Phys.*, 55, 1725-1731 (1977).
- Wilson** J. R., Kobsiriphat W., Mendoza R., Chen H. Y., Hiller J. M., Miller D. J., Thornton K., Voorhees P. W., Adler S. B. & Barnett S. A., “Three-dimensional reconstruction of a solid-oxide fuel-cell anode” *Nat. Mater.*, 5, 541-544 (2006).
- Wen** K., Han Y., Zou M., Lv W. and He W., “Interfacial strain effect on gas transport in nanostructured electrodes of solid oxide fuel cells” *J. Power Sources*, 291,126-131 (2015).
- Woodward** P. M., “Octahedral Tilting in Perovskites, I. Geometrical Considerations”, *Acta Cryst.*, B53, 32-43(1997).

References

- Wang** S.Z., Liu M. L., Winnick J., “Stabilities and electrical conductivities of electrode materials for use in H₂S-containing gases” *J. Solid State Electrochem.* 5(3), 188-195 (2001).
- Wang** S., Wang Y., Wu Y., Liu Y., “Densification, microstructural evolution, and dielectric properties of hexagonal Ba(Ti_{1-x}Mn_x)O₃ ceramics sintered with fluxes” *Journal of Alloys and Compounds*, 480, 499–504 (2009).
- Wang** S., Lin B., Kui K., Dong Y., Liu X., Meng G., “Low temperature sintering ability and electrical conductivity of SOFC interconnect material La_{0.7}Ca_{0.3}Cr_{0.97}O₃” *J. Alloys Comp.*, 468, 499–504 (2009).
- Wang** S., Lin B., Chen Y., Liu X., Meng G., “Evaluation of simple, easily sintered La_{0.7}Ca_{0.3}Cr_{0.97}O_{3-δ} perovskite oxide as novel interconnect material for solid oxide fuel cells” *J. Alloys Comp.*, 479, 764–768 (2009).
- Wei** T., Ji Y., Meng X., Zhang Y., “Sr₂NiMoO_{6-δ} as anode material for LaGaO₃-based solid oxide fuel cell” *Electrochemistry Communications*, 10, 1369–1372(2008).
- Wang** Z., Tian Y., Li Y., “Direct CH₄ fuel cell using Sr₂FeMoO₆ as an anode material” *J. Power Sources*, 196, 6104–6109 (2011).
- Xia** C., Rauch W., Chen F., Meilin, Liu, “Sm_{0.5}Sr_{0.5}CoO₃ cathodes for low-temperature SOFCs” *Solid State Ionics*, 149, 11–19 (2002).
- Xia** C., Fergus J.W., Hui R, Li X, Wilkinson DP, Zhang J., “Solid oxide fuel cells: materials properties and performance” Boca Raton (FL, USA): CRC Press; Taylor & Francis Group; (2009).
- Xu** D., Liu X., Wang D., Yi G., Gao Y., Zhang D., Su W., “Fabrication and characterization of SDC–LSGM composite electrolytes material in IT-SOFCs” *J. Alloys Compd.*, 429, 292–295 (2007).
- Xiao** G., Liu Q., Zhao F., Zhang L., Xia C., and Chena F., “Sr₂Fe_{1.5}Mo_{0.5}O₆ as cathodes for intermediate-temperature solid oxide fuel cells with La_{0.8}Sr_{0.2}Ga_{0.87}Mg_{0.13}O₃ electrolyte” *Journal of The Electrochemical Society*, 158 (5), B455-B460 (2011).
- Xiao** G. L., Liu Q., Dong X. H., Huang K., Chen F. L., “Sr₂Fe_{4/3}Mo_{2/3}O₆ as anodes for solid oxide fuel cells” *Power Sources*, 195, 8071–8074 (2010).
- Xiao** G., Chen F., “Ni modified ceramic anodes for direct-methane solid oxide fuel cells” *Electrochemistry Communications*, 13, 57–59 (2011).

References

- Xiao** G., Wang S., Lin Y., Yang Z., Han M., and Chen F., “Ni-doped $\text{Sr}_2\text{Fe}_{1.5}\text{Mo}_{0.5}\text{O}_{6-\delta}$ as Anode Materials for Solid Oxide Fuel Cells, *Journal of The Electrochemical Society*” 161 (3) F305-F310 (2014).
- Xiao** G., Jin C., Liu Q., Heyden A., Chen F., “Ni modified ceramic anodes for solid oxide fuel cells” *J. Power Sources*, 201, 43–48 (2012).
- Xie** Z., Zhao H., Chen T., Zhou X. and Du Z., “Synthesis and electrical properties of Al-doped $\text{Sr}_2\text{MgMoO}_{6-\delta}$ as an anode material for solid oxide fuel cells” *Int. J. Hydrogen Energy*, 36, 7257-7264 (2011).
- Xie** Z., Zhao H., Du Z., Chen T., and Chen N., “Electrical, Chemical, and Electrochemical Properties of Double Perovskite Oxides $\text{Sr}_2\text{Mg}_{1-x}\text{Ni}_x\text{MoO}_{6-\delta}$ as Anode Materials for Solid Oxide Fuel Cells” *J. Phys. Chem. C*, 118, 18853–18860 (2014).
- Yeong-Shyung** C., Stevenson J. W., Armstrong T. R., and Pederson L.R., “Mechanical Properties of $\text{La}_{1-x}\text{Sr}_x\text{Co}_{0.2}\text{Fe}_{0.8}\text{O}_3$ Mixed-Conducting Perovskites Made by the Combustion Synthesis Technique” *J. Am. Ceram. Soc.*, 83 [6], 1457– 1464 (2000).
- Yong** C. D. and Hee L. E., “Microwave-induced combustion synthesis of $\text{Ce}_{1-x}\text{Sm}_x\text{O}_{2-x/2}$ powder and its characterization” *Journal of Alloys and Compounds* 374, 69-73 (2004).
- Yuan** C. L., Zhu Y., Ong P. P., Shena Z. X. and Ong C. K., “Influence of preparation method on SrMoO_4 impurity content and magnetotransport properties of double perovskite $\text{Sr}_2\text{FeMoO}_6$ polycrystals” *Solid State Commun.*, 129, 551–554 (2004).
- Yukhno** E. K., Bashkirov L. A., Lobanovsky L. S., Trukhanov S. V., and Slonskaya S. V., “Magnetic Properties of LaInO_3 Based Perovskite Structure Photo luminescent Materials Doped with Nd, Cr, and Mn Ions. *Organic Materials*” Vol. 52, No. 2, pp. 218–222 (2016).
- Yasuda** I., Hishinuma M., “Electrical conductivity and chemical diffusion coefficient of Sr-doped lanthanum chromites” *Solid State Ionics*, 80, 141–150 (1995).
- Zuev** A., Singheiser L., Hilpert K., “Defect structure and isothermal expansion of A-site and B-site substituted lanthanum chromites” *Solid State Ionics*, 147, 1–11 (2002).
- Zhang** G. J., Song Y.W., Xiong H., Zheng J.Y., Jia Y.Q., “Synthesis and crystal structure of $\text{La}_{0.9}\text{Ca}_{0.1}\text{Cr}_{1-x}\text{Ni}_x\text{O}_3$ ($x = 0.0-1.0$) and electric conductivity of $\text{La}_{0.9}\text{Ca}_{0.1}\text{Cr}_{0.5}\text{Ni}_{0.5}\text{O}_3$ ” *Mater. Chem. Phys.*, 73, 101–105 (2002).
- Zheng** Y.F., Gu H.T., Chen H., Gao L., Zhu X.F., Guo L.C., La and Ca co-doped ceria-based electrolyte materials for IT-SOFCs, *Mater. Res. Bull.*, 44, 1717-1721 (2009).

References

- Zheng** K., Swierczek K., “Physicochemical properties of rock salt-type ordered Sr_2MMoO_6 (M= Mg, Mn, Fe, Co, Ni) double perovskites” *J. Eur. Ceram. Soc.*, 34, 4273–4284 (2014).
- Zheng** K., Świerczek K., Bratek J., Klimkowicz A., “Cation-ordered perovskite-type anode and cathode materials for solid oxide fuel cells” *Solid State Ionics*, 262, 354–358 (2014).
- Zhao** L., He B. B., Xun Z. Q., Wang H., Peng R. R., Meng G. Y., Liu X. Q. “Characterization and evaluation of $\text{NdBaCo}_2\text{O}_{5+\delta}$ cathode for proton-conducting solid oxide fuel cells. *Int. J. Hydrogen Energ.*, 35, 753–756 (2010).
- Zhang** L. and He T., “Performance of double-perovskite $\text{Sr}_{2-x}\text{Sm}_x\text{MgMoO}_{6-\delta}$ as solid-oxide fuel-cell anodes”, *J. Power Sources*, 196, 8352 (2011).
- Zhang** L. L., Zhou Q. J., He Q. A., He T. M., “Double-perovskites $\text{A}_2\text{FeMoO}_{6-\delta}$ (A = Ca, Sr, Ba) as anodes for solid oxide fuel cells” *J. Power Sources* 195, 6356-6366 (2010).
- Zhang** P., Huang Y. H., Cheng J. G., Mao Z. Q., Goodenough J. B., “ $\text{Sr}_2\text{CoMoO}_6$ anode for solid oxide fuel cell running on H_2 and CH_4 fuels” *J. Power Sources*, 196, 1738 (2011).
- Zajac** W., Swierczek K., Molenda J., “Functional materials for the IT-SOFC” *J. Power Sources*, 173, 657-670 (2007).
- Zhang** Q., Wei T., Huang Y., “Electrochemical performance of double-perovskite Ba_2MMoO_6 (M = Fe, Co, Mn, Ni) anode materials for solid oxide fuel” *J. Power Sources*, 198, 59-65 (2012).
- Zhou** W., Shao Z.P., Ran R., Jin W.Q., Xu N.P., “A novel efficient oxide electrode for electrocatalytic oxygen reduction at 400–600 °C” *Chem. Commun.* 44, 5791-5793 (2008).
- Zhu** X., Zhong Q., Xu D., Yan H., Tan W., “Further investigation of $\text{Ce}_{0.9}\text{Sr}_{0.1}\text{Cr}_{0.5}\text{Fe}_{0.5}\text{O}_{3+\delta}$ as anode for solid oxide fuel cell fuelled with H_2S ” *J. Alloys Comp.*, 555, 169 (2013).
- Zheng** Y. F., Gu H. T., Chen H., Gao L., Zhu X. F., Guo L. C., “La and Ca co-doped ceria-based electrolyte materials for IT-SOFCs”, *Mater. Res. Bull.*, 44, 1717-1721 (2009).
- Zhang** Y., Zhou Q., T. He, $\text{La}_{0.7}\text{Ca}_{0.3}\text{CrO}_3\text{--Ce}_{0.8}\text{Gd}_{0.2}\text{O}_{1.9}$ composites as symmetrical electrodes for solid-oxide fuel cells, *J. Power Sources*, 196, 76-83 (2011).
- Zhong** Z., “Stoichiometric lanthanum chromite based ceramic interconnects with low sintering temperature” *Solid State Ionics*, 177, 757–764 (2006).