

# CERTIFICATE

It is certified that the work contained in the thesis titled “**Deformable Registration of Abdominal Images**” by “**Romel Bhattacharjee**” has been carried out under my supervision and this work has not been submitted elsewhere for a degree.

It is further certified that the student has fulfilled all the requirements of Comprehensive Examination, Candidacy and SOTA for the award of Ph.D. Degree.



**Dr. Shiru Sharma)**  
**Supervisor**  
**Associate Professor,**  
**School of Biomedical**  
**Engineering,**  
**Indian Institute of**  
**Technology (BHU),**  
**Varanasi - 221005, (U.P.),**  
**India**



**(Dr. Ashish Verma)**  
**Co-Supervisor**  
**Professor & Head,**  
**Department of**  
**Radiodiagnosis and**  
**Imaging, Institute of**  
**Medical Sciences (BHU),**  
**Varanasi - 221005, (U.P.),**  
**India**



**(Prof. Fabrice Heitz)**  
**External Supervisor**  
**Deputy Director,**  
**Laboratoire ICube,**  
**Télécom Physique**  
**Strasbourg,**  
**University of Strasbourg,**  
**F - 67412 Illkirch Cedex,**  
**France**

## DECLARATION BY THE CANDIDATE

I, Romel Bhattacharjee, am certified that the work embodied in this Ph.D. thesis is my own bona fide work and carried out by me under the supervision of Dr. Shiru Sharma, Dr. Ashish Verma and Prof. Fabrice Heitz from **21<sup>st</sup> July 2015 to 15<sup>th</sup> October 2020** at the School of Biomedical Engineering, Indian Institute of Technology (BHU), Varanasi. The matter embodied in this thesis has not been submitted for the award of any other degree/diploma.

I declare that I have faithfully acknowledged and given credits to the research workers wherever their work has been cited in my work in this thesis. I further declare that I have not wilfully copied any other's work, paragraphs, text, data, results, etc., reported in journals, books, magazines, reports dissertations, theses, etc., or available at websites and have not included them in this thesis and have not cited as my own work.



**Date:** 15.10.2020  
**Place:** Varanasi

**Signature of the Student**  
**(Romel Bhattacharjee)**

## CERTIFICATE BY THE SUPERVISOR(S)

It is certified that the above statement made by the student is correct to the best of my/our knowledge.



**Dr. Shiru Sharma)**  
**Supervisor**  
**Associate Professor,**  
**School of Biomedical Engg.,**  
**Indian Institute of Technology**  
**(BHU),**  
**Varanasi - 221005, (U.P.), India**



**(Dr. Ashish Verma)**  
**Co-Supervisor**  
**Professor & Head,**  
**Dept. of Radiodiagnosis and**  
**Imaging, Institute of Medical**  
**Sciences (BHU),**  
**Varanasi - 221005, (U.P.), India**



**(Prof. Fabrice Heitz)**  
**External Supervisor**  
**Deputy Director,**  
**Laboratoire ICube, Télécom**  
**Physique Strasbourg,**  
**University of Strasbourg,**  
**F-67412 Illkirch Cedex, France**



**(Prof. P. K. Roy)**  
**Coordinator**  
**School of Biomedical Engg., Indian Institute of Technology (BHU),**  
**Varanasi - 221005, (U.P.), India**

## COPYRIGHT TRANSFER CERTIFICATE

**Title of the Thesis:** Deformable Registration of Abdominal Images.

**Name of the Student:** Romel Bhattacharjee

### Copyright Transfer

The undersigned hereby assigns to the Indian Institute of Technology (BHU), Varanasi all rights under copyright that may exist in and for the above thesis submitted for the award of the Doctor of Philosophy.



**Date:** 15.10.2020

**Place:** Varanasi

**Signature of the Student**

**(Romel Bhattacharjee)**

Note: However, the author may reproduce or authorize others to reproduce material extracted verbatim from the thesis or derivative of the thesis for author's personal use provided that the source and the Institute's copyright notice are indicated.

## **ACKNOWLEDGEMENTS**

---

It is my greatest pleasure to have this opportunity to express my sincere appreciation to everyone who helped me during my Ph.D. program at the Indian Institute of Technology (B.H.U.), Varanasi. First, I want to thank my supervisor, Dr Shiru Sharma, for her valuable guidance, encouragement, and her parental behaviour throughout the work. Her inspiring advice and support is the key reason that I could successfully finish each of the research objectives. Without her guidance as a great mentor, this work would not have been possible.

Further, I am very thankful to my co-supervisor Dr. Ashish Verma, Senior Radiologist at Institute of Medical Sciences, Banaras Hindu University. He has helped to explore the real challenges in the diagnosis. He was always available for the discussion even in his busy hours at the hospital and medical school. He is an excellent example of a radiologist, supervisor, and researcher. I am very fortunate that he consistently guided me throughout the work.

I wish to thank my external supervisor Prof. Fabrice Heitz, Deputy Director of Laboratori ICube, University of Strasbourg, France, for all his contributions without which it would have not been possible for me to achieve the Eiffel Excellence Scholarship 2018 and pursue international research work with his IMAGEs team. I am truly thankful to all his contributions of time, and ideas in algorithm developments.

Special thanks to Dr. Vincent Noblet, Research Engineer, Laboratori ICube, University of Strasbourg, France for being my major technical advisor. The knowledge, enthusiasm, positive attitude towards the work and life were inspiring and motivational for me during tough times in the Ph.D. pursuit. Thanks for making me feel welcome during my stay in France.

Special thanks to Prof. Neeraj Sharma for his friendly guidance and support for many valuable technical discussions and practical advice, and for always being ready for answering question about any issues. He has given the moral support and the freedom I needed to work.

I would like to express my appreciation to my research progress evaluation committee (RPEC) member, Prof. S. K. Singh, Department of Computer Science and Engineering, IIT (BHU) Varanasi for his kind cooperation during this work. His comments and suggestions during my work progress presentation improved the quality of research work


I would like to express thankfulness to all respected faculty members of the School of Biomedical Engineering and IMAGeS team of Laboratoire ICube for their kind support, motivation and valuable suggestions.

Thanks to all the doctors and staff of Computed Tomography and Ultra-Sonography section, Sir Sunderial Hospital, Banaras Hindu University for their involvement with data acquisition stages. I would also like thank the non-teaching staff of School of Biomedical Engineering and Laboratoire ICube, who have been supportive in every way.

I am truly grateful to all of my seniors, batchmates, juniors, friends at Varanasi as well as in France and other countries for their love, encouragement, and extended support. They made my time at Varanasi and in France really enjoyable. Also sincere thanks to Campus France for constantly communicating and supporting all over the scholarship period.

Lastly, I would like to thank my family for all their love, encouragement and trust. I am grateful to my parents who supported me in all my pursuits. There are no words to express my gratitude for all the selfless efforts they made.

Thank you all.



( **Romel Bhattacharjee** )

**DEDICATED**

**TO**

***Science*** (for inspiring, motivating  
and enlightening)

**&**

***GOD*** (for unconditionally helping in  
completion of the thesis)



# Table of Contents

List of Figures .....	<i>xiii</i>
List of Tables .....	<i>xv</i>
List of Abbreviations .....	<i>xvii</i>
Perface .....	<i>xix</i>

## Part – I BACKGROUND

### Chapter 1

<b>Introduction: Image Registration &amp; Deformable Image Registration.....</b>	<b>3</b>
<b>1.1 Brief Ovrview of Image Registration .....</b>	<b>3</b>
<b>1.2 Outline of Medical Image Registration .....</b>	<b>5</b>
<b>1.3 Notes on Deformable Image Registration .....</b>	<b>7</b>
<b>1.4 Problems with Deformable Registration of Abdominal Images .....</b>	<b>9</b>
<b>1.5 Thesis Objectives.....</b>	<b>10</b>
<b>1.6 Thesis Contribution .....</b>	<b>10</b>
<b>1.7 Thesis Organization .....</b>	<b>10</b>
<b>References .....</b>	<b>12</b>

### Chapter 2

<b>Deformable Registration with Traditional Method.....</b>	<b>15</b>
<b>2.1 Similarity Measures .....</b>	<b>16</b>
<b>2.2 Transformations .....</b>	<b>17</b>
<b>2.2.1 Parametric Transformation Functions.....</b>	<b>17</b>
<b>2.2.2 Non-parametric Transformation Functions.....</b>	<b>19</b>
<b>2.3 Optimization Methods .....</b>	<b>19</b>
<b>2.3.1 Hierarchial Approaches .....</b>	<b>20</b>
<b>2.3.2 Methods for Parametric Registration.....</b>	<b>20</b>
<b>2.3.3 Methods for Non-parametric Registration.....</b>	<b>21</b>
<b>2.4 Notable Works .....</b>	<b>23</b>
<b>References .....</b>	<b>26</b>

### Chapter 3

<b>Deformable Registration with Deep Neural Networks.....</b>	<b>31</b>
<b>3.1 Supervised Transformation Estimation .....</b>	<b>32</b>
<b>3.1.1 Fully Supervised Transformation Estimation.....</b>	<b>33</b>

3.1.2 Dual/Weakly Supervised Transformation Estimation .....	34
3.2 Unsupervised Transformation Estimation .....	32
3.2.1 Similarity Metric-based Unsupervised Transformation Estimation .....	36
3.2.2 Feature-based Unsupervised Transformation Estimation .....	37
References .....	39

**Part – II USING CONVENTIONAL APPROACH  
FOR DEFORMABLE REGISTRATION**

**Chapter 4**

**Non-Rigid Registration of Multimodal Images**

(Ultrasound And CT) of Liver Using Gradient Orientation Information .....	45
Abstract.....	45
4.1 Introduction .....	46
4.2 Methodology.....	48
4.2.1 Overview of the Algorithm .....	48
4.2.2 Liver Surface Features.....	49
4.2.3 Segmentation (Mask Generation) .....	50
4.2.4 Calculation of Edge Orientation .....	52
4.2.5 Best Matched Slice Selection.....	53
4.2.6 Calculation of Objective Function .....	53
4.2.7 Transformation Estimation for Registration .....	54
4.3 Experimentation .....	56
4.3.1 Data Acquisition.....	56
4.3.2 Experimental Results .....	56
4.4 Conclusion.....	57
References .....	57

**Chapter 5**

**Non-Rigid Registration (Computed Tomography – Ultrasound)**

of Liver Using B-Splines and Free Form Deformation.....	59
Abstract.....	59
5.1 Introduction .....	60
5.1.1 Background .....	61
5.1.2 Related Work .....	62
5.2 Methodology (Image Registration) .....	64
5.2.1 Preprocessing .....	65

5.2.2 Global Motion Model .....	65
5.2.3 Local Motion Model .....	65
5.2.4 Similarity Measure .....	67
5.2.5 Deformation Regularization .....	67
5.2.6 Optimization.....	68
5.3 Registration Refinement .....	68
5.3.1 Using Multi-level B-splines .....	69
5.3.2 Using Gradient Orientation Information .....	71
5.3.2.1 Segmentation (Mask Generation) .....	71
5.3.2.2 Entropy Based Objective Function .....	71
5.3.2.3 Transformation Estimation.....	73
5.4 Optimization .....	73
5.4.1 Steepest Gradient Descent Method .....	73
5.4.2 Quasi-Newton Method .....	73
5.4.3 Levenberg-Marquardt Method .....	75
5.5 Experimentation .....	76
5.5.1 Data Acquisition.....	76
5.5.2 Experimental Results .....	77
5.5.2.1 Accuracy .....	78
5.5.2.2 Precision (of Optimization Techniques).....	79
5.5.2.3 Discussion.....	81
5.5.2.4 Limitations .....	82
5.6 Conclusion.....	83
References .....	83

**Part – III USING LEARNING-BASED APPROACH  
FOR DEFORMABLE REGISTRATION**

**Chapter 6**

**Evaluation of A Learning Based**

<b>Deformable Registration Method on Abdominal CT Images .....</b>	<b>89</b>
<b>Abstract.....</b>	<b>89</b>
<b>6.1 Introduction .....</b>	<b>90</b>
<b>6.2 Material and Methods.....</b>	<b>92</b>
<b>6.2.1 Datasets .....</b>	<b>92</b>

6.2.2 Background on Image Registration .....	92
6.2.3 CNN-based Registration: VoxelMorph .....	94
6.2.4 CNN Architecture .....	95
6.2.5 Cost Function .....	96
6.2.6 Spatial Transformer Function .....	97
6.3 Experiments and Results .....	98
6.3.1 Experimental Setup.....	98
6.3.1.1 Dataset Preperation .....	99
6.3.1.2 Evaluation Metric .....	101
6.3.1.3 Comparison with a State-of-the-Art Method.....	103
6.3.2 2D Atlas-based Registration .....	104
6.3.3 2D Pairwise Registration .....	106
6.3.4 3D Pairwise Registration .....	109
6.3.5 Setting of the Regularization Parameter .....	111
6.4 Discussion.....	112
6.4 Conclusion.....	116
References .....	117

## Part – IV CLOSURE

### Chapter 7

Summary and Conclusion .....	121
------------------------------	-----

### Chapter 8

Future Scope of Work .....	123
References .....	124

## Part – V ACCOMPLISHMENTS

Publications (Journal Articles) .....	127
Publications (Conference Articles).....	127
Achievements .....	127
Conferences and Workshops.....	128
Other Publications (During Doctoral Studies) .....	128
Permission form Ethical Committee .....	129

## LIST OF FIGURES

---

Figure No.	Figure description	Page No.
<b>Figure 4.1</b>	Block diagram of proposed algorithm	48
<b>Figure 4.2</b>	Gradient orientation of liver surface (a), (b), (c) US image, (d), (e), (f) contrast enhanced CT image	50
<b>Figure 4.3</b>	Mask Generation liver surface: (a), (b), (c) US image, (d), (e), (f) CT image	51
<b>Figure 4.4</b>	Registration: (a),(b) US image, (c),(d), selected CT image, (e),(f) US-CT registered	55
<b>Figure 5.1</b>	Block diagram of image registration	64
<b>Figure 5.2</b>	Configuration of multi-resolution control point grid; Refinement of grid with deformation (left); Calculation of grid subdivision (right)	70
<b>Figure 5.3</b>	US image (leftmost); US image with masking (second from left); Enhanced CT image (third from left); Enhanced CT image with masking (rightmost); Image reproduced from [2]	70
<b>Figure 5.4</b>	Graphical representation of Distance Measurement values (in mm) for clinical datasets	79
<b>Figure 5.5</b>	Registration results (Algo-1 & Algo-2, Third & Fourth rows) using SGD (Left); QSN (Middle) and LVM (Right)	80
<b>Figure 6.1</b>	Left side: Block diagram illustrating the VoxelMorph method Right side: UNet Architecture considered for VoxelMorph CNN Channel number and image spatial resolution are written inside and under the boxes, respectively	95
<b>Figure 6.2</b>	(a) original 2D abdominal image; (b) 2D abdominal image after bed removal; (c) original 2D abdominal image and (d), (e), (f) examples of warped images generated with Gryds package for data augmentation	99
<b>Figure 6.3</b>	Example of 2D atlas-based registration. For images in first row: Dice Score (affine registration) 0.852; Dice Score (VoxelMorph) 0.94; Hausdorff Distance (affine registration) 5.291; Hausdorff Distance (VoxelMorph) 4.690 For images in second row: Dice Score (affine registration) 0.8812; Dice Score (VoxelMorph) 0.9355; Hausdorff Distance (affine registration) 4.472; Hausdorff Distance (VoxelMorph) 4.243	105

<b>Figure 6.4</b>	Example of 2D Pairwise Registration For images in first row: Dice Score (affine registration) 0.7962; Dice Score (VoxelMorph) 0.9019; Hausdorff Distance (affine registration) 3.873; Hausdorff Distance (VoxelMorph) 3.742; For images in second row: Dice Score (affine registration) 0.8967; Dice Score (VoxelMorph) 0.9406; Hausdorff Distance (affine registration) 4.795; Hausdorff Distance (VoxelMorph) 4.013	105
<b>Figure 6.5</b>	Dice Scores: Mean ( $\pm$ SD); 3D-IRCADb-01; model trained using (left) MSE, (right) CC	108
<b>Figure 6.5</b>	Hausdorff Distance: Mean ( $\pm$ SD); 3D-IRCADb-01; trained using (left) MSE,(right) CC	108
<b>Figure 6.7</b>	Example of 3D Pairwise Registration (using MSE); Dice Score (affine registration) 0.7093; Dice Score (VoxelMorph) 0.7955 Hausdorff Distance (affine registration) 27.9464; Hausdorff Distance (VoxelMorph) 21.7715	108
<b>Figure 6.8</b>	LiTS volume registration with segmentation overlapping; Triplanar view and 3D view 1st row:If; 2nd row: Im; 3rd row: Im $\circ$ (using VoxelMorph); 4th row: Im $\circ$ (using ANTS(SyN)) for Affine: Dice Score: 0.7941 ; Hausdorff Distance: 20.832 for VoxelMorph: Dice Score: 0.881 ; Hausdorff Distance: 19.261 for ANTS(Syn): Dice Score: 0.8981 ; Hausdorff Distance: 18.973	110
<b>Figure 6.9</b>	3D-IRCADb-01 vol. registration with segmentation overlapping; Triplanar & 3D view; 1st row:If; 2nd row: Im; 3rd row: Im $\circ$ (using VoxelMorph); 4th row: Im $\circ$ (using ANTS(SyN)) for Affine: Dice Score: 0.8084 ; Hausdorff Distance: 21.071 for VoxelMorph: Dice Score: 0.9079 ; Hausdorff Distance: 15.394 for ANTS(Syn): Dice Score: 0.9126 ; Hausdorff Distance: 14.817	111
<b>Figure 6.10</b>	Influence of the regularisation weighting parameter, for 2D Atlas-based Registration	112
<b>Figure 6.11</b>	Example of 2D Atlas-based Registration (poor case for VoxelMorph) Dice Score (affine registration) 0.78699; Dice Score (VoxelMorph) 0.8949; Hausdorff Distance (affine registration) 5.099; Hausdorff Distance (VoxelMorph) 4.472	113
<b>Figure 6.12</b>	Example of 2D Pairwise Registration (poor case for VoxelMorph) Dice Score (affine registration) 0.83547; Dice Score (VoxelMorph) 0.8932; Hausdorff Distance (affine registration) 6.557; Hausdorff Distance (VoxelMorph) 5.477	113

## LIST OF TABLES

---

<b>Table No.</b>	<b>Table description</b>	<b>Page No.</b>
<b>Table 2.1</b>	Exploration of related useful literatures	24
<b>Table 3.1</b>	Exploration of related literatures (supervised deformable transformation estimation)	35
<b>Table 3.2</b>	Exploration of related literatures (supervised deformable transformation estimation)	38
<b>Table 4.1</b>	Performance evaluation of proposed algorithm	57
<b>Table 5.1</b>	Registration accuracy test values (Distance Measurement (in mm): Mean ( $\pm$ SD))	78
<b>Table 5.2</b>	Precision test results of optimization techniques	79
<b>Table 6.1</b>	Quantitative Results (2D atlas-based abdominal image registration)	107
<b>Table 6.2</b>	Quantitative Results (2D pairwise abdominal image registration)	107
<b>Table 6.3</b>	Quantitative Results (3D pairwise abdominal image registration; model using MSE)	107
<b>Table 6.4</b>	Quantitative Results (3D pairwise abdominal image registration; model using CC)	107



## **LIST OF ABBREVIATIONS**

---

MRI	Magnetic Resonance Imaging
US	Ultrasound
CT	Computed Tomography
PET	Positron Emission Tomography
SPECT	Single-Photon Emission Computed Tomography
fMRI	Functional Magnetic Resonance Imaging
TRUS	Transrectal Ultrasound
HIFU	High Intensity Focused Ultrasound
DIR	Radiofrequency Ablation
RFA	Deformable Image Registration
SSD	Sum Of Squared Differences
CC	Cross Correlation
NCC	Normalized Cross Correlation
MI	Mutual Information
NMI	Normalised Mutual Information
MSE	Mean Squared Error
MSD	Mean Squared Difference
SSIM	Structural Similarity Index Measure
RBF	Radial Basis Function
TPS	Thin Plate Spline
EBS	Elastic Body Spline
GEBS	Gaussian Elastic Body Spline
FFD	Free Form Deformation
GD	Gradient Descent
CG	Conjugate Gradient
SGD	Steepest Gradient Descent
QSN	Quasi-Newton

DFP	Davidon-Fletcher-Powell
LVM	Levenberg – Marquardt
HAMMER	Hierarchical Attribute Matching Mechanism for Elastic Registration
LDDMM	Large Deformation Diffeomorphic Metric Mapping
BFGS	Broyden - Fletcher - Goldfarb - Shanno
L-BFGS	Limited Memory Broyden - Fletcher - Goldfarb - Shanno
PDE	Partial Differential Equation
FCN	Fully Convolutional Network
CNN	Convolutional Neural Network
STN	Spatial Transformer Network
TRE	Target to Registration Error
ICP	Iterative Closest Point
ROI	Region of Interest
ANTs	Advanced Normalization Tools
SyN	Symmetric Normalization
CPU	Central Processing Unit
GPU	Graphics Processing Unit

## **PREFACE**

---

Medical Image registration is considered as one of the most challenging, complex and complicated tasks, while it is a key enabling technology in the field of medical images analysis. A registration algorithm (both rigid and deformable) adds values to the images of different modalities by precisely aligning them to a single coordinate system for further viewing and analysis for the applications like diagnosis of a tumour, image-guided surgery, image-guided radiotherapy, etc. Since the abdominal portion undergoes several involuntary motions (e.g. organ deformation, patient motion, movements of gastrointestinal tract or breathing), the captured images include local and global non-rigid deformations which are not always possible to compensate with rigid registration algorithms. Hence, to achieve precise alignment of the images, deformable registration is definitely required.

The characteristics of multimodal images differ, which lead towards the intensity mismatch for any particular region of interest and increases the complexity of the task of estimating relationship between corresponding pixels'. The uncertainty in the presence/observance of structures in the abdominal images as well as the unpredictability in their appearance (size, shape) also arises major difficulties for deformable registration (intra patient/inter patient, monomodal/ multimodal). Standard similarity measure-based deformable registrations are employed by iteratively minimizing a cost function and optimizing transformation parameters. While the outcomes of these methods are promising, these processes are computationally very demanding. To overcome the issue, learning-based frameworks are introduced, which are able to register a new pair of images within (fractions of) seconds only, after a computationally intensive learning on large training datasets. This thesis contributes to the necessary theory and implementations for conventional as well as learning based deformable registration of abdominal images by generating optimal deformation fields, utilizing the information present in the images that best aligns the structures of interest.

In the first phase of the work, the conventional approach is utilized to perform deformable registration of multimodal abdominal images (Ultrasound and Computed Tomography). The proposed methodology includes segmentation of liver surface, followed by the selection of best matched CT slice from a set of CT images, calculation of objective function and finally the estimation of transformation. The gradient orientation of the pixels is calculated and included in the entropy-based objective function. Another global spatial function is also introduced to overcome the false global minimum problem. The transformation estimation is done using B-splines and Free Form Deformation (FFD), while gradient descent optimization is employed. A distance based metric is adopted for validation which performs the measurement on the basis of anatomical features points. The performance evaluation indicates that the registration method is suitable for clinical applications.

The abovementioned methodology is further utilized for registration refinement in the next phase of the thesis. This research work exhibits the implementation and evaluation of the performances of two non-rigid registration algorithms integrated with registration refinement. Along with that, three separate optimization techniques (Steepest Gradient Descent, quasi-Newton and Levenberg-Marquardt method.) are employed in the process. The first algorithm includes the multi-resolution approach. Combination of normalized mutual information with a weighted regularization term is utilized as the cost function while locally controlled B-spline with FFD is employed for the local motion modelling. The second algorithm is based on the idea of step by step increment of the registration complexity. In the primary step, the transformation estimation is performed using the similar approach of employing normalized mutual information. While in the advance step, the cost function designed previously with the gradient orientation information is utilized for the registration refinement. Both the algorithms are tested for the registration of US and CT images, and the distance based measure is used for performance evaluation. Also precision of the optimization methods is evaluated. Quantitative

analysis indicates the superiority of the second algorithm and the Levenberg-Marquardt method is found to be more precise than the rest two optimizations used.

In this phase of the thesis, an unsupervised learning-based approach (VoxelMorph) is employed for deformable registration of monomodal abdominal CT images. The architecture is similar to U-Net, and it learns the complex mapping between every couple of 2D or 3D images, while utilising the spatial transformer network (STN) for generating the final image. It basically computes a generalized registration function instead of computing it every time for an image pair, hence bypassing the need of expensive optimization. For the learning of the network, a stochastic gradient descent based optimization is employed. The cost function consists of a similarity metric and a weighted regularization term. This method is tested on 2D and 3D abdominal CT images of LiTS and 3D-IRCADb-01 dataset, while only images from LiTS dataset are utilized for the learning of the network. Three different experiments are performed: 2D atlas-based, 2D pairwise, and 3D pairwise registration and validation is done using the Dice Score and Hausdorff Distance metric. Performance evaluation shows competitive outcomes with a significant improvement in computation time while comparing with the state-of-the-art conventional registration method. The work also investigates the influence of the regularisation weighting parameter on the quality of registration. This approach paves the way for the routine use of deformable registration in the clinical workflow and will facilitate the development of high throughput image processing services.

To summarize, in order to develop non-rigid registration algorithm for abdominal images, the present thesis has put to use the distinguishable intensity and gradient measures of the liver for the optimal modelling of the deformation. Also, the effectiveness and convenience of using unsupervised learning-based approaches is presented in the thesis, as the employed CNN based model is able to perform deformable registration with state-of-the-art accuracy on abdominal images, while reducing the computation time.