

Bibliography

- [1] Y. Xu, Z. He, and O. P. Agrawal, “Numerical and analytical solutions of new generalized fractional diffusion equation,” *Computers & Mathematics with Applications*, vol. 66, no. 10, pp. 2019–2029, 2013.
- [2] X. Li and P. J. Wong, “gL 1 Scheme for Solving a Class of Generalized Time-Fractional Diffusion Equations,” *Mathematics*, vol. 10, no. 8, p. 1219, 2022.
- [3] X. Li and P. J. Wong, “Generalized Alikhanov’s approximation and numerical treatment of generalized fractional sub-diffusion equations,” *Communications in Nonlinear Science and Numerical Simulation*, vol. 97, p. 105719, 2021.
- [4] D. Singh, F. Sultana, and R. K. Pandey, “Approximation of Caputo-Prabhakar derivative with application in solving time fractional advection-diffusion equation,” *International Journal for Numerical Methods in Fluids*, vol. 94, no. 7, pp. 896–919, 2022.
- [5] J. Ren, C. Huang, and N. An, “Direct discontinuous Galerkin method for solving nonlinear time fractional diffusion equation with weak singularity solution,” *Applied Mathematics Letters*, vol. 102, p. 106111, 2020.
- [6] P. Roul and V. Rohil, “A high-order numerical scheme based on graded mesh and its analysis for the two-dimensional time-fractional convection-diffusion

- equation,” *Computers & Mathematics with Applications*, vol. 126, pp. 1–13, 2022.
- [7] Y. Wang and H. Chen, “Pointwise error estimate of an alternating direction implicit difference scheme for two-dimensional time-fractional diffusion equation,” *Computers & Mathematics with Applications*, vol. 99, pp. 155–161, 2021.
- [8] C. B. Boyer, “The History of the Calculus and its Conceptual Development,” New York: Dover, 1959.
- [9] A. A. Kilbas, H. M. Srivastava, and J. J. Trujillo, *Theory and applications of fractional differential equations*, vol. 204. elsevier, 2006.
- [10] N. H. Abel, “Oplösning af et par opgaver ved hjælp af bestemte integraler,” *Magazin for naturvidenskaberne*, vol. 2, no. 55, p. 2, 1823.
- [11] K. Oldham and J. Spanier, *The fractional calculus theory and applications of differentiation and integration to arbitrary order*, vol. 111. Elsevier, New York, 1974.
- [12] I. Podlubny, *Fractional differential equations: An introduction to fractional derivatives, fractional differential equations, to methods of their solution and some of their applications*, vol. 198. Elsevier, Academic Press, California, 1998.
- [13] C. Li and F. Zeng, *Numerical methods for fractional calculus*, vol. 24. CRC Press, 2015.
- [14] K. S. Miller and B. Ross, *An introduction to the fractional calculus and fractional differential equations*. Wiley, New York, 1993.
- [15] R. L. Magin, “Fractional calculus models of complex dynamics in biological tissues,” *Computers & Mathematics with Applications*, vol. 59, no. 5, pp. 1586–1593, 2010.

- [16] T. Wenchang, P. Wenxiao, and X. Mingyu, “A note on unsteady flows of a viscoelastic fluid with the fractional Maxwell model between two parallel plates,” *International Journal of Non-Linear Mechanics*, vol. 38, no. 5, pp. 645–650, 2003.
- [17] R. J. Elliott and J. Van Der Hoek, “A general fractional white noise theory and applications to finance,” *Mathematical Finance*, vol. 13, no. 2, pp. 301–330, 2003.
- [18] E. Sejdić, I. Djurović, and L. Stanković, “Fractional Fourier transform as a signal processing tool: An overview of recent developments,” *Signal Processing*, vol. 91, no. 6, pp. 1351–1369, 2011.
- [19] J. Bai and X.-C. Feng, “Fractional-order anisotropic diffusion for image denoising,” *IEEE Transactions on Image Processing*, vol. 16, no. 10, pp. 2492–2502, 2007.
- [20] B. Vinagre and V. Feliu, “Modeling and control of dynamic system using fractional calculus: Application to electrochemical processes and flexible structures,” in *Proc. 41st IEEE Conf. Decision and Control*, vol. 1, pp. 214–239, 2002.
- [21] H. Sun, Y. Zhang, D. Baleanu, W. Chen, and Y. Chen, “A new collection of real world applications of fractional calculus in science and engineering,” *Communications in Nonlinear Science and Numerical Simulation*, vol. 64, pp. 213–231, 2018.
- [22] I. Stakgold, “Reaction-diffusion problems in chemical engineering,” *Nonlinear Diffusion Problems: Lectures given at the 2nd 1985 Session of the Centro Internazionale Matematico Estivo (CIME) held at Montecatini Terme, Italy June 10–June 18, 1985*, pp. 119–152, 2006.

- [23] H. Y. Alfifi, “Stability and Hopf bifurcation analysis for the diffusive delay logistic population model with spatially heterogeneous environment,” *Applied Mathematics and Computation*, vol. 408, p. 126362, 2021.
- [24] J. Wei and M. Winter, *Mathematical aspects of pattern formation in biological systems*, vol. 189. Springer Science & Business Media, 2013.
- [25] R. S. Cantrell and C. Cosner, *Spatial ecology via reaction-diffusion equations*. John Wiley & Sons, 2004.
- [26] S. A. Meier, M. A. Peter, and M. Böhm, “A two-scale modelling approach to reaction–diffusion processes in porous materials,” *Computational Materials Science*, vol. 39, no. 1, pp. 29–34, 2007.
- [27] J. Crank, *The mathematics of diffusion*. Oxford university press, 1979.
- [28] K. M. Owolabi, “High-dimensional spatial patterns in fractional reaction-diffusion system arising in biology,” *Chaos, Solitons & Fractals*, vol. 134, p. 109723, 2020.
- [29] R. Saxena, A. Mathai, and H. Haubold, “Fractional reaction-diffusion equations,” *Astrophysics and Space Science*, vol. 305, pp. 289–296, 2006.
- [30] J. Cao, Z. Huang, and C. Zeng, “Weighted pseudo almost automorphic classical solutions and optimal mild solutions for fractional differential equations and application in fractional reaction–diffusion equations,” *Journal of Mathematical Chemistry*, vol. 52, pp. 1984–2012, 2014.
- [31] W. Van Beinun, J. C. Meeussen, A. C. Edwards, and W. H. Van Riemsdijk, “Transport of ions in physically heterogeneous systems; convection and diffusion in a column filled with alginate gel beads, predicted by a two-region model,” *Water Research*, vol. 34, no. 7, pp. 2043–2050, 2000.

- [32] J. S. Ferreira and M. Costa, “Deterministic advection-diffusion model based on Markov processes,” *Journal of Hydraulic Engineering*, vol. 128, no. 4, pp. 399–411, 2002.
- [33] T. L. Bocksell and E. Loth, “Stochastic modeling of particle diffusion in a turbulent boundary layer,” *International Journal of Multiphase Flow*, vol. 32, no. 10-11, pp. 1234–1253, 2006.
- [34] O. G. Bakunin, *Turbulence and diffusion: scaling versus equations*. Springer Science & Business Media, 2008.
- [35] X. Chen, S. Xu, X. Liu, X. Xu, H. Y. Noh, L. Zhang, and P. Zhang, “Adaptive hybrid model-enabled sensing system (HMSS) for mobile fine-grained air pollution estimation,” *IEEE Transactions on Mobile Computing*, vol. 21, no. 6, pp. 1927–1944, 2020.
- [36] G. Hariharan, “An efficient wavelet based approximation method to water quality assessment model in a uniform channel,” *Ain Shams Engineering Journal*, vol. 5, no. 2, pp. 525–532, 2014.
- [37] D. Hose, A. Narracott, B. Griffiths, S. Mahmood, J. Gunn, D. Sweeney, and P. Lawford, “A thermal analogy for modelling drug elution from cardiovascular stents,” *Computer Methods in Biomechanics and Biomedical Engineering*, vol. 7, no. 5, pp. 257–264, 2004.
- [38] D. F. Katz, A. Yuan, and Y. Gao, “Vaginal drug distribution modeling,” *Advanced Drug Delivery Reviews*, vol. 92, pp. 2–13, 2015.
- [39] L. Li, C. Chen, R. Mei, and J. F. Klausner, “Conjugate heat and mass transfer in the lattice Boltzmann equation method,” *Physical Review E*, vol. 89, no. 4, p. 043308, 2014.

- [40] M. I. H. Khan, M. U. H. Joardder, C. Kumar, and M. A. Karim, “Multiphase porous media modelling: A novel approach to predicting food processing performance,” *Critical Reviews in Food Science and Nutrition*, vol. 58, no. 4, pp. 528–546, 2018.
- [41] Y. Zhang, J. Jiang, Y. Bai, J. Liu, H. Shao, C. Wu, and Z. Guo, “A fractional mass transfer model for simulating VOC emissions from porous, dry building material,” *Building and Environment*, vol. 152, pp. 182–191, 2019.
- [42] O. P. Agrawal, “Generalized multiparameters fractional variational calculus,” *International Journal of Differential Equations*, vol. 2012, pp. 1–38, 2012.
- [43] O. P. Agrawal, “Some generalized fractional calculus operators and their applications in integral equations,” *Fractional Calculus and Applied Analysis*, vol. 15, no. 4, pp. 700–711, 2012.
- [44] A. Jajarmi, D. Baleanu, S. S. Sajjadi, and J. J. Nieto, “Analysis and some applications of a regularized Ψ –Hilfer fractional derivative,” *Journal of Computational and Applied Mathematics*, vol. 415, p. 114476, 2022.
- [45] M.-H. Kim, G.-C. Ri, and O. Hyong-Chol, “Operational method for solving multi-term fractional differential equations with the generalized fractional derivatives,” *Fractional Calculus and Applied Analysis*, vol. 17, no. 1, pp. 79–95, 2014.
- [46] X. Li and P. J. Wong, “A gWSGL numerical scheme for generalized fractional sub-diffusion problems,” *Communications in Nonlinear Science and Numerical Simulation*, vol. 82, p. 104991, 2020.

- [47] Y. Xu and O. P. Agrawal, “Numerical solutions and analysis of diffusion for new generalized fractional Burgers equation,” *Fractional Calculus and Applied Analysis*, vol. 16, no. 3, pp. 709–736, 2013.
- [48] Y. Xu, Z. He, and Q. Xu, “Numerical solutions of fractional advection–diffusion equations with a kind of new generalized fractional derivative,” *International Journal of Computer Mathematics*, vol. 91, no. 3, pp. 588–600, 2014.
- [49] M. G. Mittag-Leffler, “Une généralisation de l’intégrale de Laplace-Abel,” *Comptes Rendus de l’Academie des Sciences Série II*, vol. 137, pp. 537–539, 1903.
- [50] M. G. Mittag-Leffler, “Sur la nouvelle fonction $E_\alpha(x)$,” *Comptes Rendus de l’Academie des Sciences*, vol. 137, no. 2, pp. 554–558, 1903.
- [51] P. Humbert and R. P. Agarwal, “Sur la fonction de Mittag-Leffler et quelques-unes de ses généralisations,” *Bull. Sci. Math*, vol. 77, no. 2, pp. 180–185, 1953.
- [52] P. Humbert, “Quelques résultats relatifs à la fonction de Mittag-Leffler,” *Comptes rendus hebdomadaires des seances de l’academie des sciences*, vol. 236, no. 15, pp. 1467–1468, 1953.
- [53] T. R. Prabhakar, “A singular integral equation with a generalized Mittag-Leffler function in the kernel,” *Yokohama Math J*, vol. 19, no. 1, pp. 7–15, 1971.
- [54] R. Garra, R. Gorenflo, F. Polito, and Ž. Tomovski, “Hilfer–Prabhakar derivatives and some applications,” *Applied Mathematics and Computation*, vol. 242, pp. 576–589, 2014.

- [55] T. Sandev, “Generalized Langevin equation and the Prabhakar derivative,” *Mathematics*, vol. 5, no. 4, p. 66, 2017.
- [56] F. Mainardi and R. Garrappa, “On complete monotonicity of the Prabhakar function and non-Debye relaxation in dielectrics,” *Journal of Computational Physics*, vol. 293, pp. 70–80, 2015.
- [57] S. Pandey, “The Lorenzo–Hartley’s function for fractional calculus and its applications pertaining to fractional order modelling of anomalous relaxation in dielectrics,” *Computational and Applied Mathematics*, vol. 37, no. 3, pp. 2648–2666, 2018.
- [58] A. Giusti and I. Colombaro, “Prabhakar-like fractional viscoelasticity,” *Communications in Nonlinear Science and Numerical Simulation*, vol. 56, pp. 138–143, 2018.
- [59] A. Giusti, I. Colombaro, R. Garra, R. Garrappa, F. Polito, M. Popolizio, and F. Mainardi, “A practical guide to Prabhakar fractional calculus,” *Fractional Calculus and Applied Analysis*, vol. 23, no. 1, pp. 9–54, 2020.
- [60] M. Derakhshan, “New numerical algorithm to solve variable-order fractional integro-differential equations in the sense of Hilfer-Prabhakar derivative,” *Abstract and Applied Analysis*, vol. 2021, p. 8817794, 2021.
- [61] M. H. Derakhshan and A. Ansari, “Numerical approximation to Prabhakar fractional Sturm–Liouville problem,” *Computational and Applied Mathematics*, vol. 38, no. 2, pp. 1–20, 2019.

- [62] B. Bagharzadehtvasani, A. H. Refahi Sheikhan, and H. Aminikhah, “A numerical scheme for solving variable order Caputo-Prabhakar fractional integro-differential equation,” *International Journal of Nonlinear Analysis and Applications*, vol. 13, no. 1, pp. 467–484, 2022.
- [63] F. Tchier, M. Inc, Z. S. Korpınar, and D. Baleanu, “Solutions of the time fractional reaction–diffusion equations with residual power series method,” *Advances in Mechanical Engineering*, vol. 8, no. 10, pp. 1687–8132, 2016.
- [64] C. Gong, W. Bao, G. Tang, Y. Jiang, and J. Liu, “A domain decomposition method for time fractional reaction-diffusion equation,” *The Scientific World Journal*, vol. 2014, 2014.
- [65] A. Kanth and N. Garg, “A numerical approach for a class of time-fractional reaction–diffusion equation through exponential B-spline method,” *Computational and Applied Mathematics*, vol. 39, no. 1, pp. 1–24, 2020.
- [66] C. Gong, W. Bao, G. Tang, B. Yang, and J. Liu, “An efficient parallel solution for Caputo fractional reaction–diffusion equation,” *The Journal of Supercomputing*, vol. 68, no. 3, pp. 1521–1537, 2014.
- [67] Y. Liu, Y. Du, H. Li, and J. Wang, “An H^1 -Galerkin mixed finite element method for time fractional reaction–diffusion equation,” *Journal of Applied Mathematics and Computing*, vol. 47, no. 1, pp. 103–117, 2015.
- [68] M. Dehghan, M. Abbaszadeh, and A. Mohebbi, “Error estimate for the numerical solution of fractional reaction–subdiffusion process based on a meshless method,” *Journal of Computational and Applied Mathematics*, vol. 280, pp. 14–36, 2015.

- [69] M. Abbaszadeh and M. Dehghan, “Direct meshless local Petrov–Galerkin (DMLPG) method for time-fractional fourth-order reaction–diffusion problem on complex domains,” *Computers & Mathematics with Applications*, vol. 79, no. 3, pp. 876–888, 2020.
- [70] M. Abbaszadeh and M. Dehghan, “Analysis of mixed finite element method (MFEM) for solving the generalized fractional reaction–diffusion equation on nonrectangular domains,” *Computers & Mathematics with Applications*, vol. 78, no. 5, pp. 1531–1547, 2019.
- [71] M. Lakestani, M. Dehghan, and S. Irandoust-Pakchin, “The construction of operational matrix of fractional derivatives using B-spline functions,” *Communications in Nonlinear Science and Numerical Simulation*, vol. 17, no. 3, pp. 1149–1162, 2012.
- [72] A. Saadatmandi and M. Dehghan, “A new operational matrix for solving fractional-order differential equations,” *Computers & Mathematics with Applications*, vol. 59, no. 3, pp. 1326–1336, 2010.
- [73] M. Stynes, E. O’Riordan, and J. L. Gracia, “Error analysis of a finite difference method on graded meshes for a time-fractional diffusion equation,” *SIAM Journal on Numerical Analysis*, vol. 55, no. 2, pp. 1057–1079, 2017.
- [74] H. Chen, X. Hu, J. Ren, T. Sun, and Y. Tang, “L1 scheme on graded mesh for the linearized time fractional KdV equation with initial singularity,” *International Journal of Modeling, Simulation, and Scientific Computing*, vol. 10, no. 01, p. 1941006, 2019.
- [75] M. Chen, S. Jiang, and W. Bu, “Two L1 schemes on graded meshes for fractional Feynman-Kac equation,” *Journal of Scientific Computing*, vol. 88, no. 3, pp. 1–24, 2021.

- [76] Z. Cen, J. Huang, A. Xu, and A. Le, “Numerical approximation of a time-fractional Black–Scholes equation,” *Computers & Mathematics with Applications*, vol. 75, no. 8, pp. 2874–2887, 2018.
- [77] N. Kedia, A. A. Alikhanov, and V. K. Singh, “Stable numerical schemes for time-fractional diffusion equation with generalized memory kernel,” *Applied Numerical Mathematics*, vol. 172, pp. 546–565, 2022.
- [78] D. Li and J. Zhang, “Efficient implementation to numerically solve the nonlinear time fractional parabolic problems on unbounded spatial domain,” *Journal of Computational Physics*, vol. 322, pp. 415–428, 2016.
- [79] D. Li, J. Zhang, and Z. Zhang, “Unconditionally optimal error estimates of a linearized Galerkin method for nonlinear time fractional reaction–subdiffusion equations,” *Journal of Scientific Computing*, vol. 76, no. 2, pp. 848–866, 2018.
- [80] J. Wang, T. Liu, H. Li, Y. Liu, and S. He, “Second-order approximation scheme combined with H1-Galerkin MFE method for nonlinear time fractional convection–diffusion equation,” *Computers & Mathematics with Applications*, vol. 73, no. 6, pp. 1182–1196, 2017.
- [81] P. Lyu and S. Vong, “A fast linearized numerical method for nonlinear time-fractional diffusion equations,” *Numerical Algorithms*, vol. 87, pp. 381–408, 2021.
- [82] H. Zhang, X. Yang, Y. Liu, and Y. Liu, “An extrapolated CN-WSGD OSC method for a nonlinear time fractional reaction-diffusion equation,” *Applied Numerical Mathematics*, vol. 157, pp. 619–633, 2020.

- [83] M. Haghi, M. Ilati, and M. Dehghan, “A fourth-order compact difference method for the nonlinear time-fractional fourth-order reaction–diffusion equation,” *Engineering with Computers*, vol. 39, no. 2, pp. 1329–1340, 2023.
- [84] A. Singh, S. Kumar, and J. Vigo-Aguiar, “A fully discrete scheme based on cubic splines and its analysis for time-fractional reaction–diffusion equations exhibiting weak initial singularity,” *Journal of Computational and Applied Mathematics*, p. 115338, 2023.
- [85] R. Ghaffari and F. Ghoreishi, “A Low-Dimensional Compact Finite Difference Method on Graded Meshes for Time-Fractional Diffusion Equations,” *Computational Methods in Applied Mathematics*, vol. 21, no. 4, pp. 827–840, 2021.
- [86] H. Chen and M. Stynes, “Error analysis of a second-order method on fitted meshes for a time-fractional diffusion problem,” *Journal of Scientific Computing*, vol. 79, pp. 624–647, 2019.
- [87] K. Taneja, K. Deswal, and D. Kumar, “A robust higher-order numerical technique with graded and harmonic meshes for the time-fractional diffusion-advection-reaction equation,” *Mathematics and Computers in Simulation*, vol. 213, pp. 348–373, 2023.
- [88] J. Ren, D. Shi, and S. Vong, “High accuracy error estimates of a Galerkin finite element method for nonlinear time fractional diffusion equation,” *Numerical Methods for Partial Differential Equations*, vol. 36, no. 2, pp. 284–301, 2020.
- [89] B. Jin, B. Li, and Z. Zhou, “Numerical analysis of nonlinear subdiffusion equations,” *SIAM Journal on Numerical Analysis*, vol. 56, no. 1, pp. 1–23, 2018.

- [90] B. Zhou, X. Chen, and D. Li, “Nonuniform Alikhanov linearized Galerkin finite element methods for nonlinear time-fractional parabolic equations,” *Journal of Scientific Computing*, vol. 85, pp. 1–20, 2020.
- [91] M. Cui, “Compact exponential scheme for the time fractional convection–diffusion reaction equation with variable coefficients,” *Journal of Computational Physics*, vol. 280, pp. 143–163, 2015.
- [92] S. Chen and F. Liu, “ADI-Euler and extrapolation methods for the two-dimensional fractional advection-dispersion equation,” *Journal of Applied Mathematics and Computing*, vol. 26, pp. 295–311, 2008.
- [93] L. Wu and S. Zhai, “A new high order ADI numerical difference formula for time-fractional convection-diffusion equation,” *Applied Mathematics and Computation*, vol. 387, p. 124564, 2020.
- [94] Y.-M. Wang and T. Wang, “Error analysis of a high-order compact ADI method for two-dimensional fractional convection-subdiffusion equations,” *Calcolo*, vol. 53, no. 3, pp. 301–330, 2016.
- [95] A. Tayebi, Y. Shekari, and M. H. Heydari, “A meshless method for solving two-dimensional variable-order time fractional advection–diffusion equation,” *Journal of Computational Physics*, vol. 340, pp. 655–669, 2017.
- [96] J. Zhang, X. Zhang, and B. Yang, “An approximation scheme for the time fractional convection–diffusion equation,” *Applied Mathematics and Computation*, vol. 335, pp. 305–312, 2018.
- [97] H. Qiao and A. Cheng, “A fast finite difference/RBF meshless approach for time fractional convection-diffusion equation with non-smooth solution,” *Engineering Analysis with Boundary Elements*, vol. 125, pp. 280–289, 2021.

- [98] H.-L. Liao, Z.-Z. Sun, and H.-S. Shi, “Error estimate of fourth-order compact scheme for linear Schrödinger equations,” *SIAM Journal on Numerical Analysis*, vol. 47, no. 6, pp. 4381–4401, 2010.
- [99] A. Khan, M. Noor, and T. Aziz, “Parametric quintic-spline approach to the solution of a system of fourth-order boundary-value problems,” *Journal of Optimization Theory and Applications*, vol. 122, no. 2, pp. 309–322, 2004.
- [100] A. Khan and T. Sultana, “Parametric quintic spline solution for sixth order two point boundary value problems,” *Filomat*, vol. 26, no. 6, pp. 1233–1245, 2012.
- [101] A. Khan and T. Sultana, “Parametric quintic spline solution of third-order boundary value problems,” *International Journal of Computer Mathematics*, vol. 89, no. 12, pp. 1663–1677, 2012.
- [102] X. Li and P. J. Wong, “A higher order non-polynomial spline method for fractional sub-diffusion problems,” *Journal of Computational Physics*, vol. 328, pp. 46–65, 2017.
- [103] X. Li and P. J. Wong, “Non-polynomial spline approach in two-dimensional fractional sub-diffusion problems,” *Applied Mathematics and Computation*, vol. 357, pp. 222–242, 2019.
- [104] A. A. Alikhanov, “A new difference scheme for the time fractional diffusion equation,” *Journal of Computational Physics*, vol. 280, pp. 424–438, 2015.
- [105] K. Khari and V. Kumar, “An efficient numerical technique for solving nonlinear singularly perturbed reaction diffusion problem,” *Journal of Mathematical Chemistry*, pp. 1–27, 2022.

- [106] J. Crank, “The mathematics of diffusion,” *Oxford University Press: Oxford*, 1975.
- [107] J. De Wilde and G. F. Froment, “Computational Fluid Dynamics in chemical reactor analysis and design: Application to the ZoneFlow reactor for methane steam reforming,” *Fuel*, vol. 100, pp. 48–56, 2012.
- [108] S. Kumar and M. Kumar, “High order parameter-uniform discretization for singularly perturbed parabolic partial differential equations with time delay,” *Computers & Mathematics with Applications*, vol. 68, no. 10, pp. 1355–1367, 2014.
- [109] A. Singh, S. Kumar, and J. Vigo-Aguiar, “High-order schemes and their error analysis for generalized variable coefficients fractional reaction–diffusion equations,” *Mathematical Methods in the Applied Sciences*, 2023.
- [110] S. Sumit, S. Kumar, and M. Kumar, “Optimal fourth-order parameter-uniform convergence of a non-monotone scheme on equidistributed meshes for singularly perturbed reaction–diffusion problems,” *International Journal of Computer Mathematics*, vol. 99, no. 8, pp. 1638–1653, 2022.
- [111] A. Samarskii and V. Andreev, “Difference methods for elliptic equations (Russian book),” *Moscow, Izdatel’stvo Nauka, 1976. 352*, 1976.
- [112] Y. Luchko, “Initial-boundary-value problems for the one-dimensional time-fractional diffusion equation,” *Fractional Calculus and Applied Analysis*, vol. 15, no. 1, pp. 141–160, 2012.
- [113] D. Henry, *Geometric theory of semilinear parabolic equations*, vol. 840. Springer, 2006.

- [114] G. Raggett, J. Stone, and S. Wisher, “The cubic spline solution of practical problems modelled by hyperbolic partial differential equations,” *Computer Methods in Applied Mechanics and Engineering*, vol. 8, no. 2, pp. 139–151, 1976.
- [115] R. Mohanty and V. Gopal, “High accuracy cubic spline finite difference approximation for the solution of one-space dimensional non-linear wave equations,” *Applied Mathematics and Computation*, vol. 218, no. 8, pp. 4234–4244, 2011.
- [116] R. Mohanty and M. K. Jain, “High-accuracy cubic spline alternating group explicit methods for 1D quasi-linear parabolic equations,” *International Journal of Computer Mathematics*, vol. 86, no. 9, pp. 1556–1571, 2009.
- [117] R. Mohanty, M. K. Jain, and D. Dhall, “A cubic spline approximation and application of TAGE iterative method for the solution of two point boundary value problems with forcing function in integral form,” *Applied Mathematical Modelling*, vol. 35, no. 6, pp. 3036–3047, 2011.
- [118] H. Sun, Y. Zhang, W. Chen, and D. M. Reeves, “Use of a variable-index fractional-derivative model to capture transient dispersion in heterogeneous media,” *Journal of Contaminant Hydrology*, vol. 157, pp. 47–58, 2014.
- [119] A. Chang, H. Sun, C. Zheng, B. Lu, C. Lu, R. Ma, and Y. Zhang, “A time fractional convection–diffusion equation to model gas transport through heterogeneous soil and gas reservoirs,” *Physica A: Statistical Mechanics and its Applications*, vol. 502, pp. 356–369, 2018.
- [120] H.-L. Liao, W. McLean, and J. Zhang, “A second-order scheme with nonuniform time steps for a linear reaction-sudiffusion problem,” *arXiv preprint arXiv:1803.09873*, 2018.

- [121] M. Hajipour, A. Jajarmi, D. Baleanu, and H. Sun, “On an accurate discretization of a variable-order fractional reaction-diffusion equation,” *Communications in Nonlinear Science and Numerical Simulation*, vol. 69, pp. 119–133, 2019.
- [122] S. Zhai, X. Feng, and Y. He, “An unconditionally stable compact ADI method for three-dimensional time-fractional convection–diffusion equation,” *Journal of Computational Physics*, vol. 269, pp. 138–155, 2014.
- [123] L. L. Ferrás, N. Ford, M. L. Morgado, and M. Rebelo, “High-order methods for systems of fractional ordinary differential equations and their application to time-fractional diffusion equations,” *Mathematics in Computer Science*, vol. 15, no. 4, pp. 535–551, 2021.
- [124] S. Kumar, Sumit, and J. Vigo-Aguiar, “A high order convergent numerical method for singularly perturbed time dependent problems using mesh equidistribution,” *Mathematics and Computers in Simulation*, vol. 199, pp. 287–306, 2022.
- [125] H.-L. Liao and Z.-Z. Sun, “Maximum norm error bounds of ADI and compact ADI methods for solving parabolic equations,” *Numerical Methods for Partial Differential Equations: An International Journal*, vol. 26, no. 1, pp. 37–60, 2010.
- [126] Y.-n. Zhang and Z.-z. Sun, “Alternating direction implicit schemes for the two-dimensional fractional sub-diffusion equation,” *Journal of Computational Physics*, vol. 230, no. 24, pp. 8713–8728, 2011.

List of Publications

- [1] **Singh, A.**, & Kumar, S. (2023). A convergent exponential B-spline collocation method for a time-fractional telegraph equation. *Computational and Applied Mathematics*, 42 (79).
doi: <https://doi.org/10.1007/s40314-023-02213-0>, I.F.: 2.6
- [2] **Singh, A.**, Kumar, S., & Aguiar, J.V. (2023). A fully discrete scheme based on cubic splines and its analysis for time-fractional reaction–diffusion equations exhibiting weak initial singularity.
Journal of Computational and Applied Mathematics, 434, 115338.
doi: <https://doi.org/10.1016/j.cam.2023.115338>, I.F.: 2.4
- [3] **Singh, A.**, Kumar, S., & Aguiar, J.V. (2023). High-order schemes and their error analysis for generalized variable coefficients fractional reaction–diffusion equations. *Mathematical Methods in the Applied Sciences*.
doi: <https://doi.org/10.1002/mma.9458>, I.F.: 2.9
- [4] **Singh, A.**, Kumar, S., & Aguiar, J.V. (2023). On new approximations of Caputo-Prabhakar fractional derivative and their application to reaction-diffusion problems with variable coefficients. *Mathematical Methods in the Applied Sciences*.
doi: <https://doi.org/10.1002/mma.9654>, I.F.: 2.9

- [5] **Singh, A.**, & Kumar, S. (2023). An efficient numerical method based on exponential B-splines for time-fractional Black-Scholes equation governing European options. *Computational Economics*.
doi: <https://doi.org/10.1007/s10614-023-10500-5>, **I.F.:** 2.0
- [6] **Singh, A.**, & Kumar, S. Error analysis of a high-order fully discrete method for the two-dimensional time-fractional convection-diffusion equation exhibiting weak initial singularity. *arXiv:2308.08971*
doi: <https://doi.org/10.48550/arXiv.2308.08971>
- [7] **Singh, A.**, & Kumar, S. High-order non-polynomial spline method for the nonlinear time-fractional reaction-diffusion equation exhibiting weak initial singularity. (*Communicated*)
- [8] Singh, R. **Singh, A.**, & Kumar, S. Convergence analysis of a fully discrete method based on cubic splines for higher dimensional time-fractional variable coefficients reaction-diffusion equations. (*Communicated*)
- [9] Priyanka, **Singh, A.**, & Kumar, S. A high order non-polynomial spline technique and its convergence analysis for variable coefficient time-fractional reaction-diffusion problems exhibiting singular behaviour. (*Communicated*)
-