

REFERENCES

REFERENCES

1. D. Roberts and David Tabor, 1971. The extrusion of liquids between highly elastic solids. *Proceedings of the Royal Society of London. A. Mathematical and Physical Sciences*, 325(1562), 323–345.
2. Aguilar-Morales, A. I., Alamri, S., and Lasagni, A. F., 2018. Micro-fabrication of high aspect ratio periodic structures on stainless steel by picosecond direct laser interference patterning. *Journal of Materials Processing Technology*, 252, 313–321.
3. Antler, M., 1981. Sliding wear of metallic contacts. *IEEE Transactions on Components, Hybrids, and Manufacturing Technology*, 4(1), 15–29.
4. Archard, J. F., 2004. Contact and rubbing of flat surfaces. *Journal of Applied Physics*, 24(8), 981.
5. Baumgart, P., Krajnovich, D. J., Nguyen, T. A., and Tam, A. C., 1995. A new laser texturing technique for high performance magnetic disk drives. *IEEE Transactions on Magnetics*, 31(6), 2946–2951.
6. Beilby, G. T., 1921. *Aggregation and flow of solids: being the records of an experimental study of the micro-structure and physical properties of solids in various states of aggregation, 1900-1921.* Macmillan and Company, limited.
7. Berzinš, J., Indrišiūnas, S., Van Erve, K., Nagarajan, A., Fasold, S., Steinert, M., Gerini, G., Gečys, P., Pertsch, T., Bäumer, S. M. B., and Setzpfandt, F., 2020. Direct and high-throughput fabrication of mie-resonant metasurfaces via single-pulse laser interference. *ACS Nano*, 14(5), 6138–6149.
8. Bhushan, B., 1996. Contact mechanics of rough surfaces in tribology: single asperity contact. *Applied Mechanics Reviews*, 49(5), 275–298.
9. Bhushan, B., 1999. *Principles and applications of tribology.* John Wiley & Sons.

10. Bhushan, B., 2013. Principles and applications of tribology. John Wiley & Sons.
11. Bieda, M., Schmädicke, C., Roch, T., and Lasagni, A., 2015. Ultra-low friction on 100Cr6-steel surfaces after direct laser interference patterning. *Advanced Engineering Materials*, 17(1), 102–108.
12. Blatter, A., Maillat, M., Pimenov, S. M., Shafeev, G. A., Simakin, A. V., and Loubnin, E. N., 1999. Lubricated sliding performance of laser-patterned sapphire. *Wear*, 232(2), 226–230.
13. Bordatchev, E., and Nikumb, S., 2007. Fabrication of moulds and dies using precision laser micromachining and micromilling technologies. *Journal of Laser Micro Nanoengineering*, 3(3), 175–181.
14. Borghi, A., Gualtieri, E., Marchetto, D., Moretti, L., and Valeri, S., 2008. Tribological effects of surface texturing on nitriding steel for high-performance engine applications. *Wear*, 265(7–8), 1046-1051.
15. Bowden, F. P., and Tabor, D., 1950. *The friction and lubrication of solids, Part I*, Clarendon. Oxford.
16. Bowden, F. P., and Tabor, D., 1964. *The friction and lubrication of solids, Part II*. Oxford, England, University Press.
17. Bowden, F. P., and Tabor, D., 1973. *Friction: an introduction to tribology*. Anchor.
18. Briscoe, B. J., Scruton, B., and Willis, F. R., 1973. The shear strength of thin lubricant films. *Proceedings of the Royal Society of London. A. Mathematical and Physical Sciences*, 333(1592), 99–114.
19. Bruzzone, A. A. G., Costa, H. L., Lonardo, P. M., and Lucca, D. A., 2008. Advances in engineered surfaces for functional performance. *CIRP Annals – Manufacturing Technology*, 57(2), 750–769.
20. Buckley, D. H., 1981. Surface effects in adhesion, friction, wear, and lubrication. 631.

21. Costa, H. L., and Hutchings, I. M., 2009. Effects of die surface patterning on lubrication in strip drawing. *Journal of Materials Processing Technology*, 3(209), 1175–1180.
22. Costa, H. L., and Hutchings, I. M., 2015. Some innovative surface texturing techniques for tribological purposes. *Proceedings of the Institution of Mechanical Engineers, Part J: Journal of Engineering Tribology*, 229(4), 429–448.
23. Dašić, P., Franek, F., Assenova, E., and Radovanović, M., 2003. International standardization and organizations in the field of tribology. *Industrial Lubrication and Tribology*, 55(6), 287–291.
24. Dowson, D., 1979. *History of Tribology*. Addison-Wesley Longman Limited.
25. Dunn, A., Carstensen, J. V., Wlodarczyk, K. L., Hansen, E. B., Gabzdyl, J., Harrison, P. M., Shephard, J. D., and Hand, D. P., 2014. Nanosecond laser texturing for high friction applications. *Optics and Lasers in Engineering*, 62, 9–16.
26. Etsion, I., and Burstein, L., 2008. A model for mechanical seals with regular microsurface structure. *Tribology Transactions*, 39(3), 677–683.
27. Etsion, I., Kligerman, Y., and Halperin, G., 1999. Analytical and experimental investigation of laser-textured mechanical seal faces. *Tribology Transactions*, 42(3), 511–516.
28. Etsion, Izhak., 2005. State of the art in laser surface texturing. *Journal of Tribology*, 127(1), 248–253.
29. Etsion, Izhak., 2013. Modeling of surface texturing in hydrodynamic lubrication. *Friction*, 1(3), 195–209.
30. Gachot, C., Rosenkranz, A., Reinert, L., Ramos-Moore, E., Souza, N., Müser, M. H., and Mücklich, F., 2013. Dry friction between laser-patterned surfaces: Role of

- alignment, structural wavelength and surface chemistry. *Tribology Letters*, 49(1), 193–202.
31. Gahr, Z., 1987. *Microstructure and wear of materials*. Elsevier Science Ltd, 37(412), 16.
 32. Galda, L., Pawlus, P., and Sep, J., 2009. Dimples shape and distribution effect on characteristics of Stribeck curve. *Tribology International*, 42(10), 1505–1512.
 33. Gandhi, R., Sebastian, D., Basu, S., Mann, J. B., Iglesias, P., and Saldana, C., 2016. Surfaces by vibration/modulation-assisted texturing for tribological applications. *International Journal of Advanced Manufacturing Technology*, 85(1–4), 909–920.
 34. Gao, Y., Wu, B., Zhou, Y., and Tao, S., 2011. A two-step nanosecond laser surface texturing process with smooth surface finish. *Applied Surface Science*, 257(23), 9960–9967.
 35. Grabon, W., Koszela, W., Pawlus, P., and Ochwat, S., 2013. Improving tribological behaviour of piston ring–cylinder liner frictional pair by liner surface texturing. *Tribology International*, 61, 102–108.
 36. Grabowski, A., Sozańska, M., Adamiak, M., Kępińska, M., and Florian, T., 2018. Laser surface texturing of Ti6Al4V alloy, stainless steel and aluminium silicon alloy. *Applied Surface Science*, 461, 117–123.
 37. Grützmacher, P. G., Profito, F. J., and Rosenkranz, A., 2019. Multi-scale surface texturing in tribology-current knowledge and future perspectives. *Lubricants*, 7(11).
 38. Guangteng, G., Cann, P. M., and Spikes, H. A., 1992. A study of parched lubrication. *Wear*, 153(1), 91–105.
 39. Gujba, A. K., and Medraj, M., 2014. Laser peening process and its impact on materials properties in comparison with shot peening and ultrasonic impact peening. *Materials*, 7(12), 7925-7974.

40. Halling, J., 1975. A contribution to the theory of mechanical wear. *Wear*, 34(3), 239–249.
41. Halling, J., 1975. *Principles of Tribology*. Macmillan.
42. Hamilton, D. B., Walowit, J. A., and Allen, C. M., 1966. A theory of lubrication by microirregularities. *Journal of Basic Engineering*, 88(1), 177–185.
43. Hausmann, U. P., Joerges, P., Heinzl, J., and Talke, F. E., 2009. Nano-texturing of magnetic recording sliders via laser ablation. *Microsystem Technologies*, 15(10–11), 1747–1751.
44. Hsu, S. M., Jing, Y., and Zhao, F., 2016. Self-adaptive surface texture design for friction reduction across the lubrication regimes. *Surface Topography: Metrology and Properties*, 4(1).
45. Hu, J., and Xu, H., 2016. Friction and wear behavior analysis of the stainless-steel surface fabricated by laser texturing underwater. *Tribology International*, 102, 371–377.
46. Hutchings, L. M. M., 1992. *Tribology: friction and wear of engineering materials*. Edward Arnold.
47. Hwang, D. H., Kim, D. E., and Lee, S. J., 1999. Influence of wear particle interaction in the sliding interface on friction of metals. *Wear*, 225–229(I), 427–439.
48. Ibatan, T., Uddin, M. S., and Chowdhury, M. A. K., 2015. Recent development on surface texturing in enhancing tribological performance of bearing sliders. *Surface and Coatings Technology*, 272, 102–120.
49. Jain, A. K., Kumar, M., and Thakre, G. D., 2021. Effect of the material hardness and operating conditions on the friction and wear during lubricated sliding. *Lecture Notes in Mechanical Engineering*, 115–126.

50. Jeng, Y. R., 1996. Impact of plateaued surfaces on tribological performance. *Tribology Transactions*, 39(2), 354–361.
51. Jost, H. P., and Schofield, J., 2006. Energy saving through tribology: a techno-economic study. *Proceedings of the Institution of Mechanical Engineers*, 195(1), 151–173.
52. Komvopoulos, K., 2003. Adhesion and friction forces in microelectromechanical systems: mechanisms, measurement, surface modification techniques, and adhesion theory. *Journal of Adhesion Science and Technology*, 17(4), 477–517.
53. Kovalchenko, A. M., Erdemir, A., Ajayi, O. O., and Etsion, I., 2017. Tribological behavior of oil-lubricated laser textured steel surfaces in conformal flat and non-conformal contacts. *Materials Performance and Characterization*, 6(2), MPC20160013.
54. Leitz, K. H., Redlingshöer, B., Reg, Y., Otto, A., and Schmidt, M., 2011. Metal ablation with short and ultrashort laser pulses. *Physics Procedia*, 12(PART 2), 230–238.
55. Li, Jian, and Wang, X., 2013. Numerical simulation of the influence of the bulges around laser surface textures on the tribological performance. *Tribology Transactions*, 56(6), 1011–1018.
56. Li, Jianliang, Xiong, D., Dai, J., Huang, Z., and Tyagi, R., 2010. Effect of surface laser texture on friction properties of nickel-based composite. *Tribology International*, 43(5–6), 1193–1199.
57. Li, K., Yao, Z., Hu, Y., and Gu, W., 2014. Friction and wear performance of laser peen textured surface under starved lubrication. *Tribology International*, 77, 97–105.

58. Liu, Y., Liu, L., Deng, J., Meng, R., Zou, X., and Wu, F., 2017. Fabrication of microscale textured grooves on green ZrO₂ ceramics by pulsed laser ablation. *Ceramics International*, 43(8), 6519–6531.
59. Lugt, P. M., and Morales-Espejel, G. E., 2011. A review of elasto-hydrodynamic lubrication theory. *Tribology Transactions*, 54(3), 470–496.
60. Luo, J., Liu, M., and Ma, L., 2021. Origin of friction and the new frictionless technology—Superlubricity: Advancements and future outlook. *Nano Energy*, 86, 106092.
61. Ma, C., and Zhu, H., 2011. An optimum design model for textured surface with elliptical-shape dimples under hydrodynamic lubrication. *Tribology International*, 44(9), 987–995.
62. Maharjan, N., Zhou, W., Zhou, Y., Guan, Y., and Wu, N., 2019. Comparative study of laser surface hardening of 50CrMo4 steel using continuous-wave laser and pulsed lasers with ms, ns, ps and fs pulse duration. *Surface and Coatings Technology*, 366, 311–320.
63. Mang, T., and Dresel, W., 2007. *Lubricants and lubrication*. John Wiley & Sons.
64. Mao, B., Siddaiah, A., Liao, Y., and Menezes, P. L., 2020. Laser surface texturing and related techniques for enhancing tribological performance of engineering materials: A review. *Journal of Manufacturing Processes*, 53, 153–173.
65. Meijer, J., Du, K., Gillner, A., Hoffmann, D., Kovalenko, V. S., Masuzawa, T., Ostendorf, A., Poprawe, R., and Schulz, W., 2002. Laser machining by short and ultrashort pulses, state of the art and new opportunities in the age of the photons. In *CIRP Annals - Manufacturing Technology*, 51(2), 531–550.
66. Menezes, P. L., Kishore, and Kailas, S. V., 2006. Studies on friction and transfer layer: Role of surface texture. *Tribology Letters*, 24(3), 265–273.

67. Michalczewski, R., Piekoszewski, W., Szczerek, M., and Winiewski, M., 2000. Influence of contact geometry on friction and wear characteristics. *TriboTest*, 6(4), 337–346.
68. Mokhtar, M. O. A., 1982. The effect of hardness on the frictional behaviour of metals. *Wear*, 78(3), 297–304.
69. Mosleh, M., Laube, S. J. P., and Suh, N. P., 1999. Friction of undulated surfaces coated with MoS₂ by pulsed laser deposition. *Tribology Transactions*, 42(3), 495–502.
70. Mourier, L., Mazuyer, D., Ninove, F. P., and Lubrecht, A. A., 2010. Lubrication mechanisms with laser-surface-textured surfaces in elastohydrodynamic regime. *Proceedings of the Institution of Mechanical Engineers, Part J: Journal of Engineering Tribology*, 224(8).
71. Murthy, A. N., Etsion, I., and Talke, F. E., 2007. Analysis of surface textured air bearing sliders with rarefaction effects. *Tribology Letters*, 28(3), 251–261.
72. Nanbu, T., Ren, N., Yasuda, Y., Zhu, D., and Wang, Q. J., 2008. Micro-textures in concentrated conformal-contact lubrication: Effects of texture bottom shape and surface relative motion. *Tribology Letters*, 29(3), 241–252.
73. Norris, J. A., Stabile, K. J., and Jinnah, R. H., 2008. An introduction to tribology. *Journal of surgical orthopaedic advances*, 17(1).
74. Pettersson, U., and Jacobson, S., 2003. Influence of surface texture on boundary lubricated sliding contacts. *Tribology International*, 36(11), 857–864.
75. Pettersson, U., and Jacobson, S., 2004. Friction and wear properties of micro textured DLC coated surfaces in boundary lubricated sliding. *Tribology Letters*, 17(3), 553–559.

76. Qiu, M., Delic, A., and Raeymaekers, B., 2012. The effect of texture shape on the load carrying capacity of gas-lubricated parallel slider bearings. *Tribology Letters*, 48(3), 315–327.
77. Rabinowicz, E., 1965. *Friction and wear of materials*. Wiley, New York.
78. Rahmani, R., Mirzaee, I., Shirvani, A., and Shirvani, H., 2010. An analytical approach for analysis and optimisation of slider bearings with infinite width parallel textures. *Tribology International*, 43(8), 1551–1565.
79. Ripoll, M. R., Podgornik, B., and Vižintin, J., 2011. Finite element analysis of textured surfaces under reciprocating sliding. *Wear*, 5–6(271), 952–959.
80. Riveiro, A., Maçon, A. L. B., del Val, J., Comesaña, R., and Pou, J., 2018. Laser surface texturing of polymers for biomedical applications. *Frontiers in Physics*, 6, 16.
81. Rosenkranz, A., Costa, H. L., Baykara, M. Z., and Martini, A., 2021. Synergetic effects of surface texturing and solid lubricants to tailor friction and wear – A review. *Tribology International*, 155.
82. Rosenkranz, A., Reinert, L., Gachot, C., and Mücklich, F., 2014. Alignment and wear debris effects between laser-patterned steel surfaces under dry sliding conditions. *Wear*, 318(1–2), 49–61.
83. Ryk, G., and Etsion, I., 2006. Testing piston rings with partial laser surface texturing for friction reduction. *Wear*, 261(7-8), 792-796.
84. Ryk, G., Kligerman, Y., Rings, P., and Texturing, S., 2002. Experimental investigation of laser surface texturing for reciprocating automotive components. *Tribology Transactions*, 45, 444–449.
85. Saka, N., Liou, M. J., and Suh, N. P., 1984. The role of tribology in electrical contact phenomena. *Wear*, 100(1–3), 77–105.

86. Sawyer, W. G., Argibay, N., Burris, D. L., and Krick, B. A., 2014. Mechanistic studies in friction and wear of bulk materials. *Annual Review of Materials Research*, 44, 395–427.
87. Schneider, J., Braun, D., and Greiner, C., 2017. Laser textured surfaces for mixed lubrication: influence of aspect ratio, textured area and dimple arrangement. *Lubricants*, 5(3).
88. Schneider, Y. G., 1984. Formation of surfaces with uniform micropatterns on precision machine and instruments parts. *Precision Engineering*, 6(4), 219–225.
89. Semaltianos, N. G., Perrie, W., French, P., Sharp, M., Dearden, G., and Watkins, K. G., 2008. Femtosecond laser surface texturing of a nickel-based superalloy. *Applied Surface Science*, 255(5 PART 2), 2796–2802.
90. Semenov, A. P., 1980. Seizure of Metals and Methods of Its Prevention under Friction. *Trenie Iznos*, 1(2), 236–246.
91. Shen, C., and Khonsari, M. M., 2015. Numerical optimization of texture shape for parallel surfaces under unidirectional and bidirectional sliding. *Tribology International*, 82(PA), 1–11.
92. Shi, L., Zhang, Z., Liao, M., Ching, H. A., Choudhury, D., Nine, M. J., Azuan, N., and Osman, A., 2014. Effects of surface coating on reducing friction and wear of orthopaedic implants. *Science and technology of advanced materials*, 15(1), 014402.
93. Singh, V., Vimal, J., and Chaturvedi, V., 2013. A study on development of industrial tribology in India with some future prospects. *International Journal of Mechanical and Industrial Engineering*, 123–126.
94. Stachowiak, G. W., 2005. *Wear-materials, mechanisms and practice*. John Wiley & Sons Ltd.

95. Stephen M. Hsu, Jing, Y., Mo, Y., Hua, D., and Chen, M., 2014. Friction reduction for engine components. United States Patent Application Publication.
96. Šugár, P., Šugárová, J., and Frnčík, M., 2016. Laser surface texturing of tool steel: textured surfaces quality evaluation. *Open Engineering*, 6(1), 90–97.
97. Tang, W., Zhou, Y., Zhu, H., and Yang, H., 2013. The effect of surface texturing on reducing the friction and wear of steel under lubricated sliding contact. *Applied Surface Science*, 273, 199–204.
98. Thawari, G., Sundar, J. K. S., Sundararajan, G., and Joshi, S. V., 2005. Influence of process parameters during pulsed Nd:YAG laser cutting of nickel-base superalloys. *Journal of Materials Processing Technology*, 170(1–2), 229–239.
99. Thomas, T. R., 1982. Surface Topography in Tribology. *Physics Bulletin*, 33(9), 326.
100. Troyer, D., and Fitch, J., 2001. Oil analysis basics. Noria corporation.
101. Tyagi, R., Nath, S. K., and Ray, S., 2002. Effect of martensite content on friction and oxidative wear behavior of 0.42 Pct carbon dual-phase steel. *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science*, 33(11), 3479–3488.
102. Vencl, A., Ivanović, L., Stojanović, B., Zadorozhnaya, E., Miladinović, S., and Svoboda, P., 2019. Surface Texturing for Tribological Applications: a Review. *Proceedings on Engineering Sciences*, 1(1), 227–239.
103. Vincent, C., Monteil, G., Barriere, T., and Gelin, J. C., 2008. Control of the quality of laser surface texturing. *Microsystem Technologies*, 14(9–11), 1553–1557.
104. Wakuda, M., Yamauchi, Y., Kanzaki, S., and Yasuda, Y., 2003. Effect of surface texturing on friction reduction between ceramic and steel materials under lubricated sliding contact. *Wear*, 254(3–4), 356–363.

105. Wang, Xiaolei, and Kato, K., 2003. Improving the anti-seizure ability of SiC seal in water with RIE texturing. *Tribology Letters*, 14(4), 275–280.
106. Wang, Xiaolei, Kato, K., Adachi, K., and Aizawa, K., 2001. The effect of laser texturing of SiC surface on the critical load for the transition of water lubrication mode from hydrodynamic to mixed. *Tribology International*, 34(10), 703–711.
107. Wang, Xiaolei, Kato, K., Adachi, K., and Aizawa, K., 2003. Loads carrying capacity map for the surface texture design of SiC thrust bearing sliding in water. *Tribology International*, 36(3), 189–197.
108. Wang, Xingsheng, Giovannini, M., Xing, Y., Kang, M., and Ehmann, K., 2015. Fabrication and tribological behaviors of corner-cube-like dimple arrays produced by laser surface texturing on medical needles. *Tribology International*, 92, 553–558.
109. Wang, Y., and Wang, Q. J., 2013. Lubrication Regimes. *Encyclopedia of Tribology*, 2110–2113.
110. Wen, S., and Huang, P., 2012. *Principles of Tribology*. John Wiley & Sons.
111. Whitehouse, D. J., 1994. *Handbook of surface metrology*. CRC Press.
112. Willis, E., 1986. Surface finish in relation to cylinder liners. *Wear*, 109(1–4), 351–366.
113. Wos, S., Koszela, W., and Pawlus, P., 2015. Tribological behaviours of textured surfaces under conformal and non-conformal starved lubricated contact conditions. *Proceedings of the Institution of Mechanical Engineers, Part J: Journal of Engineering Tribology*, 229(4), 398–409.
114. Wos, Slawomir, Koszela, W., and Pawlus, P., 2016. Determination of oil demand for textured surfaces under conformal contact conditions. *Tribology International*, 93, 602–613.

115. Xie, Y., 1996. On the systems engineering of tribo-systems. *Chinese Journal of Mechanical Engineering-English Edition*, 9, 89–99.
116. Yakimets, I., Richard, C., Béranger, G., and Peyre, P., 2004. Laser peening processing effect on mechanical and tribological properties of rolling steel 100Cr6. *Wear*, 256(3–4), 311–320.
117. Yan, D., Qu, N., Li, H., and Wang, X., 2010. Significance of dimple parameters on the friction of sliding surfaces investigated by orthogonal experiments. *Tribology Transactions*, 53(5), 703–712.
118. Yu, H., Xiaolei, A. E., Ae, W., and Zhou, F., 2010. Geometric shape effects of surface texture on the generation of hydrodynamic pressure between conformal contacting surfaces. *Tribology Letters*, 37, 123–130.
119. Zabala, Y., Perzanowski, M., Dobrowolska, A., Ką c, M., Polit, A., and Marszałek, M., 2009. Direct laser interference patterning: Theory and application. *Acta Physica Polonica A*, 115(2), 591–593.
120. Zenebe Segu, D., and Hwang, P., 2015. Friction control by multi-shape textured surface under pin-on-disc test. *Tribology International*, 91, 111–117.
121. Zhang, H., Hua, M., Dong, G. N., Zhang, D. Y., and Chin, K. S., 2016. A mixed lubrication model for studying tribological behaviors of surface texturing. *Tribology International*, 93, 583–592.
122. Zhang, W., and Yao, Y. L., 2001. Microscale laser shock processing - Modeling, testing, and microstructure characterization. *Journal of Manufacturing Processes*, 3(2), 128–143.

LIST OF PUBLICATIONS

LIST OF PUBLICATIONS

1. Manish Kumar, Vinayak Ranjan, and Rajnesh Tyagi; Effect of Shape, Density, and an Array of Dimples on the Friction and Wear Performance of Laser Textured Bearing Steel under Dry Sliding. *Journal of Materials Engineering and Performance* (2020) 29:2827–2838.
2. Manish Kumar and Rajnesh Tyagi; Tribological Performance of Bearing Steel with Bi-Triangular and Circular Textures under Lubricated Sliding. *Journal of Materials Engineering and Performance*. *Journal of Materials Engineering and Performance* (2022) 31:4519–4530.