

- Feynman, R.P. (1960) There's plenty of room at the bottom. *Engineering and science* 23(5), 22-36.
- Taniguchi, N. (1974) On the basic concept of nano-technology Proceedings of the International Conference on Production Engineering Tokyo Part II *Japan Society of Precision Engineering*.
- Handy, R.D., Owen, R. and Valsami-Jones, E. (2008) The ecotoxicology of nanoparticles and nanomaterials: current status, knowledge gaps, challenges, and future needs. *Ecotoxicology* 17(5), 315-325.
- Koch, C., Ovid'ko, I., Seal, S. and Veprek, S. (2007) Structural nanocrystalline materials: fundamentals and applications, Cambridge University Press.
- Santos, L., Silveira, C.M., Elangovan, E., Neto, J.P., Nunes, D., Pereira, L., Martins, R., Viegas, J., Moura, J.J. and Todorovic, S. (2016) Synthesis of WO₃ nanoparticles for biosensing applications. *Sensors and Actuators B: Chemical* 223, 186-194.
- Lu, P.-J., Huang, S.-C., Chen, Y.-P., Chiueh, L.-C. and Shih, D.Y.-C. (2015) Analysis of titanium dioxide and zinc oxide nanoparticles in cosmetics. *journal of food and drug analysis* 23(3), 587-594.
- Yang, S.J. and Park, C.R. (2007) Facile preparation of monodisperse ZnO quantum dots with high quality photoluminescence characteristics. *Nanotechnology* 19(3), 035609.
- El-Naggar, M. E., Shaheen, T. I., Zaghloul, S., El-Rafie, M. H., & Hebeish, A. (2016). Antibacterial activities and UV protection of the in situ synthesized titanium oxide nanoparticles on cotton fabrics. *Industrial & Engineering Chemistry Research*, 55(10), 2661-2668.
- Ramalingam, V., Sundaramahalingam, S., & Rajaram, R. (2019). Size-dependent antimycobacterial activity of titanium oxide nanoparticles against Mycobacterium tuberculosis. *Journal of Materials Chemistry B*, 7(27), 4338-4346.
- Ou, G., Li, Z., Li, D., Cheng, L., Liu, Z., & Wu, H. (2016). Photothermal therapy by using titanium oxide nanoparticles. *Nano Research*, 9(5), 1236-1243.
- Chen, X. and Mao, S.S. (2007) Titanium dioxide nanomaterials: synthesis, properties, modifications, and applications. *Chem. Rev* 107(7), 2891-2959.

-
- Pakrashi, S., Jain, N., Dalai, S., Jayakumar, J., Chandrasekaran, P.T., Raichur, A.M., Chandrasekaran, N. and Mukherjee, A. (2014) In vivo genotoxicity assessment of titanium dioxide nanoparticles by *Allium cepa* root tip assay at high exposure concentrations. *PLoS One* 9(2), e87789.
 - Abdolmajid, E., Kharazi, H., Chalaki, M., Khojasteh, M., Haghghat, S., Attar, F., & Falahati, M. (2019). Titanium oxide nanoparticles fabrication, hemoglobin interaction, white blood cells cytotoxicity, and antibacterial studies. *Journal of Biomolecular Structure and Dynamics*, 37(11), 3007-3017.
 - Gupta, A.K. and Gupta, M. (2005) Synthesis and surface engineering of iron oxide nanoparticles for biomedical applications. *Biomaterials* 26(18), 3995-4021.
 - Qiao, R., Yang, C. and Gao, M. (2009) Superparamagnetic iron oxide nanoparticles: from preparations to in vivo MRI applications. *Journal of Materials Chemistry* 19(35), 6274-6293.
 - Cano, M., Núñez-Lozano, R., Lumbreras, R., González-Rodríguez, V., Delgado-García, A., Jiménez-Hoyuela, J.M. and de la Cueva-Méndez, G. (2017) Partial PEGylation of superparamagnetic iron oxide nanoparticles thinly coated with amine-silane as a source of ultrastable tunable nanosystems for biomedical applications. *Nanoscale* 9(2), 812-822.
 - Zhu, N., Ji, H., Yu, P., Niu, J., Farooq, M. U., Akram, M. W., & Niu, X. (2018). Surface modification of magnetic iron oxide nanoparticles. *Nanomaterials*, 8(10), 810.
 - Tong, H., Hong, Y., Dong, Y., Ren, Y., Häussler, M., Lam, J. W., & Tang, B. Z. (2007). Color-tunable, aggregation-induced emission of a butterfly-shaped molecule comprising a pyran skeleton and two cholesteryl wings. *The Journal of Physical Chemistry B*, 111(8), 2000-2007.
 - Laurent, S., Forge, D., Port, M., Roch, A., Robic, C., Vander Elst, L. and Muller, R.N. (2008) Magnetic iron oxide nanoparticles: synthesis, stabilization, vectorization, physicochemical characterizations, and biological applications. *Chemical reviews* 108(6), 2064-2110.
 - Wei, H., Bruns, O. T., Kaul, M. G., Hansen, E. C., Barch, M., Wiśniowska, A., & Cordero, J. M. (2017). Exceedingly small iron oxide nanoparticles as positive MRI contrast agents. *Proceedings of the national academy of sciences*, 114(9), 2325-2330.
 - Charbgoon, F., Ahmad, M.B. and Darroudi, M. (2017) Cerium oxide nanoparticles: green synthesis and biological applications. *International journal of nanomedicine* 12, 1401.

-
- Naganuma, T. (2017) Shape design of cerium oxide nanoparticles for enhancement of enzyme mimetic activity in therapeutic applications. *Nano Research* 10 (1), 199-217.
 - Ismail, E., Khenfouch, M., Dhlamini, M., Dube, S. and Maaza, M. (2017) Green palladium and palladium oxide nanoparticles synthesized via *Aspalathus linearis* natural extract. *Journal of Alloys and Compounds* 695, 3632-3638.
 - Albani, D., Vilé, G., Mitchell, S., Witte, P. T., Almora-Barrios, N., Verel, R., & Pérez-Ramírez, J. (2016). Ligand ordering determines the catalytic response of hybrid palladium nanoparticles in hydrogenation. *Catalysis Science & Technology*, 6(6), 1621-1631.
 - Favier, I., Pla, D., & Gómez, M. (2019). Palladium Nanoparticles in Polyols: Synthesis, Catalytic Couplings, and Hydrogenations. *Chemical Reviews*, 120(2), 1146-1183.
 - Li, Y., Wang, Z., Li, X., Yin, T., Bian, K., Gao, F. and Gao, D. (2017) Facile synthesis of bacitracin-templated palladium nanoparticles with superior electrocatalytic activity. *Journal of Power Sources* 341, 183-191.
 - Arsiya, F., Sayadi, M. H., & Sobhani, S. (2017). Green synthesis of palladium nanoparticles using *Chlorella vulgaris*. *Materials Letters*, 186, 113-115.
 - Kumar, R., da Silva, E. T., Singh, R. K., Savu, R., Alaferdov, A. V., Fonseca, L. C., & Alves, O. L. (2018). Microwave-assisted synthesis of palladium nanoparticles intercalated nitrogen doped reduced graphene oxide and their electrocatalytic activity for direct-ethanol fuel cells. *Journal of colloid and interface science*, 515, 160-171.
 - Yang, H., Li, S., Feng, F., Ou, S., Li, F., Yang, M., & Ma, J. (2019). Palladium nanoparticles with surface enrichment of palladium oxide species immobilized on the aniline-functionalized graphene as an advanced electrocatalyst of ethanol oxidation. *ACS Sustainable Chemistry & Engineering*, 7(17), 14621-14628.
 - Bendale, Y., Bendale, V., & Paul, S. (2017). Evaluation of cytotoxic activity of platinum nanoparticles against normal and cancer cells and its anticancer potential through induction of apoptosis. *Integrative medicine research*, 6(2), 141-148.
 - Sharma, K.D. (2017) Antibacterial Activity of Biogenic Platinum Nanoparticles: An invitro Study. *Int. J. Curr. Microbiol. App. Sci* 6(2), 801-808.
 - Tahir, K., Nazir, S., Ahmad, A., Li, B., Khan, A.U., Khan, Z.U.H., Khan, F.U., Khan, Q.U., Khan, A. and Rahman, A.U. (2017) Facile and green synthesis of phytochemicals capped platinum nanoparticles and in vitro their superior antibacterial activity. *Journal of Photochemistry and Photobiology B: Biology* 166, 246-251.

-
- Schmidt, T., Gasteiger, H. and Behm, R. (1999) Rotating disk electrode measurements on the CO tolerance of a high-surface area Pt/vulcan carbon fuel cell catalyst. *Journal of The Electrochemical Society* 146(4), 1296-1304.
 - Thirumurugan, A., Aswitha, P., Kiruthika, C., Nagarajan, S., & Christy, A. N. (2016). Green synthesis of platinum nanoparticles using *Azadirachta indica*—An eco-friendly approach. *Materials Letters*, 170, 175-178.
 - Rahban, M., Divsalar, A., Saboury, A.A. and Golestani, A. (2010) Nanotoxicity and spectroscopy studies of silver nanoparticle: Calf thymus DNA and K562 as targets. *The Journal of Physical Chemistry C* 114(13), 5798-5803.
 - Dubas, S.T. and Pimpan, V. (2008) Humic acid assisted synthesis of silver nanoparticles and its application to herbicide detection. *Materials Letters* 62(17), 2661-2663.
 - Dahl, J.A., Maddux, B.L. and Hutchison, J.E. (2007) Toward greener nanosynthesis. *Chemical reviews* 107(6), 2228-2269
 - Vivek, R., Thangam, R., Muthuchelian, K., Gunasekaran, P., Kaveri, K. and Kannan, S. (2012) Green biosynthesis of silver nanoparticles from *Annona squamosa* leaf extract and its in vitro cytotoxic effect on MCF-7 cells. *Process Biochemistry* 47(12), 2405-2410.
 - Filippo, E., Serra, A., Buccolieri, A. and Manno, D. (2010) Green synthesis of silver nanoparticles with sucrose and maltose: morphological and structural characterization. *Journal of Non-Crystalline Solids* 356(6), 344-350.
 - Kumar-Krishnan, S., Hernandez-Rangel, A., Pal, U., Ceballos-Sanchez, O., Flores-Ruiz, F. J., Prokhorov, E., & Meyyappan, M. (2016). Surface functionalized halloysite nanotubes decorated with silver nanoparticles for enzyme immobilization and biosensing. *Journal of Materials Chemistry B*, 4(15), 2553-2560.
 - Lu, L., Sun, R., Chen, R., Hui, C.-K., Ho, C.-M., Luk, J.M., Lau, G. and Che, C.-M. (2008) Silver nanoparticles inhibit hepatitis B virus replication. *Antiviral therapy* 13(2), 253.
 - Saxena, A., Tripathi, R., Zafar, F. and Singh, P. (2012) Green synthesis of silver nanoparticles using aqueous solution of *Ficus benghalensis* leaf extract and characterization of their antibacterial activity. *Materials Letters* 67(1), 91-94.
 - Shen, W., Qu, Y., Pei, X., Li, S., You, S., Wang, J., Zhang, Z. and Zhou, J. (2017) Catalytic reduction of 4-nitrophenol using gold nanoparticles biosynthesized by cell-free extracts of *Aspergillus sp.* WL-Au. *Journal of Hazardous Materials* 321, 299-306.

-
- Ribeiro, M., Ferraz, M.P., Monteiro, F.J., Fernandes, M.H., Beppu, M.M., Mantione, D. and Sardon, H. (2017) Antibacterial silk fibroin/nanohydroxyapatite hydrogels with silver and gold nanoparticles for bone regeneration. *Nanomedicine: Nanotechnology, Biology and Medicine* 13(1), 231-239.
 - Varun, S., Daniel, S.K. and Gorthi, S.S. (2017) Rapid sensing of melamine in milk by interference green synthesis of silver nanoparticles. *Materials Science and Engineering: C* 74, 253-258.
 - Farooq, M. U., Novosad, V., Rozhkova, E. A., Wali, H., Ali, A., Fateh, A. A., & Wang, Z. (2018). Gold nanoparticles-enabled efficient dual delivery of anticancer therapeutics to HeLa cells. *Scientific reports*, 8(1), 1-12.
 - Mobed, A., Hasanzadeh, M., Shadjou, N., Hassanpour, S., Saadati, A., & Agazadeh, M. (2020). Immobilization of ssDNA on the surface of silver nanoparticles-graphene quantum dots modified by gold nanoparticles towards biosensing of microorganism. *Microchemical Journal*, 152, 104286.
 - Ramachandran, R., Krishnaraj, C., Sivakumar, A.S., Prasannakumar, P., Kumar, V.A., Shim, K.S., Song, C.-G. and Yun, S.-I. (2017) Anticancer activity of biologically synthesized silver and gold nanoparticles on mouse myoblast cancer cells and their toxicity against embryonic zebrafish. *Materials Science and Engineering: C* 73, 674-683.
 - Daniel, M.-C. and Astruc, D. (2004) Gold nanoparticles: assembly, supramolecular chemistry, quantum-size-related properties, and applications toward biology, catalysis, and nanotechnology. *Chemical reviews* 104(1), 293-346.
 - Liu, R., Wu, D., Liu, S., Koynov, K., Knoll, W., & Li, Q. (2009). An aqueous route to multicolor photoluminescent carbon dots using silica spheres as carriers. *Angewandte Chemie International Edition*, 48(25), 4598-4601.
 - Cao, L., Wang, X., Meziani, M. J., Lu, F., Wang, H., Luo, P. G., & Xie, S. Y. (2007). Carbon dots for multiphoton bioimaging. *Journal of the American Chemical Society*, 129(37), 11318-11319.
 - Geys, J., Nemmar, A., Verbeken, E., Smolders, E., Ratoi, M., Hoylaerts, M. F., & Hoet, P. H. (2008). Acute toxicity and prothrombotic effects of quantum dots: impact of surface charge. *Environmental health perspectives*, 116(12), 1607-1613.
 - Lim, S. Y., Shen, W., & Gao, Z. (2015). Carbon quantum dots and their applications. *Chemical Society Reviews*, 44(1), 362-381.
 - Ye, R., Xiang, C., Lin, J., Peng, Z., Huang, K., Yan, Z., & Ceriotti, G. (2013). Coal as an abundant source of graphene quantum dots. *Nature communications*, 4, 2943.

-
- Xu, X., Ray, R., Gu, Y., Ploehn, H. J., Gearheart, L., Raker, K., & Scrivens, W. A. (2004). Electrophoretic analysis and purification of fluorescent single-walled carbon nanotube fragments. *Journal of the American Chemical Society*, *126*(40), 12736-12737.
 - Yang, S. T., Cao, L., Luo, P. G., Lu, F., Wang, X., Wang, H., & Sun, Y. P. (2009). Carbon dots for optical imaging in vivo. *Journal of the American Chemical Society*, *131*(32), 11308-11309.
 - Baker, S. N., & Baker, G. A. (2010). Luminescent carbon nanodots: emergent nanolights. *Angewandte Chemie International Edition*, *49*(38), 6726-6744.
 - Sun, Y. P., Zhou, B., Lin, Y., Wang, W., Fernando, K. S., Pathak, P., & Luo, P. G. (2006). Quantum-sized carbon dots for bright and colorful photoluminescence. *Journal of the American Chemical Society*, *128*(24), 7756-7757.
 - Zhou, C., He, X., Ya, D., Zhong, J., & Deng, B. (2017). One step hydrothermal synthesis of nitrogen-doped graphitic quantum dots as a fluorescent sensing strategy for highly sensitive detection of metacycline in mice plasma. *Sensors and Actuators B: Chemical*, *249*, 256-264.
 - Zuo, P., Lu, X., Sun, Z., Guo, Y., & He, H. (2016). A review on syntheses, properties, characterization and bioanalytical applications of fluorescent carbon dots. *Microchimica Acta*, *183*(2), 519-542.
 - Ajayan, P. M., & Zhou, O. Z. (2001). Applications of carbon nanotubes. In *Carbon nanotubes* (pp. 391-425). Springer, Berlin, Heidelberg.
 - Baptista, F. R., Belhout, S. A., Giordani, S., & Quinn, S. J. (2015). Recent developments in carbon nanomaterial sensors. *Chemical Society Reviews*, *44*(13), 4433-4453.
 - Chen, D., Tang, L., & Li, J. (2010). Graphene-based materials in electrochemistry. *Chemical Society Reviews*, *39*(8), 3157-3180.
 - Cayuela, A., Benítez-Martínez, S., & Soriano, M. L. (2016). Carbon nanotools as sorbents and sensors of nanosized objects: the third way of analytical nanoscience and nanotechnology. *TrAC Trends in Analytical Chemistry*, *84*, 172-180.

- Pardo, J., Peng, Z., & Leblanc, R. M. (2018). Cancer targeting and drug delivery using carbon-based quantum dots and nanotubes. *Molecules*, 23(2), 378.
- Taghavi, S., Abnous, K., Taghdisi, S. M., Ramezani, M., & Alibolandi, M. (2020). Hybrid carbon-based materials for gene delivery in cancer therapy. *Journal of Controlled Release*, 318, 158-175.
- Zhu, N., Ji, H., Yu, P., Niu, J., Farooq, M. U., Akram, M. W., & Niu, X. (2018). Surface modification of magnetic iron oxide nanoparticles. *Nanomaterials*, 8(10), 810.
- Lu, W., Qin, X., Liu, S., Chang, G., Zhang, Y., Luo, Y., & Sun, X. (2012). Economical, green synthesis of fluorescent carbon nanoparticles and their use as probes for sensitive and selective detection of mercury (II) ions. *Analytical chemistry*, 84(12), 5351-5357.
- Sahu, S., Behera, B., Maiti, T. K., & Mohapatra, S. (2012). Simple one-step synthesis of highly luminescent carbon dots from orange juice: application as excellent bio-imaging agents. *Chemical communications*, 48(70), 8835-8837.
- Lu, W., Qin, X., Asiri, A. M., Al-Youbi, A. O., & Sun, X. (2013). Green synthesis of carbon nanodots as an effective fluorescent probe for sensitive and selective detection of mercury (II) ions. *Journal of nanoparticle research*, 15(1), 1344.
- Li, W., Yue, Z., Wang, C., Zhang, W., & Liu, G. (2013). An absolutely green approach to fabricate carbon nanodots from soya bean grounds. *RSC advances*, 3(43), 20662-20665.
- Lu, Q., Wu, C., Liu, D., Wang, H., Su, W., Li, H., & Yao, S. (2017). A facile and simple method for synthesis of graphene oxide quantum dots from black carbon. *Green Chemistry*, 19(4), 900-904.
- Alam, A. M., Park, B. Y., Ghouri, Z. K., Park, M., & Kim, H. Y. (2015). Synthesis of carbon quantum dots from cabbage with down-and up-conversion photoluminescence properties: excellent imaging agent for biomedical applications. *Green Chemistry*, 17(7), 3791-3797.
- Yu, S. J., Kang, M. W., Chang, H. C., Chen, K. M., & Yu, Y. C. (2005). Bright fluorescent nanodiamonds: no photobleaching and low cytotoxicity. *Journal of the American Chemical Society*, 127(50), 17604-17605.

-
- Sun, Y. P., Zhou, B., Lin, Y., Wang, W., Fernando, K. S., Pathak, P., & Luo, P. G. (2006). Quantum-sized carbon dots for bright and colorful photoluminescence. *Journal of the American Chemical Society*, 128(24), 7756-7757.
 - Zhou, J., Booker, C., Li, R., Zhou, X., Sham, T. K., Sun, X., & Ding, Z. (2007). An electrochemical avenue to blue luminescent nanocrystals from multiwalled carbon nanotubes (MWCNTs). *Journal of the American Chemical Society*, 129(4), 744-745.
 - Liu, H., Ye, T., & Mao, C. (2007). Fluorescent carbon nanoparticles derived from candle soot. *Angewandte Chemie International Edition*, 46(34), 6473-6475.
 - Sun, Y. P., Zhou, B., Lin, Y., Wang, W., Fernando, K. S., Pathak, P., & Luo, P. G. (2006). Quantum-sized carbon dots for bright and colorful photoluminescence. *Journal of the American Chemical Society*, 128(24), 7756-7757.
 - Zhou, J., Booker, C., Li, R., Zhou, X., Sham, T. K., Sun, X., & Ding, Z. (2007). An electrochemical avenue to blue luminescent nanocrystals from multiwalled carbon nanotubes (MWCNTs). *Journal of the American Chemical Society*, 129(4), 744-745.
 - Zhao, Q. L., Zhang, Z. L., Huang, B. H., Peng, J., Zhang, M., & Pang, D. W. (2008). Facile preparation of low cytotoxicity fluorescent carbon nanocrystals by electrooxidation of graphite. *Chemical Communications*, (41), 5116-5118.
 - Zheng, L., Chi, Y., Dong, Y., Lin, J., & Wang, B. (2009). Electrochemiluminescence of water-soluble carbon nanocrystals released electrochemically from graphite. *Journal of the American Chemical Society*, 131(13), 4564-4565.
 - Deng, J., Lu, Q., Mi, N., Li, H., Liu, M., Xu, M., & Yao, S. (2014). Electrochemical synthesis of carbon nanodots directly from alcohols. *Chemistry—A European Journal*, 20(17), 4993-4999.
 - Xu, X., Ray, R., Gu, Y., Ploehn, H. J., Gearheart, L., Raker, K., & Scrivens, W. A. (2004). Electrophoretic analysis and purification of fluorescent single-walled carbon nanotube fragments. *Journal of the American Chemical Society*, 126(40), 12736-12737.
 - Wang, L., Ruan, F., Lv, T., Liu, Y., Deng, D., Zhao, S., & Xu, S. (2015). One step synthesis of Al/N co-doped carbon nanoparticles with enhanced photoluminescence. *Journal of Luminescence*, 158, 1-5.
 - Liu, H., Ye, T., & Mao, C. (2007). Fluorescent carbon nanoparticles derived from candle soot. *Angewandte Chemie International Edition*, 46 (34), 6473-6475.

-
- Bourlinos, A. B., Stassinopoulos, A., Anglos, D., Zboril, R., Georgakilas, V., & Giannelis, E. P. (2008). Photoluminescent carbogenic dots. *Chemistry of Materials*, 20(14), 4539-4541.
 - Zhu, H., Wang, X., Li, Y., Wang, Z., Yang, F., & Yang, X. (2009). Microwave synthesis of fluorescent carbon nanoparticles with electrochemiluminescence properties. *Chemical Communications*, (34), 5118-5120.
 - Zhang, B., Liu, C. Y., & Liu, Y. (2010). A novel one-step approach to synthesize fluorescent carbon nanoparticles. *European Journal of Inorganic Chemistry*, 2010(28), 4411-4414.
 - Wang, L., Ruan, F., Lv, T., Liu, Y., Deng, D., Zhao, S., & Xu, S. (2015). One step synthesis of Al/N co-doped carbon nanoparticles with enhanced photoluminescence. *Journal of Luminescence*, 158, 1-5.
 - Hu, C., Yu, C., Li, M., Wang, X., Yang, J., Zhao, Z., & Qiu, J. (2014). Chemically tailoring coal to fluorescent carbon dots with tuned size and their capacity for Cu (II) detection. *Small*, 10(23), 4926-4933.
 - Baker, S. N., & Baker, G. A. (2010). Luminescent carbon nanodots: emergent nanolights. *Angewandte Chemie International Edition*, 49(38), 6726-6744.
 - Gokus, T., Nair, R. R., Bonetti, A., Bohmler, M., Lombardo, A., Novoselov, K. S., & Hartschuh, A. (2009). Making graphene luminescent by oxygen plasma treatment. *ACS nano*, 3(12), 3963-3968.
 - Demchenko, A. P., & Dekaliuk, M. O. (2013). Novel fluorescent carbonic nanomaterials for sensing and imaging. *Methods and applications in fluorescence*, 1(4), 042001.
 - Cao, L. I., Meziani, M. J., Sahu, S., & Sun, Y. P. (2012). Photoluminescence properties of graphene versus other carbon nanomaterials. *Accounts of chemical research*, 46(1), 171-180.
 - Fang, Y., Guo, S., Li, D., Zhu, C., Ren, W., Dong, S., & Wang, E. (2011). Easy synthesis and imaging applications of cross-linked green fluorescent hollow carbon nanoparticles. *ACS nano*, 6(1), 400-409.
 - Shen, J., Zhu, Y., Chen, C., Yang, X., & Li, C. (2011). Facile preparation and upconversion luminescence of graphene quantum dots. *Chemical communications*, 47(9), 2580-2582.

-
- Li, X., Wang, H., Shimizu, Y., Pyatenko, A., Kawaguchi, K., & Koshizaki, N. (2010). Preparation of carbon quantum dots with tunable photoluminescence by rapid laser passivation in ordinary organic solvents. *Chemical Communications*, 47(3), 932-934.
 - Shen, J., Zhu, Y., Chen, C., Yang, X., & Li, C. (2011). Facile preparation and upconversion luminescence of graphene quantum dots. *Chemical communications*, 47(9), 2580-2582.
 - Gokus, T., Nair, R. R., Bonetti, A., Bohmler, M., Lombardo, A., Novoselov, K. S., & Hartschuh, A. (2009). Making graphene luminescent by oxygen plasma treatment. *ACS nano*, 3(12), 3963-3968.
 - Nourbakhsh, A., Cantoro, M., Vosch, T., Pourtois, G., Clemente, F., van der Veen, M. H., & Sels, B. F. (2010). Bandgap opening in oxygen plasma-treated graphene. *Nanotechnology*, 21(43), 435203.
 - Cao, L. I., Mezziani, M. J., Sahu, S., & Sun, Y. P. (2012). Photoluminescence properties of graphene versus other carbon nanomaterials. *Accounts of chemical research*, 46(1), 171-180.
 - Dekaliuk, M. O., Viagin, O., Malyukin, Y. V., & Demchenko, A. P. (2014). Fluorescent carbon nanomaterials: "quantum dots" or nanoclusters?. *Physical Chemistry Chemical Physics*, 16(30), 16075-16084.
 - De, B., & Karak, N. (2013). A green and facile approach for the synthesis of water soluble fluorescent carbon dots from banana juice. *Rsc Advances*, 3(22), 8286-8290.
 - Liu, R., Wu, D., Liu, S., Koynov, K., Knoll, W., & Li, Q. (2009). An aqueous route to multicolor photoluminescent carbon dots using silica spheres as carriers. *Angewandte Chemie International Edition*, 48(25), 4598-4601.
 - Dong, Y., Shao, J., Chen, C., Li, H., Wang, R., Chi, Y., & Chen, G. (2012). Blue luminescent graphene quantum dots and graphene oxide prepared by tuning the carbonization degree of citric acid. *Carbon*, 50(12), 4738-4743.
 - De Caluwé, E., Halamová, K., & Van Damme, P. (2010). *Adansonia digitata* L.—A review of traditional uses, phytochemistry and pharmacology. *Afrika focus*, 23(1).
 - Hsu, P. C., Shih, Z. Y., Lee, C. H., & Chang, H. T. (2012). Synthesis and analytical applications of photoluminescent carbon nanodots. *Green Chemistry*, 14(4), 917-920.

-
- Li, L., Yu, B., & You, T. (2015). Nitrogen and sulfur co-doped carbon dots for highly selective and sensitive detection of Hg (II) ions. *Biosensors and Bioelectronics*, 74, 263-269.
 - Zhu, C., Zhai, J., & Dong, S. (2012). Bifunctional fluorescent carbon nanodots: green synthesis via soy milk and application as metal-free electrocatalysts for oxygen reduction. *Chemical communications*, 48(75), 9367-9369.
 - Wu, Z. L., Zhang, P., Gao, M. X., Liu, C. F., Wang, W., Leng, F., & Huang, C. Z. (2013). One-pot hydrothermal synthesis of highly luminescent nitrogen-doped amphoteric carbon dots for bioimaging from Bombyx mori silk–natural proteins. *Journal of Materials Chemistry B*, 1(22), 2868-2873.
 - Dalui, A., Pradhan, B., Thupakula, U., Khan, A. H., Kumar, G. S., Ghosh, T., & Acharya, S. (2015). Insight into the mechanism revealing the peroxidase mimetic catalytic activity of quaternary CuZnFeS nanocrystals: colorimetric biosensing of hydrogen peroxide and glucose. *Nanoscale*, 7(19), 9062-9074.
 - Hu, C., Yu, C., Li, M., Wang, X., Yang, J., Zhao, Z., & Qiu, J. (2014). Chemically tailoring coal to fluorescent carbon dots with tuned size and their capacity for Cu (II) detection. *Small*, 10(23), 4926-4933.
 - Zhu, H., Wang, X., Li, Y., Wang, Z., Yang, F., & Yang, X. (2009). Microwave synthesis of fluorescent carbon nanoparticles with electrochemiluminescence properties. *Chemical Communications*, (34), 5118-5120.
 - Liu, S., Tian, J., Wang, L., Zhang, Y., Qin, X., Luo, Y., & Sun, X. (2012). Hydrothermal treatment of grass: a low-cost, green route to nitrogen-doped, carbon-rich, photoluminescent polymer nanodots as an effective fluorescent sensing platform for label-free detection of Cu (II) ions. *Advanced materials*, 24(15), 2037-2041.
 - Chandra, S., Patra, P., Pathan, S. H., Roy, S., Mitra, S., Layek, A., & Goswami, A. (2013). Luminescent S-doped carbon dots: an emergent architecture for multimodal applications. *Journal of Materials Chemistry B*, 1(18), 2375-2382.
 - Han, Y., Tang, D., Yang, Y., Li, C., Kong, W., Huang, H., & Kang, Z. (2015). Non-metal single/dual doped carbon quantum dots: a general flame synthetic method and electro-catalytic properties. *Nanoscale*, 7(14), 5955-5962.

-
- Zhou, J., Shan, X., Ma, J., Gu, Y., Qian, Z., Chen, J., & Feng, H. (2014). Facile synthesis of P-doped carbon quantum dots with highly efficient photoluminescence. *Rsc Advances*, 4(11), 5465-5468.
 - Shan, X., Chai, L., Ma, J., Qian, Z., Chen, J., & Feng, H. (2014). B-doped carbon quantum dots as a sensitive fluorescence probe for hydrogen peroxide and glucose detection. *Analyst*, 139(10), 2322-2325.
 - Li, L., Yu, B., & You, T. (2015). Nitrogen and sulfur co-doped carbon dots for highly selective and sensitive detection of Hg (II) ions. *Biosensors and Bioelectronics*, 74, 263-269.
 - Gong, Y., Yu, B., Yang, W., & Zhang, X. (2016). Phosphorus, and nitrogen co-doped carbon dots as a fluorescent probe for real-time measurement of reactive oxygen and nitrogen species inside macrophages. *Biosensors and Bioelectronics*, 79, 822-828.
 - Sun, X., Brückner, C., & Lei, Y. (2015). One-pot and ultrafast synthesis of nitrogen and phosphorus co-doped carbon dots possessing bright dual wavelength fluorescence emission. *Nanoscale*, 7(41), 17278-17282.
 - Dong, Y., Pang, H., Yang, H. B., Guo, C., Shao, J., Chi, Y., & Yu, T. (2013). Carbon-based dots co-doped with nitrogen and sulfur for high quantum yield and excitation-independent emission. *Angewandte Chemie*, 125(30), 7954-7958.
 - Xue, M., Zhang, L., Zhan, Z., Zou, M., Huang, Y., & Zhao, S. (2016). Sulfur and nitrogen binary doped carbon dots derived from ammonium thiocyanate for selective probing doxycycline in living cells and multicolor cell imaging. *Talanta*, 150, 324-330.
 - Jana, D., Sun, C. L., Chen, L. C., & Chen, K. H. (2013). Effect of chemical doping of boron and nitrogen on the electronic, optical, and electrochemical properties of carbon nanotubes. *Progress in Materials Science*, 58(5), 565-635.
 - Jahan, S., Mansoor, F., Naz, S., Lei, J., & Kanwal, S. (2013). Oxidative synthesis of highly fluorescent boron/nitrogen co-doped carbon nanodots enabling detection of photosensitizer and carcinogenic dye. *Analytical chemistry*, 85(21), 10232-10239.
 - Phillips, S. R., Wilson, L. J., & Borkman, R. F. (1986). Acrylamide and iodide fluorescence quenching as a structural probe of tryptophan microenvironment in bovine lens crystallins. *Current eye research*, 5(8), 611-620.
 - Yuan, P., & Walt, D. R. (1987). Calculation for fluorescence modulation by absorbing species and its application to measurements using optical fibers. *Analytical Chemistry*, 59 (19), 2391-2394.

-
- Feng, J., Chen, Y., Han, Y., Liu, J., Ren, C., & Chen, X. (2016). Fluorescent carbon nanoparticles: a low-temperature trypsin-assisted preparation and Fe³⁺ sensing. *Analytica chimica acta*, 926, 107-117.
 - Hao, J., Zhang, Z., Yang, W., Lu, B., Ke, X., Zhang, B., & Tang, J. (2013). In situ controllable growth of CoFe₂O₄ ferrite nanocubes on graphene for colorimetric detection of hydrogen peroxide. *Journal of Materials Chemistry A*, 1(13), 4352-4357.
 - Lin, X. Q., Deng, H. H., Wu, G. W., Peng, H. P., Liu, A. L., Lin, X. H., & Chen, W. (2015). Platinum nanoparticles/graphene-oxide hybrid with excellent peroxidase-like activity and its application for cysteine detection. *Analyst*, 140(15), 5251-5256.
 - Sun, H. J., Gao, N., Dong, K., Ren, J. S., & Qu, X. G. (2010). ACS Nano 2014, 8, 6202–6210; d) YJ Song, KG Qu, C. Zhao, JS Ren, XG Qu. *Adv. Mater*, 22, 2206-2210.
 - Wang, Z., Lv, X., & Weng, J. (2013). High peroxidase catalytic activity of exfoliated few-layer graphene. *Carbon*, 62, 51-60.
 - Tian, J., Liu, Q., Asiri, A. M., Qusti, A. H., Al-Youbi, A. O., & Sun, X. (2013). Ultrathin graphitic carbon nitride nanosheets: a novel peroxidase mimetic, Fe doping-mediated catalytic performance enhancement and application to rapid, highly sensitive optical detection of glucose. *Nanoscale*, 5(23), 11604-11609.
 - Liu, B., & Liu, J. (2017). Surface modification of nanozymes. *Nano Research*, 10(4), 1125-1148.
 - Pavlovic, M., Rouster, P., Somosi, Z., & Szilagyi, I. (2018). Horseradish peroxidase-nanoclay hybrid particles of high functional and colloidal stability. *Journal of colloid and interface science*, 524, 114-121.
 - Deng, Y., Xie, Y., Zou, K., & Ji, X. (2016). Review on recent advances in nitrogen-doped carbons: preparations and applications in supercapacitors. *Journal of Materials Chemistry A*, 4(4), 1144-1173.
 - Gong, K., Du, F., Xia, Z., Durstock, M., & Dai, L. (2009). Nitrogen-doped carbon nanotube arrays with high electrocatalytic activity for oxygen reduction. *Science*, 323(5915), 760-764.

-
- Jiang, Y., Song, N., Wang, C., Pinna, N., & Lu, X. (2017). A facile synthesis of Fe₃O₄/nitrogen-doped carbon hybrid nanofibers as a robust peroxidase-like catalyst for the sensitive colorimetric detection of ascorbic acid. *Journal of Materials Chemistry B*, 5(27), 5499-5505.
 - Yadav, P. K., Singh, V. K., Chandra, S., Bano, D., Kumar, V., Talat, M., & Hasan, S. H. (2018). Green synthesis of fluorescent carbon quantum dots from *Azadirachta indica* leaves and their peroxidase-mimetic activity for the detection of H₂O₂ and ascorbic acid in common fresh fruits. *ACS Biomaterials Science & Engineering*, 5(2), 623-632.
 -
 - Kaufmann, I. R., Zerey, O., Meyers, T., Reker, J., Vidor, F., & Hilleringmann, U. (2021). A Study about Schottky Barrier Height and Ideality Factor in Thin Film Transistors with Metal/Zinc Oxide Nanoparticles Structures Aiming Flexible Electronics Application. *Nanomaterials*, 11(5), 1188.
 - Sangaiya, P., & Jayaprakash, R. (2020). Influence of annealing temperature and electrical conductivity of α -Fe₂O₃ nanoparticles for Schottky barrier diode. *Journal of Materials Science: Materials in Electronics*, 31(18), 15153-15174.
 - Abbas, Y., Rezk, A., Anwer, S., Saadat, I., Nayfeh, A., & Rezeq, M. D. (2020). Improved figures of merit of nano-Schottky diode by embedding and characterizing individual gold nanoparticles on n-Si substrates. *Nanotechnology*, 31(12), 125708.
 - Mehta, V. N., Jha, S., & Kailasa, S. K. (2014). One-pot green synthesis of carbon dots by using *Saccharum officinarum* juice for fluorescent imaging of bacteria (*Escherichia coli*) and yeast (*Saccharomyces cerevisiae*) cells. *Materials Science and Engineering: C*, 38, 20-27.
 - Wang, Y., Anilkumar, P., Cao, L., Liu, J. H., Luo, P. G., Tackett, K. N., & Sun, Y. P. (2011). Carbon dots of different composition and surface functionalization: cytotoxicity issues relevant to fluorescence cell imaging. *Experimental Biology and Medicine*, 236(11), 1231-1238.
 - Sun, Y. P., Zhou, B., Lin, Y., Wang, W., Fernando, K. S., Pathak, P., & Luo, P. G. (2006). Quantum-sized carbon dots for bright and colorful photoluminescence. *Journal of the American Chemical Society*, 128(24), 7756-7757.

-
- Yang, S. T., Cao, L., Luo, P. G., Lu, F., Wang, X., Wang, H., & Sun, Y. P. (2009). Carbon dots for optical imaging in vivo. *Journal of the American Chemical Society*, *131*(32), 11308-11309.
 - Srivastava, S., Awasthi, R., Tripathi, D., Rai, M. K., Agarwal, V., Agrawal, V., & Gupta, R. K. (2012). Magnetic-nanoparticle-doped carbogenic nanocomposite: an effective magnetic resonance/fluorescence multimodal imaging probe. *Small*, *8*(7), 1099-1109.
 - Cao, L., Wang, X., Meziani, M. J., Lu, F., Wang, H., Luo, P. G., & Xie, S. Y. (2007). Carbon dots for multiphoton bioimaging. *Journal of the American Chemical Society*, *129*(37), 11318-11319.
 - Hsu, P. C., Chen, P. C., Ou, C. M., Chang, H. Y., & Chang, H. T. (2013). Extremely high inhibition activity of photoluminescent carbon nanodots toward cancer cells. *Journal of Materials Chemistry B*, *1*(13), 1774-1781.
 - Singh, V. K., Singh, V., Yadav, P. K., Chandra, S., Bano, D., Koch, B., & Hasan, S. H. (2019). Nitrogen doped fluorescent carbon quantum dots for on-off-on detection of Hg²⁺ and glutathione in aqueous medium: Live cell imaging and IMPLICATION logic gate operation. *Journal of Photochemistry and Photobiology A: Chemistry*, *384*, 112042.
 - Yadav, P. K., Singh, V. K., Kumar, C., Chandra, S., Jit, S., Singh, S. K., ... & Hasan, S. H. (2019). A Facile Synthesis of Green-Blue Carbon Dots from Artocarpus lakoocha Seeds and Their Application for the Detection of Iron (III) in Biological Fluids and Cellular Imaging. *Chemistry Select*, *4*(42), 12252-12259.
 - Li, H., Sun, C., Vijayaraghavan, R., Zhou, F., Zhang, X., & MacFarlane, D. R. (2016). Long lifetime photoluminescence in N, S co-doped carbon quantum dots from an ionic liquid and their applications in ultrasensitive detection of pesticides. *Carbon*, *104*, 33-39.
 - Yang, Y., Huo, D., Wu, H., Wang, X., Yang, J., Bian, M., & Hou, C. (2018). N, P-doped carbon quantum dots as a fluorescent sensing platform for carbendazim detection based on fluorescence resonance energy transfer. *Sensors and Actuators B: Chemical*, *274*, 296-303.

-
- Alkilany, A. M., & Murphy, C. J. (2010). Toxicity and cellular uptake of gold nanoparticles: what we have learned so far?. *Journal of nanoparticle research*, 12(7), 2313-2333.
 - Kumar, V., Toffoli, G., & Rizzolio, F. (2013). Fluorescent carbon nanoparticles in medicine for cancer therapy.
 - Zheng, M., Liu, S., Li, J., Qu, D., Zhao, H., Guan, X., & Sun, Z. (2014). Integrating oxaliplatin with highly luminescent carbon dots: an unprecedented theranostic agent for personalized medicine. *Advanced Materials*, 26(21), 3554-3560.
 - Kim, J., Park, J., Kim, H., Singha, K., & Kim, W. J. (2013). Transfection and intracellular trafficking properties of carbon dot-gold nanoparticle molecular assembly conjugated with PEI-pDNA. *Biomaterials*, 34(29), 7168-7180.
 - Pandey, S., Thakur, M., Mewada, A., Anjarlekar, D., Mishra, N., & Sharon, M. (2013). Carbon dots functionalized gold nanorod mediated delivery of doxorubicin: tri-functional nano-worms for drug delivery, photothermal therapy and bioimaging. *Journal of Materials Chemistry B*, 1(38), 4972-4982.
 - Thakur, M., Pandey, S., Mewada, A., Patil, V., Khade, M., Goshi, E., & Sharon, M. (2014). Antibiotic conjugated fluorescent carbon dots as a theranostic agent for controlled drug release, bioimaging, and enhanced antimicrobial activity. *Journal of drug delivery*, 2014.
 - Kaufmann, I. R., Zerey, O., Meyers, T., Reker, J., Vidor, F., & Hilleringmann, U. (2021). A Study about Schottky Barrier Height and Ideality Factor in Thin Film Transistors with Metal/Zinc Oxide Nanoparticles Structures Aiming Flexible Electronics Application. *Nanomaterials*, 11(5), 1188.
 - Sangaiya, P., & Jayaprakash, R. (2020). Influence of annealing temperature and electrical conductivity of α -Fe₂O₃ nanoparticles for Schottky barrier diode. *Journal of Materials Science: Materials in Electronics*, 31(18), 15153-15174.
 - Abbas, Y., Rezk, A., Anwer, S., Saadat, I., Nayfeh, A., & Rezeq, M. D. (2020). Improved figures of merit of nano-Schottky diode by embedding and characterizing individual gold nanoparticles on n-Si substrates. *Nanotechnology*, 31(12), 125708.
 - Yadav, P. K., Upadhyay, R. K., Kumar, D., Bano, D., Chandra, S., Jit, S., & Hasan, S. H. (2021). Synthesis of green fluorescent carbon quantum dots from the latex of *Ficus benghalensis* for the detection of tyrosine and fabrication of Schottky barrier diode. *New Journal of Chemistry*, 45(28), 12549-12556.

-
- Guo, Y., Chen, Y., Cao, F., Wang, L., Wang, Z., & Leng, Y. (2017). Hydrothermal synthesis of nitrogen and boron doped carbon quantum dots with yellow-green emission for sensing Cr (VI), anti-counterfeiting and cell imaging. *RSC advances*, 7(76), 48386-48393.
 - Kwon, W., Do, S., Lee, J., Hwang, S., Kim, J. K., & Rhee, S. W. (2013). Freestanding luminescent films of nitrogen-rich carbon nanodots toward large-scale phosphor-based white-light-emitting devices. *Chemistry of Materials*, 25(9), 1893-1899.
 - Mao, L. H., Tang, W. Q., Deng, Z. Y., Liu, S. S., Wang, C. F., & Chen, S. (2014). Facile access to white fluorescent carbon dots toward light-emitting devices. *Industrial & Engineering Chemistry Research*, 53(15), 6417-6425.
 - Khan, W. U., Wang, D., & Wang, Y. (2018). Highly green emissive nitrogen-doped carbon dots with excellent thermal stability for bioimaging and solid-state LED. *Inorganic chemistry*, 57(24), 15229-15239.
 - Zhou, J., Zhou, H., Tang, J., Deng, S., Yan, F., Li, W., & Qu, M. (2017). Carbon dots doped with heteroatoms for fluorescent bioimaging: a review. *Microchimica Acta*, 184(2), 343-368.
 - Ciambelli, P., La Guardia, G., & Vitale, L. (2020). Nanotechnology for green materials and processes. *Studies in Surface Science and Catalysis*, (179), 97-116.
 - Zhang, Y. Q., Ma, D. K., Zhang, Y. G., Chen, W., & Huang, S. M. (2013). N-doped carbon quantum dots for TiO₂-based photocatalysts and dye-sensitized solar cells. *Nano Energy*, 2(5), 545-552.
 - Wang, H., Sun, P., Cong, S., Wu, J., Gao, L., Wang, Y., & Zou, G. (2016). Nitrogen-doped carbon dots for “green” quantum dot solar cells. *Nanoscale research letters*, 11(1), 1-6.
 - Jares-Erijman, E. A., & Jovin, T. M. (2003). FRET imaging. *Nature Biotechnology*, 21(11), 1387.
 - Lambert, M., Leven, B. A., & Green, R. M. (2000). New methods of cleaning up heavy metal in soils and water. *Environmental science and technology briefs for citizens. Kansas State University, Manhattan, KS*.

-
- Flora, S. J. S., Mittal, M., & Mehta, A. (2008). Heavy metal induced oxidative stress & its possible reversal by chelation therapy. *Indian Journal of Medical Research*, 128(4), 501.
 - Gajalakshmi, S., Iswarya, V., Ashwini, R., Divya, G., Mythili, S., & Sathiavelu, A. (2012). Evaluation of heavy metals in medicinal plants growing in Vellore District. *European Journal of Experimental Biology*, 2(5), 1457-1461.
 - Morais, S., e Costa, F. G., & de Lourdes Pereira, M. (2012). Heavy metals and human health. In *Environmental health-emerging issues and practice*. IntechOpen.
 - Yang, P., Zhao, J., Wang, J., Cao, B., Li, L., & Zhu, Z. (2014). Light-induced synthesis of photoluminescent carbon nanoparticles for Fe³⁺ sensing and photocatalytic hydrogen evolution. *Journal of Materials Chemistry A*, 3(1), 136-138.
 - Chandra, S., Laha, D., Pramanik, A., Ray Chowdhuri, A., Karmakar, P., & Sahu, S. K. (2016). Synthesis of highly fluorescent nitrogen and phosphorus doped carbon dots for the detection of Fe³⁺ ions in cancer cells. *Luminescence*, 31(1), 81-87.
 - Xu, L., Fan, H., Huang, L., Xia, J., Huang, J., Li, M., & Li, S. (2017). Eosinophilic nitrogen-doped carbon dots derived from tribute chrysanthemum for label-free detection of Fe³⁺ ions and hydrazine. *Journal of the Taiwan Institute of Chemical Engineers*, 78, 247-253.
 - Yadav, P. K., Singh, V. K., Kumar, C., Chandra, S., Jit, S., Singh, S. K., & Hasan, S. H. (2019). A Facile Synthesis of Green-Blue Carbon Dots from Artocarpus lakoocha Seeds and Their Application for the Detection of Iron (III) in Biological Fluids and Cellular Imaging. *ChemistrySelect*, 4(42), 12252-12259.
 - Techouwon, P. B., Ayensu, W. K., Ninashvili, N., & Sutton, D. (2003). Environmental exposure to mercury and its toxicopathologic implications for public health. *Environmental Toxicology: An International Journal*, 18(3), 149-175.
 - Nolan, E. M., & Lippard, S. J. (2008). Tools and tactics for the optical detection of mercuric ion. *Chemical reviews*, 108(9), 3443-3480.
 - Gajalakshmi, S., Iswarya, V., Ashwini, R., Divya, G., Mythili, S., & Sathiavelu, A. (2012). Evaluation of heavy metals in medicinal plants growing in Vellore District. *European Journal of Experimental Biology*, 2(5), 1457-1461.
 - Gong, Y., Liu, Y., Xiong, Z., & Zhao, D. (2014). Immobilization of mercury by carboxymethyl cellulose stabilized iron sulfide nanoparticles: reaction mechanisms

and effects of stabilizer and water chemistry. *Environmental science & technology*, 48(7), 3986-3994.

- Yuan, C., Liu, B., Liu, F., Han, M. Y., & Zhang, Z. (2014). Fluorescence “turn on” detection of mercuric ion based on bis (dithiocarbamate) copper (II) complex functionalized carbon nanodots. *Analytical chemistry*, 86(2), 1123-1130.
- Zhang, R., & Chen, W. (2014). Nitrogen-doped carbon quantum dots: Facile synthesis and application as a “turn-off” fluorescent probe for detection of Hg²⁺ ions. *Biosensors and Bioelectronics*, 55, 83-90.
- Singh, V. K., Singh, V., Yadav, P. K., Chandra, S., Bano, D., Koch, B., & Hasan, S. H. (2019). Nitrogen doped fluorescent carbon quantum dots for on-off-on detection of Hg²⁺ and glutathione in aqueous medium: Live cell imaging and IMPLICATION logic gate operation. *Journal of Photochemistry and Photobiology A: Chemistry*, 384, 112042.
- Zheng, M., Xie, Z., Qu, D., Li, D., Du, P., Jing, X., & Sun, Z. (2013). On-off-on fluorescent carbon dot nanosensor for recognition of chromium (VI) and ascorbic acid based on the inner filter effect. *ACS applied materials & interfaces*, 5(24), 13242-13247.
- Omer, K. M., Tofiq, D. I., & Ghafoor, D. D. (2019). Highly photoluminescent label free probe for Chromium (II) ions using carbon quantum dots co-doped with nitrogen and phosphorous. *Journal of Luminescence*, 206, 540-546.
- Singh, V. K., Singh, V., Yadav, P. K., Chandra, S., Bano, D., Kumar, V., & Hasan, S. H. (2018). Bright-blue-emission nitrogen and phosphorus-doped carbon quantum dots as a promising nanoprobe for detection of Cr (VI) and ascorbic acid in pure aqueous solution and in living cells. *New Journal of Chemistry*, 42(15), 12990-12997.
- Bano, D., Kumar, V., Chandra, S., Singh, V. K., Mohan, S., Singh, D. K., ... & Hasan, S. H. (2019). Synthesis of highly fluorescent nitrogen-rich carbon quantum dots and their application for the turn-off detection of cobalt (II). *Optical Materials*, 92, 311-318.
- Kumar, A. S., Ye, T., Takami, T., Yu, B. C., Flatt, A. K., Tour, J. M., & Weiss, P. S. (2008). Reversible photo-switching of single azobenzene molecules in controlled nanoscale environments. *Nano letters*, 8(6), 1644-1648.

-
- Ma, Z., Ming, H., Huang, H., Liu, Y., & Kang, Z. (2012). One-step ultrasonic synthesis of fluorescent N-doped carbon dots from glucose and their visible-light sensitive photocatalytic ability. *New Journal of Chemistry*, 36(4), 861-864.
 - Hu, S., Tian, R., Dong, Y., Yang, J., Liu, J., & Chang, Q. (2013). Modulation and effects of surface groups on photoluminescence and photocatalytic activity of carbon dots. *Nanoscale*, 5(23), 11665-11671.
 - Di, J., Xia, J., Ge, Y., Li, H., Ji, H., Xu, H., & Li, M. (2015). Novel visible-light-driven CQDs/Bi₂WO₆ hybrid materials with enhanced photocatalytic activity toward organic pollutants degradation and mechanism insight. *Applied Catalysis B: Environmental*, 168, 51-61.
 - Li, H., He, X., Kang, Z., Huang, H., Liu, Y., Liu, J., & Lee, S. T. (2010). Water-soluble fluorescent carbon quantum dots and photocatalyst design. *Angewandte Chemie International Edition*, 49(26), 4430-4434.
 - Lim, S. Y., Shen, W., & Gao, Z. (2015). Carbon quantum dots and their applications. *Chemical Society Reviews*, 44(1), 362-381.
 - Li, H., Liu, R., Liu, Y., Huang, H., Yu, H., Ming, H., & Kang, Z. (2012). Carbon quantum dots/Cu₂O composites with protruding nanostructures and their highly efficient (near) infrared photocatalytic behavior. *Journal of Materials Chemistry*, 22(34), 17470-17475.
 - Zhang, H., Huang, H., Ming, H., Li, H., Zhang, L., Liu, Y., & Kang, Z. (2012). Carbon quantum dots/Ag₃PO₄ complex photocatalysts with enhanced photocatalytic activity and stability under visible light. *Journal of Materials Chemistry*, 22(21), 10501-10506.
 - Yu, H., Zhang, H., Huang, H., Liu, Y., Li, H., Ming, H., & Kang, Z. (2012). ZnO/carbon quantum dots nanocomposites: one-step fabrication and superior photocatalytic ability for toxic gas degradation under visible light at room temperature. *New Journal of Chemistry*, 36(4), 1031-1035.
 - Zhao, H. X., Liu, L. Q., De Liu, Z., Wang, Y., Zhao, X. J., & Huang, C. Z. (2011). Highly selective detection of phosphate in very complicated matrixes with an off-on fluorescent probe of europium-adjusted carbon dots. *Chemical Communications*, 47(9), 2604-2606.

-
- Li, H., Zhang, Y., Wang, L., Tian, J., & Sun, X. (2011). Nucleic acid detection using carbon nanoparticles as a fluorescent sensing platform. *Chemical Communications*, 47(3), 961-963.
 - Shi, Y., Pan, Y., Zhang, H., Zhang, Z., Li, M. J., Yi, C., & Yang, M. (2014). A dual-mode nanosensor based on carbon quantum dots and gold nanoparticles for discriminative detection of glutathione in human plasma. *Biosensors and Bioelectronics*, 56, 39-45.
 - Wei, W., Xu, C., Ren, J., Xu, B., & Qu, X. (2012). Sensing metal ions with ion selectivity of a crown ether and fluorescence resonance energy transfer between carbon dots and graphene. *Chemical Communications*, 48(9), 1284-1286.
 - Zhao, H. X., Liu, L. Q., De Liu, Z., Wang, Y., Zhao, X. J., & Huang, C. Z. (2011). Highly selective detection of phosphate in very complicated matrixes with an off-on fluorescent probe of europium-adjusted carbon dots. *Chemical Communications*, 47(9), 2604-2606.
 - Mao, Y., Bao, Y., Han, D., Li, F., & Niu, L. (2012). Efficient one-pot synthesis of molecularly imprinted silica nanospheres embedded carbon dots for fluorescent dopamine optosensing. *Biosensors and Bioelectronics*, 38(1), 55-60.
 - Zheng, M., Xie, Z., Qu, D., Li, D., Du, P., Jing, X., & Sun, Z. (2013). On-off-on fluorescent carbon dot nanosensor for recognition of chromium (VI) and ascorbic acid based on the inner filter effect. *ACS applied materials & interfaces*, 5(24), 13242-13247.
 - Huang, Q., Hu, S., Zhang, H., Chen, J., He, Y., Li, F., & Lin, Y. (2013). Carbon dots and chitosan composite film based biosensor for the sensitive and selective determination of dopamine. *Analyst*, 138(18), 5417-5423.
 - Niu, J., & Gao, H. (2014). Synthesis and drug detection performance of nitrogen-doped carbon dots. *Journal of Luminescence*, 149, 159-162.
 - Singh, V. K., Singh, V., Yadav, P. K., Chandra, S., Bano, D., Koch, B., & Hasan, S. H. (2019). Nitrogen doped fluorescent carbon quantum dots for on-off-on detection of Hg²⁺ and glutathione in aqueous medium: Live cell imaging and IMPLICATION logic gate operation. *Journal of Photochemistry and Photobiology A: Chemistry*, 384, 112042.
 - Han, Z., Zhang, H., He, L., Pan, S., Liu, H., & Hu, X. (2019). One-pot hydrothermal synthesis of nitrogen and sulfur co-doped carbon dots and their application for

- sensitive detection of curcumin and temperature. *Microchemical Journal*, 146, 300-308.
- Shi, W., Guo, F., Han, M., Yuan, S., Guan, W., Li, H., & Kang, Z. (2017). N, S co-doped carbon dots as a stable bio-imaging probe for detection of intracellular temperature and tetracycline. *Journal of Materials Chemistry B*, 5(18), 3293-3299.
 - Zuo, P., Liu, J., Guo, H., Wang, C., Liu, H., Zhang, Z., & Liu, Q. (2019). Multifunctional N, S co-doped carbon dots for sensitive probing of temperature, ferric ion, and methotrexate. *Analytical and bioanalytical chemistry*, 411(8), 1647-1657.
 - Guo, Y., Chen, Y., Cao, F., Wang, L., Wang, Z., & Leng, Y. (2017). Hydrothermal synthesis of nitrogen and boron doped carbon quantum dots with yellow-green emission for sensing Cr (VI), anti-counterfeiting and cell imaging. *RSC advances*, 7(76), 48386-48393.
 - Bandi, R., Devulapalli, N. P., Dadigala, R., Gangapuram, B. R., & Guttena, V. (2018). Facile conversion of toxic cigarette butts to N, S-codoped carbon dots and their application in fluorescent film, security ink, bioimaging, sensing and logic gate operation. *ACS omega*, 3(10), 13454-13466.
 - Dong, Y.-l.; Zhang, H.-g.; Rahman, Z. U.; Su, L.; Chen, X.-j.; Hu, J.; Chen, X.-g. (2012). Graphene oxide-Fe₃O₄ magnetic nanocomposites with peroxidase-like activity for colorimetric detection of glucose. *Nanoscale* 4, 3969-3976.
 - Ryan, B. J.; Carolan, N.; Ó'Fágáin, C. (2006). Horseradish and soybean peroxidases: comparable tools for alternative niches. *Trends Biotechnol.*, 24, 355-363.
 - Wang, X., Yang, Y., Li, L., Sun, M., Yin, H., & Qin, W. (2014). A polymeric liquid membrane electrode responsive to 3, 3', 5, 5'-tetramethylbenzidine oxidation for sensitive peroxidase/peroxidase mimetic-based potentiometric biosensing. *Analytical chemistry*, 86(9), 4416-4422.
 - Chen, X., Tian, X., Su, B., Huang, Z., Chen, X., & Oyama, M. (2014). Au nanoparticles on citrate-functionalized graphene nanosheets with a high peroxidase-like performance. *Dalton Transactions*, 43(20), 7449-7454.

-
- Gao, L., Zhuang, J., Nie, L., Zhang, J., Zhang, Y., Gu, N., ... & Yan, X. (2007). Intrinsic peroxidase-like activity of ferromagnetic nanoparticles. *Nature nanotechnology*, 2(9), 577-583.
 - Su, L., Feng, J., Zhou, X., Ren, C., Li, H., & Chen, X. (2012). Colorimetric detection of urine glucose based ZnFe₂O₄ magnetic nanoparticles. *Analytical chemistry*, 84(13), 5753-5758.
 - Qu, K., Shi, P., Ren, J., & Qu, X. (2014). Nanocomposite incorporating V₂O₅ nanowires and gold nanoparticles for mimicking an enzyme cascade reaction and its application in the detection of biomolecules. *Chemistry—A European Journal*, 20(24), 7501-7506.
 - Yu, J., Ma, D., Mei, L., Gao, Q., Yin, W., Zhang, X., ... & Zhao, Y. (2018). Peroxidase-like activity of MoS₂ nanoflakes with different modifications and their application for H₂O₂ and glucose detection. *Journal of Materials Chemistry B*, 6(3), 487-498.
 - He, W., Jia, H., Li, X., Lei, Y., Li, J., Zhao, H., ... & Zheng, Z. (2012). Understanding the formation of CuS concave superstructures with peroxidase-like activity. *Nanoscale*, 4(11), 3501-3506.
 - Drozd, M., Pietrzak, M., Parzuchowski, P. G., & Malinowska, E. (2016). Pitfalls and capabilities of various hydrogen donors in evaluation of peroxidase-like activity of gold nanoparticles. *Analytical and Bioanalytical Chemistry*, 408(29), 8505-8513.
 - Wang, G. L., Xu, X. F., Qiu, L., Dong, Y. M., Li, Z. J., & Zhang, C. (2014). Dual responsive enzyme mimicking activity of AgX (X= Cl, Br, I) nanoparticles and its application for cancer cell detection. *ACS Applied Materials & Interfaces*, 6(9), 6434-6442.
 - Wei, J., Chen, X., Shi, S., Mo, S., & Zheng, N. (2015). An investigation of the mimetic enzyme activity of two-dimensional Pd-based nanostructures. *Nanoscale*, 7(45), 19018-19026.
 - Dalui, A., Pradhan, B., Thupakula, U., Khan, A. H., Kumar, G. S., Ghosh, T., ... & Acharya, S. (2015). Insight into the mechanism revealing the peroxidase mimetic catalytic activity of quaternary CuZnFeS nanocrystals: colorimetric biosensing of hydrogen peroxide and glucose. *Nanoscale*, 7(19), 9062-9074.

-
- Wang, G. L., Xu, X., Wu, X., Cao, G., Dong, Y., & Li, Z. (2014). Visible-light-stimulated enzymelike activity of graphene oxide and its application for facile glucose sensing. *The Journal of Physical Chemistry C*, 118(48), 28109-28117.
 - Gao, C., Zhu, H., Chen, J., & Qiu, H. (2017). Facile synthesis of enzyme functional metal-organic framework for colorimetric detecting H₂O₂ and ascorbic acid. *Chinese Chemical Letters*, 28(5), 1006-1012.
 - Zheng, H. Q., Liu, C. Y., Zeng, X. Y., Chen, J., Lü, J., Lin, R. G., ... & Su, J. W. (2018). MOF-808: a metal-organic framework with intrinsic peroxidase-like catalytic activity at neutral pH for colorimetric biosensing. *Inorganic chemistry*, 57(15), 9096-9104.
 - Liu, H., Ding, Y. N., Yang, B., Liu, Z., Zhang, X., & Liu, Q. (2018). Iron doped CuSn (OH) 6 microspheres as a peroxidase-mimicking artificial enzyme for H₂O₂ colorimetric detection. *ACS Sustainable Chemistry & Engineering*, 6(11), 14383-14393.
 - Zhong, M., Chi, M., Ma, F., Zhu, Y., Wang, C., & Lu, X. (2018). Dual responsive enzyme mimicking of ternary polyaniline-MnO₂-Pd nanowires and its application in colorimetric biosensing. *ACS Sustainable Chemistry & Engineering*, 6(12), 16482-16492.
 - Hu, Yihui, Xuejiao J. Gao, Yunyao Zhu, Faheem Muhammad, Shihua Tan, Wen Cao, Shichao Lin, Zhong Jin, Xingfa Gao, and Hui Wei. "Nitrogen-doped carbon nanomaterials as highly active and specific peroxidase mimics." *Chemistry of Materials* 30, no. 18 (2018): 6431-6439.
 - Li, A., Mu, X., Li, T., Wen, H., Li, W., Li, Y., & Wang, B. (2018). Formation of porous Cu hydroxy double salt nanoflowers derived from metal-organic frameworks with efficient peroxidase-like activity for label-free detection of glucose. *Nanoscale*, 10(25), 11948-11954.
 - Dong, Jinlai, Lina Song, Jun-Jie Yin, Weiwei He, Yihang Wu, Ning Gu, and Yu Zhang. "Co₃O₄ nanoparticles with multi-enzyme activities and their application in immunohistochemical assay." *ACS Applied Materials & Interfaces* 6, no. 3 (2014): 1959-1970.

-
- Li, S., Wang, L., Zhang, X., Chai, H., & Huang, Y. (2018). A Co, N co-doped hierarchically porous carbon hybrid as a highly efficient oxidase mimetic for glutathione detection. *Sensors and Actuators B: Chemical*, 264, 312-319.
 - Salam, H. A., Rajiv, P., Kamaraj, M., Jagadeeswaran, P., Gunalan, S., & Sivaraj, R. (2012). Plants: green route for nanoparticle synthesis. *Int Res J Biol Sci*, 1(5), 85-90.
 - Zhang, X., Jiang, M., Niu, N., Chen, Z., Li, S., Liu, S., & Li, J. (2018). Natural-product-derived carbon dots: from natural products to functional materials. *ChemSusChem*, 11(1), 11-24.
 - Liu, S., Tian, J., Wang, L., Zhang, Y., Qin, X., Luo, Y., ... & Sun, X. (2012). Hydrothermal treatment of grass: a low-cost, green route to nitrogen-doped, carbon-rich, photoluminescent polymer nanodots as an effective fluorescent sensing platform for label-free detection of Cu (II) ions. *Advanced materials*, 24(15), 2037-2041.
 - Mohammadinejad, R., Karimi, S., Iravani, S., & Varma, R. S. (2016). Plant-derived nanostructures: types and applications. *Green Chemistry*, 18(1), 20-52.
 - Sahu, S., Behera, B., Maiti, T. K., & Mohapatra, S. (2012). Simple one-step synthesis of highly luminescent carbon dots from orange juice: application as excellent bio-imaging agents. *Chemical communications*, 48(70), 8835-8837.
 - Wei, J., Liu, B., & Yin, P. (2014). Dual functional carbonaceous nanodots exist in a cup of tea. *RSC advances*, 4(108), 63414-63419.
 - Wang, J., Wang, C. F., & Chen, S. (2012). Amphiphilic egg-derived carbon dots: Rapid plasma fabrication, pyrolysis process, and multicolor printing patterns. *Angewandte Chemie International Edition*, 51(37), 9297-9301.
 - Shen, J., Shang, S., Chen, X., Wang, D., & Cai, Y. (2017). Facile synthesis of fluorescence carbon dots from sweet potato for Fe³⁺ sensing and cell imaging. *Materials Science and Engineering: C*, 76, 856-864.
 - Gu, D., Shang, S., Yu, Q., & Shen, J. (2016). Green synthesis of nitrogen-doped carbon dots from lotus root for Hg (II) ions detection and cell imaging. *Applied Surface Science*, 390, 38-42.

-
- Yin, B., Deng, J., Peng, X., Long, Q., Zhao, J., Lu, Q., ... & Yao, S. (2013). Green synthesis of carbon dots with down-and up-conversion fluorescent properties for sensitive detection of hypochlorite with a dual-readout assay. *Analyst*, *138*(21), 6551-6557.
 - Sachdev, A., & Gopinath, P. (2015). Green synthesis of multifunctional carbon dots from coriander leaves and their potential application as antioxidants, sensors and bioimaging agents. *Analyst*, *140*(12), 4260-4269.
 - Elgailani, I. E. H., Elkareem, M. A. M. G., Noh, E., Adam, O., & Alghamdi, A. (2017). Comparison of two methods for the determination of vitamin C (ascorbic acid) in some fruits. *Am. J. Chem*, *2*(1), 1-7.
 - Pardakhty, A., Ahmadzadeh, S., Avazpour, S., & Gupta, V. K. (2016). Highly sensitive and efficient voltammetric determination of ascorbic acid in food and pharmaceutical samples from aqueous solutions based on nanostructure carbon paste electrode as a sensor. *Journal of Molecular Liquids*, *216*, 387-391.
 - Güçlü, K., Sözgen, K., Tütem, E., Özyürek, M., & Apak, R. (2005). Spectrophotometric determination of ascorbic acid using copper (II)-neocuproine reagent in beverages and pharmaceuticals. *Talanta*, *65*(5), 1226-1232.
 - Gökmen, V., Kahraman, N., Demir, N., & Acar, J. (2000). Enzymatically validated liquid chromatographic method for the determination of ascorbic and dehydroascorbic acids in fruit and vegetables. *Journal of Chromatography A*, *881*(1-2), 309-316.
 - Luo, X., Zhang, W., Han, Y., Chen, X., Zhu, L., Tang, W., ... & Li, Z. (2018). N, S co-doped carbon dots based fluorescent “on-off-on” sensor for determination of ascorbic acid in common fruits. *Food chemistry*, *258*, 214-221.
 - Lalitha, A., Subbaiya, R., & Ponmurugan, P. (2013). Green synthesis of silver nanoparticles from leaf extract *Azhadirachta indica* and to study its anti-bacterial and antioxidant property. *Int J Curr Microbiol App Sci*, *2*(6), 228-235.

- Roy, P., Das, B., Mohanty, A., & Mohapatra, S. (2017). Green synthesis of silver nanoparticles using *Azadirachta indica* leaf extract and its antimicrobial study. *Applied Nanoscience*, 7(8), 843-850.
- Pandey, S., Oza, G., Mewada, A., Shah, R., Thakur, M., & Sharon, M. (2013). Folic acid mediated synaphic delivery of doxorubicin using biogenic gold nanoparticles anchored to biological linkers. *Journal of Materials Chemistry B*, 1(9), 1361-1370.
- Wang, W., Lu, Y. C., Huang, H., Feng, J. J., Chen, J. R., & Wang, A. J. (2014). Facile synthesis of water-soluble and biocompatible fluorescent nitrogen-doped carbon dots for cell imaging. *Analyst*, 139(7), 1692-1696.
- Kováčová, M., Marković, Z. M., Humpolicek, P., Micusik, M., Svajdlenkova, H., Kleinova, A., ... & Špitalský, Z. (2018). Carbon quantum dots modified polyurethane nanocomposite as effective photocatalytic and antibacterial agents. *ACS Biomaterials Science & Engineering*, 4(12), 3983-3993.
- Lin, L., Song, X., Chen, Y., Rong, M., Zhao, T., Jiang, Y., ... & Chen, X. (2015). One-pot synthesis of highly greenish-yellow fluorescent nitrogen-doped graphene quantum dots for pyrophosphate sensing via competitive coordination with Eu 3+ ions. *Nanoscale*, 7(37), 15427-15433.
- Huang, H., Xu, Y., Tang, C. J., Chen, J. R., Wang, A. J., & Feng, J. J. (2014). Facile and green synthesis of photoluminescent carbon nanoparticles for cellular imaging. *New Journal of Chemistry*, 38(2), 784-789.
- Huang, H., Lu, Y. C., Wang, A. J., Liu, J. H., Chen, J. R., & Feng, J. J. (2014). A facile, green, and solvent-free route to nitrogen-sulfur-codoped fluorescent carbon nanoparticles for cellular imaging. *RSC Advances*, 4(23), 11872-11875.
- Kong, F., Chen, K., Song, S., & Xue, D. (2018). Metal organic framework derived CoFe@ N-doped carbon/reduced graphene sheets for enhanced oxygen evolution reaction. *Inorganic Chemistry Frontiers*, 5(8), 1962-1966.
- Yang, Y.; Shen, D.; Long, Y.; Xie, Z.; Zheng, H. 2017. Intrinsic peroxidase-like activity of ficin. *Sci. Rep.* 7, 43141.

-
- Zhang, J.-W.; Zhang, H.-T.; Du, Z.-Y.; Wang, X.; Yu, S.-H.; Jiang, H.-L. (2014). Water-stable metal–organic frameworks with intrinsic peroxidase-like catalytic activity as a colorimetric biosensing platform. *Chem. Commun.*, 50 (9), 1092-1094.

 - Chai, D.-F.; Ma, Z.; Yan, H.; Qiu, Y.; Liu, H.; Guo, H.-D.; Gao, G.-G. (2015). Synergistic effect of sandwich polyoxometalates and copper–imidazole complexes for enhancing the peroxidase-like activity. *RSC Adv.* 5 (96), 78771-78779.

 - Wang, X.; Qu, K.; Xu, B.; Ren, J.; Qu, X. (2011). Multicolor luminescent carbon nanoparticles: Synthesis, supramolecular assembly with porphyrin, intrinsic peroxidase-like catalytic activity and applications. *Nano Res.* , 4 (9), 908-920.

 - Zeng, Y.; Miao, F.; Zhao, Z.; Zhu, Y.; Liu, T.; Chen, R.; Liang, F. (2017). Low-cost nanocarbon-based peroxidases from graphite and carbon fibers. *Appl. Sci.*, 7 (9), 924.

 - An, Q.; Sun, C.; Li, D.; Xu, K.; Guo, J.; Wang, C. (2013) Peroxidase-like activity of Fe₃O₄@ carbon nanoparticles enhances ascorbic acid-induced oxidative stress and selective damage to PC-3 prostate cancer cells. *ACS Appl. Mater. Interfaces* , 5 (24), 13248-13257.

 - Singh, V. K.; Yadav, P. K.; Chandra, S.; Bano, D.; Talat, M.; Hasan, S. H. (2018). Peroxidase mimetic activity of fluorescent NS-carbon quantum dots and their application in colorimetric detection of H₂O₂ and glutathione in human blood serum. *J. Mater. Chem. B* 6(32), 5256-5268.

 - Lin, T.; Zhong, L.; Guo, L.; Fu, F.; Chen, G. (2014). Seeing diabetes: visual detection of glucose based on the intrinsic peroxidase-like activity of MoS₂ nanosheets. *Nanoscale* 6 (20), 11856-11862.

 - Wolfbeis, O. S.; Dürkop, A.; Wu, M.; Lin, Z. (2002). A europium-ion-based luminescent sensing probe for hydrogen peroxide. *Angew. Chem., Int. Ed.*, 41 (23), 4495-4498.

 - Miller, E. W.; Albers, A. E.; Pralle, A.; Isacoff, E. Y.; Chang, C. J. (2005). Boronate-based fluorescent probes for imaging cellular hydrogen peroxide. *J. Am. Chem. Soc.* ,127 (47), 16652-16659.

-
- Liu, J.; Hu, X.; Hou, S.; Wen, T.; Liu, W.; Zhu, X.; Wu, X. (2012), Au@ Pt core/shell nanorods with peroxidase-and ascorbate oxidase-like activities for improved detection of glucose. *Sens. Actuators. B Chem* 166, 708-714.
 - Yang, H.; Zha, J.; Zhang, P.; Xiong, Y.; Su, L.; Ye, F. (2016). Sphere-like CoS with nanostructures as peroxidase mimics for colorimetric determination of H₂ O₂ and mercury ions. *RSC Adv.*, 6 (71), 66963-66970.
 - Abbasi, A.; Shakir, M. (2018). An inner filter effect based Schiff base chemosensor for recognition of Cr (VI) and ascorbic acid in water matrices. *New J. Chem.* , 42 (1), 293-300.
 - Sun, D.; Zhao, Q.; Tan, F.; Wang, X.; Gao, J. (2012). Simultaneous detection of dopamine, uric acid, and ascorbic acid using SnO₂ nanoparticles/multi-walled carbon nanotubes/carbon paste electrode. *Anal. Methods* 4 (10), 3283-3289.
 - Mi, C.; Wang, T.; Zeng, P.; Zhao, S.; Wang, N.; Xu, S. (2013), Determination of ascorbic acid via luminescence quenching of LaF₃: Ce, Tb nanoparticles synthesized through a microwave-assisted solvothermal method. *Anal. Meth.* 5 (6), 1463-1468.
 - Weng, C.-J.; Jhuo, Y.-S.; Chen, Y.-L.; Feng, C.-F.; Chang, C.-H.; Chen, S.-W.; Yeh, J.-M.; Wei, Y. (2011) Intrinsically electroactive polyimide microspheres fabricated by electrospraying technology for ascorbic acid detection. *J. Mater. Chem.*, 21 (39), 15666-15672.
 - Ai, L.; Li, L.; Zhang, C.; Fu, J.; Jiang, J. MIL-53 (Fe): (2013) A Metal–Organic Framework with Intrinsic Peroxidase-Like Catalytic Activity for Colorimetric Biosensing. *Chem.-A Eur. J.*, 19 (45), 15105-15108.
 - Wang, Z.; Liu, J.; Liang, Q.; Wang, Y.; Luo, G. (2002). Carbon nanotube-modified electrodes for the simultaneous determination of dopamine and ascorbic acid. *Analyst.* 127 (5), 653-658.
 - Xu, X., Ray, R., Gu, Y., Ploehn, H. J., Gearheart, L., Raker, K., & Scrivens, W. A. (2004). Electrophoretic analysis and purification of fluorescent single-walled carbon nanotube fragments. *Journal of the American Chemical Society*, 126(40), 12736-12737.
 - Xu, Y., Niu, X., Zhang, H., Xu, L., Zhao, S., Chen, H., & Chen, X. (2015). Switch-on fluorescence sensing of glutathione in food samples based on a graphitic carbon

- nitride quantum dot (g-CNQD)-Hg²⁺ chemosensor. *Journal of agricultural and food chemistry*, 63(6), 1747-1755.
- Liang, Q., Ma, W., Shi, Y., Li, Z., & Yang, X. (2013). Easy synthesis of highly fluorescent carbon quantum dots from gelatin and their luminescent properties and applications. *Carbon*, 60, 421-428.
 - Yan, Y., Liu, Q., Du, X., Qian, J., Mao, H., & Wang, K. (2015). Visible light photoelectrochemical sensor for ultrasensitive determination of dopamine based on synergistic effect of graphene quantum dots and TiO₂ nanoparticles. *Analytica chimica acta*, 853, 258-264.
 - Ting, S. L., Ee, S. J., Ananthanarayanan, A., Leong, K. C., & Chen, P. (2015). Graphene quantum dots functionalized gold nanoparticles for sensitive electrochemical detection of heavy metal ions. *Electrochimica Acta*, 172, 7-11.
 - Yang, S. T., Wang, X., Wang, H., Lu, F., Luo, P. G., Cao, L., ... & Sun, Y. P. (2009). Carbon dots as nontoxic and high-performance fluorescence imaging agents. *The Journal of Physical Chemistry C*, 113(42), 18110-18114.
 - Antaris, A. L., Robinson, J. T., Yaghi, O. K., Hong, G., Diao, S., Luong, R., & Dai, H. (2013). Ultra-low doses of chirality sorted (6, 5) carbon nanotubes for simultaneous tumor imaging and photothermal therapy. *ACS nano*, 7(4), 3644-3652.
 - Zhu, S., Meng, Q., Wang, L., Zhang, J., Song, Y., Jin, H., ... & Yang, B. (2013). Highly photoluminescent carbon dots for multicolor patterning, sensors, and bioimaging. *Angewandte Chemie*, 125(14), 4045-4049.
 - Feng, T., Ai, X., An, G., Yang, P., & Zhao, Y. (2016). Correction to charge-convertible carbon dots for imaging-guided drug delivery with enhanced in vivo cancer therapeutic efficiency. *ACS nano*, 10(5), 5587-5587.

- Hu, S., Tian, R., Dong, Y., Yang, J., Liu, J., & Chang, Q. (2013). Modulation and effects of surface groups on photoluminescence and photocatalytic activity of carbon dots. *Nanoscale*, 5(23), 11665-11671.

- Ma, C. B., Zhu, Z. T., Wang, H. X., Huang, X., Zhang, X., Qi, X., ... & Zhang, H. (2015). A general solid-state synthesis of chemically-doped fluorescent graphene quantum dots for bioimaging and optoelectronic applications. *Nanoscale*, 7(22), 10162-10169.

- Li, H., He, X., Liu, Y., Huang, H., Lian, S., Lee, S. T., & Kang, Z. (2011). One-step ultrasonic synthesis of water-soluble carbon nanoparticles with excellent photoluminescent properties. *Carbon*, 49(2), 605-609.

- Li, H., He, X., Kang, Z., Huang, H., Liu, Y., Liu, J., ... & Lee, S. T. (2010). Water-soluble fluorescent carbon quantum dots and photocatalyst design. *Angewandte Chemie International Edition*, 49(26), 4430-4434.

- Li, H., Shao, F. Q., Huang, H., Feng, J. J., & Wang, A. J. (2016). Eco-friendly and rapid microwave synthesis of green fluorescent graphitic carbon nitride quantum dots for vitro bioimaging. *Sensors and Actuators B: Chemical*, 226, 506-511.

- Du, Y., & Guo, S. (2016). Chemically doped fluorescent carbon and graphene quantum dots for bioimaging, sensor, catalytic and photoelectronic applications. *Nanoscale*, 8(5), 2532-2543.

- Rahy, A., Zhou, C., Zheng, J., Park, S. Y., Kim, M. J., Jang, I., ... & Yang, D. J. (2012). Photoluminescent carbon nanoparticles produced by confined combustion of aromatic compounds. *Carbon*, 50(3), 1298-1302.

- Wang, Z., Liu, J., Wang, W., Wei, Z., Wang, F., Gong, P., ... & Sun, L. (2017). Photoluminescent carbon quantum dot grafted silica nanoparticles directly synthesized from rice husk biomass. *Journal of Materials Chemistry B*, 5(24), 4679-4689.

-
- Prasannan, A., & Imae, T. (2013). One-pot synthesis of fluorescent carbon dots from orange waste peels. *Industrial & Engineering Chemistry Research*, 52(44), 15673-15678.

 - Crichton, R. R., Dexter, D. T., & Ward, R. J. (2008). Metal based neurodegenerative diseases—from molecular mechanisms to therapeutic strategies. *Coordination Chemistry Reviews*, 252(10-11), 1189-1199.

 - Troeppner, O., Lippert, R., Shubina, T. E., Zahl, A., Jux, N., & Ivanović-Burmazović, I. (2014). Reverse Spin-Crossover and High-Pressure Kinetics of the Heme Iron Center Relevant for the Operation of Heme Proteins under Deep-Sea Conditions. *Angewandte Chemie International Edition*, 53(43), 11452-11457.

 - Bruijninx, P. C., van Koten, G., & Gebbink, R. J. K. (2008). Mononuclear non-heme iron enzymes with the 2-His-1-carboxylate facial triad: recent developments in enzymology and modeling studies. *Chemical Society Reviews*, 37(12), 2716-2744.

 - Ju, J., & Chen, W. (2014). Synthesis of highly fluorescent nitrogen-doped graphene quantum dots for sensitive, label-free detection of Fe (III) in aqueous media. *Biosensors and bioelectronics*, 58, 219-225.

 - García-Marco, S., Torreblanca, A., & Lucena, J. J. (2006). Chromatographic Determination of Fe Chelated by Ethylenediamine-N-(o-hydroxyphenylacetic)-N'-(p-hydroxyphenylacetic) Acid in Commercial EDDHA/Fe³⁺ Fertilizers. *Journal of agricultural and food chemistry*, 54(4), 1380-1386.

 - Li, W., Simmons, P., Shrader, D., Herrman, T. J., & Dai, S. Y. (2013). Microwave plasma-atomic emission spectroscopy as a tool for the determination of copper, iron, manganese and zinc in animal feed and fertilizer. *Talanta*, 112, 43-48.

 - Kindra, L. R., Eggers, C. J., Liu, A. T., Mendoza, K., Mendoza, J., Klein Myers, A. R., & Penner, R. M. (2015). Lithographically patterned PEDOT nanowires for the detection of iron (III) with nanomolar sensitivity. *Analytical chemistry*, 87(22), 11492-11500.

-
- Buduru, P., & BC, S. R. R. (2016). Oxamic acid and p-aminobenzoic acid functionalized gold nanoparticles as a probe for colorimetric detection of Fe³⁺ ion. *Sensors and Actuators B: Chemical*, 237, 935-943.
 - Salam, H. A., Rajiv, P., Kamaraj, M., Jagadeeswaran, P., Gunalan, S., & Sivaraj, R. (2012). Plants: green route for nanoparticle synthesis. *Int Res J Biol Sci*, 1(5), 85-90.
 - Zhang, X., Jiang, M., Niu, N., Chen, Z., Li, S., Liu, S., & Li, J. (2018). Natural-product-derived carbon dots: from natural products to functional materials. *ChemSusChem*, 11(1), 11-24.
 - Yadav, P. K., Singh, V. K., Chandra, S., Bano, D., Kumar, V., Talat, M., & Hasan, S. H. (2018). Green synthesis of fluorescent carbon quantum dots from azadirachta indica leaves and their peroxidase-mimetic activity for the detection of H₂O₂ and ascorbic acid in common fresh fruits. *ACS Biomaterials Science & Engineering*, 5(2), 623-632.
 - Liu, S., Tian, J., Wang, L., Zhang, Y., Qin, X., Luo, Y., ... & Sun, X. (2012). Hydrothermal treatment of grass: a low-cost, green route to nitrogen-doped, carbon-rich, photoluminescent polymer nanodots as an effective fluorescent sensing platform for label-free detection of Cu (II) ions. *Advanced materials*, 24(15), 2037-2041.
 - Liang, Y., Liu, Y., Li, S., Lu, B., Liu, C., Yang, H., ... & Hou, Y. (2019). Hydrothermal growth of nitrogen-rich carbon dots as a precise multifunctional probe for both Fe³⁺ detection and cellular bio-imaging. *Optical Materials*, 89, 92-99.
 - Li, Y., Liu, Y., Shang, X., Chao, D., Zhou, L., & Zhang, H. (2018). Highly sensitive and selective detection of Fe³⁺ by utilizing carbon quantum dots as fluorescent probes. *Chemical Physics Letters*, 705, 1-6.
 - Wang, H., Zhang, L., Guo, X., Dong, W., Wang, R., Shuang, S., ... & Dong, C. (2019). Comparative study of Cl, N-Cdots and N-Cdots and application for trinitrophenol and ClO⁻ sensor and cell-imaging. *Analytica Chimica Acta*, 1091, 76-87.
 - Lin, L., Song, X., Chen, Y., Rong, M., Zhao, T., Jiang, Y., ... & Chen, X. (2015). One-pot synthesis of highly greenish-yellow fluorescent nitrogen-doped graphene quantum dots for pyrophosphate sensing via competitive coordination with Eu³⁺ ions. *Nanoscale*, 7(37), 15427-15433.
 - Rahimi, M., Mahani, M., & Hassani, Z. (2019). Carbon quantum dots fluorescence quenching for potassium optode construction. *Luminescence*, 34(4), 402-406.
 - Zhuang, Q., Li, L., Ding, Y., Zeng, H., & Wu, Y. (2019). Highly Luminescent Nitrogen-Doped Carbon Dots as "Turn-On" Fluorescence Probe for Selective Detection of Melamine. *ChemistrySelect*, 4(1), 84-89.

-
- Zuo, G., Hu, J., Wang, Y., Xie, A., & Dong, W. (2019). Dramatic red fluorescence enhancement and emission red shift of carbon dots following Zn/ZnO decoration. *Luminescence*, *34*(7), 759-766.
 - Xing, R., Zhou, T., Zhou, Y., Ma, R., Liu, Q., Luo, J., & Wang, J. (2018). Creation of triple hierarchical micro-meso-macroporous N-doped carbon shells with hollow cores toward the electrocatalytic oxygen reduction reaction. *Nano-micro letters*, *10*(1), 1-14.
 - Das, R. K., Kar, J. P., & Mohapatra, S. (2016). Enhanced photodegradation of organic pollutants by carbon quantum dot (CQD) deposited Fe₃O₄@ mTiO₂ nano-pom-pom balls. *Industrial & Engineering Chemistry Research*, *55*(20), 5902-5910.
 - Singh, V. K., Singh, V., Yadav, P. K., Chandra, S., Bano, D., Kumar, V., ... & Hasan, S. H. (2018). Bright-blue-emission nitrogen and phosphorus-doped carbon quantum dots as a promising nanoprobe for detection of Cr (VI) and ascorbic acid in pure aqueous solution and in living cells. *New Journal of Chemistry*, *42*(15), 12990-12997.
 - Jeong, Y., Moon, K., Jeong, S., Koh, W. G., & Lee, K. (2018). Converting waste papers to fluorescent carbon dots in the recycling process without loss of ionic liquids and bioimaging applications. *ACS Sustainable Chemistry & Engineering*, *6*(4), 4510-4515.
 - Huang, S., Qiu, H., Zhu, F., Lu, S., & Xiao, Q. (2015). Graphene quantum dots as on-off-on fluorescent probes for chromium (VI) and ascorbic acid. *Microchimica Acta*, *182*(9), 1723-1731.
 - Zu, F., Yan, F., Bai, Z., Xu, J., Wang, Y., Huang, Y., & Zhou, X. (2017). The quenching of the fluorescence of carbon dots: a review on mechanisms and applications. *Microchimica Acta*, *184*(7), 1899-1914.
 - Feng, J., Chen, Y., Han, Y., Liu, J., Ren, C., & Chen, X. (2016). Fluorescent carbon nanoparticles: a low-temperature trypsin-assisted preparation and Fe³⁺ sensing. *Analytica Chimica Acta*, *926*, 107-117.
 - Shangguan, J., Huang, J., He, D., He, X., Wang, K., Ye, R., ... & Tang, J. (2017). Highly Fe³⁺-selective fluorescent nanoprobe based on ultrabright N/P codoped carbon dots and its application in biological samples. *Analytical chemistry*, *89*(14), 7477-7484.
 - Ananthanarayanan, A., Wang, X., Routh, P., Sana, B., Lim, S., Kim, D. H., ... & Chen, P. (2014). Facile synthesis of graphene quantum dots from 3D graphene and their application for Fe³⁺ sensing. *Advanced Functional Materials*, *24*(20), 3021-3026.
 - Yu, J., Xu, C., Tian, Z., Lin, Y., & Shi, Z. (2016). Facilely synthesized N-doped carbon quantum dots with high fluorescent yield for sensing Fe³⁺. *New Journal of Chemistry*, *40*(3), 2083-2088.

-
- Wang, Dong, Lei Wang, Xinyi Dong, Zhun Shi, and Jian Jin. "Chemically tailoring graphene oxides into fluorescent nanosheets for Fe³⁺ ion detection." *Carbon* 50, no. 6 (2012): 2147-2154.
 - Zhang, Y. L., Wang, L., Zhang, H. C., Liu, Y., Wang, H. Y., Kang, Z. H., & Lee, S. T. (2013). Graphitic carbon quantum dots as a fluorescent sensing platform for highly efficient detection of Fe³⁺ ions. *Rsc Advances*, 3(11), 3733-3738.
 - Li, G., Lv, N., Bi, W., Zhang, J., & Ni, J. (2016). Nitrogen-doped carbon dots as a fluorescence probe suitable for sensing Fe³⁺ under acidic conditions. *New Journal of Chemistry*, 40(12), 10213-10218.
 - Liu, Y., Liu, Y., Park, S. J., Zhang, Y., Kim, T., Chae, S., ... & Kim, H. Y. (2015). One-step synthesis of robust nitrogen-doped carbon dots: acid-evoked fluorescence enhancement and their application in Fe³⁺ detection. *Journal of Materials Chemistry A*, 3(34), 17747-17754.
 - Hamishehkar, H., Ghasemzadeh, B., Naseri, A., Salehi, R., & Rasoulzadeh, F. (2015). Carbon dots preparation as a fluorescent sensing platform for highly efficient detection of Fe (III) ions in biological systems. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 150, 934-939.
 - Fong, J. F. Y., Chin, S. F., & Ng, S. M. (2015). Facile synthesis of carbon nanoparticles from sodium alginate via ultrasonic-assisted nano-precipitation and thermal acid dehydration for ferric ion sensing. *Sensors and Actuators B: Chemical*, 209, 997-1004.
 - Lu, W., Gong, X., Nan, M., Liu, Y., Shuang, S., & Dong, C. (2015). Comparative study for N and S doped carbon dots: synthesis, characterization and applications for Fe³⁺ probe and cellular imaging. *Analytica chimica acta*, 898, 116-127.
 - Atchudan, R., Edison, T. N. J. I., Chakradhar, D., Perumal, S., Shim, J. J., & Lee, Y. R. (2017). Facile green synthesis of nitrogen-doped carbon dots using *Chionanthus retusus* fruit extract and investigation of their suitability for metal ion sensing and biological applications. *Sensors and Actuators B: Chemical*, 246, 497-509.
 - Aslandaş, A. M., Balcı, N., Arık, M., Şakiroğlu, H., Onganer, Y., & Meral, K. (2015). Liquid nitrogen-assisted synthesis of fluorescent carbon dots from Blueberry and their performance in Fe³⁺ detection. *Applied Surface Science*, 356, 747-752.
 - Edison, T. N. J. I., Atchudan, R., Shim, J. J., Kalimuthu, S., Ahn, B. C., & Lee, Y. R. (2016). Turn-off fluorescence sensor for the detection of ferric ion in water using green synthesized N-doped carbon dots and its bio-imaging. *Journal of Photochemistry and Photobiology B: Biology*, 158, 235-242.
 - Atchudan, R., Edison, T. N. J. I., Aseer, K. R., Perumal, S., Karthik, N., & Lee, Y. R. (2018). Highly fluorescent nitrogen-doped carbon dots derived from *Phyllanthus*

- acidus utilized as a fluorescent probe for label-free selective detection of Fe³⁺ ions, live cell imaging and fluorescent ink. *Biosensors and Bioelectronics*, 99, 303-311.
- Atchudan, R., Edison, T. N. J. I., Aseer, K. R., Perumal, S., & Lee, Y. R. (2018). Hydrothermal conversion of *Magnolia liliiflora* into nitrogen-doped carbon dots as an effective turn-off fluorescence sensing, multi-colour cell imaging and fluorescent ink. *Colloids and Surfaces B: Biointerfaces*, 169, 321-328.
 - Habibi, E., & Heidari, H. (2016). Renewable Surface Carbon-composite Electrode Bulk Modified with GQD-RuCl₃ Nano-composite for High Sensitive Detection of l-tyrosine. *Electroanalysis*, 28(10), 2559-2564.
 - Beitollahi, H., & Garkani Nejad, F. (2016). Graphene oxide/ZnO nano composite for sensitive and selective electrochemical sensing of levodopa and tyrosine using modified graphite screen printed electrode. *Electroanalysis*, 28(9), 2237-2244.
 - Castrén, E. (2005). Is mood chemistry?. *Nature Reviews Neuroscience*, 6(3), 241-246.
 - Shadjou, N., Hasanzadeh, M., & Talebi, F. (2018). Graphene quantum dots incorporated into β -cyclodextrin: a novel polymeric nanocomposite for non-enzymatic sensing of L-tyrosine at physiological pH. *Journal of Analytical Chemistry*, 73(6), 602-612.
 - Wang, J., Mannino, S., Camera, C., Chatrathi, M. P., Scampicchio, M., & Zima, J. (2005). Microchip capillary electrophoresis with amperometric detection for rapid separation and detection of seleno amino acids. *Journal of Chromatography A*, 1091(1-2), 177-182.
 - Ravindran, G., & Bryden, W. L. (2005). Tryptophan determination in proteins and feedstuffs by ion exchange chromatography. *Food Chemistry*, 89(2), 309-314.
 - Nozal, M. J., Bernal, J. L., Toribio, M. L., Diego, J. C., & Ruiz, A. (2004). Rapid and sensitive method for determining free amino acids in honey by gas chromatography with flame ionization or mass spectrometric detection. *Journal of Chromatography A*, 1047(1), 137-146.
 - Orhan, H., van Holland, B., Krab, B., Moeken, J., Vermeulen, N. P., Hollander, P., & Meerman, J. H. (2004). Evaluation of a multi-parameter biomarker set for oxidative damage in man: increased urinary excretion of lipid, protein and DNA oxidation products after one hour of exercise. *Free radical research*, 38(12), 1269-1279.
 - Azuma, Y., Maekawa, M., Kuwabara, Y., Nakajima, T., Taniguchi, K., & Kanno, T. (1989). Determination of branched-chain amino acids and tyrosine in serum of patients with various hepatic diseases, and its clinical usefulness. *Clinical chemistry*, 35(7), 1399-1403..

- Zhang, X., Yin, J., & Yoon, J. (2014). Recent advances in development of chiral fluorescent and colorimetric sensors. *Chemical Reviews*, 114(9), 4918-4959.

- Yola, M. L., Eren, T., & Atar, N. (2015). A sensitive molecular imprinted electrochemical sensor based on gold nanoparticles decorated graphene oxide: application to selective determination of tyrosine in milk. *Sensors and Actuators B: Chemical*, 210, 149-157.

- Razavian, A. S., Ghoreishi, S. M., Esmaily, A. S., Behpour, M., Monzon, L., & Coey, J. M. D. (2014). Simultaneous sensing of L-tyrosine and epinephrine using a glassy carbon electrode modified with nafion and CeO₂ nanoparticles. *Microchimica Acta*, 181(15), 1947-1955.

- Razmi, H., Nasiri, H., & Mohammad-Rezaei, R. (2011). Amperometric determination of L-tyrosine by an enzymeless sensor based on a carbon ceramic electrode modified with copper oxide nanoparticles. *Microchimica Acta*, 173(1), 59-64.

- Li, Y., Cai, N., Wang, M., Na, W., Shi, F., & Su, X. (2016). Fluorometric detection of tyrosine and cysteine using graphene quantum dots. *RSC advances*, 6(39), 33197-33204.

- Kanchana, P., Lavanya, N., & Sekar, C. (2014). Development of amperometric L-tyrosine sensor based on Fe-doped hydroxyapatite nanoparticles. *Materials Science and Engineering: C*, 35, 85-91.

- Wu, H., Yan, Y., Huang, Q., Liang, G., Qiu, F., Ye, Z., & Liu, D. (2020). A simple, cost-effective and selective analysis of glucose via electrochemical impedance sensing based on copper and nitrogen co-doped carbon quantum dots. *New Journal of Chemistry*, 44(29), 12723-12728.

- Yang, X., Guo, Y., Liang, S., Hou, S., Chu, T., Ma, J., ... & Sun, R. (2020). Preparation of sulfur-doped carbon quantum dots from lignin as a sensor to detect Sudan I in an acidic environment. *Journal of Materials Chemistry B*, 8(47), 10788-10796.

- Liu, Y., Gou, H., Huang, X., Zhang, G., Xi, K., & Jia, X. (2020). Rational synthesis of highly efficient ultra-narrow red-emitting carbon quantum dots for NIR-II two-photon bioimaging. *Nanoscale*, 12(3), 1589-1601.

-
- Chen, B. B., Liu, M. L., & Huang, C. Z. (2020). Carbon dot-based composites for catalytic applications. *Green Chemistry*, 22(13), 4034-4054.

 - Khan, A., Goepel, M., Colmenares, J. C., & Gläser, R. (2020). Chitosan-based N-doped carbon materials for electrocatalytic and photocatalytic applications. *ACS Sustainable Chemistry & Engineering*, 8(12), 4708-4727.

 - Yang, Y., Wei, Q., Zou, T., Kong, Y., Su, L., Ma, D., & Wang, Y. (2020). Dual-emission ratiometric fluorescent detection of dinotefuran based on sulfur-doped carbon quantum dots and copper nanocluster hybrid. *Sensors and Actuators B: Chemical*, 321, 128534.

 - Gao, X., Du, C., Zhuang, Z., & Chen, W. (2016). Carbon quantum dot-based nanoprobe for metal ion detection. *Journal of Materials Chemistry C*, 4(29), 6927-6945.

 - Kırbıyık, Ç., Toprak, A., Başlak, C., Kuş, M., & Ersöz, M. (2020). Nitrogen-doped CQDs to enhance the power conversion efficiency of perovskite solar cells via surface passivation. *Journal of Alloys and Compounds*, 832, 154897.

 - He, P., Shi, Y., Meng, T., Yuan, T., Li, Y., Li, X., ... & Yang, S. (2020). Recent advances in white light-emitting diodes of carbon quantum dots. *Nanoscale*, 12(8), 4826-4832.

 - Liu, H., Li, M., Voznyy, O., Hu, L., Fu, Q., Zhou, D., ... & Tang, J. (2014). Physically flexible, rapid-response gas sensor based on colloidal quantum dot solids. *Advanced Materials*, 26(17), 2718-2724.

 - Liu, H., Li, M., Voznyy, O., Hu, L., Fu, Q., Zhou, D., & Tang, J. (2014). Physically flexible, rapid-response gas sensor based on colloidal quantum dot solids. *Advanced Materials*, 26(17), 2718-2724.

 - Singh, V. K., Yadav, P. K., Chandra, S., Bano, D., Talat, M., & Hasan, S. H. (2018). Peroxidase mimetic activity of fluorescent NS-carbon quantum dots and their application in colorimetric detection of H₂O₂ and glutathione in human blood serum. *Journal of Materials Chemistry B*, 6(32), 5256-5268.

- Abd Rani, U., Ng, L. Y., Ng, C. Y., & Mahmoudi, E. (2020). A review of carbon quantum dots and their applications in wastewater treatment. *Advances in colloid and interface science*, 278, 102124.

- Kou, X., Jiang, S., Park, S. J., & Meng, L. Y. (2020). A review: recent advances in preparations and applications of heteroatom-doped carbon quantum dots. *Dalton Transactions*, 49(21), 6915-6938.

- Wang, X., Feng, Y., Dong, P., & Huang, J. (2019). A mini review on carbon quantum dots: preparation, properties, and electrocatalytic application. *Frontiers in Chemistry*, 7, 671.

- Ju, J., & Chen, W. (2014). Synthesis of highly fluorescent nitrogen-doped graphene quantum dots for sensitive, label-free detection of Fe (III) in aqueous media. *Biosensors and bioelectronics*, 58, 219-225.

- Yadav, P. K., Singh, V. K., Chandra, S., Bano, D., Kumar, V., Talat, M., & Hasan, S. H. (2018). Green synthesis of fluorescent carbon quantum dots from azadirachta indica leaves and their peroxidase-mimetic activity for the detection of H₂O₂ and ascorbic acid in common fresh fruits. *ACS Biomaterials Science & Engineering*, 5(2), 623-632.

- Upadhyay, R. K., & Sharma, D. (2018). Fe doped BaTiO₃ sensitized by Fe₃O₄ nanoparticles for improved photoelectrochemical response. *Materials Research Express*, 5(1), 015913.

- Y. Han, D. Tang, Y. Yang, C. Li, W. Kong, H. Huang, Y. Liu and Z. Kang, *Nanoscale*, 2015, 7, 5955–5962.

- Wang, Y., Yan, L., Ji, G., Wang, C., Gu, H., Luo, Q., ... & Liu, X. (2018). Synthesis of N, S-doped carbon quantum dots for use in organic solar cells as the ZnO modifier to eliminate the light-soaking effect. *ACS applied materials & interfaces*, 11(2), 2243-2253.

- Yue, L., Li, H., Sun, Q., Zhang, J., Luo, X., Wu, F., & Zhu, X. (2020). Red-emissive ruthenium-containing carbon dots for bioimaging and photodynamic cancer therapy. *ACS Applied Nano Materials*, 3(1), 869-876.

-
- Zhao, L., Wu, Z., Liu, G., Lu, H., Gao, Y., Liu, F., ... & Lu, G. (2019). High-activity Mo, S co-doped carbon quantum dot nanozyme-based cascade colorimetric biosensor for sensitive detection of cholesterol. *Journal of Materials Chemistry B*, 7(44), 7042-7051.

 - Gao, X., Lu, Y., Zhang, R., He, S., Ju, J., Liu, M., ... & Chen, W. (2015). One-pot synthesis of carbon nanodots for fluorescence turn-on detection of Ag⁺ based on the Ag⁺-induced enhancement of fluorescence. *Journal of Materials Chemistry C*, 3(10), 2302-2309.

 - Ju, J., & Chen, W. (2015). In situ growth of surfactant-free gold nanoparticles on nitrogen-doped graphene quantum dots for electrochemical detection of hydrogen peroxide in biological environments. *Analytical chemistry*, 87(3), 1903-1910.

 - Zhang, R., & Chen, W. (2014). Nitrogen-doped carbon quantum dots: Facile synthesis and application as a “turn-off” fluorescent probe for detection of Hg²⁺ ions. *Biosensors and Bioelectronics*, 55, 83-90.

 - Li, Y., Cai, N., Wang, M., Na, W., Shi, F., & Su, X. (2016). Fluorometric detection of tyrosine and cysteine using graphene quantum dots. *RSC advances*, 6(39), 33197-33204.

 - LeCroy, G. E., Fernando, K. S., Bunker, C. E., Wang, P., Tomlinson, N., & Sun, Y. P. (2017). Steady-state and time-resolved fluorescence studies on interactions of carbon “quantum” dots with nitrotoluenes. *Inorganica Chimica Acta*, 468, 300-307.

 - Yang, X., Luo, Y., Zhuo, Y., Feng, Y., & Zhu, S. (2014). Novel synthesis of gold nanoclusters templated with L-tyrosine for selective analyzing tyrosinase. *Analytica chimica acta*, 840, 87-92.

 - hai, L., Zhou, J., Feng, H., Tang, C., Huang, Y., & Qian, Z. (2015). Functionalized carbon quantum dots with dopamine for tyrosinase activity monitoring and inhibitor screening: in vitro and intracellular investigation. *ACS applied materials & interfaces*, 7(42), 23564-23574.

 - Ao, H., Qian, Z., Zhu, Y., Zhao, M., Tang, C., Huang, Y., ... & Wang, A. (2016). A fluorometric biosensor based on functional Au/Ag nanoclusters for real-time monitoring of tyrosinase activity. *Biosensors and Bioelectronics*, 86, 542-547.

- Teng, Y., Jia, X., Li, J., & Wang, E. (2015). Ratiometric fluorescence detection of tyrosinase activity and dopamine using thiolate-protected gold nanoclusters. *Analytical chemistry*, 87(9), 4897-4902.

- Hu, J. J., Bai, X. L., Liu, Y. M., & Liao, X. (2017). Functionalized carbon quantum dots with dopamine for tyrosinase activity analysis. *Analytica chimica acta*, 995, 99-105.

- Dhibar, S., Dey, A., Majumdar, S., Ghosh, D., Mandal, A., Ray, P. P., & Dey, B. (2018). A supramolecular Cd (II)-metallogel: an efficient semiconductive electronic device. *Dalton Transactions*, 47(48), 17412-17420.

- Kumar, V., Upadhyay, R. K., Bano, D., Chandra, S., Kumar, D., Jit, S., & Hasan, S. H. (2021). The fabrication and characterization of a supramolecular Cu-based metallogel thin-film based Schottky diode. *New Journal of Chemistry*, 45(14), 6273-6280.

1. **Yadav, P. K.**, Singh, V. K., Chandra, S., Bano, D., Kumar, V., Talat, M., & Hasan, S. H. (2018). Green synthesis of fluorescent carbon quantum dots from *Azadirachta indica* leaves and their peroxidase-mimetic activity for the detection of H₂O₂ and ascorbic acid in common fresh fruits. *ACS Biomaterials Science & Engineering*, 5(2), 623-632.
2. **Yadav, P. K.**, Singh, V. K., Kumar, C., Chandra, S., Jit, S., Singh, S. K., & Hasan, S. H. (2019). A Facile Synthesis of Green-Blue Carbon Dots from *Artocarpus lakoocha* Seeds and Their Application for the Detection of Iron (III) in Biological Fluids and Cellular Imaging. *ChemistrySelect*, 4(42), 12252-12259.
3. **Yadav, P. K.**, Upadhyay, R. K., Kumar, D., Bano, D., Chandra, S., Jit, S., & Hasan, S. H. (2021). Synthesis of green fluorescent carbon quantum dots from the latex of *Ficus benghalensis* for the detection of tyrosine and fabrication of Schottky barrier diode. *New Journal of Chemistry*, 45(28), 12549-12556.
4. Singh, V. K., **Yadav, P. K.**, Chandra, S., Bano, D., Talat, M., & Hasan, S. H. (2018). Peroxidase mimetic activity of fluorescent NS-carbon quantum dots and their application in colorimetric detection of H₂O₂ and glutathione in human blood serum. *Journal of Materials Chemistry B*, 6(32), 5256-5268.
5. Bano, D., Kumar, V., Singh, V. K., Chandra, S., Singh, D. K., **Yadav, P. K.**, & Hasan, S. H. (2018). A facile and simple strategy for the synthesis of label free carbon quantum dots from the latex of *Euphorbia milii* and its peroxidase-mimic activity for the naked eye detection of glutathione in a human blood serum. *ACS Sustainable Chemistry & Engineering*, 7(2), 1923-1932.
6. Singh, V. K., Singh, V., **Yadav, P. K.**, Chandra, S., Bano, D., Kumar, V., & Hasan, S. H. (2018). Bright-blue-emission nitrogen and phosphorus-doped carbon quantum dots as a promising nanoprobe for detection of Cr (vi) and ascorbic acid in pure aqueous solution and in living cells. *New Journal of Chemistry*, 42(15), 12990-12997.
7. Chandra, S., Bano, D., Pradhan, P., Singh, V. K., **Yadav, P. K.**, Sinha, D., & Hasan, S. H. (2020). Nitrogen/sulfur-co-doped carbon quantum dots: a biocompatible material for the selective detection of picric acid in aqueous solution and living cells. *Analytical and bioanalytical chemistry*, 412(15), 3753-3763.

8. Singh, V. K., Singh, V., **Yadav, P. K.**, Chandra, S., Bano, D., Koch, B., & Hasan, S. H. (2019). Nitrogen doped fluorescent carbon quantum dots for on-off-on detection of Hg^{2+} and glutathione in aqueous medium: Live cell imaging and IMPLICATION logic gate operation. *Journal of Photochemistry and Photobiology A: Chemistry*, 384, 112042.
9. Bano, D., Chandra, S., **Yadav, P. K.**, Singh, V. K., & Hasan, S. H. (2020). Off-on detection of glutathione based on the nitrogen, sulfur codoped carbon quantum dots@ MnO_2 nano-composite in human lung cancer cells and blood serum. *Journal of Photochemistry and Photobiology A: Chemistry*, 398, 112558.
10. Chandra, S., Singh, V. K., **Yadav, P. K.**, Bano, D., Kumar, V., Pandey, V. K., ... & Hasan, S. H. (2019). Mustard seeds derived fluorescent carbon quantum dots and their peroxidase-like activity for colorimetric detection of H_2O_2 and ascorbic acid in a real sample. *Analytica chimica acta*, 1054, 145-156.6.
11. Chandra, S., Bano, D., Sahoo, K., Kumar, D., Kumar, V., **Yadav, P. K.**, & Hasan, S. H. (2022). Synthesis of fluorescent carbon quantum dots from Jatropha fruits and their application in fluorometric sensor for the detection of chlorpyrifos. *Microchemical Journal*, 172, 106953.
12. John, T. S., **Yadav, P. K.**, Kumar, D., Singh, S. K., & Hasan, S. H. (2020). Highly fluorescent carbon dots from wheat bran as a novel drug delivery system for bacterial inhibition. *Luminescence*, 35(6), 913-923.

Conferences

1. **Yadav, P.K.**, "Green-synthesis of neem-carbon quantum dots and their peroxidase-mimetic activity for colorimetric detection of H_2O_2 and ascorbic acid in common fresh fruits" Proceeding of the "2nd International Conference on Nano Science & Engineering applications-2018" 4-6th Oct 2018, organized by Centre for Nano Science and Technology, Institute of Science and Technology, JNTUH, in collaboration with Centre for Advanced Materials (CAM), QATAR University, Qatar.
2. **Yadav, P.K.**, "Green synthesis of carbon quantum dots and their application for the detection of hydrogen peroxide and ascorbic acid in common fresh fruits, Proceeding

of the “ International Conference on Functional Nanomaterials, (ICFNM-2019)” 22-25 Feb, 2019, organized by Department of Physics, IIT (BHU), Varanasi, India.

Workshop/webinar

1. One Day International Pre Conference Workshop on “Nano Instrumentation and Characterization Technique Applications” 3rd Oct 2018, organized by Centre for Nano Science and Technology, Institute of Science and Technology, JNTUH, in collaboration with Centre for Advanced Materials (CAM), QATAR University, Qatar.
2. National Webinar on “Prophylactic Role of Medicinal Plants for Human Health Perspective in Current Scenario” on 30th July 2020, organized by Department of Botany, Marwari college, Darbhanga, Bihar, India.
3. DST & ACS Virtual Workshop on 5th March 2021.