

Contents

Acknowledgements	xi
Contents	xiv
List of Figures	xix
Abstract	xxiii
List of symbols	xxvii
1 An introduction to vortex dynamics and atmospheric whirlwinds	1
1.1 Atmospheric whirlwinds	1
1.1.1 Dust Devil	2
1.1.2 Fire Whirls	4
1.1.3 Steam Devils	5
1.1.4 Tornado	6
1.1.5 Mesocyclones	9
1.1.6 Funnel Clouds	9
1.1.7 Tropical Cyclone	10
1.1.8 Other Types of Cyclones	12
1.1.9 Waterspouts	14
1.1.10 Supercells	15
1.2 Fundamentals of Vortex Dynamics	16
1.2.1 Velocity and Vorticity	16
1.2.2 Circulation	16
1.2.3 Governing Equations	17
1.2.4 Vorticity transport equation	17
1.2.5 Cyclostrophic balance	18
1.2.6 Geostrophic balance	18
1.2.7 Gradient wind balance	18
1.2.8 Hydrostatic balance	19
2 A review of literature on atmospheric vortices and objective of the thesis	21

2.1	Early Analytical Models of Vortices	21
2.2	Dust Devils	24
2.3	Tornadoes	27
2.4	Tropical Cyclones	30
2.5	Objective of the Thesis	33
3	An analytical model for steady state atmospheric vortices: Application to dust devils	35
3.1	Introduction	35
3.2	Mathematical formulation of the problem	39
3.2.1	Physical Model	39
3.2.2	Mathematical model	39
3.3	Normalization	40
3.4	Solution	41
3.4.1	Azimuthal velocity	42
3.4.2	Pressure	43
3.5	Results and Discussion	43
3.5.1	Streamlines	43
3.5.2	Radial Velocity Distribution	44
3.5.3	Axial Velocity Distribution	45
3.5.4	Azimuthal Velocity Distribution	46
3.5.5	Pressure Distribution	49
3.5.6	Implications for Saltation and Electrification	50
3.6	Conclusion	51
4	An analytical model for viscous flow dynamics of steady state tropical cyclones	55
4.1	Introduction	55
4.2	Mathematical formulation of Cyclonic Vortex	59
4.2.1	Geometry	59
4.2.2	Mathematical Model of Tropical Cyclone	60
4.3	Empirical consideration of vertical wind	62
4.4	Evaluation of $f(r)$	64
4.5	Results and discussion	65
4.5.1	Axial velocity	65
4.5.2	Radial velocity	67
4.5.3	Azimuthal velocity	68
4.5.4	Pressure distribution	72
4.5.5	Radial Pressure Gradient	74
4.6	Conclusion	75
5	An analytical viscous model for steady-state atmospheric vortices	77

5.1	Introduction	77
5.2	Mathematical formulation of the problem	82
5.2.1	Non-dimensionalization	83
5.2.2	Empirical consideration of radial wind component	84
5.2.3	Evaluation of $A(r)$	86
5.2.3.1	Evaluation of $A(r)$ for the region $r = \tilde{r}/r_m \leq 1$.	87
5.2.3.2	Evaluation of $A(r)$ for the region $r = \tilde{r}/r_m \geq 1$	88
5.2.3.3	Evaluation of $A(r)$ with Burger's model	88
5.3	Results and discussion	90
5.3.1	Radial velocity $u(r, z)$	90
5.3.2	Vertical velocity $w(r, z)$	92
5.3.3	Azimuthal velocity $v(r, z)$	93
5.3.4	Radial Pressure	100
5.4	Conclusion	102
6	An analytical viscous model for atmospheric vortices with a central depression of pressure	109
6.1	Introduction	109
6.2	Mathematical Formulation of the Problem	112
6.3	Empirical Consideration of Stream-Function	114
6.4	Analysis	114
6.5	Results and Discussion	118
6.5.1	Radial velocity	118
6.5.2	Axial velocity	118
6.5.3	Azimuthal Velocity	121
6.5.4	Pressure Distribution	127
6.6	Conclusion	128
7	An unsteady analytical model for the complete lifecycle of dust devils from genesis to decay	129
7.1	Mathematical formulation of the problem	132
7.2	Analysis	133
7.3	Results and Discussion	137
7.3.1	Radial Velocity	137
7.3.2	Axial Velocity	140
7.3.3	Azimuthal Velocity	142
7.3.4	Comparison with Observations	146
7.3.5	Pressure Distribution Analysis	146
7.4	Conclusion	148
	Overall conclusions and further scope of research	152

Bibliography	159
List of Publications	173

List of Figures

1.1	Dust devil (Source: Red Bluff Daily News)	3
1.2	Steam devils on Lake Champlain, USA (Source: https://www.mynbc5.com).	5
1.3	A tornado approaching Elie, Manitoba, Canada in June 2007 (Source: photo supplied by Justin Hobson Twitter @JustinHobson85).	7
1.4	Hurricane Catarina, a rare South Atlantic tropical cyclone viewed from the International Space Station on March 26, 2004)).	11
1.5	Cross-section of a typical hurricane (Source: NOAA National Oceanic and Atmospheric Administration).	12
1.6	Image of Waterspout (Source: Wikipedia)	14
1.7	A supercell thunderstorm over the Great Plains.(Source: Shutterstock).	15
3.1	Streamlines of u and w along radial r and axial axis z	44
3.2	Plots (a)-(c) represent the radial profile of the non-dimensionalised radial velocity for $z \leq 1$, $1 \leq z \leq 2$ and $z \geq 2$ respectively.	45
3.3	Plots (a) and (b) represent the radial profile of the non-dimensionalised axial velocity for $z \leq 1$ and $z > 1$, respectively.	46
3.4	Plots (a) and (b) represent the normalized azimuthal velocity along radial distance for $z \leq 1$ and $z > 1$, respectively.	47
3.5	Comparison of azimuthal velocity profiles for different vortex models: Rankine, Burgers, Vatisas ($n = 2$), Sullivan, and the present model. The present model exhibits a bounded and smooth structure, peaking near $r \approx 0.6$, and introduces vertical variation through z	48
3.6	Azimuthal velocity profiles compared across the Baker and Sterling model, Lewellen model, and the present analytical model.	48
3.7	Pressure distribution	49
3.8	Schematic of vertical charge distribution in a dust devil vortex.	50
4.1	Schematic structure of tropical cyclone	61
4.2	The plot presents the radial profiles of normalized axial velocities for $\alpha =$ $0, 0.25, 0.50, 0.75$ at $z = 0.5$, $k = 1$. The radial profiles are shown in the eye-wall but not the eye which is calm with no updraft.	66

4.3	Normalized radial velocities for $\alpha = 0, 0.25, 0.50, 0.75$ at $z = 0.5, k = 1$. The negative values of u simply indicate that the radial velocity is directed towards the axis. The right hand side of the vertical lines indicate the beginning of corresponding eye-wall regions.	67
4.4	Normalized azimuthal velocities for $\alpha = 0, 0.25, 0.50, 0.75$ along r for $z = 0.5$ and $k = 1$. The right hand sides of the vertical lines indicate the beginning of the corresponding eye-wall regions followed by rain band regions (the interfaces of the two have not been indicated in the graph).	69
4.5	Plots for radial profiles of vertical velocity for $\alpha = 0.25$ and different heights ($z = 0.8, z = 1.0,$ and $z = 2.0$).	70
4.6	Normalized azimuthal velocities at $\alpha = 0.50$ for different Reynolds numbers Re for $z = 0.5$ and $k = 1$	71
4.7	Normalized azimuthal velocities at $\alpha = 0.75$ for different Reynolds numbers Re and $z = 0.5, k = 1$	71
4.8	Radial profiles of pressure for $\alpha = 0.25, 0.5, 0.75, Re = 10000, z = 0.5, k = 1$	73
4.9	Radial profiles of pressure for different heights for $Re = 10000, k = 1$	74
4.10	Radial profiles of pressure gradient for different $\alpha, Re = 10000, k = 1$	75
5.1	Plots of the radial profile of radial velocity for different heights	91
5.2	Plots for radial profiles of vertical velocity for different heights.	92
5.3	Plots (3a), (3b) represent the radial variation of Azimuthal velocity $v(r, z)$ for height $z = 0.1 - 0.8$ based on respectively the Rankine model and the Burgers model while plots (3c), (3d) correspond to respectively the radial variation of azimuthal velocity with Reynolds number based on Rankine and Burgers models. The other parameters are $\alpha = 1$ and $k = 0.5$	96
5.4	Plots (a-b) represent the radial variation of azimuthal velocity $v(r, z)$ for heights $z = 0.1 - 1$ and $z = 1 - 10$ for $\alpha = 1$ and $K = 1$ based on the Burgers model respectively while Fig.(4c) displays the radial profiles of azimuthal velocity for different heights corresponding to $K = 0.5, 1, 2$	97
5.5	The curves in the plot corresponds to three distinct sets ($\alpha = 0.5, 1, 1.5$) of azimuthal velocities drawn at three distinct heights $z = 0.3, 0.6, 0.9$. Solid curves correspond to $z = 0.3$, dashed curves to $z = 0.6$ and centre curves to $z=0.9$. The set of curves corresponding to $\alpha = 0.5$ has minimum gradient to t3he r -axis, that corresponding to $\alpha = 1$ has the next greater gradient while that corresponding to $\alpha = 1.5$ is least inclined to the r -axis.	99
5.6	Plot for (a) and (c) represents Pressure difference $p(r, z) - p(0, 0)$ vs. radius r for Reynolds number $Re = 10, 100$ and 1000 based on Rankine and Burgers model respectively, (b) and (d) represents pressure difference $p(r, z) - p(0, 0)$ with respect to radius r at different values of vertical height $z = 0.1 - 0.8$ based on the Rankine model and Burgers model respectively.	101

6.1	Plots (a)-(b) represent the radial profile of the non-dimensionalised radial velocity for $z \leq 1$ and $z \geq 1$, respectively. The other parameters being $c = 0.3$.	119
6.2	The graphs show the radial velocity (u) along the radial distance (r) for different c .	120
6.4	The graphs show the axial velocity (w) along the radial distance (r) for different c .	120
6.3	Plots (a)-(b) represent the radial profile of the non-dimensionalised axial velocity for $z \leq 1$, and $z > 1$ respectively. The other parameters being $c = 0.3$.	121
6.5	Plots (a) and (b) represent the radial profile of the non-dimensionalised azimuthal velocity for $z \leq 1$ and $z \geq 1$, respectively, with the parameter $c = 0.3$.	123
6.6	Plots (a)-(c) represent the radial profile of the non-dimensionalised viscous azimuthal velocity different Reynolds numbers. The other parameters being $c = 0.3$.	124
6.7	Radial profile of the non-dimensionalised azimuthal velocity for different values of k , with parameters $c = 0.3$ and $z = 1$.	125
6.8	Azimuthal velocity (v) along the radial distance (r) for different values of c , with $z = 1$.	125
6.9	Comparison of the radial profile of the azimuthal velocity for the Rankine, Wood-White, Burgers, and current models, with parameters $c = 0.6$ and $z = 1$.	126
6.10	Plots (a)-(b) represent the radial profile of the non-dimensionalised pressure for $z \leq 1$, and $z > 1$ respectively. The other parameters being $c = 0.3$.	127
7.1	Cylindrical coordinate system for Dust devils	132
7.2	The plot presents the radial profiles of normalized radial velocities for time range 0 – 1 for $z = 1$, $\lambda = 1$ and $A = 1$. Negative values of u simply indicate that the radial velocity is directed towards the axis.	138
7.3	The plot presents the radial profiles of normalized radial velocities for time range 1 – 2 for $z = 1$, $\lambda = 1$ and $A = 1$. Negative values of u simply indicate that the radial velocity is directed towards the axis.	139
7.4	The plot presents the profiles of normalized radial velocities along time for radii 1 – 3 for $z = 1$, $\lambda = 1$ and $A = 1$. Negative values of u simply indicate that the radial velocity is directed towards the axis.	140
7.5	The plot presents the radial profiles of normalized axial velocities for time range 0 – 1 for $z = 1$, $\lambda = 1$ and $A = 1$.	141
7.6	The plot presents the radial profiles of normalized axial velocities for time range 1 – 4 for $z = 1$, $\lambda = 1$ and $A = 1$.	142
7.7	The plot presents the profiles of normalized axial velocities along time for radius in the range 0 – 1 for $z = 1$, $\lambda = 1$ and $A = 1$.	142

7.8	The plot presents the radial profiles of normalized azimuthal velocities for time range $0 - 1$ for $z = 1$, $\lambda = 2$, $Re = 1000$ and $A = 1$	143
7.9	The plot presents the radial profiles of normalized azimuthal velocities for the time range $1 \leq t \leq 4$ at $z = 1$, with $\lambda = 2$, $Re = 1000$ and $A = 1$	144
7.10	The plot presents the profiles of normalized azimuthal velocities over time for radii in the range $0 < r < 1$ at $z = 1$, with $\lambda = 1$ and $A = 1$	144
7.11	The plot presents the profiles of normalized azimuthal velocities over time for radii in the range $1 \leq r \leq 2$ at $z = 1$, with $\lambda = 1$ and $A = 1$	145
7.12	The plot presents the profiles of normalized azimuthal velocities over radius for different λ at $z = 1$, with $t = 1$ and $A = 1$	145
7.13	Radial profiles of pressure difference for time range $0 - 1$ at $z = 1$ for $\lambda = 1$ and $A = 1$	147
7.14	Radial profiles of pressure difference for time range $1 - 2$ at $z = 1$ for $\lambda = 1$ and $A = 1$	148