

Table of Contents

CERTIFICATE	iii
DECLARATION BY THE CANDIDATE	v
CERTIFICATE BY THE SUPERVISOR.....	v
Copyright Transfer	vii
Chapter 1 Introduction.....	1
1.1 Context.....	1
1.2 Need for natural pozzolans	3
1.3 Need for nanoparticles.....	3
1.4 Need for ternary blended composition of concrete mix.....	4
1.5 Objective of the study	5
1.6 Experimental program	7
1.7 Structure of the thesis.....	8
Chapter 2 Literature Review	11
2.1 Metakaolin	11
2.1.1 Pozzolanic reaction mechanism	12
2.1.2 Effect of MK on the fresh properties of mortar/concrete	14
2.1.3 Effect of MK on mechanical properties of mortar/concrete.....	16
2.1.4 Effect of MK on durability properties of mortar/concrete	20
2.1.5 Thermal resistance.....	24
2.2 Nano-silica	25
2.2.1 Effect of NS on mechanical properties of mortar/concrete	26
2.2.2 Effect of NS on durability properties of mortar/concrete.....	32
2.2.3 Thermal resistance.....	36
2.3 Summary.....	37
Chapter 3 Materials Methodology and Experimental Program- Mortar	39
3.1 Introduction.....	39
3.2 Materials	39
3.2.1 Ordinary Portland cement	39
3.2.2 Metakaolin powder.....	40
3.2.3 Nano-silica solution.....	41
3.2.4 Indian standard sand.....	42
3.2.5 Water.....	43
3.3 Mix proportions and mixing of mortars and cement pastes.....	43
3.4 Preparation and curing of mortar samples	46
3.5 Compressive strength	46
3.6 Relative strength	47
3.7 Pozzolanic efficiency factor	47
3.8 Microstructural analyses.....	50
3.8.1 X-ray diffraction (XRD) analysis.....	50
3.8.2 Thermogravimetric analysis	51
3.8.3 Morphology	52
3.9 Test for thermal stability	53

3.10	Summary	55
Chapter 4	Results and Discussions - Mortar	57
4.1	Introduction	57
4.2	Compressive strength.....	58
4.2.1	Compressive strength of binary blended mortars with replacement by MK	58
4.2.2	Compressive strength of binary blended mortars with replacement by NS	60
4.2.3	Compressive strength of ternary mortars with replacement by MK and NS combinations	62
4.3	Relative strength.....	64
4.4	Pozzolanic efficiency factor	68
4.5	Characterisation techniques.....	71
4.5.1	Thermogravimetric analysis (TGA).....	71
4.5.2	X-ray diffraction (XRD) analysis	73
4.5.3	Morphology	74
4.6	Thermal stability	75
4.6.1	Residual compressive strength.....	75
4.6.2	Thermal resistance	80
4.6.3	Surface cracking, spalling and spalling frequency	83
4.6.4	Weight loss.....	86
4.6.5	SEM analysis	89
4.7	Summary	93
Chapter 5	Materials Methodology and Experimental Program- Concrete	95
5.1	Introduction	95
5.2	Materials	96
5.2.1	Aggregates	96
5.2.2	Water	99
5.2.3	Superplasticiser.....	99
5.3	Dosages of cementitious material for concrete	101
5.4	Mix design	101
5.5	Concrete mixing and casting of specimens	102
5.6	Preparation of cement pastes	105
5.7	Tests for mechanical properties	105
5.7.1	Compressive strength.....	105
5.7.2	Split tensile strength	106
5.7.3	Flexural strength	107
5.8	Tests for durability parameters.....	108
5.8.1	Carbonation.....	108
5.8.2	Water absorption	110
5.8.3	Acid attack	113
5.9	Thermal stability	114
5.10	Microstructural studies.....	116
5.10.1	X-ray diffraction (XRD) analysis	116
5.10.2	Thermogravimetric and differential scanning calorimetry (TGA/DSC) analyses	117
5.10.3	Scanning electron microscopy (SEM)	119
5.10.4	Porosity by N ₂ adsorption	120
5.11	Summary	120
Chapter 6	Results and Discussions- Concrete.....	123

6.1	Introduction.....	123
6.2	Mechanical properties	123
6.2.1	Compressive strength	123
6.2.2	Split tensile strength	129
6.2.3	Flexural strength.....	131
6.3	Durability parameters	133
6.3.1	Carbonation	133
6.3.2	Water absorption.....	137
6.3.3	Acid attack.....	142
6.4	Microstructural analysis	144
6.4.1	X-ray diffraction (XRD) analysis.....	144
6.4.2	Thermogravimetric and differential scanning calorimetry (TGA/DSC) analyses	147
6.4.3	Scanning electron microscopic (SEM) analysis.....	151
6.4.4	Porosity by N ₂ adsorption test (BET/BJH analysis).....	156
6.5	Thermal stability of concrete	157
6.5.1	Residual compressive strength	157
6.5.2	Mass loss	162
6.5.3	Thermal resistance.....	164
6.5.4	Surface cracking and spalling.....	166
6.6	Microstructural analyses on concretes exposed to elevated temperatures.....	170
6.6.1	X-ray diffraction (XRD) analysis.....	170
6.6.2	Thermogravimetric and differential scanning calorimetry (TGA/DSC) analyses	172
6.6.3	Scanning electron microscopic (SEM) analysis.....	174
6.7	Summary.....	184
Chapter 7	Eco-efficiency and Cost Index	187
7.1	Introduction.....	187
7.2	Assessment of eco-efficiency	187
7.2.1	Eco-efficiency for mechanical performance	188
7.2.2	Eco-efficiency for durability performance	192
7.3	Cost index	194
7.4	Summary.....	195
Chapter 8	Conclusion	197
8.1	Introduction.....	197
8.2	Mortar.....	197
8.2.1	Compressive strength	197
8.2.2	Thermal stability.....	200
8.3	Concrete.....	201
8.3.1	Mechanical properties	201
8.3.2	Microstructural studies.....	204
8.3.3	Durability performance of concrete	205
8.3.4	Microstructural studies on carbonated concrete.....	206
8.3.5	Thermal stability of concrete.....	207
8.3.6	Eco-efficiency	211
8.3.7	Cost index.....	212
8.4	Author's contribution.....	213
8.5	Future scope of studies	214
	References	217
	List of publications	239

List of figures

Figure 1.1 Schematic of thesis structure	10
Figure 3.1 (a) Metakaolin and (b) SEM image of metakaolin	41
Figure 3.2 (a) Colloidal nano-silica, (b) SEM image of nano-silica solid particles.....	42
Figure 3.3 IS sand I, II and III grades	43
Figure 3.4 Flowchart- mixing and casting of mortar samples.....	45
Figure 3.5 (a) Mortar preparation (b) mortar curing setup.....	45
Figure 3.6 (a) Mortars after removing mould and (b) curing of cement pastes	46
Figure 3.7 Compression testing machine	47
Figure 3.8 Representative zones of mortar cube used for XRD and TG analyses	50
Figure 3.9 Rigaku MiniFlex 600, Benchtop XRD (Dept. of Metallurgical Engineering, IIT BHU)	51
Figure 3.10 TGA instrument (Central instrumentation facility, IIT BHU)	52
Figure 3.11 (a). ZEISS EVO-18 high magnification SEM (Dept. of Geology, BHU), (b). JEOL JCM-7000 (Central instrumentation facility, IIT BHU).....	53
Figure 3.12 Muffle furnace (Dept. of Civil Engineering, IIT BHU).....	53
Figure 3.13 Schematic of the heating and cooling process of mortar cubes, Abhilash et al. [234]	54
Figure 3.14 Schematic of the loading process of mortar cubes after being exposed to elevated temperature	54
Figure 4.1 Compressive strength of mortars	58
Figure 4.2 Correlation between MK/B ratio and 28-day compressive strength in MK binary blended mortars.....	60
Figure 4.3 Correlation between NS/B ratio and 28-day compressive strength in NS binary blended mortars.....	61
Figure 4.4 Correlation between NS/B ratio and 28-day compressive strength in MK10NS ternary blended mortars	63
Figure 4.5 Relative strength vs. curing time	64
Figure 4.6 Schematic of cement hydration and pozzolanic activity of MK and NS particles, Abhilash et al. [244].....	65
Figure 4.7 Schematic of the microstructure of cementitious materials for unary, binary and ternary blends of cement, MK and NS, Abhilash et al. [244]	68
Figure 4.8 Pozzolanic efficiency factor (k-factor) of mortar blends at various curing ages.....	69
Figure 4.9 TGA curve for a). reference (CM) b). MK10, c). NS4.5 and d). MK10NS4.5 mortar samples	72
Figure 4.10 XRD patterns of CM, MK10, NS4.5 and MK10NS4.5 mortar powders.....	73
Figure 4.11 SEM images of a) reference cement paste, b) MK10 blended cement paste, c) NS4.5 blended cement paste, d) MK10NS4.5 blended cement paste	74
Figure 4.12 Compressive strength vs. temperature - CM with binary compositions, Abhilash et al. [234]	75
Figure 4.13 Compressive strength vs. temperature - CM with ternary compositions, Abhilash et al. [234]	79
Figure 4.14 Relative residual compressive strength vs. temperature for binary compositions.....	80
Figure 4.15 Relative residual compressive strength vs. temperature for ternary compositions.....	81
Figure 4.16 Heat resistance as the area under the curve of the relative strength of the mortar compositions Abhilash et al. [234]	82

Figure 4.17 Surface cracks on mortars exposed to elevated temperatures of 500°C and 650°C	84
Figure 4.18 Spalled mortar cubes (MK10, NS3, MK10NS3)	85
Figure 4.19 Spalling frequency of mortars, Abhilash et al. [234]	86
Figure 4.20 Percentage weight loss of mortars vs. temperature Abhilash et al. [234] ...	87
Figure 4.21 SEM images of mortars treated at 200, 350, 500 and 650°C (Circles represent voids and boxes represent cracks).....	92
Figure 5.1 Sika ViscoCrete 733-PR.....	101
Figure 5.2 Cast concrete specimens, (a) cubes, (b) prisms, (c) cylinders.....	104
Figure 5.3 Concrete mixing process	104
Figure 5.4 Compressive strength testing machine (Dept. of Civil Engineering, IIT BHU)	106
Figure 5.5 Concrete cylinder specimens and testing	107
Figure 5.6 Flexural strength test of concrete prism on the universal testing machine. (Dept. of Civil Engineering, IIT BHU).....	108
Figure 5.7 (a) carbonation chamber, (b) arrangement of concrete cubes within the carbonation chamber (Dept. of Civil Engineering, IIT BHU).....	109
Figure 5.8 Schematic of water absorption test set-up.....	111
Figure 5.9 Experimental arrangement for water absorption test of concrete cubes	111
Figure 5.10 Concrete cube in 5% sulfuric acid solution (a) day-1, (b) day-28	114
Figure 5.11 (a) Muffle furnace, (b) temperature level indicator, (c) concrete cubes in the furnace after heating (Dept. of Civil Engineering, IIT BHU)	115
Figure 5.12 SmartLab X-ray diffractometer (Central instrumentation facility, IIT BHU)	117
Figure 5.13 Simultaneous DSCTGA Q600-SDT (TA instrument).....	118
Figure 5.14 (a) ZEISS EVO-18 high-magnification SEM (Dept. of Geology, BHU), (b) ZEISS GeminiSEM 300 (Amrita Vishwa Vidyapeetham, Coimbatore).....	119
Figure 5.15 BET instrument (Central instrument facility, IIT BHU)	120
Figure 6.1. Compressive strength vs. curing time of concrete samples.....	124
Figure 6.2 Comparison of split tensile strength with JSCE-2007 benchmark.....	131
Figure 6.3 Comparison of flexural strength with IS 456-2000 values.....	132
Figure 6.4 Concrete samples treated with phenolphthalein solution	135
Figure 6.5 Correlation between carbonation depth of concrete mixes and the square root of time.....	135
Figure 6.6 Rate of water absorption of the concrete mixes	138
Figure 6.7 Regression for initial (a) and secondary water absorption (b) of CC.....	139
Figure 6.8 Regression for initial (a) and secondary water absorption (b) of MK.....	139
Figure 6.9 Regression for initial (a) and secondary water absorption (b) of NS1.5.....	139
Figure 6.10 Regression for initial (a) and secondary water absorption (b) of NS3.....	140
Figure 6.11 Regression for initial (a) and secondary water absorption (b) of NS4.5 ...	140
Figure 6.12 Regression for initial (a) and secondary water absorption (b) of MK10NS1.5.....	140
Figure 6.13 Regression for initial (a) and secondary water absorption (b) of MK10NS3	141
Figure 6.14 Regression for initial (a) and secondary water absorption (b) of MK10NS4.5.....	141
Figure 6.15 Concrete mass loss after 28-day sulfuric acid exposure.....	143
Figure 6.16 Concrete cubes after 28 days of sulfuric acid exposure	144
Figure 6.17 Diffractograms for different cement paste formulations after 28 days of curing	146

Figure 6.18 TGA/DSC curves for different cement paste formulations after 28 days of curing.....	148
Figure 6.19 TGA/DSC curves for concrete samples carbonated for 28 days	150
Figure 6.20 SEM images of CC paste-28 days	151
Figure 6.21 SEM images of MK10 blended paste-28 days.....	152
Figure 6.22 SEM images of NS1.5 blended paste-28 days.....	153
Figure 6.23 SEM images of NS3 blended paste-28 days.....	153
Figure 6.24 SEM images of NS4.5 blended paste-28 days.....	154
Figure 6.25 SEM images of MK10NS1.5 blended paste-28 days	154
Figure 6.26 SEM images of MK10NS3 blended paste-28 days	155
Figure 6.27 SEM images of MK10NS4.5 blended paste-28 days	156
Figure 6.28 Residual compressive strength vs. temperature.....	158
Figure 6.29 Percentage change in compressive strength at different temperatures	158
Figure 6.30 Percentage mass loss of the concrete samples at different temperatures...	163
Figure 6.31. Relative residual compressive strength vs. temperature.....	164
Figure 6.32 Area under residual compressive strength curve of concrete	165
Figure 6.33 Concrete cube surface at 500°C-CC, MK10, NS1.5 and NS3.....	166
Figure 6.34 Concrete cube surface at 500°C-NS4.5, MK10NS1.5, MK10NS3 and MK10NS4.5	167
Figure 6.35 Concrete cube surface at 650°C-CC, MK10, NS1.5 and NS3.....	167
Figure 6.36 Concrete cube surface at 650°C-NS4.5, MK10NS1.5, MK10NS3 and MK10NS4.5	168
Figure 6.37 Concrete cube surface at 800°C-CC, MK10, NS1.5 and NS3.....	168
Figure 6.38 Concrete cube surface at 800°C-NS4.5, MK10NS1.5, MK10NS3 and MK10NS4.5	169
Figure 6.39 Spalled cube of MK10NS4.5 at 650°C.....	169
Figure 6.40 Ablation of the concrete cube surface layer at 800°C.....	169
Figure 6.41. Diffractograms of concrete after exposure at different temperatures	172
Figure 6.42 TGA/DSC curves for blended cement pastes cured 90 days	174
Figure 6.43. TGA/DSC mass loss of different phases of cement/blended cement pastes	174
Figure 6.44 SEM of cement pastes at 90 days	175
Figure 6.45 SEM of concrete at 200°C	176
Figure 6.46 SEM of concrete at 350°C	178
Figure 6.47 SEM of concrete at 500°C	180
Figure 6.48. SEM of concrete at 650°C	181
Figure 6.49 SEM of concrete at 800°C	183
Figure 7.1 Binder intensities of concrete for 28, 90 and 180-day compressive strength	189
Figure 7.2. CO ₂ intensities of the concrete for 28, 90 and 180-day compressive strength	191
Figure 7.3. Binder and CO ₂ intensities of concrete for carbonation	193

List of tables

Table 3.1 Physical and chemical properties of cement.....	40
Table 3.2 Chemical composition of metakaolin	41
Table 3.3 Particle size distribution of IS sand in the mortar mix.....	42
Table 3.4 Mix proportions of mortars	43
Table 4.1 Weight loss from TGA analysis	73
Table 5.1 Sieve analysis of 20 mm nominal size coarse aggregate	97
Table 5.2 Sieve analysis of 10 mm nominal size coarse aggregate	97
Table 5.3 Sieve analysis of fine aggregate.....	98
Table 5.4 Physical properties of aggregates.....	99
Table 5.5 Properties of superplasticiser	101
Table 5.6 Concrete mix proportion	102
Table 5.7 Times and tolerance for water absorption test	112
Table 5.8 Data collection and calculation table format	112
Table 6.1 Carbonation depth and carbonation coefficients.....	137
Table 6.2 Rate of initial and secondary water absorption of different concrete mixes.	141
Table 6.3 Weight loss from TGA/DSC analyses.....	147
Table 6.4 Quantified CaCO ₃ Content Derived from TGA.....	150
Table 6.5 Summary of BET/BJH analysis	157
Table 6.6 Residual compressive strength of concrete mixes at different temperatures	157
Table 7.1 Binder content and the CO ₂ emission of the concrete mixes.....	190
Table 7.2. Cost index of concrete	194

