
REFERENCES

REFERENCES

- Abdoli, H., Ghanbari, M. and Baghshahi, S., Thermal stability of nanostructured aluminum powder synthesized by high-energy milling. *Materials Science and Engineering: A* **528**, 6702-6707 (2011).
- Ali, F., Scudino, S., Liu, G., Srivastava, V.C., Mukhopadhyay, N.K., Samadi Khoshkhoo, M., Prashanth, K.G., Uhlenwinkel, V., Calin, M. and Eckert, J., Modeling the strengthening effect of Al-Cu-Fe quasicrystalline particles in Al-based metal matrix composites. *Journal of Alloys and Compounds* **536**, S130-S133 (2012).
- Al-Aqeeli, N., Abdullahi, K., Suryanarayana, C., Laoui, T. and Nouari, S., Structure of mechanically milled CNT-reinforced Al-alloy nanocomposites. *Mater. Manufactur. Proc.* **28**, 984-990 (2012).
- Amal, M.K.E. and Farag, M.M., Carbon nanotube reinforced composites: potential and current challenges. *Materials and Design* **28**, 2394-2401 (2012).
- Ares, J.R., Cuevas, F. and Percheron-Guegan, A., Mechanical milling and subsequent annealing effects on the microstructural and hydrogenation properties of multisubstituted LaNi₅ alloy. *Acta Materialia* **53**, 2157-2167 (2005).
- Armstrong, R.W., Yield, flow and fracture of polycrystals. Proceedings of the 6th annual conference on design engineering, Edited by Baker, T.N., Applied Science Publishers, London, (1983).
- Ashby, M.F., The deformation of plastically non-homogenous materials. *Philosophical Magazine* **21**, 399-424 (1970).
- Ashby, M.F., Materials selection in mechanical design. Burlington, MA: Butterworth-Heinemann (2005).
- Askenazy, P.D., Kamenetzky, E.A., Tanner, L.E. and Johnson, W.L. Deformation-induced amorphization of CuTi₂ microcrystals in an amorphous matrix. *J. Less-Common Met.* **140**, 149-160 (1988).
- Avis, J., Aluminum and aluminum alloys, ASM Specialty Handbook, Metals Park USA, 1994.

-
- Azabou, M., Khitouni, M. and Kolsi, A., Characterization of nanocrystalline Al-based alloy produced by mechanical milling followed by cold-pressing consolidation. *Materials Characterization* **60**, 499-505 (2009).
- Bakshi, S.R., Lahiri, D. and Agarwal, A., Carbon nanotube reinforced metal matrix composites- a review. *International Materials Reviews* **55**, 41-64 (2010).
- Barai, P. and Weng, G.J., Mechanics of very fine-grained nanocrystalline materials with contributions from grain interior, GB zone, and grain-boundary sliding. *Int. J. Plast.* **25**, 2410-2434 (2009).
- Bartels, C., Raabe, D., Gottstein, G. and Huber, U., Investigation of the precipitation kinetics in an Al6061/TiB₂ metal matrix composite. *Materials Science Engineering: A* **237**, 12-23 (1997).
- Bathula, S., Anandani, R.C., Dhar, A. and Srivastava, A.K., Microstructural features and mechanical properties of Al 5083/SiC_p metal matrix composites produced by high energy ball milling and spark plasma sintering. *Materials Science Engineering: A* **545**, 97-102 (2012).
- Benajmin, J.S., Dispersion strengthened super alloys by mechanical alloying. *Metall. Trans.* **1**, 2943-2951 (1970).
- Benajmin, J.S., Mechanical alloying. *Scientific American* **40**, 234-235 (1976).
- Beckman Coulter, Inc., LS 13 320 Laser diffraction particle size analyzer instrument manual. Miami, FL, United States (2003).
- Bozic, D., Dimcic, B., Dimcic, O., Stasic, J. and Rajkovic, V., Influence of SiC particles distribution on mechanical properties and fracture of DRA alloys. *Materials and Design* **31**, 134-141 (2010).
- Bohn, R., Hanbold, T., Birringer, R. and Gleiter, H., Nanocrystalline intermetallic compounds-An approach to ductility? *Scripta Metall. Mater.* **25**, 811-816 (1991).
- Borner, I. and Eckert, J., Compositional dependence of grain size in heavily mechanically deformed nanophase NiAl. *Mater. Sci. Forum* **225-227**, 377-382 (1996).
- Brown, L.M. and Ham, R.K., Strengthening methods in crystals, Elsevier, Amsterdam, 9-135 (1971).

-
- Bradbury, C.R., Gomon, J.K., Kollo, L., Kwon, H. and Leparoux, M., Hardness of multi wall carbon nanotubes reinforced aluminum matrix composites. *Journal of Alloys and Compounds* **585**, 362-367 (2014).
- Busso, E.P. and McClintock, F.A, Mechanisms of cyclic deformation of NiAl single crystals at high temperatures. *Acta Metall. Mater.*, **42**, 3263-3275 (1994).
- Carreño-Gallardo, C., Estrada-Guel, I., López-Meléndez, C. and Martínez-Sánchez, R., Dispersion of silicon carbide nanoparticles in AA2024 aluminum alloy by a high-energy ball mill. *Journal of Alloys and Compounds* **586**, S68-S72 (2014).
- Cambronero, L.E.G., Sanchez, E., Ruiz-Roman, J.M. and Ruiz-Prieto, J.M., Mechanical characterization of AA7015 aluminum alloy reinforced with ceramics. *J. Mater. Process. Technol.* **143-144**, 378-383 (2003).
- Cardellini, F., Contini, V., Gupta, R., Mazzone, G., Montone, A., Perin, A. and Principi, G., Microstructural evolution of Al-Fe powder mixtures during high-energy ball milling. *Journal of Materials Science* **33**, 2519-2527 (1998).
- Carlton, C.E. and Ferreira, P.J., What is behind the inverse Hall-Petch effect in nanocrystalline materials?. *Acta Mater.* **55**, 3749-3756 (2007).
- Chawla, K.K., Composite materials- Science and Engineering, 2nd ed., Springer, New York, (1997).
- Chang, H., Hofler, H.J., Altstetter, C.J. and Averbach, R.S., Synthesis, processing and properties of nanophase TiAl. *Scripta Metall. Mater.* **25**, 1161-1166 (1991).
- Chaubey, A.K., Scudino, S., Mukhopadhyay, N.K., Samadi Khoshkhou, M., Mishra, B.K. and Eckert, J., Effect of particles dispersion on the mechanical behaviour of Al-based metal matrix composites reinforced with nanocrystalline Al-Ca intermetallics. *Journal of Alloys and Compounds* **536**, S134-S137 (2012).
- Chermahinia, D., Sharafia, M., Shokrollahi, S., Zandrahimia, H. and Shafyeyi, A., The evolution of heating rate on the microstructural and magnetic properties of milled nanostructured Fe_{1-x}Co_x (x=0.2, 0.3, 0.4, 0.5 and 0.7) powders. *Journal of Alloys and Compounds* **484**, 54-58 (2009).
- Cho, Y. S. and Koch, C. C., Amorphization by mechanical attrition in the Nb₃Ge system: Extension of the amorphous composition range. *Materials Science Engineering: A* **161**, 65-73 (1993).

-
- Choi, H.J., Min, B.H., Shin, J.H. and Bae, D.H., Strengthening in nanostructured 2024 aluminum alloy and its composites containing carbon nanotubes. *Composites A* **42**, 1438-1444 (2011).
- Choi, H.J., Kwon, G.B., Lee, G.Y. and Bae, D.H., Reinforcement with carbon nanotubes in aluminum matrix composites. *Scripta Materialia* **59**, 360-363 (2008).
- Chokshi, A.H., Rosen, A., Karch, J. and Gleiter, H., On the validity of the hall-petch relationship in nanocrystalline materials. *Scripta Metall.* **23**, 1679-1683 (1989).
- Chromik, R.R., Vinci, R.P., Allen, S.L. and Notis, M.R., Nanoindentation measurements on Cu-Sn and Ag-Sn intermetallic formed in Pb-free solder joints. *J. Mater. Res.* **18**, 2251-2261 (2003).
- Chu, K., Jia, C.C., Jiang, L.K. and Li, W.S., Improvement of interface and mechanical properties in carbon nanotube reinforced Cu–Cr matrix composites. *Materials and Design* **45**, 407-411 (2013).
- Clyne, T.W. and Withers, P.J., An introduction to metal matrix composites, Cambridge University Press, *Cambridge* (1993).
- Conrad, H. and Narayan, On the grain size softening in nanocrystalline materials. *Scripta Mater.* **42**, 1025-1030 (2000).
- Conrad, H. and Narayan, J., Mechanism for grain size softening in nanocrystalline Zn. *Appl. Phys. Lett.* **81**, 2241-2243 (2002).
- Corby, R.N. and Black, P.J., The structure of FeAl₂ by anomalous dispersion methods. *Acta Cryst. B* **29**, 2669-2677 (1973).
- Cullity B.D., Elements of X-Ray diffraction. 2nd Edition, Addison-Wesley Publishing Company, INC (1978).
- Cullity, B.D., Elements of X-ray diffraction, third ed., London, Prentice Hall (2001).
- Darolia, R., NiAl alloys for high-temperature structural applications. *Journal of Metals* **43**, 44-49 (1991).
- De Keijser, T.H., Langford, J.I., Mittemeijer, E.I. and Vogels, A.B.P., Use of the Voigt function in a single-line method for the analysis of X-ray diffraction line broadening. *Journal of Applied Crystallography* **15**, 308-314 (1982).
- Deaquino-Lara, R., Estrada-Guel, I., Hinojosa-Ruiz, G., Flores-Campos, R., Herrera-Ramirez, J.M. and Martinez-Sanchez, R., Synthesis of aluminum alloy 7075-

- graphite composites by milling processes and hot extrusion. *Journal of Alloys and Compounds* **509S**, S284-S289 (2011).
- Deng, C., Zhang, P., Ma, Y., Zhang, X. and Wang, D., Dispersion of multiwalled carbon nanotubes in aluminium powders. *Rare Metals* **28**,175-180 (2009).
- De Boer, F.R., Boom, R., Mattens, W.C.M., Miedema, A.R. and Niessen. A.K., Cohesion in metals: Transition metal alloys (Cohesion and structure) (eds), North Holland, Amsterdam, **1** (1988).
- De Keijser, T.H., Langford, J.I., Mittemeijer, E.I. and Vogels, A.B.P., Use of the Voigt function in a single-line method for the analysis of X-ray diffraction line broadening. *J. Appl. Crystallogr.* **15**, 308-314 (1982).
- Deevi, S.C. and Sikka, V.K., Nickel and iron aluminides: an overview on properties, processing, and applications. *Intermetallics* **4**, 357-375 (1996).
- Dieter, G.E., Mechanical metallurgy. third ed. New York (NY): Mc-Graw-Hill; 212–220 (1986).
- Dias, A., Moreira, R.L., Mohallem, N.D.S. and Persiano, A.I., Microstructural dependence of the magnetic properties of sintered NiZn ferrites from hydrothermal powders. *J. Magn. Mater.* **172**, L9-L14 (1997).
- Dowson, G., Powder metallurgy - the process and its products. Massachusetts meeting of ACS Springer, Boston (1989).
- Duran, P., Villegas, M., Capel, F., Recio, P. and Moure, C., Low-temperature sintering and microstructural development of nanocrystalline Y-ZTP powders. *J. Eur. Ceram. Soc.* **16**, 945-952 (1996).
- Eckert, J., Holzer, J.C., Kill, C.E. III and Johnson, W.L., Structural and thermodynamic properties of nanocrystalline fcc metals prepared by mechanical attrition. *J. Mater. Res.* **7**, 1751-1761 (1992).
- Eckert, J., Schultz, L. and Urban, K., Formation of quasicrystals by mechanical alloying. *Appl. Phys. Lett.* **55**, 117-119 (1989).
- Eckert, J., Schultz, L. and Urban, K., Phase transitions and quasicrystal formation in Al-Cu-Mn induced by ball milling. *Europhys. Lett.* **13**, 349-354 (1990).
- El-Eskandarany, M. S., Thermally assisted and mechanically driven solid state reactions for formation of amorphous Al₃₃Ta₆₇ alloy powders. *Metall. Mater. Trans.* **27A** 3267-3278 (1996).

-
- El-Eskandarany, M. S., Mechanical solid state mixing for synthesizing of SiCp/Al nanocomposites. *Journal of Alloys and Compounds* **279**, 263-271 (1998).
- El-Eskandarany, M.S., Mechanical alloying for fabrication of advanced engineering materials, William Andrew, New York (2001).
- El-Eskandarany, M. S., Aoki, K., Sumiyama, K., and Suzuki, K., Mechanically induced cyclic crystalline amorphous transformations of ball milled Co50Ti50 alloy *Scripta Metall.* **36**, 1001-1009 (1997).
- El-Eskandarany, M. S., Aoki, K., Sumiyama, K., and Suzuki, K., Cyclic solid state transformations during ball milling of aluminum zirconium powder and the effect of milling speed. *Metall. Trans. A* **30**, 1877-1880 (1999).
- Enzo, S., Mulas, G. and Frattini, R., The structure of mechanically alloyed $Al_xFe_{(1-x)}$ end-products after annealing. *Mater. Sci. Forum* **269-272**, 385-390 (1998).
- Erich, D.L., Metal matrix composites: problems, applications and potential in the P/M industry, *Prog. Powder. Metall.* **46**, 45-65 (1986).
- Esawi, A. and Morsi, K., Dispersion of carbon nanotubes (CNTs) in aluminum powder. *Composites A* **38**, 646-650 (2007).
- Esawi, A.M.K., Morsi, K., Sayed, A., Gawad, A.A. and Borah, P., Fabrication and properties of dispersed carbon nanotube-aluminium composites. *Materials Science and Engineering: A* **508**, 167-173 (2009).
- Esawi, A.M.K., Morsi, K., Sayed, A., Taher, M. and Lanka, S., Effect of carbon nanotube (CNT) content on the mechanical properties of CNT-reinforced aluminum composites. *Comp. Sci. Tech.* **70**, 2237-2241(2010).
- Esawi, A.M.K., Morsi, K., Sayed, A., Taher, M. and Lanka, S., The influence of carbon nanotube (CNT) morphology and diameter on the processing and properties of CNT reinforced aluminium composites. *Composites A* **42**, 234-243 (2010).
- Eshelby, J.D., The determination of the elastic field of an ellipsoidal inclusion, and related problems. *Proc. R Soc. Lond Ser Math. Phys. Sci.* **241**, 376-396 (1957).
- Fadeeva, V. and Leonov, A.V., Formation of Al-Fe supersaturated solid solution by mechanical milling. *Mater. Sci. Forum* **88-90**, 481-488 (1992).
- Fecht, H. J., Nanostructure formation by mechanical attrition. *Nanostructured Materials* **6**, 33-42 (1995).

-
- Flegler, S.L., Heckman Jr. J.W. and Klomparens, K.L, Scanning and transmission electron microscopy. W.H. Freeman and Company, *New York* (1993).
- Fogognolo, J.B., Velasco, F., Robert, M.H and Torralba, J.M., Effect of mechanical alloying on the morphology, microstructure and properties of aluminum matrix composite powders. *Materials Science and Engineering: A* **342**, 131-143 (2003).
- Fogagnolo, J.B., Ruiz-Navas, E.M., Robert, M.H. and Torralba, J.M., The effects of mechanical alloying on the compressibility of aluminum matrix composite powder. *Materials Science and Engineering: A* **355**, 50-55 (2003).
- Froes, F.H., Senkov, O.N. and Baburaj, E.G., Synthesis of nanocrystalline materials- an overview. *Materials Science and Engineering: A* **301**, 44-53 (2001).
- Gaffet, E., Merk, N., Martin, G. and Bigot, J., Ball milling amorphization mechanism of Ni-Zr alloys. *Journal of the less common metals*. **145**, 251-260 (1988).
- Gaffet, E., Abdellaoui, M. and Malhouroux-Gaffet, N., Formation of nanostructured materials by mechanical processing. *Mater. Trans. JIM* **36**, 198-209 (1995).
- Gajewsla, M., Dutkiewicz, J. and Morgiel, J., Effect of reinforcement particle size on microstructure and mechanical properties of AlZnMgCu/AlN nanocomposites produced by mechanical alloying. *Journal of Alloys and Compounds* **586**, S423-S427 (2014).
- Ganguli, D. and Chatterjee, M., Techniques of powder preparation, Ceramic powder preparation: A handbook. 35-73 (1997).
- Gasior, W., Debski, A. and Moser, Z., Formation enthalpy of intermetallic phases from Al-Fe system measured with solution calorimetric method. *Intermetallics* **24**, 99-105 (2012).
- German, R.M., Powder metallurgy science, Metal Powder Industries Federation, Princeton, New Jersey (1994).
- George. R., Kashyap, K.T., Rahul, R. and Yamdgni, S., Strengthening in carbon nanotube /aluminium (CNT/Al) composites. *Scripta Mater.* **53**, 1159-1163 (2005).
- Gerhard Sauthoff, Intermetallics Wiley-VCH, Weinheim 1-165 (1995).
- Gertsman, V.Y. and Dremailova, O., Transmission electron microscopy identification of a new Ti-Al-Fe intermetallic compound. *J Mater. Sci.* **41**, 4490-4504 (2006).
- Gleiter, H., Materials with ultrafine microstructures: Retrospectives and perspectives. *Nanostruct. Mater.* **1**, 1-19 (1992).

- Gleiter, H., Nanocrystalline materials, *Prog. Mater. Sci.* **33**, 223-315 (1989).
- Goldstein, J.I., Newbury, D.E., Echlin, P., Joy, D.C., Lyman, C.E., Sawyer, L., Michael, J. and Lifshin, E., Scanning electron microscopy and X-ray microanalysis, 3rd edition, Plenum Press, New York, 1-689 (2003).
- Goloso, S.J., Introduction to Ultrafine Milling in Planetary Mills. *Nauka, Novosibirsk* (1971).
- Grin, J., Burkhardt, U., Ellner, M., Peters, K., Refinement of the Fe₄Al₁₃ structure and its relationship to the quasihomological homeotypical structures. *Z. Kristallogr.* **209**, 479-487 (1994).
- Gu, D. and Shen, Y., Microstructures and properties of high Cr content coatings on inner surfaces of carbon steel tubular components prepared by a novel mechanical alloying method. *Appl. Surface Sci.* **256**, 223-230 (2009).
- Gu, N., Henley, C.L. and Mihalkovic, M., Co-rich decagonal Al-Co-Ni: predicting structure, orientation order and puckering. *Philos. Mag.* **86**, 593-599 (2006).
- Guder, H.S., Sahin, E., Sahin, O., Gocmez, H., Duran, C. and Ali cetinkara, H., Vickers and Knoop indentation microhardness study of β -SiAlON ceramic. *Acta Physica Polonica A* **120**, 1026-1033 (2011).
- Haasen, P., Physical Metallurgy. Cambridge University Press, (1978).
- Harris, S.J., Cast metal matrix composites. *Materials Science and Technology* **4**, 231-239 (1988).
- Harrigan Jr, W.C., Commercial processing of metal matrix composites. *Materials Science and Engineering: A* **244**, 75-79 (1998).
- Hall, E., The deformation and ageing of mild steel: III Discussion of results. *Proc. Phys. Soc. B.* **64**, 747-753 (1951).
- Hahn, H., Mondal, P. and Padmanabhan, K.A., Plastic deformation of nanocrystalline materials. *Nanostruct. Mater.* **9**, 603-606 (1997).
- Hahn, H. and Padmanabhan, K.A., A model for the deformation of nanocrystalline materials. *Philos. Mag. B* **76**, 569-571 (1997).
- Hashimoto, H. and Watanabe, R., Model simulations of vibratory ball milling of metal powders. *Mater. Sci. Forum* **89**, 88-90 (1992).

-
- Heinz, A., Haszler, A., Keidel, C., Moldenhauer, S., Benedictus, R. and Miller, W.S., Recent development in aluminum alloys for aerospace applications. *Materials Science and Engineering: A* **280**, 102-107 (2000).
- Hellstern, E., Fecht, H.J., Garland, C. and Johnson, W.L., Multicomponent ultrafine microstructure. *Mater. Res. Soc.* **132**, 137-142 (1989).
- Hernandez, J.L., Cruz, J.J., Gomez, R.C., Coreno, Y.O. and Martinez-Sanchez, R., Synthesis of graphite reinforced aluminum nanocomposite by mechanical alloying. *Mater. Trans.* **51**, 1120-1126 (2010).
- Hiroaki Kishimura and Hitoshi Matsumoto, Fabrication of Ti-Cu-Ni-Al amorphous alloys by mechanical alloying and mechanical milling. *Journal of Alloys and Compounds* **509**, 4386-4389 (2011).
- Hongwei Shi, Debo Guo and Yifang Ouyang, Structural evolution of mechanically alloyed nanocrystalline FeAl intermetallics. *Journal of Alloys and Compounds* **455**, 207-209 (2008).
- Huang, B., Ishihara, K.N. and Shingu, P.H., Metastable phases of Al-Fe system by mechanical alloying. *Materials Science and Engineering: A* **231**, 72-79 (1997).
- Ibrahim, I.A., Mohammed, F.A. and Lavernia, E.J., Particulate reinforced metal matrix composite- A Review, *J. Mater. Sci.* **26**, 1137-1156 (1991).
- Iijima, S., Helical microtubules of graphitic carbon. *Nature*, **354**, 56-58 (1991).
- Inoue, A., Tomioka, H. and Masumoto, T., Mechanical properties of ductile Fe-Bi-Zr and Fe-Ni-Zr(Nb or Ta) amorphous alloys containing fine crystalline particles. *J. Mater. Sci.* **18**, 153-160 (1983).
- Inoue, A. and Wang, X.M., Bulk amorphous FC20 (Fe-C-Si) alloys with small amounts of B and their crystallized structure and mechanical properties. *Acta Mater.* **48**, 1383-1395 (2000).
- Jayaram, R. and Miller, M. K., An atom probe study of grain boundary and matrix chemistry in microalloyed NiAl. *Acta. Metall. Mater.* **42**, 1561-1572 (1994).
- Jang, J.S., and Koch, C.C., The Hall-Petch relationship in nanocrystalline iron produced by ball milling. *Scripta Metall. Mater.* **24**, 1599-1604 (1990).
- Jiang, B. and Weng, G.J., A composite model for the grain-size dependence of yield stress of nanograined materials. *Metall. Mater. Trans.* **34A**, 765-772 (2003).

- Kainer, K.U., Metal matrix composites custom-made materials for automotive and aerospace engineering. Wiley-VCH, *Weinheim* (2006).
- Kattner, U.R. and Massalski, T.B., In: Binary Alloy Phase Diagrams, H. Baker, ed., ASM International, OH. 147 (1990).
- Khadem, S.A., Nategh, S. and Yoozbashizadeh, H., Structural and morphological evaluation of Al-5vol.% SiC nanocomposite powder produced by mechanical milling. *Journal of Alloys and Compounds* **509**, 2221-2226 (2011).
- Khakbiz, M. and Akhlaghi, F., Synthesis and structural characterization of Al-B₄C nano-composite powders by mechanical alloying. *Journal of Alloys and Compounds* **479**, 334-41 (2009).
- Kim, Y.H., Lee, S. and Kim, N.K., Fracture Mechanisms of a 2124 Aluminum Matrix Composite Reinforced with SiC Whiskers. *Metallurgical and Materials Transactions A* **23A**, 2589-2596 (1991).
- Kim, H.S. and Hong, S.I., A model of the ductile-brittle transition of partially crystallized amorphous Al-Ni-Y alloys. *Acta Mater.* **47**, 2059-2066 (1999).
- Kim, H.H., Babu, J.S.S. and Kang, C.G., Fabrication of A356 aluminum alloy matrix composite with CNTs/Al₂O₃ hybrid reinforcements. *Materials Science and Engineering: A* **573**, 92-99 (2013).
- Kim, K. and Okazaki, K., Nanocrystalline consolidation of MA powders by EDC. *Mater. Sci. Forum* **88-90**, 553-560 (1992).
- Klug, H.P. and Alexander, L.E., X-ray diffraction procedures. Wiley, New York (1967).
- Koch, C. C., Processing of metals and alloys. Materials science and technology- A comprehensive treatment. Cahn, R.W., Ed., VCH, **15**, 193-245 (1991).
- Koch, C.C., The synthesis and structure of nanocrystalline materials produced by mechanical attrition: a review. *Nanostruct. Mater.* **2**, 109-129 (1993).
- Koch, C.C., Synthesis of nanostructured materials by mechanical milling: Problems and opportunities. *Nanostruct. Mater.* **9** 13-22 (1997).
- Koch C.C., Optimization of strength and ductility in nanocrystalline and ultrafine grained metals, *Scripta Mater.* **49**, 657-662 (2003).
- Koch, C.C., Cavin, O.B., McKamey, C.G. and Scarbrough, J.O. Preparation of amorphous Ni₆₀Nb₄₀ by mechanical alloying. *Appl. Phys. Lett.* **43**, 1017-1019 (1983).

-
- Koch, C.C. and Cho, Y.S., Nanocrystals by high energy ball milling. *Nanostruc. Mater.* **1**, 207-212 (1992).
- Koch, C.C. and Narayan, J., The inverse Hall-Petch effect - Fact or artifact. *Mat. Res. Soc. Symp. Proc.* **634**, B5.1.1-B5.1.11 (2001).
- Koch, C.C., Ovidko, A.I., Seal, S. and Veprek, S., Structural nanocrystalline materials: fundamentals and applications, Cambridge University Press, New York, 141 (2007).
- Koch, C.C. and Whittenberger, J.D., Review: Mechanical milling/alloying of intermetallics. *Intermetallics* **4**, 339-355 (1996).
- Krasnowski, M. and Kulik, T., Nanocrystalline and amorphous Al-Fe alloys containing 60-85% of Al synthesised by mechanical alloying and phase transformations induced by heating of milling products. *Materials Chemistry and Physics* **116**, 631-637 (2009).
- Krasnowski, M. and Kulik, T., Nanocrystalline Al-Fe intermetallics – light weight alloys with high hardness. *Intermetallics* **18**, 47-50 (2010).
- Krasnowski, M., Grabias, A. and Kulik, T., Phase transformations during mechanical alloying of Fe-50% Al and subsequent heating of the milling product. *Journal of Alloys and Compounds* **424**, 119-127 (2006).
- Kwon, Y.S., Choi, P.P., Kim, J.S., Kwon, D.H. and Gerasimov, K.B., Decomposition of intermetallics during high- energy ball-milling. *Materials science and Engineering: A* **449-451**, 1083-1086 (2007).
- Kwon, H., Bradbury, C.R. and Leparoux, M., Fabrication of functionally graded carbon nanotube-reinforced aluminum matrix composite. *Adv. Eng. Mater.* **13**, 325-329 (2011).
- Lauri Kollo., Marc Leparoux., Christopher R. Bradbury., Christian Jäggi., Efraín Carreno-Morelli. and Mikel Rodríguez-Arbaizar., Investigation of planetary milling for nano-silicon carbide reinforced aluminum metal matrix composites. *Journal of Alloys and Compounds* **489**, 394-400 (2010).
- Lasalmonie, A. and Strudel, J.L., Influence of grain size on the mechanical behavior of some high strength materials. *J. Mater. Sci.* **21**, 1837-1852 (1986).

-
- Lee, M.H., Kim, J.H., Park, J.S., Kim, W.T. and Kim, D.H., Development of Ni-Nb-Ta metallic glass particle reinforced Al based matrix composites. *Mater. Sci. Forum* **475**, 3427-3430 (2005).
- Liu, H.Z., Wang, A.M., Wang, L.H., Ding, B.Z., Hu, Z.Q. and Peng, H.Y., The synthesis of SiC_p/Al nanocomposites under high-pressure. *J Mater. Res.* **12**, 1187-1190 (1997).
- Liu, H.Z., Wang, A.M., Wang, L.H., Lou, T.P., Ding, B.Z. and Hu, Z.Q., Study of SiC/Al nanocomposites under high pressure. *Nanostructured Materials* **9**, 225-228 (1997).
- Li, S., Ku, K., Guo, F., Chu, R. and Wang, Z., The strength of amorphous and nanocrystalline FeMoSiB alloys. *Materials Letters* **30**, 305-310 (1997).
- Li, S., Wang, K., Sun, L. and Wang Z., A simple model for the refinement of nanocrystalline grain size during ball milling. *Scripta Metall. et Mater.* **27**, 437-442 (1992).
- Lin, C., Yang, G.W. and Liu, B.X., Prediction of solid-state amorphization in binary metal systems. *Phys. Rev. B* **61**, 15649-15653 (2000-2001).
- Lloyd, D., Particle reinforced aluminum and magnesium matrix composites. *Intern. Mater. Rev.* **39**, 1-23 (1994).
- Loeff, P.I. and Bakker, H. Amorphous gold-lanthanum alloy prepared by ball milling. *Scr. Metall.*, **22**, 401-404 (1988).
- Lonnberg, B., Characterization of milled Si₃N₄ powder using X-ray peak broadening and surface area analysis. *Journal of Materials Science* **29**, 3224-3230 (1994).
- Lopez J.M, Alonso J.A. and Gallego, L.J., Determination of the glass-forming concentration range in binary alloys from a semi empirical theory: Application to Zr-based alloys. *Phys. Rev. B* **36**, 3716-3722 (1987).
- Lu, L., Lai, M.O. and Ng, C.W., Enhanced mechanical properties of an Al based metal using mechanical alloying. *Materials Science and Engineering: A* **252**, 203-211 (1998).
- Lu, L., Lai, M.O. and Yap, S.H., Microstructure and mechanical properties of Al-4.5 wt%Cu/15 wt-%SiC composite prepared using ball mill. *Mater. Sci. & Tech.* **13**, 192-202 (1997).

-
- Lynn, B. and Ferguson, R.M.G., Powder metal technologies and applications. ASM Handbook, American Society of Metals, **7**, (1998).
- Ma, Z.Y. and Tjong, S.C., In-situ ceramic particle reinforced aluminum matrix composites fabricated by reaction pressing in the TiO₂ (Ti) AlB (B₂O₃) systems. *Metall. Mater. Trans. A* **28A**, 1931-1942 (1997).
- Maier, V., Durst, K., Mueller, J., Backes, B., Höppel, H.W. and Göken, M., Nanoindentation strain-rate jump tests for determining the local strain-rate sensitivity in nanocrystalline Ni and ultrafine-grained Al. *J Mater. Res.* **26**, 1421-1430 (2011).
- Maiti, R. and Chakraborty, M., Synthesis and characterization of molybdenum aluminide nanoparticles reinforced aluminum matrix composites. *Journal of Alloys and Compounds* **458**, 450-456 (2008).
- Martin, G. and Bellon, P., Driven alloys, *Solid State Phys.* **50**, 189-331 (1997).
- Massalski, T.B., Binary Phase Diagram. *American Society for Metals*, Metals Park, OH, USA **1 & 2**, (1986).
- Maung, K., Earthman, C. and Mohamed, F.A., Inverse Hall-Petch behavior in diamantane stabilized bulk nanocrystalline aluminum. *Acta Materialia* **60**, 5850-5857 (2012).
- Maurice, D. R. and Courtney, T. H., The physics of mechanical alloying: a first report. *Met. Trans. A* **21**, 289-303 (1990).
- Mazilkin, A.A., Straumal, B.B., Rabkin, E., Baretzky, B., Enders, S., Protasova, S.G., Kogtenkova, O.A. and Valiev, R.Z., Softening of nanostructured Al-Zn and Al-Mg alloys after severe plastic deformation. *Acta Mater.* **54**, 3933-3939 (2006).
- Mazahery, A. and Shabani, M.O., Nano-sized silicon carbide reinforced commercial casting aluminum alloy matrix: Experimental and novel modeling evaluation. *Powder Technol.* **217**, 558-565 (2012).
- Mckamey, C.G., Stoloff, N.S., in: Stoloff, N.S., Sikka, V.K., (Eds.), Physical metallurgy and processing of intermetallic compounds. 351-391 (1996).
- Meyers, M.A., Mishra, A. and Benson, D.J., Mechanical properties of nanocrystalline materials. *Progress in Materials science* **51**, 427-556 (2006).
- Mhadhbi, M., Khitouni, M., Escoda, L., Sunol, J.J. and Dammak, M., Microstructure evolution and mechanical properties of nanocrystalline FeAl obtained by

- mechanical alloying and cold consolidation. *J. Alloys and Compounds* **509**, 3293-3298 (2011).
- Miracle, D.B., Metal matrix composites-From science to technological significance. *Compos. Sci. Technol.* **65**, 2526-2540 (2005).
- Miedema, A.R., de Boer, F.R. and Boom, R., Predicting heat effects in alloys. *Physica B+C* **103**, 67-81 (1981).
- Miedema, A.R., de Chatel, P.F and de Boer, F.R., Cohesion in alloys-fundamentals of a semi-empirical model. *Physica* **100B**, 1-28 (1980).
- Miedema, A.R., Niessen, A.K., de Boer, F.R., Boom, R. and Matten, W.C.M., Cohesion in metals: Transition metal alloys, North-Holland, Amsterdam (1989).
- Mihalkovic, M. and Wisdom, M., Structure and stability of Al₂Fe and Al₅Fe₂: First-principles total energy and phonon calculations. *Physical Review B* **85**, 014113-014115 (2012).
- Mohamed, F.A., A dislocation model for the minimum grain size obtainable by milling. *Acta materialia* **51**, 4107-4119 (2003).
- Molcanov, V.I., Selezneva, O.G. and Zirnov, E.N., Activation of minerals by milling. *Nedra, Moscow* (1988).
- Mondolfo, L.F., Aluminium Alloys: Structure and Properties, Butterworth, London (1976).
- Morsi, K., Esawi, A.M.K., Lanka, S., Sayed, A. and Taher, M., Spark plasma extrusion (SPE) of ball-milled aluminum and carbon nanotube reinforced aluminum composite powders. *Composites A* **41**, 322-326 (2010).
- Morsi, K. and Esawi, A., Effect of mechanical alloying time and carbon nanotube (CNT) content on the evolution of aluminum (Al)-CNT composite powders. *J Mater Sci.* **42**, 4954-4959 (2007).
- Mukhopadhyay, N.K., Ali, F., Scudino, S., Samadi Khoshkhoo, M., Stoica, M., Srivastava, V.C., Uhlenwinkel, V., Vaughan, G., Suryanarayana, C. and Eckert, J., Grain size softening effect in Al_{62.5}Cu₂₅Fe_{12.5} nanocrystals. *Appl. Phys. Lett.* **103**, 201914-201918 (2013).
- Mukhopadhyay, N.K.. and Paufler, P., Micro- and nanoindentation techniques for mechanical characterization of materials. *Intern. Mater. Rev.* **51**, 209-245 (2006).

- Mukhopadhyay, D.K., Suryanarayana, C. and Froes, F.H., Structural evolution in mechanically alloyed Al-Fe powders. *Metall. Mater. Trans.* **26A**, 1939-1946 (1995).
- Mukhopadhyay, N.K., Yadav, T.P., Tiwari, R.S., and Srivastav, O.N., Synthesis of nanocrystalline spinel phase by mechanical milling of Al-Cu-Fe and Al-Cu-Cr-Fe quasicrystalline alloys, *Z. Kristallogr.* **223**, 716-720 (2008).
- Murty, B.S., and Ranganathan, S., Novel materials synthesis by mechanical alloying/milling. *Int. Mater. Rev.* **43**, 101-141 (1998).
- Murr, L.E, in: Interfacial phenomena in metals and alloys. Addison-Wesley publishing company (1975).
- Nayak, S.S., Kim, D.H., Pabi, S.K. and Murty, B.S., Aluminum –based nanocomposites by non-equilibrium processing routes. *Trans. Ind. Inst. Met.* **59**, 193-198 (2006).
- Nayak, S.S, Riester, L. and Dahotre, N.B., Instrumented indentation characterization of laser-remelted A319Al alloy. *Journal of Materials Research* **19**, 202-207 (2004).
- Nayak, S.S. Wollgarten, M., Banhart, J., Pabi, S.K. and Murty, B.S., Nanocomposites and an extremely hard nanocrystalline intermetallic of Al-Fe alloys prepared by mechanical alloying. *Materials Science Engineering: A* **527**, 2370-2378 (2010).
- Nayan, N., Murty, S.V.S., Sharma, S.C., Kumar, K.S. and Sinha, P.P., Calorimetric study on mechanically milled aluminum and multiwall carbon nanotube composites. *Materials Characterization* **62**, 1087-1093 (2011).
- Nieman, G.W., Weertman, J.R. and Siegel, R.W., Mechanical behavior of nanocrystalline metals. *Nanostructured Materials* **1**, 185-190 (1992).
- Nieh, T.G. and Wadsworth, Hall Petch relation in nanocrystalline solids. *Scripta Metall Mater*, **25**, 955-958 (1991).
- Niessen, A.K., de Boer, F.R., Boom, R., de Chatel, P.F., Mattene, W.C.M. and Miedema, A.R., Model predictions for the enthalpy of formation of transition metal alloys II. *Calphad* **7**, 51-70 (1983).
- Niessen, A.K., Miedema, A.R., de Boer, F.R. and Boom, R., Enthalpies of formation of liquid and solid binary alloys based on 3d metals: IV, Alloys of cobalt. *Physica B+C* **151**, 401-432 (1988).

-
- Nouri, N., Ziaei-Rad, S., Adibi, S. and Karimzadeh, F., Fabrication and mechanical property prediction of carbon nanotube reinforced aluminum nanocomposites. *Materials and Design* **34**, 1-14 (2012).
- Oleszak, D. and Shingu, P.H., Amorphous Fe-Al alloys obtained by mechanical alloying. *Mater. Sci. Forum* **235–238**, 91-96 (1997).
- Oliver, W.C, and Pharr G.M, Measurement of hardness and elastic modulus by instrumented indentation: Advances in understanding and refinements to methodology. *Journal of Materials Research*, **19**, 3-20 (2004).
- Pan, C. W., Hung, M. P. and Chang, Y. H. Magnetic properties of mechanically alloyed Fe₃Sn. *Materials Science and Engineering: A* **185**, 147-152 (1994).
- Parvin, N., Assadifard, R., Safarzadeh, P., Sheibani, S. and Marashi, P., Preparation and mechanical properties of SiC-reinforced Al6061 composite by mechanical alloying. *Materials Science and Engineering: A* **492**, 134-140 (2008).
- Padmanabhan, K.A., Mechanical properties of nanostructured materials. *Materials Science and Engineering: A* **304**, 200-205 (2001).
- Padmanabhan, K.A., Dinda, G.P., Hahn, H. and Gleiter, H., Inverse Hall-Petch and grain boundary sliding controlled flow in nanocrystalline materials. *Materials science and Engineering: A* **452-453**, 462-468 (2007).
- Padmanabhan, K.A. and Gleiter, H., A mechanism for the deformation of disordered states of matter. *Current Opinion in Solid State Mater. Sci.* **16**, 243-253 (2012).
- Padmanabhan, K.A. and Gleiter, H., Optimal structural superplasticity in metals and ceramics of microcrystalline- and nanocrystalline-grain sizes. *Materials Science and Engineering: A* **381**, 28-38 (2004).
- Padmanabhan, K.A. and Raviathul Basariya, M., A mesoscopic grain boundary sliding controlled flow model for superplasticity in intermetallics. *Inter. J of Mater. Res.* **100**, 1543-1551 (2009).
- Padmanabhan, K.A. and Raviathul Basariya, M., Mesoscopic grain boundary sliding as the rate controlling process for high strain rate superplastic deformation. *Materials Science and Engineering: A* **527**, 225-234 (2009).
- Padmanabhan, K.A., Sripathi, S., Hahn, H. and Gleiter, H., Inverse Hall–Petch effect in quasi- and nanocrystalline materials. *Materials Letters* **133**, 151-154 (2014).

- Padmanabhan, K.A. and Schlipf, J., Model for grain boundary sliding and its relevance to optimal structural superplasticity Part 1 – Theory. *Mater Sci. Technol.* **12**, 391-399 (1996).
- Petch, N., The cleavage strength of polycrystals. *J. Iron Steel Inst.*, **174**, 25-28 (1953).
- Perez-Bustamante, R., Estrada-Guel, I., Antunez-Flores, W., Miki-Yoshida, M., Ferreira, P.J. and Martinez-Sanchez, R., Novel Al-matrix nanocomposites reinforced with multi-walled carbon nanotubes. *Journal of Alloys and Compounds* **450**, 323-326 (2008).
- Pérez-Bustamante, R., Estrada-Guel, I., Amézaga-Madrid, P., Miki-Yoshida, M., Herrera-Ramírez, J.M. and Martínez-Sánchez, R., Microstructural characterization of Al-MWCNT composites produced by mechanical milling and hot extrusion. *Journal of Alloys and Compounds* **495**, 399-402 (2010).
- Pérez-Bustamante, R., Gómez-Esparza, C.D., Estrada-Guel, I., Miki-Yoshida, M., Licea-Jiménez, L., Pérez-García, L.A. and Martínez-Sánchez, R., Microstructural and mechanical characterization of Al-MWCNT composites produced by mechanical milling. *Materials Science and Engineering: A* **502**, 159-163 (2009).
- Pérez-Bustamante, R., González-Ibarra, M.J., González-Cantú, J., Estrada-Guel, I., Herrera-Ramírez, J.M., Miki-Yoshida, M. and Martínez-Sánchez, R., AA2024 CNTs composites by milling process after T6-temper condition. *Journal of Alloys and Compounds* **536**, S17- S20 (2012).
- Pérez-Bustamante, R., Pérez-Bustamante, F., Estrada-Guel, I., Licea-Jiménez, L., Miki-Yoshida, M. and Martínez-Sánchez, R., Effect of milling time and CNT concentration on hardness of CNT/Al2024 composites produced by mechanical alloying. *Materials Characterization* **75**, 13-19 (2013).
- Polmear, I.J., Metallurgy of the light metals. London: Arnold (1996).
- Poirier, D., Gauvin, R. and Drew, R.A.L., Structural characterization of a mechanically milled carbon nanotube/aluminum mixture. *Composites A* **401**, 1482-1489 (2009).
- Prabhu, B., Suryanarayana, C., An, L. and Vaidyanathan, R., Synthesis and characterization of high volume fraction Al-Al₂O₃ nanocomposite powders by high-energy milling. *Materials Science and Engineering: A* **425**, 192-200 (2006).
- Qin, W., Chen, Z.H., Huang, P.Y. and Zhuang, Y.H., Crystal lattice expansion of nanocrystalline materials. *Journal of Alloys and Compounds* **292**, 230-232 (1999).

- Ramakrishnan, N., An analytical study on strengthening of particulate reinforced metal matrix composites. *Acta Materialia* **44**, 69-77 (1996).
- Raviathul Basariya, M., Srivastava, V.C. and Mukhopadhyay, N.K., Microstructural characteristics and mechanical properties of carbon nanotube reinforced aluminum alloy composites produced by ball milling. *Materials and Design* **64**, 542-549 (2014).
- Raviathul Basariya, M., Srivastava, V.C. and Mukhopadhyay, N.K., Effect of milling time on structural evolution and mechanical properties of garnet reinforced EN AW6082 composites. *Metallurgical and Materials Transactions* **46**, 1360-1373 (2015).
- Razavi Hesabi, Z., Simchi, A. and Seyed Reihani, S.M., Structural evolution during mechanical milling of nanometric and micrometric Al₂O₃ reinforced Al matrix composites. *Materials Science and Engineering: A* **428**, 159-168 (2006).
- Razavi Tousi, S.S. Yazdani Rad, R., Salahi, E., Mosbasherpour, I. and Razavi, M., Production of Al-20 wt. % Al₂O₃ composite powder using high energy milling. *Powder Technology* **192**, 346-351 (2009).
- Richard, R.W., Jones, R.D., Clements, P.D. Clarke, H., Metallurgy of continuous hot drip aluminizing. *International Material Review*, **39**, 191-121 (1994).
- Rodrigues de Araujo, E., Ferreira Alves, S.J., Filho, F.A., Urtiga Filho, S.L. and Olimpio de Araujo Filho, O, Eighth international latin american conference on powder technology, Costadoo Santinho, Florianopolis, SC, Brazil, 325-330 (2011).
- Romero-Romero, J.R., Luis Lopez-Miranda, J., Esparza, R., Espinosa-Medina, M.A. and Rosas, G., High-energy ball-milling of FeAl₂ and Fe₂Al₅ intermetallic systems. *Materials Science Forum* **755**, 47-52 (2013).
- Ruixiao zheng, Xiaoning Hao, Yanbo Yuan, Zhiwei wang, Kei Ameyama, Chaoli Ma. Effect of high volume fraction of B₄C particles on the microstructure and mechanical properties of aluminum alloy based composites. *J. Alloys and Compd.* **576**, 291-298 (2013).
- Sadeghian, Z., Enayati, M.H. and Beiss, P., Insitu production of Al-TiB₂ nanocomposite by double-step mechanical alloying. *J. Mater. Sci.* **44**, 2566-2572 (2009).

-
- Sanderow, H.I., Powder metal technologies and applications, ASM Handbook, American Society of Metals, **7** (1998).
- Santos-Beltran, A., Gallegos-Orozco, V. and Estrada-Guel, I., Bejar-Gómez, L., Espinosa-Magaña, F., Miki-Yoshida, M. and Martínez-Sánchez, R., TEM characterization of Al-C-Cu-Al₂O₃ composites produced by mechanical milling. *Journal of Alloys and Compounds* **434-435**, 514-517 (2007).
- Safari, J., Akbari, G.H., Shahbazkhan, A. and Delshad Chermahini, M., Microstructural and mechanical properties of Al-Mg/Al₂O₃ nanocomposite prepared by mechanical alloying. *Journal of Alloys and Compounds* **509**, 9419-9424 (2011).
- Sato, Y.S., Urata, M., Kokawa, H. and Ikeda, K., Hall-Petch relationship in friction stir welds of equal channel angular-pressed aluminum alloys. *Materials Science and Engineering: A* **354**, 298-305 (2003).
- Sasaki, T.T., Ohkubo, T. and Hono, H., Microstructure and mechanical properties of bulk nanocrystalline Al-Fe alloys processed by mechanical alloying and spark plasma sintering. *Acta Mater.* **57**, 3529-3538 (2009).
- Scudino, S., Liu, G., Prashanth, K.G., Bartusch, B., Surreddi, K.B., Murty, B.S. and Eckert, J., Mechanical properties of Al-based metal matrix composites reinforced with Zr-based glassy particles produced by powder metallurgy, *Acta Mater.* **57**, 2029-2039 (2009).
- Schultz, L. and Eckert, J., Mechanically alloyed glassy Metals. Topics in applied physics, Berlin, Heidelberg: Springer-Verlag, 72 (1994).
- Schwarz, R.B. and Koch, C.C., Formation of amorphous alloys by the mechanical alloying of crystalline powders of pure metals and powders of intermetallics. *Appl. Phys. Lett.* **49**, 146-148 (1986).
- Schwarz, R.B., Petrich, R.R. and Saw, C.K., The synthesis of amorphous Ni-Ti alloy powders by mechanical alloying. *J. Non Cryst. Solids* **76**, 281-302 (1985).
- Seah, K.H.W., Krishna, M., Vijayalakshmi, V.T. and Uchil, J., Corrosion behaviour of garnet particulate reinforced LM13 Al alloy MMCs. *Corrosion Science* **44**, 917-925 (2002).
- Sharma, S.C., The sliding wear behavior of Al6061-garnet particulate composites. *Wear* **249**, 1036-1045 (2001).

- Shingu, P.H., Huang, B., Nishitani, S.R. and Nasu, S., Nano-meter order crystalline structures of Al-Fe alloys produced by mechanical alloying. Proc. 5th Jpn. Inst. Met. Int. Symp., Suppl. to *Trans. Jpn. Inst. Met.* **29**, 3-10 (1988).
- Sheng, H. W., Lu, K. and Ma, E., Amorphization of Zr-Al solid solutions under mechanical alloying at different temperatures. *J. Appl. Phys.* **85**, 6400-6407 (1999).
- Siegel, R.W. and Fougere, G.E. Mechanical properties of nanophase metals. *Nanostruct. Mater.*, **6**, 205-216 (1995).
- Sivasankaran, S., Sivaprasad, K.S., Narayanasamy, R. and Vijay Kumar Iyer., Synthesis, structure and sinterability of 6061 AA_{100-x}-xwt.%TiO₂ composites prepared by high energy ball milling. *Journal of alloys and compounds* **491**, 712-721 (2010).
- Singh, H.B. and Holz, A., Stability limit of supercooled liquids. *Solid State Commun.* **45**, 985-988 (1983).
- Slipenyuk, A., Kuprin, V., Milman, Y., Goncharuk, V. and Eckert, J., Properties of P/M processed particle reinforced metal matrix composites specified by reinforcement concentration and matrix-to-reinforcement particle size ratio. *Acta Mater.* **54**, 157-166 (2006).
- Sobczak, J.J. and Drenchev, L., Metallic functionally graded materials: a specific class of advanced composites. *J. Mater. Sci. Technol.* **29**, 297-316 (2013).
- Sripathi, S. and Padmanabhan, K.A., A robust numerical method for validating mesoscopic grain boundary sliding controlled flow model for structural superplasticity. *Mater. Sci. Forum* **735**, 246-250 (2012).
- Sripathi, S. and Padmanabhan, K.A., On the experimental validation of a mesoscopic grain boundary sliding-controlled flow model for structural superplasticity. *J Mater Sci.* **49**, 199-210 (2014).
- Stawovy, M.T. and Aning, A.O., Processing of amorphous Fe-W reinforced Fe matrix composites. *Materials Science and Engineering: A* **256**, 138-143 (1998).
- Stoloff, N.S. and Alman, D.E., Powder processing of intermetallic alloys and intermetallic matrix composites. *Mater. Sci. Eng. A* **144**, 51-62 (1991).
- Surappa, M.K., Aluminum matrix composites: Challenges and opportunities. *Sadhana* **28**, 319-344 (2003).

- Suryanarayana, C., Nanocrystalline materials. *Int. Mater. Rev.* **40**, 41-64 (1995).
- Suryanarayana, C., Mechanical alloying and milling. *Prog. Mater. Sci.* **46**, 1-184 (2001).
- Suryanarayana, C., Mechanical alloying and milling, Marcel Dekker, New York (2004).
- Suryanarayana, C., Recent Developments in Mechanical Alloying. *Reviews on Advanced Materials Science* **18**, 203-211 (2008).
- Sun, Y.Y., Song, M., Liao, X.Z. and He, Y.H., Mechanical properties of a FeCuSiB alloy with amorphous and/or crystalline structures. *Journal of alloys and compounds* **509**, 6603-6608 (2011).
- Tabor, D., The Hardness of Metals, Oxford University Press, Oxford (1951).
- Tang, Y., Bringa, E.M. and Meyers, M.A., Inverse Hall-Petch relationship in nanocrystalline tantalum. *Materials Science and Engineering: A* **580**, 414-426 (2013).
- Taggart, A.F., Handbook of mineral dressing, ores and industrial minerals, John Wiley & sons Inc., New York (1927).
- Thilly. L., Veron, M., Ludwig, O. and Lecouturier F., Deformation mechanism in high strength Cu/Nb nanocomposites. *Mater. Sci. Eng: A* **309-310**, 510-513 (2001).
- Thompson, J.R. and Politis, C., Formation of amorphous Ti-Pd Alloys by mechanical alloying methods. *Europhys. Lett.* **3**, 199-205 (1987).
- Torralba, J.M., Da Costa, C.E. and Velasco, F., P/M aluminium matrix composites: an overview. *J. Mater. Process. Technol.* **133**, 203-206 (2003).
- Tong, H.Y., Wang, J.T., Ding, B.Z., Jiang, H.G. and Lu, K., The structure and properties of nanocrystalline Fe₇₈B₁₃Si₉ alloy. *J. Non-Cryst. Solids* **150**, 444-447 (1992).
- Van Swygenhoven, H., Spaczer, M. and Caro A., Microscopic description of plasticity in computer generated metallic nanophase sample: a comparison between Cu and Ni. *Acta Mater.* **47**, 3117-3126 (1999).
- Varol, T. and Canakci, A., Effect of particle size and ratio of B₄C reinforcement on properties and morphology of nanocrystalline Al₂₀₂₄-B₄C composite powders. *Powder Tech.* **246**, 462-472 (2013).

-
- Varin, R.A., Czujko, T. and Mizera, J., Microstructural evolution during controlled ball milling of ($\text{Mg}_2\text{Ni}+\text{MgNi}_2$) intermetallic alloy. *Journal of Alloys Compounds* **350**, 332-339 (2003).
- Varin, R.A., Bystrzycki, J. and Calka, A., Characterization of nanocrystalline Fe-45 at% Al intermetallic powders obtained by controlled ball milling and the influence of annealing. *Intermetallics* **7**, 917-930 (1999).
- Varam, S., Rajulapati, K.V., Bhanu Sankara Rao, K., Strain rate sensitivity studies on bulk nanocrystalline aluminum by nanoindentation. *J. Alloys and Compounds* **585**, 795-799 (2014).
- Verhoeven, J.D., Fundamentals of physical metallurgy. *Wiley*, New York (1975).
- Venkatesh, T.A., Bhattacharya, S.S., Padmanabhan, K.A. and Schlipf, J., Model for grain boundary sliding and its relevance to optimal structural superplasticity. *Mater. Sci. and Tech.* **12**, 635-643 (1996).
- Wang, J.G., Choi, B.W., Nieh, T.G. and Liu, C.T., Crystalline and nanoindentation behavior of a bulk Zr-Al-Ti-Cu-Ni amorphous alloy. *J. Mater. Res.* **15**, 798-807 (2000).
- Wang, L. and Li, F.S., Mossbauer study of nanocrystalline Ni-Zn ferrite. *J. Magn. Mater.* **223**, 233-237 (2001).
- Wensley, C.A., Processing and properties of amorphous NiW reinforced crystalline Ni matrix composites, in Materials science & engineering. Virginia Polytechnic Institute & State University: Blacksburg, VA. 50 (2005).
- Williamson, G.K. and Hall, W.H., X-ray line broadening from fcc aluminium and wolfram. *Acta Metallurgica* **1**, 22-31 (1953).
- Williams, D.B. and Barry Carter, C., Transmission electron microscopy, Springer Science + Business Media, LLC, (1996).
- Woo, K.D. and Huo, H.W., Effect of high energy ball milling on displacement reaction and sintering of Al-Mg/SiO₂ composite powders. *Met. Mater. Int.*, **12**, 45-50 (2006).
- Wolf, D., Structure-energy correlation for grain boundaries in F.C.C. metals—III. Symmetrical tilt boundaries. *Acta Metall. Mater.* **38**, 781-790 (1990).
- Wolf, D., Structure-energy correlation for grain boundaries in F.C.C. metals—IV. Asymmetrical twist (general) boundaries. *Acta Metall. Mater.* **38**, 791-800 (1990).

- Wright, W.J., Feng, G. and Nix, W.D., A laboratory experiment using nanoindentation to demonstrate the indentation size effect. *Journal of Materials Education* **35**, 135-144 (2013).
- Xionga, B., Xua, Z., Yana, Q., Lua, B. and Cai, C., Effects of SiC volume fraction and aluminum particulate size on interfacial reactions in SiC nanoparticulate reinforced aluminum matrix composites. *J. Alloy Compd.* **509**, 1187-1191(2011).
- Xia, X., Strojny, A., Criven, L.E., Gerberich, W.W., Tsou, A. and Anderson, C.C., Constitutive property evaluation of polymeric coatings using nanomechanical methods, in fundamentals of nanoindentation and nanotribology, *MRS Symp. Proc.* **522**, 199 (1998).
- Xu, R.L. and Guida. O.A., Comparison of sizing small particles using different technologies. *Powder Technology* **132**, 145-153 (2003).
- Xu, S., Prasitthipayaong, A., Pickel, A.D., Habib, A.H. and McHenry, M.E., Mechanical properties of FeCo magnetic particles-based Sn-Ag-Cu solder composites. *Applied Physics Letters* **102**, 251909-251913 (2013).
- Yadav T.P., Yadav, R.M. and Singh, D.P., Mechanical Milling: a top down approach for the synthesis of nanomaterials and nanocomposites. *Nanoscience and Nanotechnology* **2(3)**, 22-48 (2012).
- Yamaguchi, M, Inui. H. and Ito, K., High-temperature structural intermetallics. *Acta Mater.* **48**, 307-322 (2000).
- Yermakov, A.Y., Ymrchikov, Y.Y. and Barinov, V.A., Magnetic properties of amorphous powders of Y-Co alloys produced by grinding. *Phys. Met. Metall.* **52**, 50-58 (1981).
- Yu, P., Zhang, L.C., Das, J., Kim, B and Eckert, J., Interfacial reaction during the fabrication of Ni₆₀Nb₄₀ metallic glass particles-reinforced Al based MMCs. *Materials Science Engineering: A* **444**, 206-213 (2007).
- Zhang, H.Y., Maljkovic, N. and Mitchell, B.S., Structure and interfacial properties of nanocrystalline aluminum/mullite composites. *Materials Science Engineering A* **326**, 317-323 (2002).
- Zhang, D.L., Processing of advanced materials using high-energy mechanical milling. *Prog. Mater. Sci.* **49**, 537-560 (2004).

-
- Zhang, Z. and Chen, D.L., Consideration of Orowan strengthening effect in particulate-reinforced metal matrix nanocomposites: A model for predicting their yield strength. *Scripta Mater.* **54**, 1321-1326 (2006).
- Zhang, Z. and Chen, D.L., Prediction of fracture strength in Al₂O₃/SiC ceramic matrix nanocomposites. *Science and Technology Advanced Materials* **8**, 5-10 (2007).
- Zhang, R.F. and Liu, B.X., Proposed model for calculating the standard formation enthalpy of binary transition-metal systems. *Appl. Phys. Lett.* **81**, 1219-1221 (2002).
- Zhao, N., Nash, P. and Yang, X., The effect of mechanical alloying on SiC distribution and the properties of 6061 aluminum composite. *Journal of Materials Processing Technology* **170**, 586-592 (2005).
- Zhou, F., Luck, R., Scheffer, M., Lang, D. and Lu, K., The crystallization process of amorphous Al₁₈₀Fe₂₀ alloy powders prepared by ball milling. *J. Noncryst. Solids* **250-252**, 704-708 (1999).
- Zhu, J., Miao, Y. and Gu, J.T., The effect of boron on charge density distribution in Ni₃Al. *Acta Mater.* **45**, 1989-1994 (1997).
- Zou, Y., Saji, S. and Kusabiraki, T., Fast amorphization and crystallization in Al-Fe binary system by high-energy ball milling. *Mater. Res. Bull.* **37**, 123-131 (2002).