
REFERENCES

- Alves-Filho O, Thorbergsen E, Strommen I. A component model for simulation of multiple fluidized bed heat pump dryers. In *Drying 98-Proceedings of the 11th International Drying Symposium (IDS 98)*, Halkidiki, Greece, 1998, pp. 19-22.
- Ahmed N, Singh J, Chauhan H, Anjum PG, Kour H. Different drying methods: their applications and recent advances. *International Journal of food nutrition and safety*. 2013, v.4, pp.34-42.
- Amellal H, Benamara S. Vacuum drying of common date pulp cubes. *Drying Technology*. 2008, v.26, pp.378-82.
- Alves-Filho, O., Eikevik, T.M. and Goncharova-Alves, S.V. Single-and multistage heat pump drying of protein. *Drying Technology*, 2008, v.26, pp.470-475.
- Acharyaviriya S, Soponronnarit S, Terdyothin A. Mathematical model development and simulation of heat pump fruit dryer. *Drying Technology*. 2000, v.18, pp.479-91.
- Adapa PK, Schoenau GJ, Sokhansanj S. Performance study of a heat pump dryer system for specialty crops—part 1: development of a simulation model. *International Journal of Energy Research*. 2002, v.26, pp.1001-19.
- Aktaş, M., Khanlari, A., Aktekeli, B. and Amini, A. Analysis of a new drying chamber for heat pump mint leaves dryer. *International Journal of Hydrogen Energy*, 2017, v.42, pp.18034-18044.
- Ameen, A. and Bari, S. Investigation into the effectiveness of heat pump assisted clothes dryer for humid tropics. *Energy Conversion and Management*, 2004, v.45, pp.1397-1405.
- Aktaş, M., Şevik, S. and Aktekeli, B. Development of heat pump and infrared-convective dryer and performance analysis for stale bread drying. *Energy Conversion and Management*, 2016, v.113, pp.82-94.
- Aboltins, A. Theoretical study of material drying coefficient. *Engineering for Rural Development, Jelgava* 2013, v.23.
- Aghbashlo, M. Exergetic simulation of a combined infrared-convective drying process. *Heat Mass Transfer*, 2016, v. 52, pp.829–844.

-
- Aktaş, M., Şevik, S., Aktekeli, B. Development of heat pump and infrared-convective dryer and performance analysis for stale bread drying. *Energy Conversion Management*, 2016, v.113, pp.82-94.
- Abuşka, M. and Şevik, S. Energy, exergy, economic and environmental (4E) analyses of flat-plate and V-groove solar air collectors based on aluminium and copper. *Solar Energy*, 2017, v.158, pp.259-277.
- Aktaş, M., Khanlari, A., Amini, A. and Şevik, S. Performance analysis of heat pump and infrared-heat pump drying of grated carrot using energy-exergy methodology. *Energy Conversion and Management*, 2017, v.132, pp.327-338.
- Adapa, P.K. and Schoenau, G.J. Re-circulating heat pump assisted continuous bed drying and energy analysis. *International journal of Energy research*, 2005, v.29, pp.961-972.
- Artnaseaw, A., Theerakulpisut, S. and Benjapiyaporn, C. Development of a vacuum heat pump dryer for drying chilli. *Biosystems engineering*, 2010. v.105, pp.130-138.
- Aktaş, M., Şevik, S., Özdemir, M.B. and Gönen, E. Performance analysis and modeling of a closed-loop heat pump dryer for bay leaves using artificial neural network. *Applied Thermal Engineering*, 2015, v.87, pp.714-723.
- Aktaş, M., Ceylan, İ. and Yilmaz, S. Determination of drying characteristics of apples in a heat pump and solar dryer. *Desalination*, 2009, v.239, pp.266-275.
- Atalay, H. Comparative assessment of solar and heat pump dryers with regards to exergy and exergoeconomic performance. *Energy*, 2019, v.189, p.116180.
- Braun JE, Bansal PK, Groll EA. Energy efficiency analysis of air cycle heat pump dryers. *International Journal of refrigeration*. 2002, v.25, pp.954-65.
- Byrne, P. and Ghouali, R. Exergy analysis of heat pumps for simultaneous heating and cooling. *Applied Thermal Engineering*, 2019, v.149, pp. 414-424.
- Bellos, E. and Tzivanidis, C. Investigation of the environmentally-friendly refrigerant R152a for air conditioning purposes. *Applied Sciences*, 2019, v.9, pp.119.
- Bengtsson P, Berghel J, Renström R. Performance study of a closed-type heat pump tumble dryer using a simulation model and an experimental set-up. *Drying Technology*. 2014, v.32, pp.891-901.
- Bockholt M, Katter M, Pohl G, Michael J, Alpögger T. A Tool Chain for Model-Based Development of Heat Pump Dryers. *Procedia Technology*. 2016, v.26, pp.357-64.
-

- Brandt N, Alpoegger T, Tegethoff W, Bockholt M, Moehlenkamp A, Koehler J. Exergetic analysis of different R744 heat pump tumble dryer system topologies. *Applied Thermal Engineering*. 2019, v.161, pp.114107.
- Bellomare, F. and Minetto, S. Experimental analysis of hydrocarbons as drop-in replacement in household heat pump tumble dryers. *Energy Procedia*, 2015, v.81, pp.1212-1221.
- Bansal, P., Mohabir, A. and Miller, W. A novel method to determine air leakage in heat pump clothes dryers. *Energy*, 2016, v.96, pp.1-7.
- Best, R., Cruz, J.M., Gutierrez, J. and Soto, W. Experimental results of a solar assisted heat pump rice drying system. *Renewable energy*, 1996, v.9, pp.690-694.
- Castell-Palou, Á. and Simal, S. Heat pump drying kinetics of a pressed type cheese. *LWT-Food Science and Technology*, 2011, v.44, pp.489-494.
- Chua, K.J. and Chou, S.K. A modular approach to study the performance of a two-stage heat pump system for drying. *Applied Thermal Engineering*, 2005, v.25, pp.1363-1379.
- Colak N, Hepbasli A. A review of heat pump drying: Part 1—Systems, models and studies. *Energy conversion and management*. 2009, v.50, pp.2180-6.
- Claussen IC, Ustad TS, Strommen I, Walde PM. Atmospheric freeze drying—A review. *Drying Technology*. 2007, v.25, pp.947-57.
- Ceylan I, Aktaş M. Modeling of a hazelnut dryer assisted heat pump by using artificial neural networks. *Applied Energy*. 2008, v.85, pp.841-54.
- Catton W, Carrington G, Sun Z. Exergy analysis of an isothermal heat pump dryer. *Energy*. 2011, v.36, pp.4616-24.
- Coşkun, S., Doymaz, I., Tunçkal, C. and Erdoğan, S. Investigation of drying kinetics of tomato slices dried by using a closed loop heat pump dryer. *Heat and Mass transfer*, 2017, v.53, pp.1863-1871.
- Chapchaimoh, K., Poomsa-ad, N., Wiset, L. and Morris, J. Thermal characteristics of heat pump dryer for ginger drying. *Applied Thermal Engineering*, 2016, v.95, pp.491-498.
- Chin, S.K. and Law, C.L. Product quality and drying characteristics of intermittent heat pump drying of *Ganoderma tsugae* Murrill. *Drying Technology*, 2010, v.28, pp.1457-1465.
- Ceylan, I., Aktaş, M. and Doğan, H. Energy and exergy analysis of timber dryer assisted heat pump. *Applied Thermal Engineering*, 2007, v.27, pp.216-222.

- Çolak, N., Kuzgunkaya, E. and Hepbasli, A. Exergetic assessment of drying of mint leaves in a heat pump dryer. *Journal of Food Process Engineering*, 2008, v.31, pp.281-298.
- Ceylan, İ. and Gürel, A.E. Solar-assisted fluidized bed dryer integrated with a heat pump for mint leaves. *Applied Thermal Engineering*, 2016, v.106, pp.899-905.
- Cengel, Y.A., Ghajar, A.J. *Heat and mass transfer fundamentals and applications*. 4th ed. McGraw-Hill, New York, 2011.
- Coogan, R.C. and Wills, R.B.H. Flavour changes in Asian white radish (*Raphanus sativus*) produced by different methods of drying and salting. *International Journal of Food Properties*, 2008, v.11, pp.253-257.
- Dincer, I., Hussain, M.M. Development of a new Bi–Di correlation for solids drying. *International Journal Heat Mass Transfer*, 2002, v.45, pp.3065-9.
- Deng, Y., Wu, J., Su, S., Liu, Z., Ren, L. and Zhang, Y. Effect of far-infrared assisted heat pump drying on water status and moisture sorption isotherm of squid (*Illex illecebrosus*) fillets. *Drying Technology*, 2011, v.29, pp.1580-1586.
- Dikmen, E., Ayaz, M., Kovacı, T. and Şencan Şahin, A. Mathematical modelling of drying characteristics of medical plants in a vacuum heat pump dryer. *International Journal of Ambient Energy*, 2019, v.40, pp.616-623.
- Dai B, Zhao P, Liu S, Su M, Zhong D, Qian J, Hu X, Hao Y. Assessment of heat pump with carbon dioxide/low-global warming potential working fluid mixture for drying process: Energy and emissions saving potential. *Energy Conversion and Management*. 2020, v.222, pp.113225.
- Dincer I. *Refrigeration systems and applications*. John Wiley & Sons; 2003.
- Duan, Q., Wang, D., Li, X., Li, Y. and Zhang, S. Thermal characteristics of a novel enclosed cascade-like heat pump dryer used in a tunnel type drying system. *Applied Thermal Engineering*, 2019, v.155, pp.206-216.
- Erbay, Z. and Hepbasli, A. Exergoeconomic evaluation of a ground-source heat pump food dryer at varying dead state temperatures. *Journal of cleaner production*, 2017, v.142, pp.1425-1435.
- Erdem S, Heperkan H. Numerical investigation of the effect of using CO₂ as the refrigerant in a heat pump tumble dryer system. *Drying Technology*. 2014, v.32, pp.1923-30.
- Erbay, Z. and Icier, F. Optimization of drying of olive leaves in a pilot-scale heat pump dryer. *Drying Technology*, 2009, v.27, pp.416-427.

-
- Erbay, Z. and Hepbasli, A. Advanced exergy analysis of a heat pump drying system used in food drying. *Drying Technology*, 2013, v.31, pp.802-810.
- Erbay, Z. and Hepbasli, A. Application of conventional and advanced exergy analyses to evaluate the performance of a ground-source heat pump (GSHP) dryer used in food drying. *Energy Conversion and Management*, 2014, v.78, pp.499-507.
- Ekka, J.P., Bala, K., Muthukumar, P. and Kanaujiya, D.K. Performance analysis of a forced convection mixed mode horizontal solar cabinet dryer for drying of black ginger (*Kaempferia parviflora*) using two successive air mass flow rates. *Renewable Energy*, 2020, vol.152, pp.55-66.
- El Khadraoui, A., Bouadila, S., Kooli, S., Farhat, A. and Guizani, A., 2017. Thermal behavior of indirect solar dryer: Nocturnal usage of solar air collector with PCM. *Journal of cleaner production*, 148, pp.37-48.
- Ekka, J.P. and Palanisamy, M. Determination of heat transfer coefficients and drying kinetics of red chilli dried in a forced convection mixed mode solar dryer. *Thermal Science and Engineering Progress*, 2020, vol.19, p.100607.
- Fatouh, M., Metwally, M.N., Helali, A.B. and Shedid, M.H. Herbs drying using a heat pump dryer. *Energy Conversion and Management*, 2006, v.47, pp.2629-2643.
- Fadhel, M.I., Sopian, K. and Daud, W.R.W. Performance analysis of solar-assisted chemical heat-pump dryer. *Solar Energy*, 2010, v.84, pp.1920-1928.
- Ganjehsarabi, H., Dincer, I. and Gungor, A. Exergoeconomic analysis of a heat pump tumbler dryer. *Drying Technology*, 2014, v.32, pp.352-360.
- Gan, S.H., Ong, S.P., Chin, N.L. and Law, C.L. A comparative quality study and energy saving on intermittent heat pump drying of Malaysian ediblebird's nest. *Drying Technology*, 2017, v.35, pp.4-14.
- Gungor, A., Erbay, Z. and Hepbasli, A. Exergetic analysis and evaluation of a new application of gas engine heat pumps (GEHPs) for food drying processes. *Applied Energy*, 2011, v.88, pp.882-891.
- Gatarić, P., Širok, B., Hočevár, M. and Novak, L. Modeling of heat pump tumble dryer energy consumption and drying time. *Drying Technology*, 2019, v.37, pp.1396-1404.
- Geeraert B. Air drying by heat pumps with special reference to timber drying. Heat pumps and their contribution to energy conservation. Leydon: Noordhoff. 1976, pp.219-46.
-

- Goh LJ, Othman MY, Mat S, Ruslan H, Sopian K. Review of heat pump systems for drying application. *Renewable and Sustainable Energy Reviews*. 2011, v.15, pp.4788-96. *Food Engineering*. 2003, v.59, pp.369-77.
- Gungor, A., Erbay, Z. and Hepbasli, A. Exergoeconomic (thermoeconomic) analysis and performance assessment of a gas engine–driven heat pump drying system based on experimental data. *Drying Technology*, 2012, v.30, pp.52-62.
- Gao, R., Yuan, L., Yu, M. and Liu, W. Effects of heat pump drying parameters on the volatile flavor compounds in silver carp. *Journal of Aquatic Food Product Technology*, 2016. v.25, pp.735-744.
- Hepbasli, A., Colak, N., Hancioglu, E., Icier, F. and Erbay, Z. Exergoeconomic analysis of plum drying in a heat pump conveyor dryer. *Drying Technology*, 2010, v.28, pp.1385-1395.
- Holtkötter J, Michael J, Henke C, Trächtler A, Bockholt M, Möhlenkamp A, Katter M. Rapid-Control-Prototyping as part of Model-Based Development of Heat Pump Dryers. *Procedia Manufacturing*. 2018, v.24, pp.235-42.
- Herritsch, A., Dronfield, J. and Nijdam, J.J. Intermittent and continuous drying of red beech timber from the green condition. *Drying Technology*, 2010, v.28, pp.269-277.
- Hii CL, Law CL, Law MC. Simulation of heat and mass transfer of cocoa beans under stepwise drying conditions in a heat pump dryer. *Applied Thermal Engineering*. 2013, v.54, pp.264-71.
- Hawlader, M.N.A., Chou, S.K., Jahangeer, K.A., Rahman, S.M.A. and KW, E.L. Solar-assisted heat-pump dryer and water heater. *Applied Energy*, 2003, v.74, pp.185-193.
- Hossain MA, Gottschalk K, Hassan MS. Mathematical model for a heat pump dryer for aromatic plant. *Procedia Engineering*. 2013, v.56, pp.510-20.
- Holman, J.P., Gajda, W.J., 2001. *Experimental methods for engineers*. McGraw-Hill, New York.
- Hawlader, M.N.A., Perera, C.O. and Tian, M. Properties of modified atmosphere heat pump dried foods. *Journal of Food Engineering*, 2006, v.74, pp.392-401.
- Hawlader, M.N.A., Perera, C.O. and Tian, M. Comparison of the retention of 6-gingerol in drying of ginger under modified atmosphere heat pump drying and other drying methods. *Drying Technology*, 2006, v.24, pp.51-56.

- Hii, C.L., Law, C.L. and Suzannah, S. Drying kinetics of the individual layer of cocoa beans during heat pump drying. *Journal of Food Engineering*, 2012, v.108, pp.276-282.
- Hawladar, M.N.A. and Jahangeer, K.A., 2006. Solar heat pump drying and water heating in the tropics. *Solar Energy*, 2006, v.80, pp.492-499.
- Ismaeel, H.H. and Yumrutaş, R. Thermal performance of a solar-assisted heat pump drying system with thermal energy storage tank and heat recovery unit. *International Journal of Energy Research*, 2020, v.44, pp.3426-3445.
- Jinjiang, Z. and Yaosen, W. Experimental study on drying high moisture paddy by heat pump dryer with heat recovery. *International Journal of Food Engineering*, 2010, v.6.
- Jokiel M, Bantle M, Kopp C, Verpe EH. Modelica-based modelling of heat pump-assisted apple drying for varied drying temperatures and bypass ratios. *Thermal Science and Engineering Progress*. 2020, v.19, pp.100575.
- Jeyaprakash, S., Frank, D.C. and Driscoll, R.H. Influence of heat pump drying on tomato flavor. *Drying Technology*, 2016, v.34, pp.1709-1718.
- Junqi, D., Jiangping, C., Zhijiu, C., Yimin, Z. and Wenfeng, Z. Heat transfer and pressure drop correlations for the wavy fin and flat tube heat exchangers. *Applied Thermal Engineering*, 2007, v.27, pp.2066-2073.
- Kenning, D.B.R. and Cooper, M.G. Saturated flow boiling of water in vertical tubes. *International Journal of Heat and Mass Transfer*, 1989, v.32, pp.445-458.
- Khakhanmalee, B., Wattanaboriboon, S. and Polwiboon, N. The Study of Desorption Isotherm for ginger. Department of Food Technology, Khon Kaen University, 2008.
- Kuzgunkaya, E.H. and Hepbasli, A. Exergetic evaluation of drying of laurel leaves in a vertical ground-source heat pump drying cabinet. *International Journal of Energy Research*, 2007, v.31, pp.245-258.
- Khanlari, A., Sözen, A., Şirin, C., Tuncer, A.D. and Gungor, A. Performance enhancement of a greenhouse dryer: Analysis of a cost-effective alternative solar air heater. *Journal of Cleaner Production*, 2020, v.251, pp.119672.
- Kuan, M., Shakir, Y., Mohanraj, M., Belyayev, Y., Jayaraj, S. and Kaltayev, A. Numerical simulation of a heat pump assisted solar dryer for continental climates. *Renewable Energy*, 2019, v.143, pp.214-225.
- Klöcker, K., Schmidt, E.L. and Steimle, F. Carbon dioxide as a working fluid in drying heat pumps. *International journal of refrigeration*, 2001, v.24, pp.100-107.

- Kumar, M.A., Kumaresan, G. and Rajakarunakaran, S. Experimental study of moisture removal rate in Moringa leaves under vacuum pressure in closed-loop heat pump dryer. *Materials Today: Proceedings*, 2020.
- Khanlari, A., Sözen, A., Şirin, C., Tuncer, A.D. and Gungor, A. Performance enhancement of a greenhouse dryer: Analysis of a cost-effective alternative solar air heater. *Journal of Cleaner Production*, 2020, vol.251, p.119672.
- Kumar, D., Mahanta, P. and Kalita, P. Performance analysis of a solar air heater modified with zig-zag shaped copper tubes using energy-exergy methodology. *Sustainable Energy Technologies and Assessments*, 2021, vol.46, p.101222.
- Liu, Y., Zhao, K., Jiu, M. and Zhang, Y. Design and drying technology research of heat pump Lentinula edodes drying room. *Procedia Engineering*, 2017, v.205, pp.983-988.
- Li, M., Ye, B., Guan, Z., Ge, Y., Li, J. and Ling, C.M. Impact of ultrasound-assisted osmotic dehydration as a pre-treatment on the quality of heat pump dried tilapia fillets. *Energy Procedia*, 2017, v.123, pp.243-255.
- Liete, J.B., Macini, M.C., Boges, S.V. Effect of drying temperature on the quality of dried banana cv. *Food Sci. Technol*, 2005, v.40, pp.319–323.
- Lee BH, Sian RA, Wang CC. A rationally based model applicable for heat pump tumble dryer. *Drying Technology*. 2019, v.37, pp.691-706.
- Le Lostec B, Galanis N, Baribeault J, Millette J. Wood chip drying with an absorption heat pump. *Energy*. 2008, v.33, pp.500-12.
- Li M, Ma Y, Gong W, Su W. Analysis of CO₂ transcritical cycle heat pump dryers. *Drying Technology*. 2009, v.27, pp.548-54.
- Lee KH, Kim OJ. Investigation on drying performance and energy savings of the batch-type heat pump dryer. *Drying Technology*. 2009, v.27, pp.565-73.
- Lee KH, Kim OJ, Kim J. Performance simulation of a two-cycle heat pump dryer for high-temperature drying. *Drying Technology*. 2010, v.28, pp.683-9.
- Li, Y., Li, H.F., Dai, Y.J., Gao, S.F., Wei, L., Li, Z.L., Odinez, I.G. and Wang, R.Z. Experimental investigation on a solar assisted heat pump in-store drying system. *Applied Thermal Engineering*, 2011, v.31, pp.1718-1724.
- Lakshmi, D.V.N., Muthukumar, P., Layek, A. and Nayak, P.K. Performance analyses of mixed mode forced convection solar dryer for drying of stevia leaves. *Solar Energy*, 2019, vol.188, pp.507-518.

- Mortezapour, H., Ghobadian, B., Minaei, S. and Khoshtaghaza, M.H. Saffron drying with a heat pump–assisted hybrid photovoltaic–thermal solar dryer. *Drying Technology*, 2012, v.30, pp.560-566.
- Mancini, F., Minetto, S. and Fornasieri, E. Thermodynamic analysis and experimental investigation of a CO₂ household heat pump dryer. *International journal of refrigeration*, 2011, v.34, pp.851-858.
- Mohanraj, M. Performance of a solar-ambient hybrid source heat pump drier for copra drying under hot-humid weather conditions. *Energy for Sustainable Development*, 2014, v.23, pp.165-169.
- Minea, V. Efficient energy recovery with wood drying heat pumps. *Drying Technology*, 2012, v.30, pp.1630-1643.
- Mujumdar AS. *Handbook of industrial drying*. CRC press; 2006.
- Mujumdar AS, editor. *Handbook of industrial drying, revised and expanded*. CRC Press; 1995.
- Minea V. Improvements of high-temperature drying heat pumps. *International Journal of Refrigeration*. 2010, v.33, pp.180-95.
- Mohammadi, I., Tabatabaekolour, R. and Motevali, A. Effect of air recirculation and heat pump on mass transfer and energy parameters in drying of kiwifruit slices. *Energy*, 2019, v.170, pp.149-158.
- Ogura, H., Yamamoto, T., Kage, H., Matsuno, Y. and Mujumdar, A.S. Effects of heat exchange condition on hot air production by a chemical heat pump dryer using CaO/H₂O/Ca (OH) 2 reaction. *Chemical Engineering Journal*, 2002, v.86, pp.3-10.
- Oktay, Z.. Testing of a heat-pump-assisted mechanical opener dryer. *Applied thermal engineering*, 2003, v.23, pp.153-162.
- Onyeocha, E.I., Nwaigwe, K.N., Ogueke, N.V. and Anyanwu, E.E., 2020. Design and construction of an integrated tetrafluoroethane (R134a) refrigerator-waste heat recovery dryer for fabric drying in tropical regions. *Heliyon*, 2020, v.6, pp.04838.
- Queiroz, R., Gabas, A.L. and Telis, V.R.N. Drying kinetics of tomato by using electric resistance and heat pump dryers. *Drying Technology*, 2004, v.22, pp.1603-1620.
- Qiu, Y., Li, M., Hassanien, R.H.E., Wang, Y., Luo, X. and Yu, Q. Performance and operation mode analysis of a heat recovery and thermal storage solar-assisted heat pump drying system. *Solar Energy*, 2016, v.137, pp.225-235.

- Oktay, Z. and Hepbasli, A. Performance evaluation of a heat pump assisted mechanical opener dryer. *Energy Conversion and Management*, 2003, v.44, pp.1193-1207.
- Ogura H, Mujumdar AS. Proposal for a novel chemical heat pump dryer. *Drying Technology*. 2000, v.18, pp.1033-53.
- Ong, S.P., Law, C.L. and Hii, C.L. Optimization of heat pump–assisted intermittent drying. *Drying Technology*, 2012, v.30, pp.1676-1687.
- Pal US, Khan MK. Calculation steps for the design of different components of heat pump dryers under constant drying rate condition. *Drying technology*. 2008, v.26, pp.864-72.
- Perera CO, Rahman MS. Heat pump dehumidifier drying of food. *Trends in Food Science & Technology*. 1997, v.8, pp.75-9.
- Patel, V.K., Gluesenkamp, K.R., Goodman, D. and Gehl, A. Experimental evaluation and thermodynamic system modeling of thermoelectric heat pump clothes dryer. *Applied Energy*, 2018, v.217, pp.221-232.
- Pal, U.S., Khan, M.K. and Mohanty, S.N. Heat pump drying of green sweet pepper. *Drying technology*, 2008, v.26, pp.1584-1590.
- Phoungchandang, S., Srinukroh, W. and Leenanon, B. Kaffir lime leaf (*Citrus hystrix* DC.) drying using tray and heat pump dehumidified drying. *Drying Technology*, 2008, v.26, pp.1602-1609.
- Phoungchandang, S. and Saentaweek, S. Effect of two stage, tray and heat pump assisted-dehumidified drying on drying characteristics and qualities of dried ginger. *Food and Bioproducts processing*, 2011, v.89, pp.429-437.
- Phoungchandang, S., Nongsang, S. and Sanchai, P. The development of ginger drying using tray drying, heat pump–dehumidified drying, and mixed-mode solar drying. *Drying Technology*, 2009, v.27, pp.1123-1131.
- Rezk K, Forsberg J. Geometry development of the internal duct system of a heat pump tumble dryer based on fluid mechanic parameters from a CFD software. *Applied Energy*. 2011, v.88, pp.1596-605.
- Rahman, S.M.A., Saidur, R. and Hawlader, M.N.A. An economic optimization of evaporator and air collector area in a solar assisted heat pump drying system. *Energy conversion and management*, 2013, v.76, pp.377-384.
- Rabha, D.K., Muthukumar, P. and Somayaji, C. Energy and exergy analyses of the solar drying processes of ghost chilli pepper and ginger. *Renewable Energy*, 2017, vol.105, pp.764-773.

- Şevik, S., Aktaş, M., Doğan, H. and Koçak, S. Mushroom drying with solar assisted heat pump system. *Energy Conversion and Management*, 2013, v.72, pp.171-178.
- Saensabai P, Prasertsan S. Effects of component arrangement and ambient and drying conditions on the performance of heat pump dryers. *Drying technology*. 2003, v.21, pp.103-27.
- Shane Clements XJ, Jolly P. Study of heat pump assisted microwave drying. *Drying technology*. 1993, v.11, pp.1583-616.
- Senadeera, W., Alves-Filho, O. and Eikevik, T. Influence of atmospheric sublimation and evaporation on the heat pump fluid bed drying of bovine intestines. *Drying Technology*, 2012, v.30, pp.1583-1591.
- Sarkar J, Bhattacharyya S, Gopal MR. Transcritical CO₂ heat pump dryer: Part 1. Mathematical model and simulation. *Drying technology*. 2006, v.24, pp.1583-91.
- Sarkar J, Bhattacharyya S, Gopal MR. Transcritical CO₂ heat pump dryer: Part 2. Validation and simulation results. *Drying Technology*. 2006, v.24, pp.1593-600.
- Şevik, S. Experimental investigation of a new design solar-heat pump dryer under the different climatic conditions and drying behavior of selected products. *Solar Energy*, 2014, v.105, pp.190-205.
- Schmidt EL, Klöcker K, Flacke N, Steimle F. Applying the transcritical CO₂ process to a drying heat pump. *International journal of refrigeration*. 1998, v.21, pp.202-11.
- Söylemez MS. Optimum heat pump in drying systems with waste heat recovery. *Journal of Food Engineering*. 2006, v.74, pp.292-8.
- Shi, Q., Zheng, Y. and Zhao, Y. Mathematical modeling on thin-layer heat pump drying of yacon (*Smallanthus sonchifolius*) slices. *Energy Conversion and Management*, 2013, v.71, pp.208-216.
- Sian RA, Wang CC. Comparative study for CO₂ and R-134a heat pump tumble dryer—A rational approach. *International Journal of Refrigeration*. 2019, v.106, pp.474-91.
- Shi, Q.L., Xue, C.H., Zhao, Y., Li, Z.J. and Wang, X.Y. Drying characteristics of horse mackerel (*Trachurus japonicus*) dried in a heat pump dehumidifier. *Journal of Food Engineering*, 2008, v.84, pp.12-20.
- Silva, B.G., Fileti, A.M.F., Foglio, M.A., Rosa, P.D.T.V. and Taranto, O.P. Effects of different drying conditions on key quality parameters of pink peppercorns (*Schinus terebinthifolius* Raddi). *Journal of Food Quality*, 2017.

- Shah, N.N., Huang, M.J. and Hewitt, N.J. Performance analysis of diesel engine heat pump incorporated with heat recovery. *Applied Thermal Engineering*, 2016, v.108, pp.181-191
- Slim, R., Zoughaib, A. and Clodic, D. Modeling of a solar and heat pump sludge drying system. *International journal of refrigeration*, 2008, v.31, pp.1156-1168.
- Shen, J., Guo, T., Tian, Y. and Xing, Z. Design and experimental study of an air source heat pump for drying with dual modes of single stage and cascade cycle. *Applied Thermal Engineering*, 2018, v.129, pp.280-289.
- Silva, C.M.D.S., Silva, W.P.D., Farias, V.S.D.O., Gomes, J.P. Effective diffusivity and convective mass transfer coefficient during the drying of bananas. *Engenharia Agrícola*, 2012, v.32, pp. 342-353.
- Şevik, S., Aktaş, M., Dolgun, E.C., Arslan, E., Tuncer, A.D. Performance analysis of solar and solar-infrared dryer of mint and apple slices using energy-exergy methodology. *Solar Energy* 2019, v.180, pp.537-549.
- Schmidt, T.E. Heat transfer calculations for extended surfaces. *Refrigerating Engineering*, 1949, v.57, pp.351-357.
- Sonmete, M.H., Mengeş, H.O., Ertekin, C. and Özcan, M.M. Mathematical modeling of thin layer drying of carrot slices by forced convection. *Journal of Food Measurement and Characterization*, 2017, v.11, pp.629-638.
- Turaga, M., Lin, S. and Fazio, P.P. Correlations for heat transfer and pressure drop factors for direct expansion air cooling and dehumidifying coils. *ASHRAE transactions*, 1988, v.94, pp.616-630.
- Tham, T.C., Ng, M.X., Gan, S.H., Chua, L.S., Aziz, R., Chuah, L.A., Hii, C.L., Ong, S.P., Chin, N.L. and Law, C.L. Effect of ambient conditions on drying of herbs in solar greenhouse dryer with integrated heat pump. *Drying Technology*, 2017, v.35, pp.1721-1732.
- Tunckal, C. and Doymaz, İ., 2020. Performance analysis and mathematical modelling of banana slices in a heat pump drying system. *Renewable Energy*, 2020, v.150, pp.918-923.
- Tajudin, N.H.A., Tasirin, S.M., Ang, W.L., Rosli, M.I. and Lim, L.C. Comparison of drying kinetics and product quality from convective heat pump and solar drying of Roselle calyx. *Food and Bioproducts Processing*, 2019, v.118, pp.40-49.
- Teeboonma U, Tiansuwan J, Soponronnarit S. Optimization of heat pump fruit dryers. *Journal of*

- TeGrotenhuis W, Butterfield A, Caldwell D, Crook A, Winkelman A. Modeling and design of a high efficiency hybrid heat pump clothes dryer. *Applied Thermal Engineering*. 2017, v.124, pp.170-7.
- Taşeri, L., Aktaş, M., Şevik, S., Gülcü, M., Seckin, G.U. and Aktekeli, B. Determination of drying kinetics and quality parameters of grape pomace dried with a heat pump dryer. *Food chemistry*, 2018, v.260, pp.152-159.
- Vieira, M.G., Estrella, L., Rocha, S.C. Energy efficiency and drying kinetics of recycled paper pulp. *Drying Technology*, 2007, v. 25, 1639-48.
- Wang JF, Brown C, Cleland DJ. Heat pump heat recovery options for food industry dryers. *International Journal of Refrigeration*. 2018, v.86, pp.48-55.
- Wang, D.C., Zhang, G., Han, Y.P., Zhang, J.P. and Tian, X.L. Feasibility analysis of heat pump dryer to dry hawthorn cake. *Energy conversion and management*, 2011, v.52, pp.2919-2924.
- Wang, Y., Yue, J., Liu, Z., Zheng, Y., Deng, Y., Zhao, Y., Liu, Z. and Huang, H. Impact of far-infrared radiation assisted heat pump drying on moisture distribution and rehydration kinetics of squid fillets during rehydration. *Journal of Aquatic Food Product Technology*, 2016, v.25, pp.147-155.
- Wang, W.W.W., Radcliff, T.D. and Christensen, R.N. A condensation heat transfer correlation for millimeter-scale tubing with flow regime transition. *Experimental Thermal and Fluid Science*, 2002, v.26, pp.473-485.
- Xie, Y., Song, L. and Liu, C. Analysis of a solar assisted heat pump dryer with a storage tank. In *International Solar Energy Conference*, 2006, v.47454, pp. 383-387.
- Yang, Z., Zhu, Z. and Zhu, E. Experimental research on parallel conversion control of drying temperature in a closed-loop heat pump dryer. *Drying Technology*, 2013, v.31, pp.1049-1055.
- Yang, Z., Zhu, Z. and Zhao, F. Simultaneous control of drying temperature and superheat for a closed-loop heat pump dryer. *Applied Thermal Engineering*, 2016, v.93, pp.571-579.
- Yahya, M., Fudholi, A., Hafizh, H. and Sopian, K. Comparison of solar dryer and solar-assisted heat pump dryer for cassava. *Solar Energy*, 2016, v.136, pp.606-613.
- Yahya, M., Fahmi, H., Fudholi, A. and Sopian, K. Performance and economic analyses on solar-assisted heat pump fluidised bed dryer integrated with biomass furnace for rice drying. *Solar Energy*, 2018, v.174, pp.1058-1067.

- Zhu, Z., Yang, Z. and Wang, F. Experimental research on intermittent heat pump drying with constant and time-variant intermittency ratio. *Drying Technology*, 2016, v.34, pp.1630-1640.
- Zielinska, M., Zapotoczny, P., Alves-Filho, O., Eikevik, T.M. and Blaszcak, W. Microwave vacuum–assisted drying of green peas using heat pump and fluidized bed: A comparative study between atmospheric freeze drying and hot air convective drying. *Drying Technology*, 2013, v.31, pp.633-642.
- Zambrano, M.V., Dutta, B., Mercer, D.G., MacLean, H.L. and Touchie, M. Assessment of moisture content measurement methods of dried food products in small-scale operations in developing countries: A review. *Trends in Food Science & Technology*, 2019.

LIST OF PUBLICATIONS

Journals:

1. **Singh A**, Sarkar J, Sahoo RR. Comparative analyses on a batch-type heat pump dryer using low GWP refrigerants, *Food and Bioproducts Processing*, 2019; 117: 1-13.
2. **Singh A**, Sarkar J, Sahoo RR. Energetic and exergetic performance simulation of open-type heat pump dryer with next generation refrigerants, *Drying Technology*, 2020; 38(8): 1011-1023.
3. **Singh A**, Sarkar J, Sahoo RR. Experimental energy-exergy performance and kinetics analyses of compact dual-mode heat pump drying of food chips. *Journal of Food Process Engineering*, 2020; 43(6): e13404.
4. **Singh A**, Sarkar J, Sahoo RR. Experimental performance analysis of novel indirect-expansion solar-infrared assisted heat pump dryer for agricultural products, *Solar Energy*, 2020; 206: 907-917.
5. **Singh A**, Sarkar J, Sahoo RR. Experimental energy, exergy, economic and exergoeconomic analyses of batch-type solar-assisted heat pump dryer, *Renewable Energy*, 2020; 156: 1107-1116.
6. **Singh A**, Sarkar J, Sahoo RR. Experiment on waste heat recovery-assisted heat pump drying of food chips: Performance, economic, and exergoeconomic analyses, *Journal of Food Processing and Preservation*, 2020; 44(9): No. 14699.
7. **Singh A**, Sarkar J, Sahoo RR. Experimentation on solar-assisted heat pump dryer: Thermodynamic, economic and exergoeconomic assessments, *Solar Energy*, 2020; 208: 150-159.
8. **Singh A**, Sarkar J, Sahoo RR. Performance analysis of intermittent drying of food products with solar-assisted heat pump dryer, *ASME Journal of Solar Energy Engineering*, 2021; in press.
9. **Singh, A.**, Sarkar, J., & Sahoo, R. R. (2022). Experimental investigation on novel heat pump system for combined drying and air conditioning for arid climate. *Drying Technology*, 1-12.

Conferences:

1. **Singh A**, Sarkar J, Sahoo RR. 1-D transient simulation model of batch type convective heat pump dryer for agricultural product drying and experimental validation. 25th National and 3rd International ISHMT-ASTFE, Heat and Mass Transfer Conference (IHMTTC-2019), December 28-31, 2019, IIT Roorkee, India.
2. **Singh A**, Sarkar J, Sahoo RR. Heat and Mass Transfer Characteristics of Intermittent Drying, Proceedings of the 26th National and 4th International ISHMT-ASTFE Heat and Mass Transfer Conference December 17-20, 2021, IIT Madras, Chennai-600036, Tamil Nadu, India.