
REFERENCES

- [1] H. Sobol and K. Tomiyasu, "Milestones of microwaves," in *IEEE Transactions on Microwave Theory and Techniques*, vol. 50, no. 3, pp. 594-611, March 2002.
- [2] R. E. Collin, *Foundations For Microwave Engineering, 2nd Edition*. Wiley India Pvt. Limited, 2007, p. 944.
- [3] S. Y. Liao, *Microwave devices and circuits*. Prentice Hall, 1990, p. 542.
- [4] A. S. Gilmour, *Microwave tubes*. Artech House, 1986, p. 490.
- [5] M. V. Kartikeyan, E. Borie, and M. Thumm, *Gyrotrons: High-Power Microwave and Millimeter Wave Technology*. Springer, 2004, p. 227.
- [6] O. P. Gandhi, *Microwave Design Engineering and Applications*. McGraw Hill Higher Education, 1991, p. 543.
- [7] J. Benford and J. Swegel, "*High Power Microwaves*," Boston: Artech House, 1992
- [8] V. L. Grantsein and I. Alexeff, Ed., "High Power Microwave Sources," Artech House, 1987.
- [9] G. S. Nusinovich, *Introduction to the Physics of Gyrotrons*. JHU Press, 2004, p. 335.
- [10] K. R. Chu, "The Electron Cyclotron Maser," *Rev. Mod. Phys.*, vol. 76, no. 2, pp. 489-540, 2004.
- [11] R. K. Parker, R. H. Abrams, B. G. Danly, and B. Levush, "Vacuum electronics," *IEEE Trans. Microw. Theory Tech.*, vol. 50, no. 3, pp. 835-845, Mar. 2002.
- [12] G. S. Nusinovich and H. Li, "Theory of the relativistic gyrotwistron," *Phys. Fluids B Plasma Phys.*, vol. 4, no. 4, pp. 1058-1065, 1992.
- [13] B. N. Basu, *Electromagnetic Theory and Applications in Beam-Wave Electronics*. Singapore: World Scientific, 1996.
- [14] Gold, S. H., and Nusinovich, G. S., "Review of high-power microwave source research," *Rev. Sci. Instrum.*, Vol. 68, pp. 3945-3974, 1997.
- [15] Carter, R. G., *Electromagnetic Waves, Microwave Components and Devices*, London: Chapman & Hall, 1990.

- [16] Thumm, M., *State-of-the-Art of High Power Gyro-Devices and Free Electron Masers*, update 2009, KIT Scientific Reports 7641, 2012. M. Makowski, “ECRF systems for ITER,” *IEEE Trans. Plasma Sci.*, vol. 24, pp. 1023-1032, 1996.
- [17] R. Q. Twiss and J. A. Roberts, “Electro-magnetic radiation from electrons rotating in an ionized medium under action of a uniform magnetic field,” *Aust. J. Phys.*, vol. 11, pp. 424-446, 1958.
- [18] J. Schneider, “Simulated emission of radiation by relativistic electrons in a magnetic field,” *Phys. Rev. Lett.*, vol. 2, pp. 504-505, 1959.
- [19] A. V. Gaponov-Grekhov and V. L. Granatstein, Ed., *Application of High Power Microwaves*, Boston: Artech House, 1994.
- [20] J. L. Hershfield, I. B. Bernstein, and J. M. Wachtel, “Cyclotron resonance interaction of microwave with energetic electrons,” *IEEE J. of Quantum Electron.*, vol. 1, pp. 237-245, 1965.
- [21] V. A. Flyagin, A. V. Gaponov, M. I. Petelin and V. K. Yulpatov, “The Gyrotron”, *IEEE Trans. Microwave Theory and Tech.*, 25, 514, (1977).
- [22] K. R. Chu, “The electron cyclotron maser,” *Rev. Mod. Phys.*, vol. 76, pp. 489-540, 2004.
- [23] Symons, R. S., and Jory, H. R., “Cyclotron resonance devices,” *Adv. Electron Phys.*, Vol. 55, pp. 1-75, 1986.
- [24] Neilson, J., Read, M., Ives, L., “Design of a permanent magnet gyrotron for active denial systems”. In: 34th international conference on infrared, millimeter, and terahertz waves (IRMMW-THz 2009), 21–25 Sept 2009, Busan, Korea.
- [25] Kumar, N., Singh, U., Kumar, A., Sinha, A.K., “Design of 95 GHz, 100 kW gyrotron active denial system application” *Vacuum*, 99., pp. 99-106, Jan. 2014
- [26] Piosczyk, B., Arnold, A., Budig, H., Dammertz, G., Dumbrajs, O., Drumm, O., Kartikeyan, M.V., Kuntze, M., Thumm, M. and Yang, X., “Towards a 2 MW, CW, 170 GHz coaxial cavity gyrotron for ITER”. *Fusion Engineering and Design*, vol. 66, pp 481-485, 2003.
- [27] Piosczyk, B., Dammertz, G., Dumbrajs, O., etc., “A 2 MW, 170 GHz coaxial cavity gyrotron experimental verification of the design of main components,” *3rd IAEA Technical Meeting on ECRH Physics and Technology in ITER*. 2005.

- [28] G. S. Nusinovich and O. Dumbrajs, "Theory of gyro-backward wave oscillator with tapered magnetic field waveguide cross section," *IEEE Trans. Plasma Sci.*, vol. 24, pp. 620-629, 1996.
- [29] K. R. Chu, V. L. Granatstein, P. E. Latham, W. Lawson and C. D. Striffler, "A 30-MW Gyroklystron-Amplifier Design for High-Energy Linear Accelerators," in *IEEE Transactions on Plasma Science*, vol. 13, no. 6, pp. 424-434, Dec. 1985.
- [30] V. L. Granastein, P. Sprangle, M. Herndon, P. K. Parker, and S. P. Schlesinger, "Microwave amplification with an intense relativistic electron beam," *J. Appl. Phys.*, vol. 46, pp. 3800-3805, 1975.
- [31] Y. Zhang, "A new type of slow-wave structure: the rib-loaded disk-loaded waveguide," *Proc. Int. Conf. Communications, Circuits and Systems, ICCCAS 2004*, vol. 2, pp. 1460-1463, 2004.
- [32] K. R. Chu, Y. Y. Lau, L. R. Barnett, and V. L. Granatstein, "Theory of a wide-band distributed gyrotron traveling-wave amplifier," *IEEE Trans. Electron Dev.*, vol. 28, pp. 866-871, 1981
- [33] K. R. Chu, P. Sprangle, and V. L. Granatstein, "Theory of dielectric loaded cyclotron traveling wave amplifier," *Bull. Amer. Phys. Soc.*, pp. 23, 1978, cited in [123].
- [34] S. J. Rao, P. K. Jain, and B. N. Basu, "Broadbanding of gyro-TWT by dispersion shaping through dielectric loading" *IEEE Trans. Electron Dev.*, vol. 43, pp. 2290-2299, 1996.
- [35] Y. Zhang, Y. Mo, and X. Zhou, "Rigorous analysis of the disk-loaded waveguide slow-wave structures" *Int. J. Infrared and Millimeter Waves*, vol. 24, pp. 525-535, 2003.
- [36] A. J. Lichtenberg, "Prebunched Beam Traveling-Wave Tube Studies." *IRE Trans. Electron Devices*, 1962, v. 9, n. 4, pp. 345-351.
- [37] J. M. Baird and W. Lawson, "Magnetron Injection Gun (MIG) Design for Gyrotron Applications," *Int. J. Electron.*, 1986, v. 61, n. 6, pp. 953-967.

- [38] W. Lawson, J. Calame, V. L. Granatstein, G. S. Park, C. D. Striffler, and J. Neilson, "The Design of a High Peak Power Relativistic Magnetron Injection Gun," *Int. J. Electron.*, 1986, v. 61, n. 6, pp. 969–984.
- [39] S. E. Tsimring, *Electron Beams and Microwave Vacuum Electronics*. Hoboken, NJ, USA: Wiley, 2007.
- [40] M. Thumm and W. Kasparek, "Passive High-Power Microwave Components," *IEEE Trans. Plasma Sci.*, 2002, v. 30, n. 3, pp. 755–786.
- [41] G. P. Saraph, V. L. Granatstein, and W. Lawson, "Design of a single stage depressed collector for high-power, pulsed gyrokystron amplifiers," *IEEE Trans. Electron Devices*, vol. 45, no. 4, pp. 986–990, Apr. 1998.
- [42] T. M. Antonsen Jr, S. Y. Cai, and G. S. Nusinovich, "Effect of window reflection on gyrotron operation," *Physics of Fluids B: Plasma Physics*, vol. 4, no. 12, pp.4131-4139, 1992.
- [43] P. E. Latham, W. Lawson, V. Irwin, B. Hogan, G. S. Nusinovich, H. W. Matthews, and M. K. E. Flaher, "High Power Operation of an X-Band Gyrotwistron," *Phys. Rev. Lett.*, vol. 72, no. 23, pp. 3730–3734, 1994.
- [44] M. Blank, B. G. Danly, and B. Levush, "Experimental Demonstration of a W-Band (94 GHz) Gyrotwystron Amplifier," *IEEE Trans. Plasma Sci.*, vol. 27, no. 2, pp. 405–411, 1999.
- [45] A. V. Gaponov-Grekhov and V. L. Granatstein, *Eds., Applications of High-Power Microwaves*. London, U.K.: Artech House, 1994.
- [46] V. L. Granatstein and W. Lawson, "Gyro-Amplifiers as Candidate RF Drivers for Tev Linear Colliders," *IEEE Trans. Plasma Sci.*, 1996, v. 24, pp. 648–665.
- [47] K. L. Felch, B. G. Danly, H. R. Jory, K. E. Kreischer, W. Lawson, B. Levush, and R. J. Temkin, "Characteristics and Applications of Fast-Wave Gyrodevices," *Proc. IEEE*, 1999, v. 87, pp. 752–781.
- [48] K. Chang, M. A. Pollock, M. K. Skrehot, G. Dickey, and J. Suddath, "System Feasibility Study of a Microwave/Millimeter-Wave Radar for Space Debris Tracking," *Int. J. Infrared and Millimeter Waves*, 1989, v. 10, n. 1, pp. 1–19.
- [49] Alexei A. Tolkachev, B. A. Levitan, G. K. Solovjev, V. V. Veytsel, and V. E. Farber, "A Megawatt Power Millimeter-Wave Phased-Array Radar," *IEEE AES Syst. Mag*, 2000, v. 15, n. 7, pp. 25-32.

- [50] G. J. Linde, M. T. Ngo, B. G. Danly, W. J. Cheung, and V. Gregers-Hansen, "WARLOC: A High-Power Coherent 94 GHz Radar," *IEEE Trans. Aerospace Electronic Systems*, 2008, v. 44, n. 3, pp. 1102–1117.
- [51] M. Blank, B. G. Danly and B. Levush, "Circuit Design of a Wideband W-Band Gyroklystron Amplifier for Radar Applications," *IEEE Trans. Plasma Sci*, 1998, v. 26, n. 3, pp. 426–432.
- [52] M. E. MacDonald, J. P. Anderson, R. K. Lee, D. A. Gordon, and G. N. McGrew, "The HUSIR W-band transmitter," *Lincoln Lab. J.*, vol. 21, pp. 106–114, 2014.
- [53] M. Blank, P. Borchard, S. Cauffman, and K. Felch, "Development and Demonstration of Broadband W-Band Gyro-Amplifiers for Radar Applications," *Infrared and Millimeter Waves, 2007 and the 2007 15th International Conference on Terahertz Electronics. IRMMW-THz. Joint 32nd International Conference on*, vol. 4, no. 13, pp. 364–366, 2007.
- [54] W. Lawson, J. Calame, B. Hogan, P. E. Latham, M. E. Read, V. L. Granatstein, M. Reiser, and C. D. Striffler, "Efficient Operation of a High Power X-Band Gyroklystron," *Phys. Rev. Lett.*, 1991, v. 67, pp. 520-523.
- [55] W. Lawson, P. E. Latham, J. P. Calame, J. Cheng, B. Hogan, G. S. Nusinovich, V. L. Granatstein, M. Reiser, "High Power Operation of Fundamental-Mode and Second Harmonic Gyro-twystrons," *J. Appl. Phys.*, 1995, v. 78,
- [56] W. Lawson, R. L. Ives, M. Mizuhara, J. M. Neilson, and M. E. Read, "Gyroklystron for Advanced Accelerator Applications," *IEEE Trans. Plasma Sci.*, 2001, v. 29, n. 3, pp. 545–558.
- [57] L. Wang, K. Dong, J. Wang, Y. Luo, W. He, A. W. Cross, K. Ronald, and A. D. R. Phelps, "Design of a Ka-Band MW Level High Efficiency Gyroklystron for Accelerators," *2017 10th UK-Europe-China Workshop on Millimetre Waves and Terahertz Technologies, UCMMT 2017*, vol. 12, pp. 1752–1757, 2017.
- [58] R. Q. Twiss, "Radiation Transfer and the Possibility of Negative Absorption in Radio Astronomy," *Australian J. Phys.*, 1958, v. 11, pp. 564–579.
- [59] A. V. Gaponov, "Interaction between Electron Fluxes and Electromagnetic Waves in Waveguides," *Izv. VUZ., Radiofizika*, 1959, v. 2, pp. 450–462; and "Addendum," *Izv. VUZ., Radiofizika*, 1959, v. 2, pp. 836–837.

- [60] V. V. Zheleznyakov, "On the Instability of Magneto-Active Plasma Relative to High-Frequency Electromagnetic Perturbations," *Izv. VUZov Radiofizika*, 1960, v. 3, no. 1, pp. 57–66.
- [61] A. V. Gaponov, A. L. Goldenberg, D. P. Grigor'ev, I. M. Orlova, T. B. Pankratova, and M. I. Petelin, "Induced Synchrotron Radiation of Electrons in Cavity Resonators," *JETP Lett.*, 1965, v. 2, pp. 267–269.
- [62] A. V. Gaponov, M. I. Petelin, and V. K. Yulpatov, "The Induced Radiation of Excited Classical Oscillators and its Use in High Frequency Electronics," *Radiophys. Quantum Electron*, 1967, v. 10, pp. 794.
- [63] V. V. Alikaev, G. A. Bobrovskii, M. M. Ofitserov, V. I. Poznyak, and K. A. Razumova, "Electron-Cyclotron Heating on the Tokamak TM-3," *JETP Lett.*, 1972, v. 15, pp. 27–31.
- [64] V. A. Flyagin, A. V. Gaponov, I. Petelin and V. K. Yulpatov, "The Gyrotron," *IEEE Trans. Microwave Theory Tech.*, 1977, v. 25, no. 6, pp. 514-521.
- [65] G. S. Nusinovich, "Mode Interaction in Gyrotrons," *Int. J. Electron.*, 1981, v. 51, pp. 457–474.
- [66] G. S. Nusinovich, M. K. A. Thumm, and M. Petelin, "The Gyrotron at 50: Historical Overview," *J. Infrared Millim. THz Waves*, 2014, v. 34, pp. 325–381.
- [67] R. Cairns and A. Phelps, *Generation and Application of High Power Microwaves*, ser. Scottish Grad. New York, NY, USA: Taylor & Francis, 1997.
- [68] I. I. Antakov, M. A. Moiseev, E. V. Sokolov, and E. V. Zasyplin, "Theoretical and Experimental Investigation of X-Band Two-Cavity Gyroklystron," *Int. J. of Infrared and Millimeter Waves*, 1994, v. 15, pp. 873-887.
- [69] E. V. Zasyplin, M. A. Moiseev, I. G. Gachev, and I. I. Antakov, "Study of High-Power Ka-Band Second Harmonic Gyroklystron Amplifier," *IEEE Trans. Plasma Sci.*, 1996, v. 24, pp. 666–670.
- [70] J. Choi, A. H. McCurdy, F. Wood, R. H. Kyser, J. P. Calame, K. Nguyen, B. G. Danly, T. Antonsen, B. Levush, and R. K. Parker, "Experimental Investigation of a High Power, Two-Cavity, 35 GHz Gyroklystron Amplifier," *IEEE Trans. Plasma Sci.*, 1998, v. 26, pp. 416–425.
- [71] J. P. Calame, M. Garven, J. J. Choi, K. Nguyen, F. Wood, M. Blank, B. G. Danly, and B. Levush, "Experimental Studies of Bandwidth and Power

- Production in a Three-Cavity, 35 GHz, Gyroklystron Amplifier,” *Phys. Plasmas*, 1998, v. 6, pp. 285–297.
- [72] M. Garven, J. P. Calame, K. T. Nguyen, B. G. Danly, B. Levush, and F. N. Wood, “Experimental Studies of a Four-Cavity, 35 GHz Gyroklystron Amplifier,” *IEEE Trans. Plasma Sci.*, 2000, v. 28, n. 3, pp. 672–680.
- [73] M. Blank, B. G. Danly, B. Levush, J. P. Calame, K. Nguyen, D. Pershing, J. Petillo, T. Hargreaves, R. True, A. Theiss, G. Good, K. Felch, B. James, P. Borchard, T. Chu, H. Jory, W. Lawson, and T. Antonsen, “Demonstration of 10 kW Average Power 94 GHz Gyroklystron Amplifier,” *Phys. Plasmas*, 1999, v. 6, pp. 4405–4410.
- [74] W. Lawson, J. Calame, B. Hogan, P. E. Latham, M. E. Read, V. L. Granatstein, M. Reiser, and C. D. Striffler, “Efficient Operation of a High Power X-Band Gyroklystron,” *Phys. Rev. Lett.*, 1991, v. 67, pp. 520-523.
- [75] S. G. Tantawi, W. T Main, P. E. Latham, G. S. Nusinovich, W. G. Lawson, C. D. Striffler and V. L. Granatstein, “High-Power X-Band Amplification from an Overmoded Three-Cavity Gyroklystron with a Tunable Penultimate Cavity,” *IEEE Trans. Plasma Sci.*, 1992, v. 20, pp. 205–215.
- [76] Seftor, J., V. Granatstein, K. Chu, P. Sprangle, and M. Read, "The electron cyclotron maser as a high-power traveling wave amplifier of millimeter waves," *IEEE Journal of Quantum Electronics*, vol. 15, no. 9, pp. 848-853, 1979.
- [77] L. R. Barnett, Y. Y. Lau, K. R. Chu, and V. L. Granatstein, “An Experimental Wideband Gyrotron Traveling-Wave Amplifier,” *IEEE Trans. Electron Devices*, 1981, v. 28, pp. 872–875.
- [78] C.-H. Du, P.-K. Liu, *Millimeter-wave gyrotron traveling-wave tube amplifiers*, Berlin, Germany: Springer-Verlag, 2014.
- [79] K. C. Leou, D. B. McDermott, A. J. Balkcum, and N.C. Luhmann Jr., “Stable High-Power TE Gyro-TWT Amplifiers,” *IEEE Trans. Plasma Sci.*, 1994, v. 22, n. 10, pp. 585–592.
- [80] K. C. Leou, D. B. McDermott, and N. C. Luhmann, Jr., “Large- Signal Characteristic of a Wide-Band Dielectric-Loaded Gyro-TWT Amplifier,” *IEEE Trans. Plasma Sci.*, 1996, v. 24, n. 6, pp. 718–726.

- [81] G. G. Denisov, V. L. Bratman, A. W. Gross, W. He, A. D. R. Phelps, K. Ronald, S. V. Samsonov, and C. G. Whyte, "Gyrotron Traveling Wave Amplifier with a Helical Interaction Waveguide," *Phys. Rev. Lett.*, 1998, v. 81, pp. 5680–5683.
- [82] K. R. Chu, H. Y. Chen, C. L. Hung, T. H. Chang, L. R. Barnett, S. H. Chen, T. T. Yang, and D. Dialetis, "Theory and Experiment of Ultrahigh Gain Gyrotron Traveling-Wave Amplifier," *IEEE Trans. Plasma. Sci.*, 1999, v. 27, n. 4, pp. 391–404.
- [83] Morag Garven, J. P. Calame, Bruce G. Danly, Khanh T. Nguyen, Baruch Levush, F. N. Wood, and Dean E. Pershing "A Gyrotron-Traveling-Wave Tube Amplifier Experiment with a Ceramic Loaded Interaction Region " *IEEE Trans. Plasma Sci.*, Vol. 30, No. 3, June 2002.
- [84] C. H. Du and P. K. Liu, "Stability Study of a Gyrotron-Traveling-Wave Amplifier Based on a Lossy Dielectric-Loaded Mode-Selective Circuit," *Phys. Plasmas*, 2009, v. 16, n. 7, pp. 073-104.
- [85] C.-H. Du, P.-K. Liu, "A Lossy Dielectric-Ring Loaded Waveguide with Suppressed Periodicity for Gyro-TWTs Applications", *IEEE Trans. Electron Devices*, 2009, v. 56, n. 10, pp. 2335-2342.
- [86] Hui Wang & Hongfu Li & Yong Luo & Ran Yan "Theoretical and Experimental Investigation of a Ka-band Gyro-TWT with Lossy Interaction Structure" *J. Infr. Millim. Terahertz Waves*, vol. 32, no.10, pp. 172–185, Jan. 2011.
- [87] G. Liu, Q. Xue, S. Zhang, W. Gu, X. Wang, G. Zhao, D. Zhao, Z. Geng, and S. X. Xu, "Development and Demonstration of a Ka-Band Gyrotron Traveling-Wave Tube" *IEEE Trans. Plasma Sci.*, vol. 46, no. 6, June 2018
- [88] Y. Xu *et al.*, "Proof-of-Principle Experiment of a 20-kW-Average-Power Ka-Band Gyro-Traveling Wave Tube With a Cut-Off Waveguide Section," in *IEEE Electron Device Letters*, vol. 41, no. 5, pp. 769-772, May 2020.
- [89] J. Wang, Y. Luo, Y. Xu, R. Yan, Y. Pu, X. Deng, and H. Wang, "Simulation and Experiment of a Ku-Band Gyro-TWT," *IEEE Trans. Electron Devices*, 2014, v. 61, n. 6, pp. 1818–1823.
- [90] R. Yan, Y. Tang, and Y. Luo, "Design and Experimental Study of a High-Gain W-Band Gyro-TWT with Nonuniform Periodic Dielectric Loaded Waveguide," *IEEE Trans. Electron Devices*, 2014, v. 61, n. 7, pp. 2564–2569.

- [91] H. Li, J. Wang, Y. Yao and Y. Luo, "Development of High-Efficiency Gyro-TWT With a Nonuniform Dielectric-Loaded Circuit," in *IEEE Transactions on Electron Devices*, vol. 66, no. 6, pp. 2764-2770, June 2019.
- [92] Shou-Xi Xu ,Zhi-Hui Geng ,Wei Gu, Jie Yang, Jian Zhang and Rui Zhang, "Design and simulation of a W-band gyrotron traveling wave amplifier" *Journal of Electromagnetic Waves and Applications* ,2021,v.35,n.17, pp. 2384-2395.
- [93] G. Liu , W. Jiang , Y. Yao , Y. Wang , W. Wang , Y. Cao, J. Wang , and Y. Luo, "High Average Power Test of a W-Band Broadband Gyrotron Traveling Wave Tube," *IEEE Electron Device Letters*, vol. 43, no. 6, pp. 950-953, June 2022.
- [94] <http://www.radartutorial.eu/08.transmitters/twystron.en.html>.
- [95] A. D. LaRue and R. R. Rubert, 'Multi-Megawatt Hybrid TWT's at S-Band and C-Band,' *IEEE Electron Devices Meet.*, Washington, D.C., Oct. 1964.
- [96] R. J. Butwell, F. Friedlander, and G. T. Hunter, "Oscillation Suppression in Multi-Megawatt Cloverlead Twystrons by Stagger-Tuned Lossy Resonant Cavities," *Electron Devices Meeting*, IEEE, 1969, pp. 100-102.
- [97] J. A. Eichmeier and M. K. A. Thumm, *Vacuum Electronics: Components and Devices*. Berlin, Germany: Springer-Verlag, 2008.
- [98] M. A. Moiseev, "Maximum Amplification Band of a CRM Twistron," *Radiophys. Quantum Electron.*, 1977, v. 20, n. 8, pp. 1218-1223.
- [99] V. L. Bratman, M. A. Moiseev, M. I. Petelin, and R. E. Erm, "Theory of Gyrotrons with a Non-Fixed Structure of the High-Frequency Field," *Radiophys. Quantum Electron.*, 1973, v. 16, n. 4, pp. 622-630.
- [100] T. M. Tran, K. E. Kreischer, and R. J. Temkin, "Theory of harmonic gyro-twystron," MIT Plasma Science and Fusion Center 1985.
- [101] T. M. Tran, B. G. Danly, K. E. Kreischer, J. B. Schutkeker, R. J. Temkin, "Optimization of gyroklystron efficiency," *Phys. Fluids*, 1986, v. 29 n. 4 pp. 1274-1281.
- [102] G. S. Nusinovich, and H. Li, "Theory of Gyro-Travelling-Wave Tubes at Cyclotron Harmonics," *Int. J. Electron.*, 1992, v. 72, n. 6, pp. 895-907.
- [103] G. S. Nusinovich and H. Li, "Theory of the Relativistic Gyrotwistron," *Phys. Fluids B*, 1992, v. 4, n. 4, pp. 1058-1065.
- [104] P. E. Latham, G. S. Nusinovich, and J. Cheng, "Stability of Gyrotwistrons," *Proc. Particle Accel. Conf.*, 1993, pp. 2659-2660.

- [105] P. E. Latham and G. S. Nusinovich, "Optimum Operation of Gyrotwistrons," *Proc. Particle Accel. Conf.*, 1993, pp. 2661–2663.
- [106] P. E. Latham and G. S. Nusinovich, "Theory of Relativistic Gyro-Traveling Wave Devices," *Phys. Plasmas*, 1995, v. 2, n. 9, pp. 3494–3510.
- [107] P. E. Latham and G. S. Nusinovich, "Stability Analysis of Relativistic Gyro-Traveling Wave Devices," *Phys. Plasmas*, 1995, v. 2, n. 9, pp. 3511–3523.
- [108] W. Lawson, P. E. Latham, J. P. Calame, J. Cheng, B. Hogan, G. S. Nusinovich, V. L. Granatstein, M. Reiser, "High Power Operation of Fundamental-Mode and Second Harmonic Gyro-twistrons," *J. Appl. Phys.*, 1995, v. 78, pp. 550-559.
- [109] Perry Malouf and Victor Granatstein, "Design and Computer Simulation of a Gyrotwistron," *Int. J. Electron.*, 1992, v. 72, n. 6, pp. 943-958.
- [110] G. S. Nusinovich, P. M. Malouf, and V. L. Granatstein, "Theory of Gyrotwistrons with Mixed Transverse Geometries of the Various Stages," *IEEE Trans. Plasma Sci.*, 1994, v. 22, n. 5, pp. 518–525.
- [111] P. M. Malouf, V. L. Granatstein, S. Y. Park, G. S. Park, C. M. Armstrong, "Performance of a Wideband Three-Stage Mixed Geometry Gyro-twistron Amplifier," *IEEE Trans. Electron Devices*, 1995, v. 42, n. 9, pp. 1681-1685.
- [112] Perry M. Malouf, and Grigory S. Nusinovich. "Microwave Amplifier Having Cross-Polarized Cavities," U.S. Patent Application 08/610, 778, filed November 3, 1998.
- [113] M. Blank, E. V. Zasytkin, and B. Levush, "An Investigation of X-Band Gyrotwistron Amplifiers," *IEEE Trans. Plasma Sci.*, 1998, v. 26, n. 3, pp. 577–581.
- [114] Chu K. R., Latham P. E, Granatstein VL. "Penultimate cavity tuning of the gyro klystron amplifier," *Int. J. Electron.* 1988; 65(3): 419-428.
- [115] Symons R., Vaughan R. "The linear theory of the clustered cavity klystron," *IEEE Trans. Plasma Sci.* 1994; 22 (5):713–718.
- [116] Nusinovich G. S, Danly B. G, Levush, "Nonlinear analysis bandwidth in stagger-tuned gyro klystrons," *Physics of Plasmas*. 1997; 4(2): 469-478.
- [117] W. Chen, G. S. Nusinovich, and V. L. Granatstein, "Nonlinear Theory of Gyrotwistrons with Stagger-Tuned Cavities," *IEEE Trans. Plasma Sci.*, 1999, v. 27, n. 2, pp. 429–437.

- [118] G. S. Nusinovich, W. Chen, and V. K. Tripathi, "Linear Theory of a Gyrotwystron with Stagger-Tuned Cavities," *IEEE Trans. Plasma Sci.*, 1998, v. 26, n. 3, pp. 468–474.
- [119] C. S. Kou, M. H. Wu and Fourier Tseng, "Nonlinear Analysis of a Multi-Cavity Gyro-twystron," *Int. J. Infrared and Millimeter Waves*, 1997, v. 18, n. 10, pp. 1857–1883.
- [120] M. Blank, K. Felch, B. G. James, P. Borchard, P. Cahalan, T. S. Chu, H. Jory, B. G. Danly, B. Levush, J. P. Calame, K. T. Nguyen, and D. E. Pershing, "Development and Demonstration of High-Average Power W-Band Gyro-Amplifiers for Radar Applications," *IEEE Trans. Plasma Sci.*, 2002, v. 30, n. 3, pp. 865–875.
- [121] R. Ngogang, G. S. Nusinovich, T. M. Antonsen, and V. L. Granatstein, "Wave interaction in relativistic harmonic gyro-traveling-wave devices," *Physical Review E*, 2006, v. 73, n. 5, pp. 1–11.
- [122] C. S. Kou, Q. S. Wang, D. B. McDermott, A. T. Lin, K. R. Chin and N. C. Luhmann, "High-power harmonic gyro-TWT's. I. Linear theory and oscillation study," in *IEEE Trans. Plasma Science*, vol. 20, no. 3, pp. 155-162, June 1992.
- [123] C.-H. Du and P.-K. Liu, "Beam-wave coupling strength analysis in a gyrotron traveling-wave amplifier," *J. Infr., Millim., Terahertz Waves*, vol. 31, pp. 714–723, Mar. 2010.
- [124] A. S. Singh, S. Yuvaraj and M. Thottappan, "Analytical and PIC Simulation Studies of a Megawatt Class Gyrotwystron Amplifier," in *IEEE Transactions on Electron Devices*, vol. 63, no. 10, pp. 4104-4112, Oct. 2016.
- [125] S. Ruess et al., "An Inverse Magnetron Injection Gun for the KIT 2- MW Coaxial- Cavity Gyrotron," *IEEE Transactions on Electron Devices*, vol. 63, no. 5, pp. 2104-2109, 2016.
- [126] K. Dong, Y. Luo, W. Jiang, H. Fu, and S. F. Wang, "Magnetron Injection Gun Design for Multifrequency Band Operations," *IEEE Trans. Electron Devices*, vol. 63, no. 9, pp. 3719-3724, Sep 2016.
- [127] Herrmannsfeldt WB. EGUN—an electron optics and gun design program. California (USA): Stanford Linear Accelerator Center, Stanford University; 1988. (SLAC Rep; no. 331).

- [128] T. M. Antonsen, Jr., A. A. Mondelli, B. Levush, J. P. Verboncoeur, and C. K. Birdsall, "Advances in Modeling and Simulation of Vacuum Electronic Devices," *Proc. IEEE*, 1999, v. 87, n. 5, pp. 804–839.
- [129] Nguyen KT, Danly BG, Levush B, et al., "Electron Gun and Collector Design for 94-GHz Gyro amplifiers". *IEEE Trans. Plasma Sci.*, vol. 26, no. 3, pp. 799-813, 1998.
- [130] Leou KC, Mcdermott DB, Balkcum AJ, et al. "Stable High-Power TE₀₁ Gyro-TWT Amplifiers". *IEEE Trans. Plasma Sci.*, vol. 22, no. 5, pp 585-592, 1994.
- [131] Y. Y. Lau, K. R. Chu, L. R. Barnett, and V. L. Granatstein, Gyrotron travelling wave amplifier: I. Analysis of oscillations," *Int. J. Infr. Millim.Waves*, vol. 2, no. 3, pp. 373–393, May 1981.
- [132] S. J. Cooke, and G. G. Denisov, "Linear theory of wide-band gyro-TWT Amplifier using spiral waveguide," *IEEE Trans. Plasma Sci.*, vol. 26, pp. 519-530, 1998.
- [133] P. J. B. Clarricoats, "Propagation behaviour of periodically loaded waveguides containing dielectric and ferrimagnetic materials," *Proc. IEE*, vol. 115, pp. 652-661, 1968.
- [134] G. Singh, S. M. S. Ravi Chandra, P. V. Bhaskar, P. K. Jain, and B. N. Basu, "Analysis of dispersion and interaction impedance characteristics of an azimuthally-periodic vane-loaded cylindrical waveguide for a gyro-TWT," *Int. J. Electronics*, vol. 86, pp. 1463-1479, 1999.
- [135] S. Amari, R. Vahldieck, and J. Bornemann, "Analysis of propagation in periodically loaded circular waveguides," *IEE Proc. Microw. Antennas Propag.*, vol. 146, pp. 50-54, 1999.
- [136] Du, C. H., and Liu, P. K., "Linear Full-Wave-Interaction Analysis of a Gyrotron-Traveling- Wave-Tube Amplifier Based on a Lossy Dielectric-Lined Circuit," *IEEE Trans. on Plasma Sci.*, vol. 38, no. 6, pp. 1219-1226, June 2010.
- [137] Q. S. Wang, J. R. Luo, S. Y. Peng, and C. Q. Jiao, "A Steady-State Multimode Analysis of Mode Competition in Gyro-TWT," *14th IEEE International Vacuum Electronics Conference, IVEC2013 - Proceedings*, no. 5, pp. 1–2, 2013.
- [138] Y. Tang et al., "Multimode Steady-State Analysis for a Gyrotron Traveling Wave Amplifier Based on a Distributed Loss-Loaded Metal Cylindrical Waveguide," *IEEE Trans. Electron Devices*, 2017, v. 64, n. 2, pp. 543–549.

- [139] A. S. Singh and M. Thottappan, "RF coupling and beam-wave interaction study in a periodically loaded X-band 25-MW gyro-twystron," *IEEE Trans. Electron Devices*, vol. 65, no. 11, pp. 5089–5096, Nov. 2018.
- [140] C.-F. Yu and T.-H. Chang, "High-performance circular TE₀₁-mode converter," *IEEE Trans. Microw. Theory Techn.*, vol. 53, no. 12, pp. 3794–3798, Dec. 2005.
- [141] CST-Particle Studio, User's Manual, Dassault Systèmes, Darmstadt, Germany, 2022.
- [142] T. M. Tran, B. G. Danly, K. E. Kreischer, J. B. Schutkeker, and R. J. Temkin, "Optimization of gyrokystron efficiency," *Phys. Fluids*, vol. 29, no. 4, pp. 1274–1281, 1986.
- [143] A. K. Ganguly and K. R. Chu, "Limiting current in gyrotrons," *Int. J. Infr., Millim., Terahertz Waves*, vol. 5, no. 1, pp. 103–121, Jan. 1984.
- [144] W. Jiang, Y. Luo, and R. Yan, "Numerical design and optimization of a curved collector for a Q-band gyro-traveling wave tube," *IEEE Trans. Electron Devices*, vol. 61, no. 1, pp. 147–150, Jan. 2014.
- [145] T. M. Antonsen, Jr., S. Y. Cai, and G. S. Nusinovich, "Effect of window reflection on gyrotron operation," *Phys. Plasmas*, vol. 4, no. 12, pp. 4131–4139, 1992.
- [146] I. G. Tigelis, J. L. Vomvoridis, and S. Tzima, "High-frequency electromagnetic modes in a dielectric-ring loaded beam tunnel," *IEEE Trans. Plasma Sci.*, vol. 26, no. 3, pp. 922–930, Jun. 1998.
- [147] Tushar K. Ghosh, and Richard G. Carter, "Optimization of Multistage Depressed Collectors" *IEEE Transactions on Electron Devices*, vol. 54, no. 8, pp. 2031-2039, Aug. 2007.
- [148] Zhang, L., He, W., Cross, A. W., Phelps, A. D. R., Ronald, K. and Whyte, C. G., "Design of an Energy Recovery System for a Gyrotron Backward-Wave Oscillator," *IEEE Trans. Plasma Sci.*, vol. 37, no. 3, pp. 390-394, Mar 2009.
- [149] Pershing D. E., Nguyen K.T., Calame J.P., "A TE₁₁ Ka-band gyro-TWT amplifier with high- average power compatible distributed loss", *IEEE Trans. Plasma Sci.*, vol. 32, pp 947–956, 2004.
- [150] Lin, A. T., Chu, K. R., Lin, C. C., Kou, C. S., McDermott, D. B., and Luhmann. Jr., N. C. "Marginal stability design criterion for Gyro-TWT's and comparison

- of fundamental with second harmonic operation,” *Int. J. Electron.* vol. 72, pp. 873–885, 1992.
- [151] M.K. Alari, Y.Choyal, and A.K. Sinha “Design of a Ka-band gyro-TWT amplifier for broadband operation” *Phys. Plasmas*, vol. 20, no. 7, pp. 3110-3116, Jul. 2013.
- [152] G. S. Nusinovich, B. G. Danly, and B. Levush, “Gain and bandwidth in stagger-tuned gyroklystrons,” *Phys. Plasmas*, vol. 4, pp. 469–478, 1997.
- [153] G. S. Nusinovich, B. Levush, and B. G. Danly, “Gain and Bandwidth in Stagger-Tuned Gyroklystrons and Gyrotwistrons” *IEEE Trans. on Plasma Sci.*, vol. 27, no. 2, pp. 422-428, April 1999.
- [154] L. Zhang, W. He, A. W. Cross, A. D. R. Phelps, K. Ronald and C. G. Whyte, "Design of an Energy Recovery System for a Gyrotron Backward-Wave Oscillator," in *IEEE Trans. on Plasma Sci.*, vol. 37, no. 3, pp. 390-394, March 2009.
- [155] Yu Wang, Guo Liu , Weijie Wang, Chao Fang, Zewei Wu, “Yong Luo Millimetre-wave design and verification of a meta-surface dielectric window made of polytetrafluoroethylene in Ka- and Q-band,” *IET Microwaves, Antennas & Propagation*, Vol. 14, Iss. 15, pp. 2007-2010, Oct. 2020.

AUTHOR'S RELEVANT PUBLICATIONS

Journals:

Vangalla Veera Babu, M. Thottappan, and Smrity Dwivedi " Design and Simulation investigations of a high gain millimeter wave gyro-twystron amplifier," *Journal of Electromagnetic Waves and Applications*, vol. 36, no. 18, pp. 2740-2755, July 2022, doi:10.1080/09205071.2022.2106448.

Vangalla Veera Babu, M. Thottappan, and Smrity Dwivedi " Design and PIC Simulation of Ka-Band Periodically Loaded High Gain Gyro-Twystron," *IEEE Transaction on Electron Devices*, vol. 69, no. 8, pp. 4553-4562, August 2022, doi: 10.1109/TED.2022.3182297.

S. G. Yadav, **Vangalla Veera Babu**, and M. Thottappan, "Gain and Bandwidth Improvement Studies of Millimeter Wave Periodically Dielectric Loaded Gyro-Twystron Amplifier," in *IEEE Transactions on Electron Devices*, doi:10.1109/TED.2022.3217760.

Conferences (International):

V. Veera Babu, M. Thottappan and S. Dwivedi, "Design and PIC Simulation of a Millimeter Wave Gyro-twystron Amplifier," *2022 IEEE Wireless Antenna and Microwave Symposium (WAMS)*, 2022, pp. 1-3, doi: 10.1109/WAMS54719.2022.9848325. **(Oral presentation)**

V. Veera Babu, S. G. Yadav, M. Thottappan and S. Dwivedi, "Design and PIC Simulation of Millimeter Wave Stagger Tuned Gyro-twystron," *2022 IEEE Microwaves, Antennas, and Propagation Conference (MAPCON)*, Bangalore, India, 2022, pp. 1082-1085, doi: 10.1109/MAPCON56011.2022.10046764. **(Oral presentation)**

S. G. Yadav, **V. Veera Babu** and M. Thottappan, "Design and PIC simulation Studies of Cluster Cavity W-Band Gyro-twystron," *2022 IEEE Microwaves, Antennas, and Propagation Conference (MAPCON)*, Bangalore, India, 2022, pp. 1086-1089, doi: 10.1109/MAPCON56011.2022.10047559. **(Oral presentation)**

Conferences (National):

V. Veera Babu, Anshu Sharan Singh, Smrity Dwivedi, M.Thottappan, "Design Studies of a Ka-band Gyro-Twystron," *National Symposium on Vacuum Electronics Devices and Applications (VEDA-2018)*, Guwahati, India, Nov. 22-24, 2018. **(Oral presentation)**

V. Veera Babu, M.Thottappan, Smrity Dwivedi “Design and Simulation of Two Cavity Ka-band Gyro-Twystron Amplifier” *National Symposium on Vacuum Electronics Devices and Applications (VEDA-2019)* Patna, India, Nov. 21-23, 2019. (**Oral presentation**)

V. Veera Babu, S. G. Yadav, M. Thottappan and S. Dwivedi, “Design and PIC Simulation of Periodic Dielectric Loaded (PDL) Millimeter Wave Gyro-Twystron” *National Conference on Emerging Trends in Vacuum Electronic Devices & Applications, (VEDA-2022)* Bangalore, India, Jan. 19-21, 2023. (**Oral presentation**)