

Contents

Title		Page No.
Title of Thesis		i
Certificate		ii
Declaration by the Candidate & Certificate by the Supervisor		iii
Copyright Transfer Certificate		iv
Dedication		v
Acknowledgment		vi-vii
List of Symbols		viii-ix
Contents		x-xx
List of Figures		xxi-xli
List of Schemes		xlii
List of Tables		xliii
Preface		xliv-xlvii
Chapter 1: General Introduction		1-43
1.1	Global scenario of Antimicrobial Drug resistance	1
1.2	The root cause of the evolution of antibiotic resistance among microbes	2
1.3	Synthesis and physicochemical properties of metal nanoparticles	5
1.4	Antimicrobial mechanism of metal nanoparticles: A detailed account	6



	1.4.1	Mechanism of cell membrane destruction and effect on membrane potential	8	
	1.4.2	Mechanism of nanoparticle-induced ROS generation and cellular damage	12	
	1.4.3	Inactivation of cellular proteins and enzymes	14	
	1.4.4	Molecular mechanism of DNA damage by metal nanoparticles.	17	
1.5	Metal nanoparticle-mediated eradication of bacterial biofilms		24	
	1.5.1	The biological dynamics of bacterial biofilms	24	
	1.5.2	Anti-biofilm mechanism of metal nanoparticles	27	
	1.5.3	Effect of physical properties of the metal nanoparticles on their anti-biofilm activity	28	
	1.5.4	The nanoparticle–biofilm interface	29	
		1.5.4.1	Mechanism of nanoparticle-mediated inhibition of bacterial quorum sensing cascades.	30
		1.5.4.2	Molecular interaction of metal nanoparticles with polymer matrix of biofilm.	32
1.6	Potential risk related to the application of metal nanoparticles as antimicrobial agents		35	
1.7	The potential implication of metal resistance		40	
	Motivation of Work and Objectives		44-45	
Chapter 2:				
Microwave-assisted rapid synthesis and effect of Organic Functionality on the antimicrobial activity of Noble metal nanoparticles			46-77	
	2.1	Introduction	46	
	2.2	Experimental section	48	



	2.2.1	Materials and reagent	48
	2.2.2	Bacterial strain	48
	2.2.3	Synthesis of alkoxy silane functionalized noble metal (mono-, bi- and tri-metallic) nanoparticles	49
	2.2.3.1	3-APTMS and cyclohexanone-mediated synthesis of AgNP-1 nanoparticles	49
	2.2.3.2	3-APTMS and 3-GPTMS-mediated synthesis of AgNP-2 nanoparticles	49
	2.2.3.3	3-APTMS and formaldehyde-mediated synthesis of AgNP-3 nanoparticles	49
	2.2.3.4	3-APTMS and cyclohexanone-mediated synthesis of AuNP-1 nanoparticles	50
	2.2.3.5	3-APTMS and 3-GPTMS-mediated synthesis of Au-NP-2 nanoparticles	50
	2.2.3.6	3-APTMS and cyclohexanone mediated sequential synthesis of Ag–Au–NP-1 bimetallic nanoparticles	50
	2.2.3.7	3-APTMS and 3-GPTMS-mediated simultaneous synthesis of Ag–Au–NP-2 bimetallic nanoparticles	50
	2.2.3.8	3-APTMS and cyclohexanone sequential synthesis of Pd–NP, and Pd–Ag bimetallic nanoparticles	51
	2.2.3.9	Sequential synthesis of Pd–Ag–Au trimetallic nanoparticles	51
	2.2.3.10	Characterization of functionalized Metal nanoparticles	52
	2.2.3.11	Assessment of antibacterial activity	52



		2.2.3.12	Assessment by agar well diffusion method	52
		2.2.3.13	Minimum inhibitory concentration and minimum bactericidal concentration	53
		2.2.3.14	Time kill assay	54
		2.2.3.15	Dose-dependent kill kinetic analysis	54
		2.2.3.16	Scanning electron microscopy	55
		2.2.3.17	Fluorescence spectroscopic studies	55
2.3	Results			56
	2.3.1	3-APTMS-mediated rapid synthesis of noble metal monometallic, bimetallic, and trimetallic nanoparticles		56
	2.3.2	Role of 1-vinyl 2-pyrrolidone in the synthesis of AgNPs		58
	2.3.3	Role of Ethylene glycol di-acetate in the synthesis of Ag-NPs		58
	2.3.4	Antimicrobial activity of noble metal nanoparticles and their multi-metallic analogs		60
	2.3.5	3-APTMS mediated synthesis of silver nanoparticles as a function of organic reducing agents		61
	2.3.6	Antimicrobial activity of AgNP-1, AgNP-2, and AgNP-3 against <i>A. baumannii</i>		67
	2.3.7	MIC and MBC determination		68
	2.3.8	Time kill assay		68
	2.3.9	Dose-dependent kill kinetics		69
	2.3.10	Scanning electron microscopic analysis		70
	2.3.11	Fluorescence imaging of silver nanoparticles with <i>A. baumannii</i> cell surface interaction		71
2.4	Discussion			74



2.5	Conclusion	76
Chapter 3:		78-99
Microwave-assisted rapid synthesis and molecular weight of Polyethyleneimine-dependent selective surface interaction and antimicrobial activity of functional silver nanoparticles		
3.1	Introduction	78
3.2	Experimental section	80
	3.2.1	Materials and reagent
	3.2.2	Bacterial strain
	3.2.3	Synthesis of PEI-functionalized silver nanoparticles
	3.2.4	PEI-1 (MW 750,000 Da) and cyclohexanone-mediated synthesis of AgNP-1
	3.2.5	PEI-2 (MW 1300 Da) and formaldehyde-mediated synthesis of AgNP-2
	3.2.6	PEI-3 (MW 60,000 Da) and cyclohexanone-mediated synthesis of AgNP-3
	3.2.7	Synthesis of PEI-mediated Ag-Au bimetallic Nanoparticles
	3.2.8	Characterization of functionalized AgNPs
	3.2.9	Assessment of antibacterial activity and MIC and MBC determinations of Ag-NPs
	3.2.10	Fluorescence spectroscopic studies
	3.2.11	Determination of dynamic quenching of fluorophore fluorescein by PEI-capped AgNPs
	3.2.12	Cell surface-expressed protein–AgNP interaction and membrane fracture studies



3.3	Results	84	
	3.3.1	Microwave-assisted Polyethyleneimine-mediated synthesis of silver nanoparticles	84
	3.3.2	Bactericidal activity, minimum inhibitory concentration, and minimum bactericidal concentration of AgNPs	85
	3.3.3	Dynamic fluorescence quenching of fluorescein by PEI-capped AgNPs	88
	3.3.4	Cell surface interaction and membrane breakage of <i>A. baumannii</i> cells by Ag-NPs	89
3.4	Discussion	95	
3.5	Conclusions	98	
Chapter 4: A whole-cell fluorescence quenching-based approach for the investigation of Polyethyleneimine functionalized silver nanoparticles interaction with <i>Candida albicans</i>		100-122	
4.1.	Introduction	100	
4.2	Experimental section	102	
	4.2.1	Fungal strain, culture media, and growth conditions	102
	4.2.2	Synthesis and physical characterization of PEI-functionalized silver nanoparticles	103
	4.2.3	Assessment of antifungal activity and MIC determination of PEI-functionalized silver nanoparticles	103
	4.2.4	Fluorescence spectroscopic studies	104
	4.2.5	Intracellular ROS generation assay	105



4.3.	Results and discussion		105
	4.3.1	Physical characterization of synthesized Polyethyleneimine functionalized silver nanoparticles	105
	4.3.2	Antifungal activity and minimum inhibitory concentration of PEI-f-Ag-NPs	107
	4.3.3	Fluorescence spectroscopy investigation of cell-nanoparticle binding	109
	4.3.4	Mechanism of FL quenching	111
	4.3.5	Measurement of binding constant and number of binding sites	117
	4.3.6	Antifungal mechanism of PEI functionalized silver nanoparticles	119
4.4.	Conclusions		122
Chapter 5: Size and zeta potential clicked germination attenuation and anti-sporangiospores activity of PEI-functionalized silver nanoparticles against COVID-19-associated Mucorales (<i>Rhizopus arrhizus</i>)			123-155
5.1	Introduction		123
5.2	Experimental Section		126
	5.2.1	Materials and reagent	126
	5.2.2	Fungal strain	126
	5.2.3	Harvesting of sporangiospores	127
	5.2.4	Synthesis and physical characterization of PEI functionalized silver nanoparticles	127
	5.2.5	Assessment of in vitro antifungal activity of silver nanoparticles	128



	5.2.6	Minimum inhibitory concentration (MIC) determination of PEI-f-Ag-NPs	129
	5.2.7	Studies on germination attenuation of sporangiospores	129
	5.2.8	Cell morphology observation with scanning electron microscopy (SEM)	130
	5.2.9	Confocal laser scanning microscopy (CLSM) studies	130
	5.2.10	Raman spectroscopic studies	131
5.3	Results		132
	5.3.1	Synthesis and characterization of PEI functionalized silver nanoparticles	132
	5.3.2	In vitro anti-sporangiospores activity, particularly the effect of PEI-f-Ag-NPs on sporangiospores size and minimum inhibitory concentration value	133
	5.3.3	Sporangiospores germination attenuation studies	138
	5.3.4	Confocal lesser scanning microscopy (CLSM) studies	139
	5.3.5	Ultrastructural investigation of sporangiospores by SEM	140
	5.3.6	Raman spectroscopic studies of PEI-f-Ag-NPs treated sporangiospores	145
5.4	Discussion		147
	5.4.1	Possible anti-sporangiospores mechanism of PEI-f-Ag-NPs	153
5.5	Conclusion		154
Chapter 6: Synthesis of vancomycin functionalized fluorescent gold nanoparticles and selective sensing of mercury (II)			156-172
6.1	Introduction		156



6.2	Experimental Section	159
6.2.1	Materials and Methods	159
6.2.2	Synthesis of vancomycin-loaded Polyethyleneimine functionalized gold nanoparticles	159
6.2.3	Physical characterization of synthesized nanoparticles (PEI-f-AuNPs@Van)	159
6.2.4	Sensing of mercury ion (Hg^{2+})	160
6.2.5	Detection of mercury ion (Hg^{2+}) in an actual environmental sample	160
6.3	Results & Discussion	161
6.3.1	Synthesis and characterization of vancomycin-loaded gold nanoparticles	161
6.3.2	Fluorescence properties of functionalized gold nanoparticles	162
6.3.3	XPS analysis of vancomycin functionalized gold nanoparticles	164
6.3.4	PEI-f-AuNPs@Van mediated fluorescence sensing of Hg^{2+}	165
6.3.5	A plausible mechanism for binding of Hg^{2+} to the PEI-f-AuNPs@Van and physical changes after the addition of Hg^{2+}	166
6.3.6	Selectivity of PEI-f-AuNPs@Van for Hg^{2+} ions and stability at various parameters	168
6.3.7	Real environmental sample analysis	170
6.3.8	Fluorescence lifetime decay analysis	171
6.4	Conclusion	172
Chapter 7		173-212



Making vancomycin a potent broad-spectrum antimicrobial agent using Polyaziridine stabilized gold nanoparticle as a delivery vehicle		
7.1	Introduction	173
7.2	Experimental Section	176
	7.2.1 Materials	176
	7.2.2 Microbial Strains	176
	7.2.3 Synthesis and Characterization of Vancomycin Functionalized Gold Nanoparticles	177
	7.2.4 Antimicrobial susceptibility assessment of PEI-AuNP@Van.	177
	7.2.5 Minimal Inhibitory Concentration (MIC) Determination	177
	7.2.6 Microbial growth reduction analysis	178
	7.2.7 Super-resolution confocal Laser Scanning Microscopy studies	178
	7.2.8 Fluorescence Activated Cell Sorting (FACs)	179
	7.2.9 Endogenous Reactive Oxygen Species (ROS) Generation Study	179
	7.2.10 Phosphatidylserine Externalization studies (Apoptosis assay)	180
	7.2.11 Raman Spectroscopy Studies	180
	7.2.12 TEM characterization of PEI-AuNP@Van treated microbial strains	181
7.3	Results	181
	7.3.1 Synthesis and characterization of PEI-AuNP@Van nanoparticles	181



	7.3.2	<i>In-vitro</i> antimicrobial activity of PEI-AuNP@Van nanoparticles	181
	7.3.3	Laser scanning super-resolution Confocal Microscopy (CLSM) Studies	183
7.4	Antimicrobial mechanism studies		188
	7.4.1	Endogenous ROS Generation Studies	188
	7.4.2	Phosphatidylcholine externalization studies	190
	7.4.3	Raman Spectroscopic analysis	192
	7.4.4	Raman spectroscopic analysis of PEI-AuNP@Van and Amphotericin B treated <i>C. albicans</i> and <i>C. tropicalis</i> .	192
	7.4.5	Raman spectroscopic analysis of PEI-AuNP@Van treated cells of <i>E. coli</i> and <i>P. aeruginosa</i>	194
	7.4.6	TEM analysis	196
7.5	Discussion		197
	7.5.1	Assessment of antimicrobial activity of PEI-AuNP@Van	197
	7.5.2	Antimicrobial Mechanism of PEI-AuNP@Van	200
	7.5.3	Intracellular ROS accumulation studies	200
	7.5.4	Raman Spectroscopic studies	201
7.6	Conclusion		204
Chapter 8			
Summary and Future Projections			213-229
References			230-278
List of Publications			279-281

