

1.19 References

- [1] L. C. Oliveira, R. Venâncio, P. V. de Azevedo, C. G. Anchieta, T. C. Nepel, C.B. Rodella, H. Zanin, G. Doubek, "Reviewing perovskite oxide sites influence on electrocatalytic reactions for high energy density devices," *Journal of Energy Chemistry*, **81** (2023) 1-19.
- [2] F. K. Naqvi, Y. Khan, S. Beg, A. Ahmad, "Types of Perovskite Materials," *Perovskite Materials for Energy and Environmental Applications*, (2022) 241-255.
- [3] H. J. Xiang, M. Guennou, J. Íñiguez, J. Kreisel, L. Bellaiche, "Rules and mechanisms governing octahedral tilts in perovskites under pressure," *Physical Review B*, **96** (2017) 054102.
- [4] V. Dwij, B. K. De, G. Sharma, D. K. Shukla, M. K. Gupta, R. Mittal, V. Sathe, "Revisiting eigen displacements of tetragonal BaTiO₃: Combined first principle and experimental investigation," *Physica B: Condensed Matter*, **624** (2022) 413381.
- [5] M. W. Lufaso, P. M. Woodward, "Jahn–Teller distortions, cation ordering and octahedral tilting in perovskites," *Acta Crystallographica Section B: Structural Science*, **60** (2004) 10–20.
- [6] P. M. Woodward, "Octahedral tilting in perovskites. II. Structure stabilizing forces," *Acta Crystallographica Section B: Structural Science*, **53** (1997) 44–66.
- [7] M. A. Islam, J. M. Rondinelli, J. E. Spanier, "Normal mode determination of perovskite crystal structures with octahedral rotations: theory and applications," *Journal of Physics: Condensed Matter*, **25** (2013) 175902.

- [8] M. Yoshimura, K. Sardar, "Revisiting the valence stability and preparation of perovskite structure type oxides ABO_3 with the use of Madelung electrostatic potential energy and lattice site potential, " *RSC advances*, **11** (2021)) 20737-20745.
- [9] A. S. Bhalla, R. Guo, R. Roy, "The perovskite structure—a review of its role in ceramic science and technology, " *Materials research innovations*, **4** (2000) 3-26.
- [10] H. Liu, J. Cheng, H. Dong, J. Feng, B. Pang, Z. Tian, S. Ma, F. Xia, C. Zhang, L. Dong, " Screening stable and metastable ABO_3 perovskites using machine learning and the materials project," *Computational Materials Science*, **177** (2020) 109614.
- [11] M. Akaogi, "Crystal chemistry, phase relations, and energetics of high-pressure ABO_3 perovskites," *High-Pressure Silicates and Oxides: Phase Transition and Thermodynamics*. Singapore: Springer Nature Singapore, (2022) 115-132.
- [12] M. H. Whangbo, E. E. Gordon, J. L. Bettis Jr, A. Bussmann-Holder, J. Köhler, "Tolerance factor and cation–anion orbital interactions differentiating the polar and antiferrodistortive structures of perovskite oxides ABO_3 , " *Festschrift für anorganische und allgemeine Chemie*, **641** (2015) 1043-1052.
- [13] R. D. Shannon, C. T. Prewitt, "Revised values of effective ionic radii, " *Acta Crystallographica Section B: Structural Crystallography and Crystal Chemistry*, **26** (1970) 1046– 1048.
- [14] Y. Takeda, F. Kanamura, M. Shimada, M. Koizumi, "the crystal structure of $BaNiO_3$," *Acta Crystallographica Section B: Structural Crystallography and Crystal Chemistry*, **32** (1976) 2464–2466.

- [15] Y. Ishikawa, S. Sawada, "The study on substances having the ilmenite structure I. Physical properties of synthesized FeTiO_3 and NiTiO_3 Ceramics," *Journal of the Physical Society of Japan*, **11** (1956) 496–501.
- [16] K. Davis, "Material Review: Alumina (Al_2O_3)," *School of Doctoral Studies European Union Journal*, (2010).
- [17] A. S. Bhalla, R. Y. Guo, R. Roy, "The perovskite structure—a review of its role in ceramic science and technology," *Materials research innovations*, **4** (2000) 3–26.
- [18] C. J. Bartel, C. Sutton, B. R. Goldsmith, R. Ouyang, C. B. Musgrave, L. M. Ghiringhelli, M. Scheffler, "New tolerance factor to predict the stability of perovskite oxides and halides," *Science advances*, **5** (2019) 0693.
- [19] J. P. Correa-Baena, M. Saliba, T. Buonassisi, M. Grätzel, A. Abate, W. Tress, A. Hagfeldt, "Promises and challenges of perovskite solar cells," *Science*, **358** (2017) 739–744.
- [20] M. V. Kovalenko, L. Protesescu, M. I. Bodnarchuk, "Properties and potential optoelectronic applications of lead halide perovskite nanocrystals," *Science*, **358** (2017) 745–750.
- [21] C. Li, X. Lu, W. Ding, L. Feng, Y. Gao, Z. Guo, "Formability of ABX_3 (X = F, Cl, Br, I) halide perovskites," *Acta Crystallographica Section B: Structural Science*, **64** (2008) 702-707.
- [22] C. Li, K. C. K. Soh, P. Wu, "Formability of ABO_3 perovskites," *Journal of alloys and compounds*, **372** (2004) 40-48.
- [23] Q. Sun, W.J. Yin, "Thermodynamic stability trend of cubic perovskites," *Journal of the American Chemical Society*, **139** (2017)14905-14908.

- [24] C.J. Bartel, C. Sutton, B.R. Goldsmith, R. Ouyang, C.B. Musgrave, L.M. Ghiringhelli, M. Scheffler, "New tolerance factor to predict the stability of perovskite oxides and halide," *Science advances*, **5** (2019) 1-10.
- [25] H. Zhang, N. Li, K. Li, D. Xue, "Structural stability and formability of ABO_3 -type perovskite compounds," *Acta Crystallographica Section B: Structural Science*, **63** (2007) 812–818.
- [26] C. Li, X. Lu, W. Ding, L. Feng, Y. Gao, Z. Guo, "Formability of ABX_3 ($X = F, Cl, Br, I$) halide perovskites," *Acta Crystallographica Section B: Structural Science*, **64**, 702–707 (2008).
- [27] W. Travis, E. N. K. Glover, H. Bronstein, D. O. Scanlon, R. G. Palgrave, "On the application of the tolerance factor to inorganic and hybrid halide perovskites: A revised system," *Chemical science*, **7** (2016) 4548–4556.
- [28] M. Wang, C. Zhu, H. Hu, S. Lin, L. Zhou, Z. Wang, H. Wang, T. Zhang, Y. Li, D. Yang, P. Yang, "Correlation between radiation resistance and structural factors of ABO_3 -type perovskites," *Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms*, **536** (2023) 88-96.
- [29] M. N. Matur, N. Nagappan, S. Rath, S. T. Thomas, "Prediction of nature of band gap of perovskite oxides (ABO_3) using a machine learning approach," *Journal of Materiomics*, **8** (2022) 937-948.
- [30] F. S. Galasso, "Structure, properties and preparation of perovskite-type compounds," *international series of monographs in solid state physics*, **5** (2013).
- [31] A. Shigemi, T. Wada, "Crystallographic phase stabilities and electronic structures in $AgNbO_3$ by first-principles calculation," *Molecular Simulation*, **34** (2008) 1105-1114.

- [32] D. Fu, T. Arioka, H. Taniguchi, T. Taniyama, M. Itoh, "Ferroelectricity and electromechanical coupling in $(1-x)\text{AgNbO}_3\text{-}x\text{NaNbO}_3$ solid solutions," *Applied Physics Letters*, **99** (2011) 012904
- [33] G. Shirane, R. Newnham, R. Pepinsky, "Dielectric Properties and Phase Transitions of NaNbO_3 and $(\text{Na}, \text{K})\text{NbO}_3$," *Physical Review*, **96** (1954) 581.
- [34] Y. Shiratori, A. Magrez, W. Fischer, C. Pithan, R. Waser, "Temperature-induced phase transitions in micro-, submicro-, and nanocrystalline NaNbO_3 ," *The Journal of Physical Chemistry C*, **111** (2007) 18493-18502.
- [35] C. J. Ball, B. D. Begg, D. J. Cookson, G. J. Thorogood, E.R. Vance, "Structures in the system $\text{CaTiO}_3/\text{SrTiO}_3$," *Journal of Solid State Chemistry*, **139** (1198) 238-247.
- [36] Y. X. Wang, W. L. Zhong, C. L. Wang, P. L. Zhang, "First-principles study on the tendency to ferroelectricity of CaTiO_3 ," *Solid state communications*, **117** (2001) 461-464.
- [37] J. He, "Growth Mechanism and Interface Effects on Microstructure of Perovskite-type Barium Titanate-based Epitaxial Films," (2012).
- [38] T. Watanabe, M. Shimada, T. Aiba, H. Yabuta, K. Miura, K. Oka, M. Azuma, S. Wada, N. Kumada, "Structural transformation of hexagonal (0001) BaTiO_3 ceramics to tetragonal (111) BaTiO_3 ceramics," *Japanese journal of applied physics*, **50** (2011) 09ND01.
- [39] S. Pradhan, G. S. Roy, "Study the crystal structure and phase transition of BaTiO_3 -A pervoskite" *Researcher*, **5** (2013) 63-67.

- [40] H. Zhang, N. Li, K. Li, D. Xue, "Structural stability and formability of ABO_3 -type perovskite compounds" *Acta Crystallographica Section B: Structural Science*, **63** (2007) 812-818.
- [41] J. M. Polfus, B. Yildiz, H. L. Tuller, "Origin of fast oxide ion diffusion along grain boundaries in Sr-doped $LaMnO_3$," *Physical Chemistry Chemical Physics*, **20** (2018) 19142-19150.
- [42] P. Dhak, M. K. Adak, D. Dhak, "Synthesis and characterization of nanocrystalline $LaMnO_3$ modified $BaTiO_3$ ferroelectric ceramics prepared by chemical route" *Modern Physics Letters B*, **30** (2016) 1650043.
- [43] Y. Zhou, J. Chen, O. M. Bakr, H. T. Sun, "Metal-doped lead halide perovskites: synthesis, properties, and optoelectronic applications," *Chemistry of Materials*, **30** (2018) 6589–6613.
- [44] G.N. Bhargavi, T. Badapanda, "Nonstoichiometric perovskites and derivatives," *Perovskite Metal Oxides*, (2023) 81-118.
- [45] A. Rached, M. A. Wederni, A. Belkahla, J. Dhahri, K. Khirouni, S. Alaya, R.J. Martín-Palma, "Effect of doping in the physico-chemical properties of $BaTiO_3$ ceramics," *Physica B: Condensed Matter*, **596** (2020) 412343.
- [46] K. Kato, J. Jiang, Y. Sakata, A. Yamakata, "Effect of Na-doping on electron decay kinetics in $SrTiO_3$ photocatalyst," *ChemCatChem*, **11** (2019) 6349-6354.
- [47] P. Sikam, P. Moontragoon, C. Sararat, A. Karaphun, E. Swatsitang, S. Pinitsoontorn, P. Thongbai, "DFT calculation and experimental study on structural, optical and magnetic properties of Co-doped $SrTiO_3$," *Applied Surface Science*, **446** (2018) 92-113.

- [48] M. Choi, A. B. Posadas, C. A. Rodriguez, A. O'Hara, H. Seinige, A.J Kellock, M.M. Frank, M. Tsoi, S. Zollner, V. Narayanan, A.A. Demkov, "Structural, optical, and electrical properties of strained La-doped SrTiO₃ films, " *Journal of Applied Physics*, **116** (2014).
- [49] C. Zhang, C. L. Wang, J. C. Li, K. Yang, Y. F. Zhang, Q. Z. Wu, "Substitutional position and insulator-to-metal transition in Nb-doped SrTiO₃," *Materials chemistry and physics*, **107** (2008) 215-219.
- [50] M. V. Kovalenko, L. Protesescu, M. I. Bodnarchuk, "Properties and potential optoelectronic applications of lead halide perovskite nanocrystals," *Science*. **358** (2017) 745–750.
- [51] C. C. Hu, Y. L. Lee, H. Teng, "Efficient water splitting over Na_{1-x}K_xTaO₃ photocatalysts with cubic perovskite structure," *Journal of Materials Chemistry*, **21** (2011) 3824–3830.
- [52] H. Salehi, "First principles studies on the electronic structure and band structure of paraelectric SrTiO₃ by different approximations," *Journal of Modern Physics*, **02** (2011) 934–943.
- [53] K. Bae, D. Y. Jang, H. J. Choi, D. Kim, J. Hong, B.-K. Kim, J.-H. Lee, J.-W. Son, J. H. Shim, "Demonstrating the potential of yttrium-doped barium zirconate electrolyte for high-performance fuel cells, " *Nature communications*, **8** (2017) 14553.
- [54] S. H. Morejudo, R. Zanon, S. Escolástico, I. Yuste-Tirados, H. Malerød-Fjeld, P. K. Vestre, W. G. Coors, A. Martínez, T. Norby, J.M. Serra, C. Kjøseth, "Direct conversion of methane to aromatics in a catalytic co-ionic membrane reactor," *Science* **353** (2016) 563–566.

- [55] A. Soldatov, "Crystal structure and possible superconductivity in BaBiO₃-KBiO₃ system outside the cubic phase," *Physica B* **284-288** (2000) 1059–1060.
- [56] S. Thirumalai, B.P. Shanmugavel, "Microwave assisted synthesis and characterization of barium titanate nanoparticles for multi layered ceramic capacitor applications," *Journal of Microwave Power and Electromagnetic Energy*, **45** (2011) 121–127.
- [57] D. Dimos, C. H. Mueller, "Perovskite thin films for high-frequency capacitor applications," *Annual Review of Materials Science*, **28** (1998) 397–419.
- [58] C. Ye, T. Tamagawa, P. Schiller, D. L. Polla, "Pyroelectric PbTiO₃ thin films for microsensor applications," *Sensors and Actuators A: Physical*, **35** (1992) 77–83.
- [59] S.H. Chan, "A review of anode materials development in solid oxide fuel cells," *journal of materials science*, **39** (2004) 4405–4439.
- [60] R. Diehl, G. Brandt, "Crystal structure refinement of YAlO₃, a promising laser material," *Materials Research Bulletin*, **10** (1975) 85–90.
- [61] T. Fukuda, Y. Uematsu, "Preparation of KNbO₃ single crystal for optical applications," *Japanese Journal of Applied Physics*, **11** (1972) 163.
- [62] J. Wu, Z. Fan, D. Xiao, J. Zhu, J. Wang, "Multiferroic bismuth ferrite-based materials for multifunctional applications: Ceramic bulks, thin films and nanostructures," *Progress in Materials Science*, **84** (2016) 335–402.
- [63] P. K. Panda, B. Sahoo, "PZT to lead free piezo ceramics: A review," *Ferroelectrics* **474** (2015) 128–143.
- [64] H. Imai, T. Tagawa, "Oxidative coupling of methane over LaAlO₃," *Journal of the Chemical Society, Chemical Communications*, **1** (1986) 52-53.

- [65] R. C. Oliveira, M. M. Teixeira, J. P. C. Costa, M. Penha, E. M. Francisco, J. S. da Silva, M. S. Li, E. Longo, L. Gracia, J. Andres, " α - and β -AgVO₃ polymorphs as photoluminescent materials: an example of temperature-driven synthesis," *Ceramics International*, **44** (2018) 5939-5944.
- [66] M. Pudukudy, Q. Jia, H. Wang, S. Shan, R. Rajendran, "Influence of synthesis parameters on the crystalline, structural, textural, optical and photocatalytic properties of α and β polymorphs of AgVO₃ nanorods," *Materials Science in Semiconductor Processing*, **107** (2020) 104824.
- [67] C. T. Crespo, "CuNbO₃ as a solar energy converter to fuel and electricity," *Solar Energy Materials and Solar Cells*, **179** (2018) 305-311.
- [68] T. Kako, Z. Zou, M. Katagiri, J. Ye, "Decomposition of organic compounds over NaBiO₃ under visible light irradiation," *Chemistry of materials*, **19** (2007), 198-202.
- [69] C. Deng, Y. Zhang, D. Yang, H. Zhang, M. Zhu, "Recent Progress on Barium Titanate-Based Ferroelectrics for Sensor Applications," *Advanced Sensor Research*, (2024) 2300168.
- [70] R. N. P Choudhary, S. K. Patri, "Dielectric materials: introduction, research and applications," xx: Nova Science Publishers, (2009) 152.
- [71] C. A. Randall, N. Kim, J.-P. Kucera, W. Cao, and T. R. Shrout, "Intrinsic and extrinsic size effects in fine-grained morphotropic-phase-boundary lead zirconate titanate ceramics," *Journal of the American Ceramic Society*, **81** (1998) 677-688.
- [72] D. Viehland, J. Li, X. Dai, and Z. Xu, "Structural and property studies of high Zr-content lead zirconate titanate," *Journal of Physics and Chemistry of Solids*, **57** (1996) 1545-1554.

- [73] K. Sreenivas and M. Sayer, "Characterization of Pb(Zr,Ti)O₃ thin films deposited from multielement metal targets," *Journal of applied physics*, **64** (1988) 1484-1493.
- [74] G. M. A Elhefnawy, M. El-Gazery, A. E. R Mahmoud, M. M. Rashad, A. H. Khafagy, "Improvement of the structural, dielectric, ferroelectric, and piezoelectric of PbZr_{0.52}Ti_{0.48}O₃ nanopowder features for ultrasonic applications," *Ferroelectrics*, **615** (2023) 8-28.
- [75] R. Resta, D. Vanderbilt, "Theory of polarization: a modern approach," *Physics of ferroelectrics: a modern perspective*. Berlin, Heidelberg: Springer Berlin Heidelberg, (2007) 31-68.
- [76] A. S. Riad, S. A. Mahmoud, A. A. "Ibrahim, Structural and DC electrical investigations of ZnO thin films prepared by spray pyrolysis technique, " *Physica B: Condensed Matter*, **296** (2001) 319-325.
- [77] A. C. Patsidis, G. C. Psarras, "Basic Principles of Dielectrics," *High Temperature Polymer Dielectrics: Fundamentals and Applications in Power Equipment*, (2024) 21-55.
- [78] A. Boukenter, E. Duval, H. M. Rosenberg, H. M. "Raman scattering in amorphous and crystalline materials: a study of epoxy resin and DGEBA," *Journal of Physics C: Solid State Physics*, **21**(1988) L541.
- [79] D. W. Richerson, "Dielectric, Magnetic, Optical Behavior. Modern Ceramic Engineering: Properties, Processing and Use in Design, " New York: Marcel Dekker, (1992) 300-302.
- [80] X. Chen, J. K. Tseng, I. Treufeld, M. Mackey, D. E. Schuele, R. Li, M. Fukuto, E. Baer, L. Zhu, "Enhanced dielectric properties due to space charge-induced interfacial

- polarization in multilayer polymer films," *Journal of Materials Chemistry C*, **5** (2017) 10417-10426.
- [81] T. Prodromakis, C. Papavassiliou, "Engineering the Maxwell–Wagner polarization effect," *Applied Surface Science*, **255** (2009) 6989-6994.
- [82] K. C. Kao, "Dielectric Phenomena in Solids," Elsevier Academic Press, UK, 200
- [83] W. D. Kingery, H. K. Bowen, D. R. Uhlmann, "*Introduction to ceramics*," John Wiley & sons, **17** (1976).
- [84] R. K. Ulrich, L.W. Schaper, "Integrated passive component technology Piscataway," NJ: IEEE press, **55** (2003).
- [85] J. Li, F. Li, Z. Xu, Y. Zhuang, S. Zhang, "Nonlinear I–V behavior in colossal permittivity ceramic:(Nb + In) co-doped rutile TiO₂," *Ceramics International*, **41** (2015) S798-S803.
- [86] R. Gerhardt, A.S. Nowick, "Grain-boundary effect in ceria doped with trivalent cations: I, electrical measurements, " *Journal of the American ceramic society*, **69** (1986) 641-646.
- [87] H. C. Cao, E. Bischoff, O. Sbaizero, M. Rühle, A. G. Evans, D. B. Marshall, J. J. Brennan, "Effect of Interfaces on the Properties of Fiber-Reinforced Ceramics," *Journal of the American Ceramic Society*, **73** (1990) 1691-1699.
- [88] K. V. Ramanujachary, B. T. Collins, M. Greenblatt, R. Gerhardt, E. A. Rietman, "Dielectric investigation of the sliding charge-density wave in Tl_{0.3}MoO₃," *Physical Review B*, **38** (1988) 7243.

- [89] A. Das, D. Pamu, "A comprehensive review on electrical properties of hydroxyapatite based ceramic composites" *Materials Science and Engineering: C*, **101** (2019) 539-563.
- [90] B. Tiwari, R. N. P. Choudhury, "Study of impedance parameters of cerium modified lead zirconate titanate ceramics," *IEEE Transactions on Dielectrics and Electrical Insulation*, **17** (2010) 5-17.
- [91] L. Singh, U. S. Rai, K. D. Mandal, N. B. Singh, "Progress in the growth of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ and related functional dielectric perovskites," *Progress in crystal growth and characterization of Materials*, **60** (2014) 15–62.
- [92] Y. Shimakawa, "A-site-ordered perovskites with intriguing physical properties," *Inorganic chemistry*, **47** (2008) 8562–8570.
- [93] A. P. Ramirez, M. A. Subramanian, M. Gardel, G. Blumberg, D. Li, T. Vogt, S. M. Shapiro, "Giant dielectric constant response in a copper-titanate," *Solid State Communications*, **115** (2000) 217–220.
- [94] R. Ma, Y. Li, Y. Huang, S. Dong, Q. Yang, Y. Jin, Z. Zhang, M. Yan, K. Chen, J. Liu, J. Zhu, "Quantitative estimation of inter-dipole interaction energy in giant-permittivity $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ solid bulks," *AIP Advanced*, **9** (2019) 115108.
- [95] J. Zhang, Y. Li, Q. Yang, Y. Yang, F. Meng, T. Wang, Z. Xia, Y. Wang, K. Chen, Q. Zhang, L. Gu, "A structural perspective on giant permittivity $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$: one way to quantum dielectric physics in solids," *Open Ceramics*, **6** (2021) 100126
- [96] S. Kawrani, M. Boulos, D. Cornu, M. Bechelany, "From synthesis to applications: copper calcium titanate (CCTO) and its magnetic and photocatalytic properties," *Chemistry Open*, **8** (2019) 922.

- [97] M. Ahmadipour, M. F. Ain, Z. A. Ahmad, "A short review on copper calcium titanate (CCTO) electroceramic: synthesis, dielectric properties, film deposition, and sensing application," *Nano-Micro Letters*, **8** (2016) 291–311.
- [98] R. Schmidt, M. C. Stennett, N. C. Hyatt, J. Pokorny, J. Prado-Gonjal, M. Li, D. C. Sinclair, "Effects of sintering temperature on the internal barrier layer capacitor (IBLC) structure in $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ (CCTO) ceramics," *Journal of the European Ceramic Society*, **32** (2012) 3313–3323.
- [99] L. Singh, U. S. Rai, K. D. Mandal, "Dielectric properties of zinc doped nanocrystalline calcium copper titanate synthesized by different approach," *Materials Research Bulletin*, **48** (2013) 2117–2122.
- [100] M. C. Ferrarelli, T. B. Adams, A. Feteira, D. C. Sinclair, A. R. West, "High intrinsic permittivity in $\text{Na}_{1/2}\text{Bi}_{1/2}\text{Cu}_3\text{Ti}_4\text{O}_{12}$," *Applied physics letters*, **89** (2006) 212904.
- [101] B. Bochu, M. N. Deschizeaux, J. C. Joubert, A. Collomb, J. Chenavas, M. Marezio, "Synthèse et caractérisation d'une série de titanates pérowskites isotypes de $[\text{CaCu}_3](\text{Mn}_4)\text{O}_{12}$," *Journal of Solid State Chemistry*, **29** (1979), 291–298.
- [102] T. B. Adams, D. C. Sinclair, A. R. West, "Characterization of grain boundary impedances in fine-and coarse-grained $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics," *Physical review B*, **73** (2006) 094124.
- [103] T. B. Adams, D. C. Sinclair, A. R. West, "Decomposition reactions in $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics," *Journal of the American Ceramic Society*, **89** (2006) 2833–2838.
- [104] M. Ahmadipour, M. F. Ain, Z. A. Ahmad, "A Short Review on Copper Calcium Titanate (CCTO) Electroceramic: Synthesis, Dielectric Properties, Film Deposition, and Sensing Application," *Nano-Micro Letter*. **8** (2016) 291–311.

- [105] P. Zheng, R. Z. Zhang, H. Y. Chen, W. T. Hao, "Thermoelectric properties and conduction mechanism of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics at high temperatures," *Journal of electronic materials*, **43** (2014) 1645-1649.
- [106] S. Kwon, "Effects of doping, cation stoichiometry, and the processing conditions on the dielectric properties of high-K calcium copper titanate ceramics," *Diss. Oregon State University*, (2008).
- [107] C. C. Homes, T. Vogt, S. M. Shapiro, S. Wakimoto, and A. P. Ramirez, "Optical response of high-dielectric-constant perovskite-related oxide," *Science*, **293** (2001) 673-676.
- [108] M. H. Whangbo, M. A. Subramanian, "Structural model of planar defects in $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ exhibiting a giant dielectric constant," *Chemistry of materials*, **18** (2006) 3257-3260.
- [109] B. S. Prakash, K. B. R. Varma, "Effect of sintering conditions on the dielectric properties of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ and $\text{La}_{2/3}\text{Cu}_3\text{Ti}_4\text{O}_{12}$ ceramics: A comparative study," *Physica B: Condensed Matter*, **382** (2006) 312-319.
- [110] B. S. Prakash, K. B. R. Varma, "Influence of sintering conditions and doping on the dielectric relaxation originating from the surface layer effects in $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics," *Journal of Physics and Chemistry of Solids*, **68** (2007) 490-502.
- [111] J. Liu, C.-G. Duan, W. N. Mei, R. W. Smith, and J. R. Hardy, "Dielectric properties and Maxwell-Wagner relaxation of compounds $\text{ACu}_3\text{Ti}_4\text{O}_{12}$ (A= ca, $\text{Bi}_{2/3}$, $\text{Y}_{2/3}$, $\text{La}_{2/3}$)," *Journal of applied Physics*, **98** (2005) 093703.
- [112] P. Lunkenheimer, V. Bobnar, A.V. Pronin, A.I Ritus, A.A. Volkov, A. Loidl, "Origin of apparent colossal dielectric constants," *Physical Review B*, **66** (2002) 052105.

- [113] C. K. Suman, K. Prasad, R. N. P. Choudhary, "Impedance analysis of $\text{Pb}_2\text{Sb}_3\text{LaTi}_5\text{O}_{18}$ ceramic," *Materials chemistry and physics*, **97** (2006) 425-430.
- [114] D. C. Sinclair, T. B. Adams, F. D. Morrison, A. R. West, " $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$: One-step internal barrier layer capacitor," *Applied Physics Letters*, **80** (2002) 2153-2155.
- [115] T. B. Adams, D. C. Sinclair, A. R. West, "Giant barrier layer capacitance effects in $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics," *Advanced Materials*, **14** (2002) 1321-1323.
- [116] M. H. Whangbo, M. A. Subramanian, "Structural model of planar defects in $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ exhibiting a giant dielectric constant," *Chemistry of materials*, **18** (2006) 3257-3260.
- [117] S. F. Shao, J. L. Zhang, P. Zheng, W. L. Zhong, C. L. Wang, "Microstructure and electrical properties of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics," *Journal of applied physics*, **99** (2006).
- [118] Z. Zeng, Y. Xu, Z. Zhang, Z. Gao, M. Luo, Z. Yin, C. Zhang, J. Xu, B. Huang, F. Luo, Y. Du, "Rare-earth-containing perovskite nanomaterials: design, synthesis, properties and applications," *Chemical Society Reviews*, **49** (2020) 1109–1143.
- [119] H. Ghayour, M. Abdellahi, "A brief review of the effect of grain size variation on the electrical properties of BaTiO_3 based ceramics," *Powder technology*, **292** (2016) 84–93.
- [120] L. Marchin, S. Guillemet-Fritsch, B. Durand, A. A. Levchenko, A. Navrotsky, T. Lebey, "Grain growth-controlled giant permittivity in soft chemistry $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics," *Journal of the American Ceramic Society*, **91**(2008) 485–489.
- [121] M. Ahmadipour, M. F. Ain, Z. A. Ahmad, "A short review on copper calcium titanate (CCTO) electroceramic: synthesis, dielectric properties, film deposition, and sensing application," *Nano-micro-Letter*. **8** (2016) 291–311.

- [122] S. Da̧browska, T. Chudoba, J. Wojnarowicz, W. Łojkowski, "Current trends in the development of microwave reactors for the synthesis of nanomaterials in laboratories and industries: a review," *Crystals* **8** (2018) 379.
- [123] E. K. Papynov, A. S. Portnyagin, E. B. Modin, V. Y. Mayorov, O. O. Shichalin, A. P. Golikov, V.S. Pechnikov, E.A. Gridasova, I.G. Tananaev, V.A. Avramenko, "A complex approach to assessing porous structure of structured ceramics obtained by SPS technique," *Materials Characterization*, **145** (2018) 294–302.
- [124] K. Prompa, E. Swatsitang, T. Putjuso, "Very low loss tangent and giant dielectric properties of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics prepared by the sol–gel process," *Journal of Materials Science: Materials in Electronics*, **28** (2017) 15033-15042.
- [125] M. Wang, B. Zhang, F. Zhou, "Oleic acid assisted synthesis of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ powders and ceramics by sol–gel process," *Journal of Materials Science: Materials in Electronics*, **25** (2014) 3947-3952.
- [126] S. Kaur, A. Kumar, A. L. Sharma, D. P. Singh, "Dielectric and energy storage behavior of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ nanoparticles for capacitor application," *Ceramics International*, **45** (2019) 7743-7747.
- [127] S. Vangchangyia, E. Swatsitang, P. Thongbai, S. Pinitsoontorn, T. Yamwong, S. Maensiri, V. Amornkitbamrung, P. Chindaprasirt, "Very low loss tangent and high dielectric permittivity in pure- $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics prepared by a modified sol-gel process," *Journal of the American Ceramic Society*, **95** (2012) 1497-1500.
- [128] B. Barbier, C. Combettes, S. Guillemet-Fritsch, T. Chartier, F. Rossignol, A. Rumeau, T. Lebey, E. Dutarde, " $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics from co-precipitation method:

- Dielectric properties of pellets and thick films," *Journal of the European Ceramic Society*, **29** (2009) 731-735.
- [129] P. Thiruramanathan, A. Marikani, S. Ravi, D. Madhavan, G.S. Hikku, "Fabrication of miniaturized high bandwidth dielectric resonator on patch (DRoP) antenna using high dielectric $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ nanoparticles," *Journal of Alloys and Compounds*, **747** (2018) 1033-1042.
- [130] J. Zhao, H. Zhao, Z. Zhu, "Influence of sintering conditions and CuO loss on dielectric properties of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics," *Materials Research Bulletin*, **113** (2019) 97-101.
- [131] R. Kumar, M. Zulfequar, T. D. Senguttuvan, "Improved giant dielectric properties in microwave flash combustion derived and microwave sintered $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics," *Journal of Electroceramics*, **42** (2019) 41-46.
- [132] T. Li, Y. Sun, H. Y. Dai, D. W. Liu, J. Chen, R. Z. Xue, Z. Q. Chen, "Influence of spark plasma sintering temperature on the microstructures, dielectric and I–V properties of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics," *Journal of Alloys and Compounds*, **829** (2020) 154595.
- [133] U. S. Rai, L. Singh, K. D. Mandal, N. B. Singh, "An overview on recent developments in the synthesis, characterization and properties of high dielectric constant calcium copper titanate nano-particles," *Nanosci. Technol*, **1** (2014) 1-17.
- [134] A. K. Rai, K. D. Mandal, D. Kumar, O. Parkash, "Characterization of nickel doped CCTO: $\text{CaCu}_{2.9}\text{Ni}_{0.1}\text{Ti}_4\text{O}_{12}$ and $\text{CaCu}_3\text{Ti}_{3.9}\text{Ni}_{0.1}\text{O}_{12}$ synthesized by semi-wet route," *Journal of alloys and compounds*, **491** (2010) 507–512.

- [135] N. A. Zhuk, S. V. Nekipelov, V. N. Sivkov, B. A. Makeev, R. I. Korolev, V. A. Belyy, M.G. Krzhizhanovskaya, M.M. Ignatova, "Magnetic susceptibility, XPS and NEXAFS spectroscopy of Ni-doped $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics," *Materials chemistry and physics*, **252** (2020) 123310.
- [136] L. Sun, R. Zhang, Z. Wang, E. Cao, Y. Zhang, L. Ju, "Microstructure, dielectric properties and impedance spectroscopy of Ni doped $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics," *RSC Advanced*, **6** (2016) 55984–55989.
- [137] J. Wang, Z. Lu, T. Deng, C. Zhong, Z. Chen, "Improved dielectric properties in A' - site nickel-doped $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics," *Journal of the American Ceramic Society*, **100** (2017) 4021–4032.
- [138] S. Amhil, S.B. Moumen, A. Bourial, L. Essaleh, "Evidence of large hopping polaron conduction process in strontium doped calcium copper titanate ceramics," *Physica B*, **556** (2019) 36–41.
- [139] X. Huang, H. Zhang, M. Wei, Y. Lai, J. Li, "Effect of semiconductive grain and microstructure on the dielectric properties of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics with Sr^{2+} doping," *Journal of alloys and compounds*, **708** (2017) 1026–1032.
- [140] W. Li, S.Y. Qiu, N. Chen, B.F. Liu, G.P. Du, "Enhanced dielectric properties and sinterability of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics by Sr^{2+} doping," *Physica B* **405** (2010), 1193–1196.
- [141] L. Singh, U. S. Rai, K. D. Mandal, "Dielectric properties of zinc doped nanocrystalline calcium copper titanate synthesized by different approach," *Materials Research Bulletin*, **48** (2013) 2117–2122.

- [142] Y. Huang, Y. Qiao, Y. Li, J. He, H. Zeng, "Zn-doped calcium copper titanate synthesized via rapid laser sintering of solgel derived precursors," *Nanomaterials*, **10** (2020) 1163.
- [143] J. Wang, Z. Lu, T. Deng, C. Zhong, Z. Chen, "Improved dielectric, nonlinear and magnetic properties of cobalt-doped $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics," *Journal of the European Ceramic Society*, **38** (2018) 3505–3511.
- [144] E. Swatsitang, K. Prompa, T. Putjuso, "Temperature stability of the dielectric properties of Zr^{4+} doped $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics for X9R capacitor applications," *Journal of alloys and compounds*, **789** (2019) 231–239.
- [145] S. Jesurani, S. Kanagesan, M. Hashim, I. Ismail, "Dielectric properties of Zr doped $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ synthesized by sol–gel route, " *Journal of alloys and compounds*, **551** (2013) 456–462.
- [146] L. Sun, Z. Wang, W. Hao, E. Cao, Y. Zhang, H. Peng, "Influence of Zirconium doping on microstructure and dielectric properties of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ synthesized by the sol–gel method," *Journal of alloys and compounds*, **651** (2015) 283–289.
- [147] P. Thongbai, J. Jompatam, B. Putasaeng, T. Yamwong, S. Maensiri, "Microstructural evolution and Maxwell-Wagner relaxation in $\text{Ca}_2\text{Cu}_2\text{Ti}_{4-x}\text{Zr}_x\text{O}_{12}$: the important clue to achieve the origin of the giant dielectric behavior," *Materials Research Bulletin*, **60** (2014) 695–703.
- [148] R. Xue, Z. Chen, H. Dai, D. Liu, T. Li, G. Zhao, "Effects of rare earth ionic doping on microstructures and electrical properties of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics," *Materials Research Bulletin*, **66** (2015) 254–261.

- [149] F. Luo, J. He, J. Hu, Y. H. Lin, "Electric and dielectric behaviors of Y-doped calcium copper titanate," *Journal of the American Ceramic Society*, 93 (2010) 3043–3045.
- [150] J. Boonlakhorn, P. Kidkhunthod, B. Putasaeng, T. Yamwong, P. Thongbai, S. Maensiri, "Effects of Y doping ions on microstructure, dielectric response, and electrical properties of $\text{Ca}_{1-3x/2}\text{Y}_x\text{Cu}_3\text{Ti}_4\text{O}_{12}$ ceramics," *Journal of Materials Science: Materials in Electronics*, **26** (2015) 2329–2337.
- [151] J. Boonlakhorn, P. Kidkhunthod, P. Thongbai, "A novel approach to achieve high dielectric permittivity and low loss tangent in $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics by co-doping with Sm^{3+} and Mg^{2+} ions," *Journal of the European Ceramic Society*, **35** (2015) 3521–3528.
- [152] Z. Xu, H. Qiang, "Enhanced dielectric properties of Zn and Mn co-doped $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics," *Journal of Materials Science: Materials in Electronics*, **28** (2017) 376–380.
- [153] J. Jumptam, B. Putasaeng, N. Chanlek, J. Boonlakhorn, P. Thongbai, N. Phromviyo, P. Chindaprasirt, "Significantly improving the giant dielectric properties of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics by co-doping with Sr^{2+} and F^- ions," *Materials Research Bulletin*, **133** (2021) 111043.
- [154] R. J. D. Tilley, "Perovskites: Structure–Property Relationships," Wiley, New York, (2016).
- [155] M. B. Gawande, R. K. Pandey R. V. Jayaram, "Role of mixed metal oxides in catalysis science versatile applications in organic synthesis," *Catalysis Science & Technology*, **2** (2012) 1113-1125.

- [156] J. Liu, C. G. Duan, W. G. Yin, W. N. Mei, R. W. Smith, J. R. Hardy, "Large dielectric constant and maxwell-wagner relaxation in $\text{Bi}_{2/3}\text{Cu}_3\text{Ti}_4\text{O}_{12}$," *Physical review B*, **70** (2004) 144106.
- [157] L. Yang, G. Huang, T. Wang, H. Hao, Y. Tian, "Colossal dielectric permittivity and relevant mechanism of $\text{Bi}_{2/3}\text{Cu}_3\text{Ti}_4\text{O}_{12}$ ceramics," *Ceramic International*. **42** (2016) 9935–9939.
- [158] Z. Yang, P. Liang, L. Yang, P. Shi, X. Chao, Z. Yang, "Synthesis, dielectric properties of $\text{Bi}_{2/3}\text{Cu}_3\text{Ti}_4\text{O}_{12}$ ceramics by the sol–gel method," *Journal of Materials Science: Materials in Electronics*, **26** (2015) 1959-1968.
- [159] P. Gautam, A. Khare, S. Sharma, N. B. Singh, K. D. Mandal, "Characterization of $\text{Bi}_{2/3}\text{Cu}_3\text{Ti}_4\text{O}_{12}$ ceramics synthesized by semi-wet route," *Progress in Natural Science: Materials International*, **26** (2016) 567–571.

2.4. References

- [1] V. Kumar, A Kumar, M. K. Verma, S. Singh, S Pandey, V. S. Rai, D. Prajapati, T. Das, N. B. Singh, K. D. Mandal, "Investigation of dielectric and electrochemical behavior of $\text{CaCu}_{3-x}\text{Mn}_x\text{Ti}_4\text{O}_{12}$ ($x=0, 1$) ceramic synthesized through semi-wet route," *Materials Chemistry and Physics*, **245** (2020) 122804.
- [2] Y. Xu, "Ferroelectric Materials and Their Applications," Elsevier Science, New York, (1991).
- [3] A. L. Maximenko, E. A. Olevsky, "Effective diffusion coefficients in solid-state sintering," *Acta materialia*, **52** (2004) 2953-2963.
- [4] A. A. Bunaciu, E. G. UdrişTioiu, H. Y. Aboul-Enein, Aboul-Enein, "X-ray diffraction: instrumentation and applications," *Critical reviews in analytical chemistry*, **45** (2015) 289-299.
- [5] U. Holzwarth, N. Gibson, "The Scherrer equation versus the 'Debye-Scherrer equation'." *Nature Nanotechnology*, **6** (2011) 534-534.
- [6] C. Kittel, "Introduction to Solid State Physics, Seventh Edition," John Wiley and Sons, Canada, (2006).
- [7] A. K. Jonscher, "The 'universal' dielectric response," *Nature*, **267** (1977) 673-679.

3.5. References

- [1] B. Peng, Q. Zhang, Y. Lyu, L. Liu, X. Lou, C. Shaw, H. Huang, Z. Wang, "Thermal strain induced large electrocaloric effect of relaxor thin film on LaNiO_3/Pt composite electrode with the coexistence of nanoscale antiferroelectric and ferroelectric phases in a broad temperature range," *Nano Energy*, **47** (2018) 285-293.
- [2] B. Peng, Q. I. Zhang, B. Gang, G. I. Leighton, C. Shaw, S. J. Milne, B. Zou, W. Sun, H. Huang, Z. Wang, "Phase-transition induced giant negative electrocaloric effect in a lead-free relaxor ferroelectric thin film," *Energy & Environmental Science*, **12** (2019) 1708-1717.
- [3] Z. Peng, P. Liang, X. Wang, H. Peng, Y. Xiang, X. Chao, Z. Yang, "Copper cadmium titanate prepared by different methods: phase formation, dielectric properties and relaxor behaviors," *Ceramics International*, **44** (2018) 7814-7823.
- [4] R. Espinoza-González, S. Hevia, Á. Adrian, "Effects of strontium/lanthanum co-doping on the dielectric properties of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ prepared by reactive sintering," *Ceramics International*, **44** (2018) 15588-15595.
- [5] S. De Almeida-Didry, M. N. Nomel, C. Autret, C. Honstetter, A. Lucas, F. Pacreau, F. Gervais, "Control of grain boundary in alumina doped CCTO showing colossal permittivity by core-shell approach," *Journal of the European Ceramic Society*, **38** (2018) 3182-3187.
- [6] L. Ren, L. Yang, C. Xu, X. Zhao, R. Liao, "Improvement of breakdown field and dielectric properties of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics by Bi and Al co-doping," *Journal of Alloys and Compounds*, **768** (2018) 652-658.

- [7] X. Huang, H. Zhang, Y. Lai, J. Li, "The lowered dielectric loss tangent and grain boundary effects in fluorine-doped calcium copper titanate ceramics," *Applied Physics A*, **123** (2017) 1-7.
- [8] W. Li, L. Tang, F. Xue, Z. Xin, Z. Luo, G. Du, "Large reduction of dielectric losses of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics via air quenching," *Ceramics International*, **43** (2017) 6618-6621.
- [9] J. Boonlakhorn, N. Chanlek, J. Manyam, P. Srepusharawoot, S. Kongsuk, P. Thongbai, "Enhanced giant dielectric properties and improved nonlinear electrical response in acceptor-(Al^{3+} , Ta^{5+})-substituted $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics," *Journal of Advanced Ceramics*, **10** (2021) 1243-1255.
- [10] E. Swatsitang, S. Nijpanich, S. Putjuso, T. Putjuso, "Effect of sintering temperature and Sm^{3+} doping on the dielectric properties and non-Ohmic behavior of $\text{Ca}_{1-1.5x}\text{Sm}_x\text{Cu}_3\text{Ti}_4\text{O}_{12}$ ($x= 0.05$ and 0.10) ceramics," *Results in Physics*, **30** (2021) 104896.
- [11] J. Jumpatam, B. Putasaeng, N. Chanlek, J. Manyam, P. Srepusharawoot, S. Kongsuk, P. Thongbai, "Influence of Sn and F dopants on giant dielectric response and Schottky potential barrier at grain boundaries of CCTO ceramics," *Ceramics International* **47** (2021) 27908-27915.
- [12] J. Jumpatam, B. Putasaeng, N. Chanlek, P. Kidkhunthod, P. Thongbai, S. Maensiri, P. Chindaprasirt, "Improved giant dielectric properties of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ via simultaneously tuning the electrical properties of grains and grain boundaries by F^- substitution," *RSC Advances*, **7** (2017) 4092-4101.
- [13] P. Saengvong, J. Boonlakhorn, N. Chanlek, B. Putasaeng, P. Thongbai, " Giant dielectric permittivity with low loss tangent and excellent non- Ohmic properties of

- the (Na^+ , Sr^{2+} , Y^{3+}) $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramic system," *Ceramics International*, **46** (2020) 9780-9785.
- [14] Z. Yang, P. Liang, L. Yang, P. Shi, X. Chao, Z. Yang, "Synthesis, dielectric properties of $\text{Bi}_{2/3}\text{Cu}_3\text{Ti}_4\text{O}_{12}$ ceramics by the sol–gel method," *Journal of Materials Science: Materials in Electronics*, **26** (2015) 1959-1968.
- [15] L. Yang, X. Chao, P. Liang, L. Wei, Z. Yang, "Electrical properties and high-temperature dielectric relaxation behaviors of $\text{Na}_x\text{Bi}_{(2-x)/3}\text{Cu}_3\text{Ti}_4\text{O}_{12}$ ceramics," *Materials Research Bulletin*, **64** (2015) 216-222.
- [16] Z. Yang, P. Liang, L. Yang, P. Shi, X. Chao, Z. Yang, "Synthesis, dielectric properties of $\text{Bi}_{2/3}\text{Cu}_3\text{Ti}_4\text{O}_{12}$ ceramics by the sol–gel method, " *Journal of Materials Science: Materials in Electronics*, **26** (2015) 959–1968.
- [17] L. Yang, X. Chao, Z. Yang, N. Zhao, L. Wei, Z. Yang, "Dielectric constant versus voltage and non-Ohmic characteristics of $\text{Bi}_{2/3}\text{Cu}_3\text{Ti}_4\text{O}_{12}$ ceramics prepared by different methods, " *Ceramics International*, **42** (2016) 2526–2533.
- [18] P. Liang, Y. Li, F. Li, X. Chao, Z. Yang, "Effect of the synthesis route on the phase formation behavior and electric property of $\text{Na}_{0.5}\text{Bi}_{0.5}\text{Cu}_3\text{Ti}_4\text{O}_{12}$ ceramics," *Materials Research Bulletin*, **52** (2014) 42-49.
- [19] L. Yang, G. Huang, T. Wang, H. Hao, Y. Tian, "Colossal dielectric permittivity and relevant mechanism of $\text{Bi}_{2/3}\text{Cu}_3\text{Ti}_4\text{O}_{12}$ ceramics," *Ceramics International*, **42** (2016) 9935–9939.
- [20] P. Gautam, A. Khare, S. Sharma, N. B. Singh, K. D. Mandal, "Characterization of $\text{Bi}_{2/3}\text{Cu}_3\text{Ti}_4\text{O}_{12}$ ceramics synthesized by semi-wet route," *Progress in Natural Science: Materials International*, **26** (2016) 567-571.

- [21] J. Guo, L. Sun, Q. Ni, E. Cao, W. Hao, Y. Zhang, Y. Tian, L. Ju. " Dielectric properties and nonlinear I-V electrical behavior of (Ni²⁺, Zr⁴⁺) co-doping CaCu₃Ti₄O₁₂ ceramics," *Applied Physics A*, **124** (2018) 635.
- [22] V. S. Rai, D. Prajapati, V. Kumar, M. K. Verma, S. Pandey, T. Das, N. B. Singh, K. D. Mandal, "Low temperature synthesis, dielectric and electrical characteristics of Bi_{2/3}Cu_{3-x}Ni_xTi₄O₁₂ (where x= 0.05, 0.1, and 0.2) ceramics for the dielectric and electrical properties," *Journal of Materials Science: Materials in Electronics*, **33** (2022) 5273–5282.
- [23] V. Kumar, A. Kumar, M. K. Verma, S. Singh, S. Pandey, V. S. Rai, D. Prajapati, T. Das, N. B. Singh, K. D. Mandal, "Investigation of dielectric and electrochemical behavior of CaCu_{3-x}Mn_xTi₄O₁₂ (x= 0, 1) ceramic synthesized through semi-wet route," *Materials Chemistry and Physics*, **245** (2020) 122804.
- [24] J. Zhao, M. Chen, Q. Tan, "Embedding nanostructure and colossal permittivity of TiO₂-covered CCTO perovskite materials by a hydrothermal route," *Journal of Alloys and Compounds*, **885** (2021) 160948.
- [25] M. Basak, M. L. Rahman, M. F. Ahmed, B. Biswas, N. Sharmin, "The use of X-ray diffraction peak profile analysis to determine the structural parameters of cobalt ferrite nanoparticles using Debye-Scherrer, Williamson-Hall, Halder-Wagner and size-strain plot: different precipitating agent approach," *Journal of Alloys and Compounds*, **895** (2022) 162694.
- [26] M. Ahmadipour, M. J. Abu, M. F. Ab Rahman, M. F. Ain, Z. A. Ahmad, "Assessment of crystallite size and strain of CaCu₃Ti₄O₁₂ prepared via conventional solid-state reaction," *Micro & Nano Letters* **11** (2016) 147-150.

- [27] A. S. Priya, D. Geetha, I. B. ShameemBanu, "Structural, Dielectric, and Impedance Analysis of (Dy, Cu) Co-doped BiFeO₃," *Brazilian Journal of Physics*, **51** (2021) 1438-1447.
- [28] G. Wang, S. Yan, J. Sun, S. Wang, Q. Deng, "Visible light photocatalytic and magnetic properties of Nd doped Bi₂Fe₄O₉ powders," *Journal of Materials Science: Materials in Electronics*, **28** (2017) 4371–4377.
- [29] S. Sharif, G. Murtaza, T. Meydan, P. I. Williams, J. Cuenca, S. H. Hashimdeen, F. Shaheen, R. Ahmad, "Structural, surface morphology, dielectric and magnetic properties of holmium doped BiFeO₃ thin films prepared by pulsed laser deposition," *Thin Solid Films*, **662** (2018) 83–89.
- [30] F. Wang, D. Chen, N. Zhang, S. Wang, L. Qin, X. Sun, "Oxygen vacancies induced by zirconium doping in bismuth ferrite nanoparticles for enhanced photocatalytic performance," *Journal of colloid and interface science*, **508** (2017) 237-247.
- [31] S. R. Naik, T. Shripathi, A. V. Salker, "Preparation, characterization and photoluminescent studies of Cr and Nd co-doped Ce: YAG compounds," *Journal of Luminescence*, **161** (2015) 335-342.
- [32] J. Dai, Z. Li, X. Wen, Q. Wang, "Tuning photocatalytic activity and magnetic behavior of Bi_{0.8}Re_{0.2}FeO₃ (Re= Nd, Sm) multiferroics," *Journal of Materials Science: Materials in Electronics*, **33** (2022) 725–738.
- [33] Y. Guo, J. Tan, J. Zhao, "Microstructure and electrical properties of nano-scale SnO₂ hydrothermally coated CCTO-based composite ceramics," *Ceramics International*, **48** (2023) 17795–17801.

- [34] J. Boonlakhorn, P. Suksangrat, P. Thongbai, P. Srepusharawoot, "Improving dielectric properties of $(\text{Zn}^{2+}, \text{Al}^{3+})$ Co-doped $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ perovskite ceramics by enhancing the grain boundary response," *Ceramics International*, **49** (2023) 23099–23109.
- [35] G. D. Zhang, J. Q. Dai, X. L. Liang, "Enhanced ferroelectric properties in La-doped BiFeO_3 films by the sol-gel method," *Journal of Sol-Gel Science and Technology*, **105** (2023) 489-499.
- [36] S. Jain, J. Shah, N. S. Negi, C. Sharma, R. K. Kotnala, "Significance of interface barrier at electrode of hematite hydroelectric cell for generating ecopower by water splitting," *International Journal of Energy Research*, **43** (2019) 4743-4755.
- [37] D. Szwagierczak, J. Kulawik, A. Skwarek, "Influence of processing on microstructure and electrical characteristics of multilayer varistors," *Journal of Advanced Ceramics*, **8** (2019) 408-417.
- [38] L. Marchin, S. Guillemet-Fritsch, B. Durand, A. A. Levchenko, A. Navrotsky, T. Lebey, "Grain Growth-Controlled Giant Permittivity in Soft Chemistry $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ Ceramics," *Journal of the American Ceramic Society*, **91** (2008) 485-489.
- [39] L. Sun, Z. Wang, Y. Shi, E. Cao, Y. Zhang, H. Peng, L. Ju, "Sol-gel synthesized pure $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ with very low dielectric loss and high dielectric constant," *Ceramics International*, **41** (2015) 13486–13492.
- [40] I. Jalafi, A. Bendahhou, K. Chourti, F. Chaou, S. E. Barkany, M. Abou-Salama, "High permittivity and low dielectric loss of the $(\text{Ca}_{0.9}\text{Sr}_{0.1})_{1-x}\text{La}_{2x/3}\text{Cu}_3\text{Ti}_4\text{O}_{12}$ ceramics," *Ceramics International*, **49** (2022) 10213–10223.
- [41] J. Boonlakhorn, P. Thongbai, B. Putasaeng, P. Kidkhunthod, S. Maensiri, P. Chindaprasirt, "Microstructural evolution, non-ohmic properties, and giant dielectric

- response in $\text{CaCu}_3\text{Ti}_{4-x}\text{Ge}_x\text{O}_{12}$ ceramics," *Journal of the American Ceramic Society*, **100** (2017) 3478–3487.
- [42] L. Singh, I. W. Kim, B. C. Sin, A. Ullah, S. K. Woo, Y. Lee, "Study of dielectric, AC-impedance, modulus properties of $0.5\text{Bi}_{0.5}\text{Na}_{0.5}\text{TiO}_3$ - $0.5\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ nano-composite synthesized by a modified solid state method," *Materials Science in Semiconductor Processing*, **31** (2015) 386-396.
- [43] S. Amhil, S. B. Moumen, A. Bourial, L. Essaleh, "Evidence of large hopping polaron conduction process in strontium doped calcium copper titanate ceramics," *Physica B: Condensed Matter*, **556** (2019) 36-41.
- [44] B. Khan, A. Kumar, P. Yadav, G. Singh, U. Kumar, A. Kumar, M. K. Singh, "Structural, dielectric, magnetic and magneto-dielectric properties of $(1-x)\text{BiFeO}_3$ - $(x)\text{CaTiO}_3$ composites," *Journal of Materials Science: Materials in Electronics*, **32** (2021) 18012–18027.
- [45] K. Abdouli, F. Hassini, W. Cherif, P. R. Prezas, M. P. Graça, M. A. Valent, O. Messaoudi, S. Elgharbi, A. Dhahri, L. Manai, "Investigation of the structural, electrical, and dielectric properties of $\text{La}_{0.5}\text{Sm}_{0.2}\text{Sr}_{0.3}\text{Mn}_{1-x}\text{Cr}_x\text{O}_3$ for electrical application," *RSC Advanced*, **12** (2022) 16805–16822.
- [46] U. Venkat, P. Seenuvasakumaran, "Synthesis, structural, micro structural, optical, magnetic and dielectric properties of Nd doped multiferroic bismuth iron oxide," *Results in Materials*, **17** (2023) 100359.
- [47] M. H. Wang, B. Zhang, F. Zhou, "Preparation and characterization of silica-coated $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$," *Journal of electronic materials*, **43** (2014) 2607-2613.

- [48] R. Xue, Z. Chen, H. Dai, D. Liu, T. Li, G. Zhao, "Effects of rare earth ionic doping on microstructures and electrical properties of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics," *Materials Research Bulletin*, **66** (2015) 254-261.
- [49] K. D. Mandal, A. K. Rai, D. Kumar, O. Parkash, "Dielectric properties of the $\text{Ca}_{1-x}\text{La}_x\text{Cu}_3\text{Ti}_{4-x}\text{Co}_x\text{O}_{12}$ system ($x= 0.10, 0.20$ and 0.30) synthesized by semi-wet route," *Journal of Alloys and Compounds*, **478** (2009) 771–776.
- [50] D. Wang, A. Khesro, S. Murakami, A. Feteira, Q. Zhao, I. M. Reaney, "Temperature dependent, large electromechanical strain in Nd-doped $\text{BiFeO}_3\text{-BaTiO}_3$ lead-free ceramics," *Journal of the European Ceramic Society*, **37** (2017) 1857-1860.
- [51] G. Du, F. Wei, W. Li, N. Chen, "Co-doping effects of A-site Y^{3+} and B-site Al^{3+} on the microstructures and dielectric properties of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics," *Journal of the European Ceramic Society*, **37** (2017) 4653–4659.
- [52] J. Boonlakhorn, P. Kidkhunthod, B. Putasaeng, P. Thongbai, "Significantly improved non-ohmic and giant dielectric properties of $\text{CaCu}_{3-x}\text{Zn}_x\text{Ti}_4\text{O}_{12}$ ceramics by enhancing grain boundary response," *Ceramics International*, **43** (2017) 2705–2711.
- [53] J. W. Lee, J. H. Koh, "Grain size effects on the dielectric properties of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics for supercapacitor applications," *Ceramics International*, **41** (2015) 10442–10447.
- [54] M. Chinnathambi, A. Sakthisabarimoorthi, M. Jose, R. Robert, "Impact of neodymium doping on the dielectric and electrical properties of CCTO synthesized by a facile sol–gel technique," *Journal of Materials Science: Materials in Electronics*, **32** (2021) 9194–9207.

- [55] Q. Zheng, H. Fan, C. Long, "Microstructures and electrical responses of pure and chromium-doped $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics," *Journal of Alloys and Compounds*, **511** (2012) 90–94.
- [56] M. F. Ab Rahman, S. D. Hutagalung, Z. A. Ahmad, M. F. Ain, J. J. Mohamed, "Characterization of microstructures evolution on electrical responses of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics," *Journal of King Saud University-Engineering Sciences*, **28** (2016) 240–245.
- [57] J. Mohammed, R. Bhargava, S. Khan, S. Mishra, S. K. Godara, A. K. Srivastava, "Crystal structure refinement, optical properties, dielectric response, and impedance spectroscopy of Ni^{2+} - Co^{2+} substituted bismuth copper titanate (BCTO)," *Materials Chemistry and Physics*, **248** (2020) 122933.

4.5. References

- [1] L. Liu, S. Ren, J. Liu, F. Han, J. Zhang, B. Peng, D. Wang, A. A. Bokov, Z. G. Ye, "Localized polarons and conductive charge carriers: understanding $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ over a broad temperature range," *Physical Review B*, **99** (2019) 094110.
- [2] S. DeAlmeidaDidry, M. M. Nomel, C. Autret, C. Honstettre, A. Lucas, F. Pacreau, F. Gervais, "Control of grain boundary in alumina doped CCTO showing colossal permittivity by core-shell approach," *Journal of the European Ceramic Society*, **38** (2018) 3182-3187.
- [3] X. Guo, Y. Pu, W. Wang, J. Ji, J. Li, M. Yang, R. Shi, "Defect chemistry and colossal dielectric behavior of Nd-modified SrTiO_3 lead-free ceramic materials," *Ceramics International*, **46** (2020) 16644-16652.
- [4] J. Yuan, Y.-H. Lin, H. Lu, B. Cheng, C.-W. Nan, "Dielectric and varistor behavior of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ - MgTiO_3 composite ceramics," *Journal of the American Ceramic Society*, **94** (2011) 1966-1969.
- [5] T. Li, K. Fang, J. Hao, Y. Xue, Z. Chen, "The effect of Ca-rich on the electric properties of $\text{Ca}_{1+x}\text{Cu}_{3-x}\text{Ti}_4\text{O}_{12}$ polycrystalline system," *Materials Science and Engineering: B*, **176** (2011) 171-176.
- [6] J. L. He, F. C. Luo, J. Hu, "Cu segregation and its effects on the electrical properties of calcium copper titanate," *Science China Technological Sciences*, **54** (2011) 2506-2510.
- [7] P. Thongbai, T. Yamwong, S. Maensiri, V. Amornkitbamrung, P. Chindaprasit, "Improved dielectric and nonlinear electrical properties of fine-grained $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$

- ceramics prepared by a glycine-nitrate process," *Journal of the American Ceramic Society* **97** (2014) 1785-1790.
- [8] P. Mao, G. Lu, Q. Yan, A. Annadi, Y. Guo, Z. Wang, Z. Liu, B. Xie, L. Zhang, "Electrodes influence on the characterization of the electrical properties of colossal permittivity $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics," *Ceramics International*, **48** (2022) 32156-32163.
- [9] N. T. Taylor, F. H. Davies, S. G. Davies, C. J. Price, S. P. Hepplestone, "The fundamental mechanism behind colossal permittivity in oxides," *Advanced Materials*, **31** (2019) 1904746.
- [10] Y. Guo, J. Tan, J. Zhao, "Influence of CTO additives on microstructure and electrical properties of CCTO ceramics," *Materials Chemistry and Physics*, **278** (2022) 125659.
- [11] P. Mao, C. Zeng, Y. Guo, G. Lu, Q. Yan, Z. Liu, B. Xie, Y. Zhao, K. Guo, L. Zhang, "Tuning electrical heterogeneity in $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ -ZnO ceramics for high dielectric and nonlinear properties," *Materials Research Bulletin*, **164** (2023) 112276.
- [12] P. Mao, J. Wang, S. Liu, L. Zhang, Y. Zhao, L. He, "Grain size effect on the dielectric and non-ohmic properties of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics prepared by the sol-gel process," *Journal of Alloys and Compounds*, **778** (2019) 625-632.
- [13] A. Rani, N. Ahlawat, R. S. Kundu, K. Rani, "Investigation of microstructural evolution and suitable potential barrier model for non-linear electrical response of Sr and Nb co-doped $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics," *Physica B: Condensed Matter*, **633** (2022) 413715.
- [14] P. Mao, J. Wang, L. He, L. Zhang, A. Annadi, F. Kang, Q. Sun, Z. Wang, H. Gong, "Electrodes influence on the characterization of the electrical properties of colossal permittivity $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics," *Ceramics International*, **48** (2022) 32156-32163.

- [15] T. B. Adams, D. C. Sinclair, A. R. West, "Characterization of grain boundary impedances in fine-and coarse-grained $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics," *Physical review B*, **73** (2006) 094124.
- [16] Y. Q. Tan, J. L. Zhang, W. T. Hao, G. Chen, W. B. Su, D. L. Wang, "Giant dielectric-permittivity property and relevant mechanism of $\text{Bi}_{2/3}\text{Cu}_3\text{Ti}_4\text{O}_{12}$ ceramics," *Materials Chemistry and Physics*, **124** (2010) 1100-1104.
- [17] L. Yang, G. Huang, T. Wang, H. Hao, Y. Tian, "Colossal dielectric permittivity and relevant mechanism of $\text{Bi}_{2/3}\text{Cu}_3\text{Ti}_4\text{O}_{12}$ ceramics," *Ceramics International*, **42** (2016) 9935-9939.
- [18] P. Gautam, S. S. Yadava, A. Khare, K. D. Mandal, "Dielectric and magnetic studies of $0.5\text{Bi}_{2/3}\text{Cu}_3\text{Ti}_4\text{O}_{12}$ - $0.5\text{Bi}_3\text{LaTi}_3\text{O}_{12}$ nano-composite ceramic synthesized by semi-wet route," *Ceramics International*, **43** (2017) 3133-3139.
- [19] P. Gautam, A. Khare, S. Sharma, N. B. Singh, K. D. Mandal, "Characterization of $\text{Bi}_{2/3}\text{Cu}_3\text{Ti}_4\text{O}_{12}$ ceramics synthesized by semi-wet route," *Progress in Natural Science: Materials International*, **26** (2016) 567-571.
- [20] D. Prajapati, V. S. Rai, V. Kumar, M. K. Verma, A. Kumar, N. B. Singh, K. D. Mandal, "Investigation on the effect of Dy doping on the microstructure, dielectric, electrical, and magnetic properties of $\text{Bi}_{2/3}\text{Cu}_3\text{Ti}_4\text{O}_{12}$ ceramic," *Journal of Materials Science: Materials in Electronics*, **34** (2023) 634.
- [21] V. S. Rai, D. Prajapati, M. K. Verma, V. Kumar, S. Pandey, T. Das, N. B. Singh, K. D. Mandal, "Influence of Zn doping on microstructure, dielectric, and electric properties in $\text{Bi}_{2/3}\text{Cu}_3\text{Ti}_4\text{O}_{12}$ ceramic synthesized by the semi-wet method," *Journal of Materials Science: Materials in Electronics*, **33** (2022) 14868-14881.

- [22] V. S. Rai, S. Pandey, V. Kumar, M. K. Verma, A. Kumar, S. Singh, D. Prajapati, K. D. Mandal, "Investigation of microstructure and dielectric behavior of $\text{Bi}_{2/3}\text{Cu}_{3-x}\text{Mg}_x\text{Ti}_4\text{O}_{12}$ ($x=0, 0.05, 0.1$ and 0.2) ceramics synthesized by semi-wet route," *Journal of Materials Science: Materials in Electronics*, **32** (2021) 7671-7680.
- [23] Z. Peng, P. Liang, X. Wang, H. Peng, X. Chen, Z. Yang, X. Chao, "Fabrication and characterization of $\text{CdCu}_3\text{Ti}_4\text{O}_{12}$ ceramics with colossal permittivity and low dielectric loss," *Materials Letters*, **210** (2018) 301-304.
- [24] M. T. Kebede, V. Dillu, S. Devi, S. Chauhan, "Phase transition and optical properties of samarium-doped BiFeO_3 nanoparticles," *Journal of Materials Science: Materials in Electronics*, **31** (2020) 19950-19960.
- [25] M. Basak, M. L. Rahman, M. F. Ahmed, B. Biswas, N. Sharmin, "The use of X-ray diffraction peak profile analysis to determine the structural parameters of cobalt ferrite nanoparticles using Debye-Scherrer, Williamson-Hall, Halder-Wagner and Size-strain plot: Different precipitating agent approach," *Journal of Alloys and Compounds*, **895** (2022) 162694.
- [26] C. Anthonyraj, M. Muneeswaran, S. GokulRaj, N. V. Giridharan, V. Sivakumar, G. Senguttuvan, "Effect of samarium doping on the structural, optical and magnetic properties of sol-gel processed BiFeO_3 thin films," *Journal of Materials Science: Materials in Electronics*, **26** (2015) 49-58.
- [27] X. Zhai, H. Deng, W. Zhou, P. Yang, J. Chu, "Strain-induced structural phase transition, ferromagnetic and optical properties of $\text{Bi}_{1-x}\text{Tb}_x\text{FeO}_3$ thin films," *Journal of Physics D: Applied Physics*, **48** (2015) 385002.

- [28] M. Zhong, N. P. Kumar, E. Sagar, Z. Jian, H. Yemin, P. V. Reddy, "Structural, magnetic and dielectric properties of Y doped BiFeO₃," *Materials Chemistry and Physics*, **173** (2016) 126-131.
- [29] H. Singh, K. L. Yadav, "Structural, dielectric, vibrational and magnetic properties of Sm doped BiFeO₃ multiferroic ceramics prepared by a rapid liquid phase sintering method," *Ceramics International*, **41** (2015) 9285-9295.
- [30] A. D. Sharma, H. B. Sharma, "Structural, optical, and dispersive parameters of (Gd, Mn) co-doped BiFeO₃ thin film," *Materials Today: Proceedings*, **65** (2022) 2837-2843.
- [31] R. R. Awasthi, B. Das, "Structural transition and tunable optical, morphological and magnetic properties of Mn-doped BiFeO₃ films," *Optik*, **194** (2019) 162973.
- [32] Z. D. Li, L. Cheng, S. L. Zhang, Z. H. Wang, C. L. Fu, "Enhanced photocatalytic and magnetic recovery performance of Co-doped BiFeO₃ based on MOFs precursor," *Journal of Solid State Chemistry*, **279** (2019) 120978.
- [33] M. Wang, M. Y. You, P. Y. Guo, H. Y. Tang, C. M. Lv, Y. Zhan, T. Zhu, J. Han, "Hydrothermal synthesis of Sm-doped Bi₂MoO₆ and its high photocatalytic performance for the degradation of Rhodamine B," *Journal of Alloys and Compounds*, **728** (2017) 739-746.
- [34] Z. Li, J. Wu, W. Wu, "Composition dependence of colossal permittivity in (Sm_{0.5}Ta_{0.5})_xTi_{1-x}O₂ ceramics," *Journal of Materials Chemistry C*, **3** (2015) 9206-9216.
- [35] V. Kumar, S. Pandey, A. Kumar, M. K. Verma, S. Singh, V. S. Rai, D. Prajapati, T. Das, A. Sharma, C. L. Prajapat, A. Gangwar, "Investigation of dielectric, magnetic and impedance spectroscopic properties of CaCu_{3-x}Mn_xTi_{4-x}Mn_xO₁₂ (X= 0.10) nano-

- ceramic synthesized through semi-wet route," *Journal of Materials Research and Technology*, **9** (2020) 12936-12945.
- [36] C. Tian, Q. Yao, Z. Tong, H. Zhou, G. Rao, J. Deng, Z. Wang, J. Wang, "Effects of Sm-doping on microstructure, magnetic and microwave absorption properties of BiFeO₃," *Journal of Rare Earths*, **39** (2021) 835-843.
- [37] S. Kawrani, M. Boulos, D. Cornu, M. Bechelany, "From synthesis to applications: copper calcium titanate (CCTO) and its magnetic and photocatalytic properties," *Chemistry Open*, **8** (2019) 922-950.
- [38] A. Z. Simões, L. S. Cavalcante, F. Moura, E. Longo, J. A. Varela, "Structure, ferroelectric/magnetoelectric properties and leakage current density of (Bi_{0.85}Nd_{0.15})FeO₃ thin films," *Journal of alloys and compounds*, **509** (2011) 5326-5335.
- [39] P. Thongbai, B. Putasaeng, T. Yamwong, S. Maensiri, "Modified giant dielectric properties of samarium doped CaCu₃Ti₄O₁₂ ceramics," *Materials Research Bulletin*, **47** (2012) 2257-2263.
- [40] H. Lin, W. Xu, H. Zhang, C. Chen, Y. Zhou, Z. Yi, "Origin of high dielectric performance in fine grain-sized CaCu₃Ti₄O₁₂ materials," *Journal of the European Ceramic Society* **40** (2020) 1957-1966.
- [41] I. Jalafi, A. Bendahhou, K. Chourti, F. Chaou, S. E. Barkany, M. Abou-Salama, "High permittivity and low dielectric loss of the (Ca_{0.9}Sr_{0.1})_{1-x}La_{2x/3}Cu₃Ti₄O₁₂ ceramics," *Ceramics International* **49** (2023) 10213-10223.
- [42] M. S. Alkathy, K. K. Bokinala, K. C. James Raju, "Effect of Li and Bi co-substituted on structural and physical properties of BaTiO₃ ceramics," *Journal of Materials Science: Materials in Electronics*, **27** (2016) 3175-3181.

- [43] D. Panda, S. S. Hota, R. N. P. Choudhary, "A brownmillerite electronic material LiBiFe₂O₅: structural, dielectric, electrical, and ferroelectric properties for device application," *Phase Transitions*, **96** (2023) 822-839.
- [44] S. Singh, A. Kaur, P. Kaur, L. Singh, "High-temperature dielectric relaxation and electric conduction mechanisms in a LaCoO₃-modified Na_{0.5}Bi_{0.5}TiO₃ system," *ACS omega*, **8** (2023) 25623-25638.
- [45] L. Tang, F. Xue, P. Guo, Z. Luo, Z. Xin, W. Li, "Vanadium doping for lowering the preparation temperatures of CaCu₃Ti₄O₁₂ ceramics and its effect on their microstructures and dielectric properties," *Journal of Materials Science: Materials in Electronics*, **29** (2018) 9435-9441.
- [46] J. Wang, Z. Lu, T. Deng, C. Zhong, Z. Chen, "Improved dielectric properties in A'-site nickel-doped CaCu₃Ti₄O₁₂ ceramics," *Journal of the American Ceramic Society*, **100** (2017) 4021-4032.
- [47] G. Du, F. Wei, W. Li, N. Chen, "Co-doping effects of A-site Y³⁺ and B-site Al³⁺ on the microstructures and dielectric properties of CaCu₃Ti₄O₁₂ ceramics," *Journal of the European Ceramic Society*, **37** (2017) 4653-4659.
- [48] B. K. Paul, D. Mondal, D. Bhattacharya, S. Datta, M. Kundu, I. Mondal, P. Halder, S. Sarkar, A. Ghosh, T. K. Mandal, S. Das, "Transition metal impregnated nanostructured oxide material for broadband electromagnetic interference shielding: A theoretical and experimental insight," *Chemical Engineering Journal*, **459** (2023) 141560.
- [49] Y. Slimani, A. Selmi, E. Hannachi, M. A. Almessiere, A. Baykal, I. Ercan, "Impact of ZnO addition on structural, morphological, optical, dielectric and electrical

- performances of BaTiO₃ ceramics," *Journal of Materials Science: Materials in Electronics*, **30** (2019) 9520-9530.
- [50] P. Saengvong, J. Boonlakhorn, J. Jumpatam, N. Chanlek, J. Prasongkit, B. Putasaeng, P. Moontragoon, P. Srepusharawoot, P. Thongbai, "Effects of sintering condition on giant dielectric and nonlinear current-voltage properties of Na_{1/2}Y_{1/2}Cu₃Ti_{3.975}Ta_{0.025}O₁₂ ceramics," *Heliyon*, **9** (2023).
- [51] M. Li, Q. Liu, C. X. Li, "Study of the dielectric responses of Eu-doped CaCu₃Ti₄O₁₂," *Journal of Alloys and Compounds*, **699** (2017) 278-282.
- [52] I. Coondoo, A. K. Jha, S. K. Agarwal, "Enhancement of dielectric characteristics in donor doped Aurivillius SrBi₂Ta₂O₉ ferroelectric ceramics," *Journal of the European Ceramic Society*, **27** (2007) 253-260.
- [53] M. A. Mosa, M. K. Das, F. Alam, "Enhanced multiferroic properties in Ba and Sm co-doped BiFeO₃ ceramics," *Journal of Materials Science: Materials in Electronics*, **33** (2022) 25089-25102.
- [54] W. B. Taazayet, I. M. Zouari, B. Dkhil, N. T. Mliki, "Optical and dielectric properties of ultra-fine Mn doped BiFeO₃ nanoparticles," *Inorganic Chemistry Communications*, **154** (2023) 110951.
- [55] Peng, P. Liang, J. Wang, X. Zhou, J. Zhu, X. Chao, Z. Yang, "Interfacial effect inducing thermal stability and dielectric response in CdCu₃Ti₄O₁₂ ceramics," *Solid State Ionics*, **348** (2020) 115290.
- [56] S. Pandey, V. Kumar, K. D. Mandal, "Studies of sintering temperature on the microstructure, magnetic and dielectric behavior of CaCu₃Ti_{3.5}Mn_{0.5}O₁₂ ceramic synthesized by semi-wet route," *SN Applied Sciences*, **2** (2020) 1-9.

5.5. References

- [1] K. D. Mandal, A. K. Rai, D. Kumar, O. Parkash, "Dielectric properties of the $\text{Ca}_{1-x}\text{La}_x\text{Cu}_3\text{Ti}_{4-x}\text{Co}_x\text{O}_{12}$ system ($x= 0.10, 0.20$ and 0.30) synthesized by semi-wet route," *Journal of alloys and compounds*, **478** (2009) 771-776.
- [2] A. K. Rai, K. D. Mandal, D. Kumar, O. Parkash, "Characterization of nickel doped CCTO: $\text{CaCu}_{2.9}\text{Ni}_{0.1}\text{Ti}_4\text{O}_{12}$ and $\text{CaCu}_3\text{Ti}_{3.9}\text{Ni}_{0.1}\text{O}_{12}$ synthesized by semi-wet route," *Journal of alloys and compounds*, **491** (2010) 507-512.
- [3] D. Huang, W. -L. Li, Z. -F. Liu, Y. -X. Li, C. Ton-That, J. Cheng, W. C. H. Choy, F. C. -C. Ling, "Electron-pinned defect dipoles in (Li, Al) co-doped ZnO ceramics with colossal dielectric permittivity," *Journal of materials chemistry A*, **8** (2020) 4764-4774.
- [4] L. Yang, X. Kong, F. Li, H. Hao, Z. Cheng, H. Liu, J. -F. Li, S. Zhang, "Perovskite lead-free dielectrics for energy storage applications," *Progress in Materials Science*, **102** (2019) 72-108.
- [5] C. Zhao, J. Wu, "Effects of secondary phases on the high-performance colossal permittivity in titanium dioxide ceramics," *ACS applied materials & interfaces*, **10** (2018) 3680-3688.
- [6] W. Dong, W. Hu, T. J. Frankcombe, D. Chen, C. Zhou, Z. Fu, L. Cândido, G. Hai, H. Chen, Y. Li, R. L. Withers, Y. Liu, "Colossal permittivity with ultralow dielectric loss in In+Ta co-doped rutile TiO_2 " *Journal of materials chemistry A*, **5** (2017) 5436-5441.
- [7] X. Cheng, Z. Li, J. Wu, "Colossal permittivity in ceramics of TiO_2 Co-doped with niobium and trivalent cation," *Journal of Materials Chemistry A*, **3** (2015) 5805-5810.

- [8] R. Schmidt, M. C. Stennett, N. C. Hyatt, J. Pokorny, J. Prado-Gonjal, M. Li, D. C. Sinclair, "Effects of sintering temperature on the internal barrier layer capacitor (IBLC) structure in $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ (CCTO) ceramics," *Journal of the European Ceramic Society*, **32** (2012) 3313-3323.
- [9] P. Liang, Y. Li, F. Li, X. Chao, Z. Yang, "Effect of the synthesis route on the phase formation behavior and electric property of $\text{Na}_{0.5}\text{Bi}_{0.5}\text{Cu}_3\text{Ti}_4\text{O}_{12}$ ceramics," *Materials Research Bulletin* **52** (2014) 42-49.
- [10] A. K. Rai, N. K. Singh, S. -K. Lee, K. D. Mandal, D. Kumar, O. Parkash, "Dielectric properties of iron doped calcium copper titanate, $\text{CaCu}_{2.9}\text{Fe}_{0.1}\text{Ti}_4\text{O}_{12}$," *Journal of alloys and compounds* **509** (2011) 8901-8906.
- [11] Y. Q. Tan, J. L. Zhang, W. T. Hao, G. Chen, W. B. Su, C. L. Wang, "Giant dielectric-permittivity property and relevant mechanism of $\text{Bi}_{2/3}\text{Cu}_3\text{Ti}_4\text{O}_{12}$ ceramics," *Materials Chemistry and Physics*, **124** (2010) 1100-1104.
- [12] E. A. Patterson, S. Kwon, C. -C. Huang, D. P. Cann, "Effects of ZrO_2 additions on the dielectric properties of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$," *Applied physics letters*, **87** (2005).
- [13] A. Cho, C. S. Han, M. Kang, W. Choi, J. Lee, J. Jeon, S. Yu, Y. S. Jung, Y. S. Cho, "Direct correlations of grain boundary potentials to chemical states and dielectric properties of doped $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ thin films," *ACS applied materials & interfaces*, **10** (2018) 16203-16209.
- [14] H. M. Kang, S. -H. Baek, J. H. Song, Y. S. Cho, J. -W. Choi, "Full range dielectric characteristics of calcium copper titanate thin films prepared by continuous composition-spread sputtering," *ACS Combinatorial Science*, **16** (2014) 478-484.

- [15] L. Yang, G. Huang, T. Wang, H. Hao, Y. Tian, "Colossal dielectric permittivity and relevant mechanism of $\text{Bi}_{2/3}\text{Cu}_3\text{Ti}_4\text{O}_{12}$ ceramics," *Ceramics International*, **42** (2016) 9935-9939.
- [16] A. K. Rai, K. D. Mandal, D. Kumar, O. Parkash, "Dielectric properties of $\text{CaCu}_3\text{Ti}_{4-x}\text{Co}_x\text{O}_{12}$ ($x=0.10, 0.20,$ and 0.30) synthesized by semi-wet route," *Materials Chemistry and Physics*, **122** (2010) 217-223.
- [17] J. Jumptam, N. Chanlek, P. Thongbai, "Giant dielectric response, electrical properties and nonlinear current-voltage characteristic of $\text{Al}_2\text{O}_3\text{-CaCu}_3\text{Ti}_4\text{O}_{12}$ nanocomposites," *Applied Surface Science*, **476** (2019) 623-631.
- [18] S. -Y. Chung, I. -D. Kim, S. -J. L. Kang, "Strong nonlinear current–voltage behaviour in perovskite-derivative calcium copper titanate," *Nature materials*, **3** (2004) 774-778.
- [19] P. Thongbai, J. Jumptam, B. Putasaeng, T. Yamwong, S. Maensiri, "The origin of giant dielectric relaxation and electrical responses of grains and grain boundaries of W-doped $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics," *Journal of Applied Physics*, **112** (2012).
- [20] J. Jumptam, B. Putasaeng, T. Yamwong, P. Thongbai, S. Maensiri, "Effects of Bi^{3+} doping on microstructure and dielectric properties of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}/\text{CaTiO}_3$ composite ceramics," *Ceramics International*, **41** (2015) S498-S503.
- [21] J. Liu, C. Duan, W. N. Mei, R. W. Smith, J. R. Hardy, "Dielectric properties and Maxwell-Wagner relaxation of compounds $\text{ACu}_3\text{Ti}_4\text{O}_{12}$ ($A= \text{Ca}, \text{Bi}_{2/3}, \text{Y}_{2/3}, \text{La}_{2/3}$)," *Journal of applied Physics*, **98** (2005).
- [22] S. Krohns, P. Lunkenheimer, S. G. Ebbinghaus, A. Loidl, "Colossal dielectric constants in single-crystalline and ceramic $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ investigated by broadband dielectric spectroscopy," *Journal of Applied Physics*, **103** (2008).

- [23] W. C. Ribeiro, E. Joanni, R. Savu, P. R. Bueno, "Nanoscale effects and polaronic relaxation in $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ compounds," *Solid state communications*, **151** (2011) 173-176.
- [24] K. Sun, L. -F. Xu, C. Mao, X. Feng, J. -Y. Liang, H.-B. Xiao, R.-L. Wang, D. -W. Shi, C. -P. Yang, "Preferential orientation and relaxation behaviors of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ thin films in a low frequency range," *Journal of Alloys and Compounds*, **704** (2017) 676-682.
- [25] K. Barner, X. J. Luo, X. P. Song, C. Hang, S. S. Chen, I. V. Medvedeva, C. P. Yang, "Correlation between the trap state spectra and dielectric behavior of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$," *Journal of Materials Research*, **26** (2011) 395-406.
- [26] W. Hao, J. Zhang, Y. Tan, W. Su, "Giant dielectric-permittivity phenomena of compositionally and structurally $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ -like oxide ceramics," *Journal of the American Ceramic Society*, **92** (2009) 2937-2943.
- [27] J. Liu, C. -G. Duan, W. -G. Yin, W. N. Mei, R. W. Smith, J.R. Hardy, "Large dielectric constant and maxwell-wagner relaxation in $\text{Bi}_{2/3}\text{Cu}_3\text{Ti}_4\text{O}_{12}$," *Physical review B*, **70** (2004) 144106.
- [28] Z. Yang, P. Liang, L. Yang, P. Shi, X. Chao, Z. Yang, "Synthesis, dielectric properties of $\text{Bi}_{2/3}\text{Cu}_3\text{Ti}_4\text{O}_{12}$ ceramics by the sol-gel method," *Journal of Materials Science: Materials in Electronics*, **26** (2015) 1959-1968.
- [29] P. Gautam, A. Khare, S. Sharma, N. B. Singh, K. D. Mandal, "Characterization of $\text{Bi}_{2/3}\text{Cu}_3\text{Ti}_4\text{O}_{12}$ ceramics synthesized by semi-wet route," *Progress in Natural Science: Materials International*, **26** (2016) 567-571.
- [30] V. Kumar, A. Kumar, M. K. Verma, S. Singh, S. Pandey, V. S. Rai, D. Prajapati, T. Das, N. B. Singh, K. D. Mandal, "Investigation of dielectric and electrochemical

- behavior of $\text{CaCu}_{3-x}\text{Mn}_x\text{Ti}_4\text{O}_{12}$ ($x=0, 1$) ceramic synthesized through semi-wet route," *Materials Chemistry and Physics*, **245** (2020) 122804.
- [31] V. S. Rai, S. Pandey, V. Kumar, M. K. Verma, A. Kumar, S. Singh, D. Prajapati, K. D. Mandal, "Investigation of microstructure and dielectric behavior of $\text{Bi}_{2/3}\text{Cu}_{3-x}\text{Mg}_x\text{Ti}_4\text{O}_{12}$ ($x=0, 0.05, 0.1$ and 0.2) ceramics synthesized by semi-wet route," *Journal of Materials Science: Materials in Electronics*, **32** (2021) 7671-7680.
- [32] G. Sreenu, S. Saha, R. N. Bhowmik, J. P. Praveen, D. Das, "Investigation of structural, electrical, and dielectric properties of lead-free $(\text{BiFeO}_3)_{(1-x)}-(\text{CaTiO}_3)_x$ ceramics," *Journal of Materials Science: Materials in Electronics*, **33** (2022) 24959-24971.
- [33] X. Huang, H. Zhang, M. Wei, Y. Lai, J. Li, "Effect of semiconductive grain and microstructure on the dielectric properties of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics with Sr^{2+} doping," *Journal of Alloys and Compounds*, **708** (2017) 1026-1032.
- [34] L. da Conceição, A. M. Silva, N. F. P. Ribeiro, M. M. V. M. Souza, "Combustion synthesis of $\text{La}_{0.7}\text{Sr}_{0.3}\text{Co}_{0.5}\text{Fe}_{0.5}\text{O}_3$ (LSCF) porous materials for application as cathode in IT-SOFC." *Materials Research Bulletin*, **46** (2011) 308-314.
- [35] X. Zhao, H. Yang, Z. Cui, X. Wang, Z. Yi, "Growth process and CQDs-modified $\text{Bi}_4\text{Ti}_3\text{O}_{12}$ square plates with enhanced photocatalytic performance," *Micromachines*, **10** (2019) 66.
- [36] N. Tian, Y. Zhang, H. Huang, Y. He, Y. Guo, "Influences of Gd substitution on the crystal structure and visible-light-driven photocatalytic performance of Bi_2WO_6 ," *The Journal of Physical Chemistry C*, **118** (2014) 15640-15648.
- [37] L. Singh, I. W. Kim, B. C. Sin, K. D. Mandal, U. S. Rai, A. Ullah, H. Chung, Y. Lee, "Dielectric studies of a nano-crystalline $\text{CaCu}_{2.90}\text{Zn}_{0.10}\text{Ti}_4\text{O}_{12}$ electro-ceramic by one

- pot glycine assisted synthesis from inexpensive TiO₂ for energy storage capacitors," RSC Advances, **4** (2014) 52770-52784.
- [38] W. Tuichai, S. Danwittayakul, N. Chanlek, M. Takesada, A. Pengpad, P. Srepusharawoot, P. Thongbai, "High-performance giant dielectric properties of Cr³⁺/Ta⁵⁺ Co-doped TiO₂ ceramics," ACS omega, **6** (2021) 1901-1910.
- [39] V. S. Rai, D. Prajapati, V. Kumar, M. K. Verma, S. Pandey, T. Das, N. B. Singh, K. D. Mandal, "Low temperature synthesis, dielectric and electrical characteristics of Bi_{2/3}Cu_{3-x}Ni_xTi₄O₁₂(where x=0.05, 0.1, and 0.2) ceramics for the dielectric and electrical properties," Journal of Materials Science: Materials in Electronics, **33** (2022) 5273-5282.
- [40] A. Kumar, S. S. Yadava, P. Gautam, A. Khare, K. D. Mandal, "Magnetic and dielectric studies of barium hexaferrite (BaFe₁₂O₁₉) ceramic synthesized by chemical route," Journal of Electroceramics, **42** (2019) 47-56.
- [41] S. S. Yadava, L. Singh, S. Sharma, K. D. Mandal, N. B. Singh, "Effect of temperature on the dielectric and ferroelectric properties of a nanocrystalline hexagonal Ba₄YMn₃O_{1.5-δ} ceramic synthesized by a chemical route," RSC Advances, **6** (2016) 68247-68253.
- [42] S. Singh, A. Kumar, S. K. Pandey, V. Kumar, M. K. Verma, A. Gupta, K. D. Mandal, "Synthesis of Bi₄Ti₃O₁₂-BaTiO₃ nanocomposite, manifesting high dielectric and unique magnetic nature applicable in heterogeneous photocatalytic activity for degradation of Rhodamine B dye," Materials Technology, **36** (2021) 476-491.
- [43] L. Singh, U. S. Rai, K. Mandal, B. C. Sin, S.-I. Lee, Y. Lee, "Dielectric, AC-impedance, modulus studies on 0.5BaTiO₃-0.5CaCu₃Ti₄O₁₂ nano-composite ceramic

synthesized by one-pot, glycine-assisted nitrate-gel route," *Ceramics International*, **40** (2014) 10073-10083.

- [44] Y. Slimani, A. Selmi, E. Hannachi, M. A. Almessiere, A. Baykal, I. Ercan, "Impact of ZnO addition on structural, morphological, optical, dielectric and electrical performances of BaTiO₃ ceramics," *Journal of Materials Science: Materials in Electronics*, **30** (2019) 9520-9530.
- [45] M. A. Ahmed, M. A. El Hiti, M. K. El Nimr, M. A. Amer, "The ac electrical conductivity for Co-substituted SbNi ferrites," *Journal of magnetism and magnetic materials*, **152** (1996) 391-395.

6.5. Reference

- [1] G. R. Gajula, L. R. Buddiga, K. N. Chidambara Kumar, and M. Dasari, "Study on electric modulus, complex modulus and conductivity properties of Nb/Sm, Gd doped barium titanate-lithium ferrite ceramic composites," *Results in Physics*, **17** (2020) 103076.
- [2] Y. Wang, W. Jie, C. Yang, X. Wei, and J. Hao, "Colossal permittivity materials as superior dielectrics for diverse applications," *Advanced Functional Materials*, **29** (2019) 1808118.
- [3] N. G. Imam, M. AbouHasswa, and N. Okasha, "Synchrotron X-ray absorption fine structure study and dielectric performance of $\text{Li}_{0.5}\text{Fe}_{2.5}\text{O}_4/\text{BaTiO}_3$ multiferroic," *Journal of Materials Science: Materials in Electronics*, **32** (2021) 21492-21510.
- [4] Y. Slimani, A. Selmi, E. Hannachi, M. A. Almessiere, A. Baykal, I. Ercan, "Impact of ZnO addition on structural, morphological, optical, dielectric and electrical performances of BaTiO_3 ceramics," *Journal of Materials Science: Materials in Electronics*, **30** (2019) 9520-9530.
- [5] M. A. Almessiere, Y. Slimani, H. S. El Sayed, A. Baykal, I. Ercan, "Microstructural and magnetic investigation of vanadium-substituted Sr-nanohexaferrite," *Journal of Magnetism and Magnetic Materials*, **471** (2019) 124-132.
- [6] M. A. Almessiere, Y. Slimani, M. Sertkol, M. Nawaz, A. Sadaqat, A. Baykal, I. Ercan, B. Özçelik, "Effect of Nb^{3+} substitution on the structural, magnetic, and optical properties of $\text{Co}_{0.5}\text{Ni}_{0.5}\text{Fe}_2\text{O}_4$ nanoparticles," *Nanomaterials*, **9** (2019) 430.
- [7] A. Manikandan, M. Yogasundari, K. Thanrasu, A. Dinesh, K. K. Raja, Y. Slimani, S. K. Jaganathan, R. Srinivasan, A. Baykal, "Structural, morphological and optical

- properties of multifunctional magnetic-luminescent ZnO@Fe₃O₄ nanocomposite," *Physica E: Low-dimensional Systems and Nanostructures*, **124** (2020) 114291.
- [8] A. S. Hassanien, H. R. Alamri, I. M. El Radaf, "Impact of film thickness on optical properties and optoelectrical parameters of novel CuGaGeSe₄ thin films synthesized by electron beam deposition," *Optical and Quantum Electronics*, **52** (2020) 335.
- [9] A. S. Hassanien, I. Sharma, "Dielectric properties, Optoelectrical parameters and electronic polarizability of thermally evaporated a-Pb-Se-Ge thin films," *Physica B: Condensed Matter*, **622** (2021) 413330.
- [10] A. Hamrita, Y. Slimani, M. K. Ben Salem, E. Hannachi, L. Bessais, F. Ben Azzouz, M. Ben Salem, "Superconducting properties of polycrystalline YBa₂Cu₃O_{7-d} prepared by sintering of ball-milled precursor powder," *Ceramics International*, **40** (2014) 1461-1470.
- [11] Y. Slimani, E. Hannachi, M. K. Ben Salem, A. Hamrita, M. Ben Salem, F. Ben Azzouz, "Excess conductivity study in nano-CoFe₂O₄-Added YBa₂Cu₃O_{7-d} and Y₃Ba₅Cu₈O_{18±x} superconductors," *Journal of Superconductivity and Novel Magnetism*, **28** (2015) 3001-3010.
- [12] M. K. Ben Salem, E. Hannachi, Y. Slimani, A. Hamrita, M. Zouaoui, L. Bessais, M. Ben Salem, F. Ben Azzouz, "SiO₂ nanoparticles addition effect on microstructure and pinning properties in YBa₂Cu₃O_y," *Ceramics International*, **40** (2014) 4953-4962.
- [13] P. Cheng, D. Wang, Z. Dang, Q. Luo, M. Zhou, "Influence of donor doping on dielectric properties of calcium copper titanate ceramics." *AIP Advances*, **12** (2022).
- [14] R. Wu, M. Ma, S. Zhang, P. Zhao, K. Li, Q. Zhao, A. Chang, B. Zhang, "Enhanced linearity of CaCu₃Ti₄O₁₂ by changing energy band structure induced by Fe³⁺ doping for

- high temperature thermistor application," *Applied Physics Letters*, **121** (2022).
- [15] Z. Zhang, S. Shu, Z. Wang, Z. Xie, H. Wang, C. Li, S. Ke, L. Shu, "The flexoelectric transition in $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ material with colossal permittivity," *Journal of Applied Physics*, **132** (2022).
- [16] J. Zhang, J. Zheng, Y. Li, Y. Liu, W. Hao, L. Lin, Y. Li, J. Song, "Effect of different pH values adjusted by ammonia on the dielectric properties of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics prepared by a sol-gel method," *Journal of Alloys and Compounds*, **779** (2019) 255-260.
- [17] Y. Guo, J. Tan, J. Zhao, "Influence of CTO additives on microstructure and electrical properties of CCTO ceramics," *Materials Chemistry and Physics*, **278** (2022) 125659.
- [18] S. G. Infantiya, A. Aslinjensipriya, R. S. Reena, S. Deepapriya, J. D. Rodney, S. J. Das, C. J. Raj, "Calcium copper titanate a perovskite oxide structure: effect of fabrication techniques and doping on electrical properties—a review," *Journal of Materials Science: Materials in Electronics*, **33** (2022) 15992-16028.
- [19] L. Liu, S. Ren, J. Liu, F. Han, J. Zhang, B. Peng, D. Wang, A. A. Bokov, Z.-G. Ye, "Localized polarons and conductive charge carriers: understanding $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ over a broad temperature range," *Physical Review B*, **99** (2019) 094110.
- [20] M.B. Smith, K. Page, T. Siegrist, P. L. Redmond, E. C. Walter, R. Seshadri, L. E. Brus, M. L. Steigerwald, "Crystal structure and the paraelectric-to-ferroelectric phase transition of nanoscale BaTiO_3 ," *Journal of the American Chemical Society*, **130** (2008) 6955-6963.
- [21] P. Mao, J. Wang, S. Liu, L. Zhang, Y. Zhao, L. He, "Grain size effect on the dielectric and non-ohmic properties of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics prepared by the sol-gel process," *Journal of Alloys and Compounds*, **778** (2019) 625-632.

- [22] R. K. Pandey, W. A. Stapleton, J. Tate, A. K. Bandyopadhyay, I. Sutanto, S. Sprissler, S. Lin, *AIP Adv*, **3** 62126 (2013).
- [23] S. Rani, N. Ahlawat, K. M. Sangwan, S. Rani, R. Punia, J. Malik, "Structural investigation and giant dielectric response of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramic by Nd/Zr co-doping for energy storage applications," *Journal of Materials Science: Materials in Electronics*, **29** (2018) 10825-10833.
- [24] P. Mandal and A. Sundaresan, "Dielectric relaxation mechanism in high-pressure synthesized $\text{BiCr}_{0.5}\text{Mn}_{0.5}\text{O}_3$," *Journal of Electronic Materials*, **50** (2021) 1615-1620.
- [25] W. Hao, B. Yu, P. Xu, L. Sun, E. Cao, Y. Zhang, "Reducing the low-frequency dielectric loss of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics by adding $(\text{In}_{0.5}\text{Nb}_{0.5})_{0.05}\text{Ti}_{0.95}\text{O}_2$," *Journal of Materials Science: Materials in Electronics*, **32** (2021) 9324-9331.
- [26] P. R. Bueno, R. Tararan, R. Parra, E. Joanni, M. A. Ramírez, W. C. Ribeiro, E. Longo, J. A. Varela, "A polaronic stacking fault defect model for $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ material: an approach for the origin of the huge dielectric constant and semiconducting coexistent features," *Journal of Physics D: Applied Physics*, **42** (2009) 055404.
- [27] W. Dong, W. Hu, A. Berlie, K. Lau, H. Chen, R. L. Withers, Y. Liu, "Colossal dielectric behavior of Ga+Nb co-doped rutile TiO_2 ," *ACS applied materials & interfaces*, **7** (2015) 25321-25325.
- [28] R. Schmidt, M. C. Stennett, N. C. Hyatt, J. Pokorny, J. Prado-Gonjal, M. Li, D. C. Sinclair, "Effects of sintering temperature on the internal barrier layer capacitor (IBLC) structure in $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ (CCTO) ceramics," *Journal of the European Ceramic Society*, **32** (2012) 3313-3323.
- [29] Y. Song, X. Wang, X. Zhang, Y. Sui, Y. Zhang, Z. Liu, Z. Lv, Y. Wang, P. Xu, B.

- Song, "The contribution of doped-Al to the colossal permittivity properties of $\text{Al}_x\text{Nb}_{0.03}\text{Ti}_{0.97-x}\text{O}_2$ rutile ceramics," *Journal of Materials Chemistry C*, **4** (2016) 6798-6805.
- [30] K. Meeporn, N. Chanlek, P. Thongbai, "Effects of DC bias on non-ohmic sample-electrode contact and grain boundary responses in giant-permittivity $\text{La}_{1.7}\text{Sr}_{0.3}\text{Ni}_{1-x}\text{Mg}_x\text{O}_4$ ceramics," *RSC Advances*, **6** (2016) 91377-91385.
- [31] T. Nachaithong, P. Thongbai, S. Maensiri, "Colossal permittivity in $(\text{In}_{1/2}\text{Nb}_{1/2})_x\text{Ti}_{1-x}\text{O}_2$ ceramics prepared by a glycine nitrate process," *Journal of the European Ceramic Society*, **37** (2017) 655-660.
- [32] K. Pal, R. Jana, A. Dey, P. P. Ray, M. M. Seikh, A. Gayen, "Performance analysis of Fe-doped calcium copper titanate quadruple perovskite in optoelectronic device," *Chemical Physics Letters*, **709** (2018) 110-115.
- [33] Y. Slimani, A. Selmi, E. Hannachi, M. A. Almessiere, G. AlFalah, L. F. AlOusi, G. Yasin, M. Iqbal, "Study on the addition of SiO_2 nanowires to BaTiO_3 : Structure, morphology, electrical and dielectric properties," *Journal of Physics and Chemistry of Solids*, **156** (2021) 110183.
- [34] M. M. Ahmad, A. Alshoaibi, S. A. Ansari, T. S. Kayed, H. A. Khater, H. M. Kotb, "Dielectric properties of $\text{Bi}_{2/3}\text{Cu}_3\text{Ti}_4\text{O}_{12}$ ceramics prepared by mechanical ball milling and low temperature conventional sintering," *Materials*, **15** (2022) 3173.
- [35] S. Mustapha, J. O. Tijani, M. M. Ndamitso, A. S. Abdulkareem, D. T. Shuaib, A. T. Amigun, H. L. Abubakar, "Facile synthesis and characterization of TiO_2 nanoparticles: X-ray peak profile analysis using Williamson–Hall and Debye–Scherrer methods," *International Nano Letters*, **11** (2021) 241-261.

- [36] L. Singh, I. W. Kim, B. C. Sin, K. D. Mandal, U. S. Rai, A. Ullah, H. Chung, Y. Lee, "Dielectric studies of a nano-crystalline $\text{CaCu}_{2.90}\text{Zn}_{0.10}\text{Ti}_4\text{O}_{12}$ electro-ceramic by one pot glycine assisted synthesis from inexpensive TiO_2 for energy storage capacitors," *RSC Advances*, **4** (2014) 52770-52784.
- [37] L. Yang, G. Huang, T. Wang, H. Hao, Y. Tian, "Colossal dielectric permittivity and relevant mechanism of $\text{Bi}_{2/3}\text{Cu}_3\text{Ti}_4\text{O}_{12}$ ceramics," *Ceramics International* **42** (2016) 9935-9939.
- [38] P. Gautam, A. Khare, S. Sharma, N. B. Singh, K. D. Mandal, "Characterization of $\text{Bi}_{2/3}\text{Cu}_3\text{Ti}_4\text{O}_{12}$ ceramics synthesized by semi-wet route," *Progress in Natural Science: Materials International*, **26** (2016) 567-571.
- [39] Z. Tang, K. Wu, J. Li, S. Huang, "Optimized dual-function varistor-capacitor ceramics of core-shell structured $x\text{Bi}_{2/3}\text{Cu}_3\text{Ti}_4\text{O}_{12}/(1-x)\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ composites," *Journal of the European Ceramic Society*, **40** (2020) 3437-3444.
- [40] V. S. Rai, D. Prajapati, V. Kumar, M. K. Verma, S. Pandey, T. Das, N. B. Singh, K. D. Mandal, "Low temperature synthesis, dielectric and electrical characteristics of $\text{Bi}_{2/3}\text{Cu}_{3-x}\text{Ni}_x\text{Ti}_4\text{O}_{12}$ (where $x= 0.05, 0.1, \text{ and } 0.2$) ceramics for the dielectric and electrical properties," *Journal of Materials Science: Materials in Electronics*, **33** (2022) 5273-5282.
- [41] A. A. Akl, I. M. El Radaf, A. S. Hassanien, "An extensive comparative study for microstructural properties and crystal imperfections of Novel sprayed Cu_3SbSe_3 Nanoparticle-thin films of different thicknesses," *Optik*, **227** (2021) 165837.
- [42] A. K. Rai, K. D. Mandal, D. Kumar, O. Parkash, "Characterization of nickel doped CCTO: $\text{CaCu}_{2.9}\text{Ni}_{0.1}\text{Ti}_4\text{O}_{12}$ and $\text{CaCu}_3\text{Ti}_{3.9}\text{Ni}_{0.1}\text{O}_{12}$ synthesized by semi-wet

- route," *Journal of alloys and compounds*, **491** (2010) 507-512.
- [43] Y. Slimani, B. Unal, M. A. Almessiere, E. Hannachi, G. Yasin, A. Baykal, I. Ercan, "Role of WO_3 nanoparticles in electrical and dielectric properties of $\text{BaTiO}_3\text{-SrTiO}_3$ ceramics," *Journal of Materials Science: Materials in Electronics*, **31** (2020) 7786-7797.
- [44] Y. Slimani, B. Unal, M. A. Almessiere, A. D. Korkmaz, S. E. Shirsath, G. Yasin, A. V. Trukhanov, A. Baykal, "Investigation of structural and physical properties of Eu^{3+} ions substituted $\text{Ni}_{0.4}\text{Cu}_{0.2}\text{Zn}_{0.4}\text{Fe}_2\text{O}_4$ spinel ferrite nanoparticles prepared via sonochemical approach," *Results in Physics*, **17** (2020) 103061.
- [45] L. Singh, I. W. Kim, B. C. Sin, S. K. Woo, S. H. Hyun, K. D. Mandal, Y. Lee, "Combustion synthesis of nano-crystalline $\text{Bi}_{2/3}\text{Cu}_3\text{Ti}_{2.90}\text{Fe}_{0.10}\text{O}_{12}$ using inexpensive TiO_2 raw material and its dielectric characterization," *Powder technology*, **280** (2015) 256-265.
- [46] T. Tchouank Tekou Carol, J. Sharma, J. Mohammed, S. Kumar, and A. K. Srivastava "Effect of temperature on the magnetic properties of nano-sized M-type barium hexagonal ferrites." *AIP Conference Proceedings*, **1860** (2017).
- [47] E. Hannachi, K. A. Mahmoud, M. I. Sayyed, Y. Slimani, "Structure, optical properties, and ionizing radiation shielding performance using Monte Carlo simulation for lead-free BTO perovskite ceramics doped with ZnO , SiO_2 , and WO_3 oxides," *Materials Science in Semiconductor Processing*, **145** (2022) 106629.
- [48] X. Huang, H. Zhang, M. Wei, Y. Lai, and J. Li, "Effect of semiconductive grain and microstructure on the dielectric properties of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics with Sr^{2+} doping," *Journal of Alloys and Compounds*, **708** (2017) 1026-1032.

- [49] Z. K. Heiba, M. B. Mohamed, A. M. Wahba, N. G. Imam, "Structural, optical, and electronic characterization of Fe-doped alumina nanoparticles," *Journal of Electronic Materials*, **47** (2018) 711-720.
- [50] V. S. Rai, S. Pandey, V. Kumar, M. K. Verma, A. Kumar, S. Singh, D. Prajapati, K. D. Mandal, "Investigation of microstructure and dielectric behavior of $\text{Bi}_{2/3}\text{Cu}_{3-x}\text{Mg}_x\text{Ti}_4\text{O}_{12}$ ($x= 0, 0.05, 0.1$ and 0.2) ceramics synthesized by semi-wet route," *Journal of Materials Science: Materials in Electronics*, **32** (2021) 7671-7680.
- [51] S. Chauhan, M. Kumar, S. Chhoker, S. C. Katyal, M. Singh, "Substitution driven structural and magnetic transformation in Ca-doped BiFeO_3 nanoparticles," *RSC advances*, **6** (2016) 43080-43090.
- [52] G. Hussain, F. Rehman, I. Ahmed, Y. Jamil, H. Anwar, "Synthesis, characterization and machine learning assisted optical emission studies of dysprosium doped bismuth ferrites," *Materials Research Bulletin*, **160** (2023) 112108.
- [53] M. Venugopal, H. P. Kumar, and R. Jayakrishnan, "Tunable blue-yellow and orange-red emissions from Dysprosium and Samarium doped SrCeO_3 perovskite systems," *Journal of Solid State Chemistry*, **296** (2021) 121975.
- [54] V. Kumar, A. Kumar, M. K. Verma, S. Singh, S. Pandey, V. S. Rai, D. Prajapati, T. Das, N. B. Singh, K. D. Mandal, "Investigation of dielectric and electrochemical behavior of $\text{CaCu}_{3-x}\text{Mn}_x\text{Ti}_4\text{O}_{12}$ ($x= 0, 1$) ceramic synthesized through semi-wet route," *Materials Chemistry and Physics*, **245** (2020) 122804.
- [55] S. Kawrani, M. Boulos, M. F. Bekheet, R. Viter, A. A. Nada, W. Riedel, S. Roualdes, D. Cornu, M. Bechelany, "Segregation of copper oxide on calcium copper titanate surface induced by Graphene Oxide for Water splitting applications," *Applied Surface*

- Science, **516** (2020) 146051.
- [56] N. Li, M. Shi, Y. Xin, W. Zhang, J. Qin, K. Zhang, H. Lv, M. Yuan, C. Wang, "Oxygen vacancies-modified S-scheme $\text{Bi}_2\text{Ti}_2\text{O}_7/\text{CaTiO}_3$ heterojunction for highly efficient photocatalytic NO removal under visible light," *Journal of Environmental Chemical Engineering*, **10** (2022) 107420.
- [57] P. Thiruramanathan, A. Marikani, T. Vigneswari, R. Srinivasan, K. Jeyapappa, "Investigating the Dielectric and Ferroelectric Properties of $(\text{Bi}_4\text{Ti}_3\text{O}_{12})_{0.4}-$ $(\text{CaCu}_3\text{Ti}_4\text{O}_{12})_{0.6}$ Nanocomposite Ceramics, Thin Films and Thick Films for Microwave and Microelectronic Applications," *Journal of Alloys and Compounds*, (2024) 174668.
- [58] S. Sharma, T. Tekou Carol T, J. Mohammed, D. Basandrai, A. K. Srivastava, "Structural, magnetic, and optical study of La^{3+} - Co^{2+} -substituted Ni_2Y -type barium hexaferrites," *Journal of Materials Research*, **38** (2023) 2156-2168.
- [59] R. Sankar Ganesh, S. K. Sharma, N. Abinnas, E. Durgadevi, P. Raji, S. Ponnusamy, C. Muthamizhchelvan, Y. Hayakawa, D. Y. Kim, "Fabrication of the flexible nanogenerator from BTO nanopowders on graphene coated PMMA substrates by sol-gel method," *Materials Chemistry and Physics*, **192** (2017) 274-281.
- [60] V. S. Rai, D. Prajapati, M. K. Verma, V. Kumar, S. Pandey, T. Das, N. B. Singh, K. D. Mandal, "Influence of Zn doping on microstructure, dielectric, and electric properties in $\text{Bi}_{2/3}\text{Cu}_3\text{Ti}_4\text{O}_{12}$ ceramic synthesized by the semi-wet method," *Journal of Materials Science: Materials in Electronics*, **33** (2022) 14868-14881.
- [61] M. H. A. Mhareb, Y. Slimani, Y. S. Alajerami, M. I. Sayyed, E. Lacomme, M. A. Almessiere, "Structural and radiation shielding properties of BaTiO_3 ceramic with

- different concentrations of Bismuth and Ytterbium," *Ceramics International* **46** (2020) 28877-28886.
- [62] P. Thomas, A. Ashokbabu, R. Vaish, "Structural, thermal and dielectric properties and thermal degradation kinetics of nylon11/CaCu₃Ti₄O₁₂(CCTO) nanocomposites," *Journal of Thermal Analysis and Calorimetry*, 141 (2020) 1123-1135.
- [63] M. A. Ahmed, N. Okasha, N. G. Imam, "Crossover between PEG and BT/NZF magnetoelectric nanocomposites for tailoring applicable multiferroic materials," *Journal of Superconductivity and Novel Magnetism*, **28** (2015) 2783-2793.
- [64] M. A. Ahmed, N. Okasha, N. G. Imam, "Advanced imaging techniques for characterization of 0.5BaTiO₃/0.5Ni_{0.5}Zn_{0.5}Fe₂O₄ multiferroic nanocomposite," *Journal of alloys and compounds*, 557 (2013) 130-141.
- [65] S. Jesurani, S. Kanagesan, R. Velmurugan, T. Kalaivani, "Phase formation and high dielectric constant of calcium copper titanate using sol–gel route," *Journal of Materials Science: Materials in Electronics*, **23** (2012) 668-674.
- [66] T. T. Carol T, J. Mohammed, R. Bhargava, S. Khan, S. Mishra, S. K. Godara, A. K. Srivastava, "Crystal structure refinement, optical properties, dielectric response, and impedance spectroscopy of Ni²⁺-Co²⁺ substituted bismuth copper titanate (BCTO)," *Materials Chemistry and Physics*, **248** (2020) 122933.
- [67] S. Pandey, A. Kumar, N. B. Singh, K. D. Mandal, "Studies on dielectric and magnetic properties of CaCu₃Ti₃MnO₁₂ ceramic synthesized via semi-wet route." *Journal of the Australian Ceramic Society* **56** (2020) 915-922.
- [68] A. Kumar, M. K. Verma, S. Singh, T. Das, L. Singh, K. D. Mandal, "Electrical, magnetic and dielectric properties of cobalt-doped barium hexaferrite

- BaFe_{12-x}Co_xO₁₉(x= 0.0, 0.05, 0.1 and 0.2) ceramic prepared via a chemical route," *Journal of Electronic Materials*, **49** (2020) 6436-6447.
- [69] N. Y. Mostafa, M. B. Mohamed, N. G. Imam, M. Alhamyani, Z. K. Heiba, "Electrical and optical properties of hydrogen titanate nanotube/PANI hybrid nanocomposites," *Colloid and Polymer Science*, **294** (2016) 215-224.
- [70] Y. Ben Taher, A. Oueslati, N. K. Maaloul, K. Khirouni, M. Gargouri, "Conductivity study and correlated barrier hopping (CBH) conduction mechanism in diphosphate compound," *Applied Physics A*, **120** (2015) 1537-1543.
- [71] M. A. Ahmed, N. Okasha, N. G. Imam, "Modification of composite ceramics properties via different preparation techniques," *Journal of magnetism and magnetic materials*, **324** (2012) 4136-4142.

- 1. D. Prajapati**, V. S. Rai, A. Kumar, N. B. Singh, H. Verma, S. Upadhyay, K. D. Mandal, Phase Evolution, Dielectric, and Electric Behavior of Sm-Doped BCTO Ceramic Fabricated by Semi-Wet Method. *Crystal Research and Technology*, (2024) 2300270.
- 2. D. Prajapati**, V. S. Rai, B. Jena, H. Verma, A. Kumar, N. B. Singh, K. D. Mandal, Evolution of microstructure, dielectric, and electrical properties of Nd-doped BCTO synthesized via semi-wet route. *Journal of Nanoparticle Research*, 26 (2024) 30.
- 3. D. Prajapati**, V. S. Rai, V. Kumar, M. K. Verma, A. Kumar, N. B. Singh, K. D. Mandal, Investigation on the effect of Dy doping on the microstructure, dielectric, electrical, and magnetic properties of $\text{Bi}_{2/3}\text{Cu}_3\text{Ti}_4\text{O}_{12}$ ceramic. *Journal of Materials Science: Materials in Electronics*, 34 (2023) 634.
- 4. D. Prajapati**, V. S. Rai, V. Kumar, M. K. Verma, A. Kumar, N. B. Singh, K. D. Mandal, The Effect of Rare Earth Metal Doping in $\text{Bi}_{2/3}\text{Cu}_3\text{Ti}_4\text{O}_{12}$ Ceramic on Microstructure, Dielectric and Electrical Properties. *Transactions on Electrical and Electronic Materials*, 24 (2023) 194-204.
- 5. D. Prajapati**, V. S. Rai, S. Pandey, V. Kumar, M. K. Verma, A. Kumar, S. Singh, K. Sahoo, K. D. Mandal, Studies of microstructural, dielectric, and impedance spectroscopic properties of $\text{Bi}_{0.617}\text{Y}_{0.05}\text{Cu}_3\text{Ti}_4\text{O}_{12}$ ceramic synthesized through semi-wet route. *Journal of Materials Science: Materials in Electronics*, 32 (2021) 26371-26383.
- 6. V. S. Rai, D. Prajapati**, V. Kumar, M. K. Verma, S. Pandey, T. Das, N. B. Singh, K. D. Mandal, Low temperature synthesis, dielectric and electrical characteristics of $\text{Bi}_{2/3}\text{Cu}_{3-x}\text{Ni}_x\text{Ti}_4\text{O}_{12}$ (where $x=0.05, 0.1, \text{ and } 0.2$) ceramics for the dielectric and electrical properties. *Journal of Materials Science: Materials in Electronics*, 33 (2022) 5273-5282.

7. V. S. Rai, **D. Prajapati**, M. K. Verma, V. Kumar, S. Pandey, T. Das, N. B. Singh, K. D. Mandal, Influence of Zn doping on microstructure, dielectric, and electric properties in $\text{Bi}_{2/3}\text{Cu}_3\text{Ti}_4\text{O}_{12}$ ceramic synthesized by the semi-wet method. *Journal of Materials Science: Materials in Electronics*, 33 (2022), 14868-14881.
8. V. S. Rai, **D. Prajapati**, V. Kumar, H. Verma, S. Upadhyay, M. K. Verma, A. Kumar, N. B. Singh, K. D. Mandal, Studies on Impedance and Dielectric Properties of $\text{Bi}_{2/3}\text{Cu}_3\text{Ti}_{4-x}\text{Si}_x\text{O}_{12}$ ($x= 0.05$ and 0.1) Ceramics Synthesized by the Semi-wet Method. *Journal of Materials Engineering and Performance*, (2023) 1-10.
9. V. S. Rai, **D. Prajapati**, M. K. Verma, V. Kumar, A. Kumar, T. Das, K. Sahoo, N.B. Singh, K. D. Mandal. Emergence of dielectric properties by doping of semi-transition metal in semi-conductor complex perovskite oxide. *Crystal Research and Technology* 58 (2023) 2200236.
10. V. S. Rai, S. Pandey, V. Kumar, M. K. Verma, A. Kumar, S. Singh, **D. Prajapati**, K. D. Mandal, Investigation of microstructure and dielectric behavior of $\text{Bi}_{2/3}\text{Cu}_{3-x}\text{Mg}_x\text{Ti}_4\text{O}_{12}$ ($x= 0, 0.05, 0.1$ and 0.2) ceramics synthesized by semi-wet route. *Journal of Materials Science: Materials in Electronics*, 32 (2021) 7671-7680.
11. V. Kumar, A. Kumar, M. K. Verma, S. Singh, S. Pandey, V. S. Rai, **D. Prajapati**, T. Das, N. B. Singh, K. D. Mandal, Investigation of dielectric and electrochemical behavior of $\text{CaCu}_{3-x}\text{Mn}_x\text{Ti}_4\text{O}_{12}$ ($x= 0, 1$) ceramic synthesized through semi-wet route. *Materials Chemistry and Physics*, 245 (2020) 122804.
12. V. Kumar, S. Pandey, A. Kumar, M. K. Verma, S. Singh, V. S. Rai, **D. Prajapati**, T. Das, A. Sharma, C. L. Prajapat, A. Gangwar, 2020. Investigation of dielectric, magnetic and impedance spectroscopic properties of $\text{CaCu}_{3-x}\text{Mn}_x\text{Ti}_{4-x}\text{Mn}_x\text{O}_{12}$ ($X= 0.10$) nano-ceramic

- synthesized through semi-wet route. *Journal of Materials Research and Technology*, 9 (2020) 12936-12945.
- 13.** V. Kumar, S. Pandey, M. K. Verma, S. Singh, V. S. Rai, **D. Prajapati**, N. B. Singh, C. L. Prajapat, A. Gangwar, K. D. Mandal, Study of dielectric and magnetic properties of $\text{CaCu}_3\text{Ti}_{4-x}\text{Mn}_x\text{O}_{12}$ ($X= 0$ and 0.1) ceramic synthesized through semi-wet route. *Journal of the Australian Ceramic Society*, 58 (2022), 637-644.
- 14.** M. K. Verma, V. Kumar, U. Patel, V. S. Rai, A. Kumar, A. K. De, A. K. Prajapati, **D. Prajapati**, K. Sahoo, T. Das, N. B. Singh, K. D. Mandal, Highly Efficient Photocatalytic Studies on $\text{Bi}_{36}\text{Fe}_2\text{O}_{57}$ Ceramic Synthesized by Chemical Route. *Transactions on Electrical and Electronic Materials*, 24 (2023) 479-487.
- 15.** M. K. Verma, A. Kumar, T. Das, V. Kumar, S. Singh, V. S. Rai, **D. Prajapati**, R. K. Sonwani, K. Sahoo, K. D. Mandal, BiFeO_3 perovskite as an efficient photocatalyst synthesised by soft chemical route. *Materials Technology*, 36 (2021) 594-602.
- 16.** M. K. Verma, V. Kumar, T. Das, R. K. Sonwani, V. S. Rai, **D. Prajapati**, K. Sahoo, V. K. Kushwaha, A. Gupta, K. D. Mandal, 2021. Synthesis of $\text{Bi}_2\text{Fe}_4\text{O}_9$ Crystalline Ceramic as Extremely Capable Photocatalyst via Proficient Chemical Route. *Journal of Minerals and Materials Characterization and Engineering*, 9 (2021) 444-461.
- 17.** A. Kumar, V. Kumar, M. K. Verma, V. S. Rai, **D. Prajapati**, B. Jena, D. K. Verma, P. Kumari, D. Tiwary, K. D. Mandal, Dielectric and electrical properties measurement of BCTO and Co & V-doped BCTO synthesized via semi-wet route method. *Journal of Materials Science: Materials in Electronics*, 34 (2023) 1755.