

REFERENCES

- [1] Bradley WG. History of medical imaging. *Proceedings of the American Philosophical Society*. 2008;152:349-61.
- [2] Bansal G. Digital radiography. A comparison with modern conventional imaging. *Postgraduate medical journal*. 2006;82:425-8.
- [3] Mabry RL. Office diagnosis of sinus disorders: The role of ultrasound scanning. *The Laryngoscope*. 1984;94:1042-4.
- [4] Blake P, Johnson B, VanMeter JW. Positron emission tomography (PET) and single photon emission computed tomography (SPECT): clinical applications. *Journal of neuro-ophthalmology*. 2003;23:34-41.
- [5] Chaudhuri KR, Healy DG, Schapira AH. Non-motor symptoms of Parkinson's disease: diagnosis and management. *The Lancet Neurology*. 2006;5:235-45.
- [6] Lee LJ, Kidwell CS, Alger J, Starkman S, Saver JL. Impact on stroke subtype diagnosis of early diffusion-weighted magnetic resonance imaging and magnetic resonance angiography. *Stroke*. 2000;31:1081-9.
- [7] Kuzniecky R, Bilir E, Gilliam F, Faught E, Palmer C, Morawetz R, et al. Multimodality MRI in mesial temporal sclerosis: relative sensitivity and specificity. *Neurology*. 1997;49:774-8.
- [8] Chang AE, Matory YL, Dwyer AJ, Hill SC, Girton ME, Steinberg SM, et al. Magnetic resonance imaging versus computed tomography in the evaluation of soft tissue tumors of the extremities. *Annals of surgery*. 1987;205:340.
- [9] Manaster B. Soft-tissue masses: optimal imaging protocol and reporting. *American Journal of Roentgenology*. 2013;201:505-14.
- [10] Bitar R, Leung G, Perng R, Tadros S, Moody AR, Sarrazin J, et al. MR pulse sequences: what every radiologist wants to know but is afraid to ask. *Radiographics*. 2006;26:513-37.
- [11] Caravan P, Ellison JJ, McMurry TJ, Lauffer RB. Gadolinium (III) chelates as MRI contrast agents: structure, dynamics, and applications. *Chemical reviews*. 1999;99:2293-352.
- [12] Despotović I, Goossens B, Philips W. MRI segmentation of the human brain: challenges, methods, and applications. *Computational and mathematical methods in medicine*. 2015;2015.
- [13] El-Dahshan E-SA, Mohsen HM, Revett K, Salem A-BM. Computer-aided diagnosis of human brain tumor through MRI: A survey and a new algorithm. *Expert systems with Applications*. 2014;41:5526-45.
- [14] Mohan J, Krishnaveni V, Guo Y. A survey on the magnetic resonance image denoising methods. *Biomedical Signal Processing and Control*. 2014;9:56-69.
- [15] Sharma A, Chaurasia V. *A Review on Magnetic Resonance Images Denoising Techniques. Machine Intelligence and Signal Analysis: Springer; 2019. p. 707-15.*
- [16] Jin Y, Fayad LM, Laine AF. Contrast enhancement by multiscale adaptive histogram equalization. *International Symposium on Optical Science and Technology: SPIE*; 2001. p. 8.
- [17] Saleem A, Beghdadi A, Boashash B. Image fusion-based contrast enhancement. *EURASIP Journal on Image and Video Processing*. 2012;2012:10.
- [18] Ganzetti M, Wenderoth N, Mantini D. Intensity Inhomogeneity Correction of Structural MR Images: A Data-Driven Approach to Define Input Algorithm Parameters. *Frontiers in Neuroinformatics*. 2016;10.
- [19] Vovk U, Pernus F, Likar B. A review of methods for correction of intensity inhomogeneity in MRI. *IEEE transactions on medical imaging*. 2007;26:405-21.

- [20] Angulakshmi M, Priya GGL. Automated brain tumour segmentation techniques- A review. *Int J Imaging Syst Technol.* 2017;27:66-77.
- [21] Liu J, Li M, Wang J, Wu F, Liu T, Pan Y. A survey of MRI-based brain tumor segmentation methods. *Tsinghua Science and Technology.* 2014;19:578-95.
- [22] Gudbjartsson H, Patz S. The Rician distribution of noisy MRI data. *Magnetic resonance in medicine.* 1995;34:910-4.
- [23] Gonzalez RC, Woods RE. *Digital Image Processing: Addison-Wesley;* 1993.
- [24] Manjón JV, Carbonell-Caballero J, Lull JJ, García-Martí G, Martí-Bonmatí L, Robles M. MRI denoising using non-local means. *Medical image analysis.* 2008;12:514-23.
- [25] Manjón JV, Coupé P, Buades A. MRI noise estimation and denoising using non-local PCA. *Medical image analysis.* 2015;22:35-47.
- [26] Rajan J, Veraart J, Van Audekerke J, Verhoye M, Sijbers J. Nonlocal maximum likelihood estimation method for denoising multiple-coil magnetic resonance images. *Magnetic Resonance Imaging.* 2012;30:1512-8.
- [27] Aja-Fernández S, Alberola-López C, Westin C-F. Noise and signal estimation in magnitude MRI and Rician distributed images: a LMMSE approach. *IEEE transactions on image processing.* 2008;17:1383-98.
- [28] Henkelman RM. Measurement of signal intensities in the presence of noise in MR images. *Medical physics.* 1985;12:232-3.
- [29] McGibney G, Smith M. An unbiased signal-to-noise ratio measure for magnetic resonance images. *Medical physics.* 1993;20:1077-8.
- [30] He L, Greenshields IR. A nonlocal maximum likelihood estimation method for Rician noise reduction in MR images. *IEEE transactions on medical imaging.* 2009;28:165-72.
- [31] Sijbers J, Den Dekker A. Maximum likelihood estimation of signal amplitude and noise variance from MR data. *Magnetic Resonance in Medicine: An Official Journal of the International Society for Magnetic Resonance in Medicine.* 2004;51:586-94.
- [32] Gerig G, Kubler O, Kikinis R, Jolesz FA. Nonlinear anisotropic filtering of MRI data. *IEEE Transactions on medical imaging.* 1992;11:221-32.
- [33] Liu RW, Shi L, Huang W, Xu J, Yu SCH, Wang D. Generalized total variation-based MRI Rician denoising model with spatially adaptive regularization parameters. *Magnetic resonance imaging.* 2014;32:702-20.
- [34] Bhadauria H, Dewal M. Medical image denoising using adaptive fusion of curvelet transform and total variation. *Computers & Electrical Engineering.* 2013;39:1451-60.
- [35] Satheesh S, Prasad K. Medical image denoising using adaptive threshold based on contourlet transform. *arXiv preprint arXiv:11034907.* 2011.
- [36] Nowak RD. Wavelet-based Rician noise removal for magnetic resonance imaging. *IEEE Transactions on Image Processing.* 1999;8:1408-19.
- [37] Manjón JV, Coupé P, Buades A, Collins DL, Robles M. New methods for MRI denoising based on sparseness and self-similarity. *Medical image analysis.* 2012;16:18-27.
- [38] Manjón JV, Coupé P, Concha L, Buades A, Collins DL, Robles M. Diffusion weighted image denoising using overcomplete local PCA. *PLoS one.* 2013;8:e73021.
- [39] Baselice F, Ferraioli G, Pascazio V. A Bayesian approach for relaxation times estimation in MRI. *Magnetic resonance imaging.* 2016;34:312-25.
- [40] Mohan J, Krishnaveni V, Guo Y. MRI denoising using nonlocal neutrosophic set approach of Wiener filtering. *Biomedical Signal Processing and Control.* 2013;8:779-91.
- [41] Golshan HM, Hasanzadeh RP, Yousefzadeh SC. An MRI denoising method using image data redundancy and local SNR estimation. *Magnetic resonance imaging.* 2013;31:1206-17.
- [42] Martin-Fernandez M, Villullas S. The EM method in a probabilistic wavelet-based MRI denoising. *Computational and mathematical methods in medicine.* 2015;2015.
- [43] Aja-Fernández S, Niethammer M, Kubicki M, Shenton ME, Westin C-F. Restoration of DWI data using a Rician LMMSE estimator. *IEEE transactions on medical imaging.* 2008;27:1389-403.

- [44] Kagoiya K, Mwangi E. A hybrid and adaptive non-local means wavelet based MRI denoising method with bilateral filter enhancement. *Int J Comput Appl.* 2017;166:1-7.
- [45] Gordon Y, Partovi S, Müller-Eschner M, Amarteifio E, Bäuerle T, Weber M-A, et al. Dynamic contrast-enhanced magnetic resonance imaging: fundamentals and application to the evaluation of the peripheral perfusion. *Cardiovascular diagnosis and therapy.* 2014;4:147.
- [46] Wang Q, Ward RK. Fast image/video contrast enhancement based on weighted thresholded histogram equalization. *IEEE transactions on Consumer Electronics.* 2007;53.
- [47] Kim Y-T. Contrast enhancement using brightness preserving bi-histogram equalization. *IEEE transactions on Consumer Electronics.* 1997;43:1-8.
- [48] Hossain MB, Lai KW, Pingguan-Murphy B, Hum YC, Salim MIM, Liew YM. Contrast enhancement of ultrasound imaging of the knee joint cartilage for early detection of knee osteoarthritis. *Biomedical Signal Processing and Control.* 2014;13:157-67.
- [49] Rallabandi VS, Roy PK. Stochastic resonance-based tomographic transform for computed tomographic image enhancement of brain lesions. *Journal of computer assisted tomography.* 2008;32:966-74.
- [50] Chen C-M, Chen C-C, Wu M-C, Horng G, Wu H-C, Hsueh S-H, et al. Automatic Contrast Enhancement of Brain MR Images Using Hierarchical Correlation Histogram Analysis. *Journal of medical and biological engineering.* 2015;35:724-34.
- [51] Isa I, Sulaiman S, Abdullah M, Tahir NM, Mustapha M, Karim N. New image enhancement technique for WMH segmentation of MRI FLAIR image. *Computer Applications & Industrial Electronics (ISCAIE), 2016 IEEE Symposium on: IEEE; 2016.* p. 30-4.
- [52] Isa IS, Sulaiman SN, Mustapha M, Karim NKA. Automatic contrast enhancement of brain MR images using Average Intensity Replacement based on Adaptive Histogram Equalization (AIR-AHE). *Biocybernetics and Biomedical Engineering.* 2017;37:24-34.
- [53] Senthilkumaran N, Thimmiraja J. Histogram equalization for image enhancement using MRI brain images. *Computing and Communication Technologies (WCCCT), 2014 World Congress on: IEEE; 2014.* p. 80-3.
- [54] Rallabandi VS, Roy PK. Magnetic resonance image enhancement using stochastic resonance in Fourier domain. *Magnetic resonance imaging.* 2010;28:1361-73.
- [55] Daniel E, Anitha J. Optimum wavelet based masking for the contrast enhancement of medical images using enhanced cuckoo search algorithm. *Computers in biology and medicine.* 2016;71:149-55.
- [56] Li C, Li G, Tan Y, Xu X, Duan H. A new image enhancement algorithm via wavelet homomorphic filtering transform. 2012.
- [57] Li B, Xie W. Adaptive fractional differential approach and its application to medical image enhancement. *Computers & Electrical Engineering.* 2015;45:324-35.
- [58] Xia K-j, Wang J-q, Cai J. A novel medical image enhancement algorithm based on improvement correction strategy in wavelet transform domain. *Cluster Computing.* 2017:1-9.
- [59] Gandhamal A, Talbar S, Gajre S, Hani AFM, Kumar D. A generalized contrast enhancement approach for knee MR images. *Signal and Information Processing (IConSIP), International Conference on: IEEE; 2016.* p. 1-6.
- [60] Jeevakala S. Sharpening enhancement technique for MR images to enhance the segmentation. *Biomedical Signal Processing and Control.* 2018;41:21-30.
- [61] Gong T, Fan T, Pei L, Cai Z. Magnetic resonance imaging-clonal selection algorithm: An intelligent adaptive enhancement of brain image with an improved immune algorithm. *Engineering Applications of Artificial Intelligence.* 2017;62:405-11.
- [62] Sujji GE, Lakshmi Y, Jiji GW. MRI brain image segmentation based on thresholding. *International Journal of Advanced Computer Research.* 2013;3:97.
- [63] Warfield S, Dengler J, Zaers J, Guttmann CR, Wells WM, Ettinger GJ, et al. Automatic identification of gray matter structures from MRI to improve the segmentation of white matter lesions. *Journal of Image Guided Surgery.* 1995;1:326-38.

- [64] Aljabar P, Heckemann RA, Hammers A, Hajnal JV, Rueckert D. Multi-atlas based segmentation of brain images: atlas selection and its effect on accuracy. *Neuroimage*. 2009;46:726-38.
- [65] Yushkevich PA, Piven J, Hazlett HC, Smith RG, Ho S, Gee JC, et al. User-guided 3D active contour segmentation of anatomical structures: significantly improved efficiency and reliability. *Neuroimage*. 2006;31:1116-28.
- [66] Morar A, Moldoveanu F, Gröller E. Image segmentation based on active contours without edges. 2012 IEEE 8th International Conference on Intelligent Computer Communication and Processing: IEEE; 2012. p. 213-20.
- [67] Li C, Huang R, Ding Z, Gatenby J, Metaxas DN, Gore JC. A level set method for image segmentation in the presence of intensity inhomogeneities with application to MRI. *IEEE Transactions on Image Processing*. 2011;20:2007.
- [68] Zhang Y, Brady M, Smith S. Segmentation of brain MR images through a hidden Markov random field model and the expectation-maximization algorithm. *IEEE transactions on medical imaging*. 2001;20:45-57.
- [69] Ng H, Ong S, Foong K, Goh P, Nowinski W. Medical image segmentation using k-means clustering and improved watershed algorithm. *Image Analysis and Interpretation, 2006 IEEE Southwest Symposium on: IEEE; 2006*. p. 61-5.
- [70] Chuang K-S, Tzeng H-L, Chen S, Wu J, Chen T-J. Fuzzy c-means clustering with spatial information for image segmentation. *computerized medical imaging and graphics*. 2006;30:9-15.
- [71] Gong M, Liang Y, Shi J, Ma W, Ma J. Fuzzy c-means clustering with local information and kernel metric for image segmentation. *IEEE Transactions on Image Processing*. 2013;22:573-84.
- [72] Adhikari SK, Sing JK, Basu DK, Nasipuri M. Conditional spatial fuzzy C-means clustering algorithm for segmentation of MRI images. *Applied Soft Computing*. 2015;34:758-69.
- [73] Ji Z, Sun Q, Xia Y, Chen Q, Xia D, Feng D. Generalized rough fuzzy c-means algorithm for brain MR image segmentation. *Computer methods and programs in biomedicine*. 2012;108:644-55.
- [74] Ji Z, Xia Y, Chen Q, Sun Q, Xia D, Feng DD. Fuzzy c-means clustering with weighted image patch for image segmentation. *Applied soft computing*. 2012;12:1659-67.
- [75] Alsmadi MK. A hybrid firefly algorithm with fuzzy-C mean algorithm for MRI brain segmentation. *American Journal of Applied Sciences*. 2014;11:1676-91.
- [76] Elazab A, Wang C, Jia F, Wu J, Li G, Hu Q. Segmentation of brain tissues from magnetic resonance images using adaptively regularized kernel-based fuzzy-means clustering. *Computational and mathematical methods in medicine*. 2015;2015.
- [77] Forouzanfar M, Forghani N, Teshnehlab M. Parameter optimization of improved fuzzy c-means clustering algorithm for brain MR image segmentation. *Engineering Applications of Artificial Intelligence*. 2010;23:160-8.
- [78] Cai W, Chen S, Zhang D. Fast and robust fuzzy c-means clustering algorithms incorporating local information for image segmentation. *Pattern recognition*. 2007;40:825-38.
- [79] Benaichouche AN, Oulhadj H, Siarry P. Multiobjective improved spatial fuzzy c-means clustering for image segmentation combining Pareto-optimal clusters. *Journal of Heuristics*. 2016;22:383-404.
- [80] Aparajeeta J, Nanda PK, Das N. Modified possibilistic fuzzy C-means algorithms for segmentation of magnetic resonance image. *Applied Soft Computing*. 2016;41:104-19.
- [81] Dave RN. Validating fuzzy partitions obtained through c-shells clustering. *Pattern Recognition Letters*. 1996;17:613-23.
- [82] Chen JM. The improved partition entropy coefficient. *Multimedia and Signal Processing: Springer; 2012*. p. 1-7.
- [83] Xie XL, Beni G. A validity measure for fuzzy clustering. *IEEE Transactions on pattern analysis and machine intelligence*. 1991;13:841-7.
- [84] Trauwert E, Rousseeuw P, Kaufman L. Fuzzy clustering by minimizing the total hypervolume. *Information and Classification: Springer; 1993*. p. 61-71.

- [85] Pakhira MK, Bandyopadhyay S, Maulik U. A study of some fuzzy cluster validity indices, genetic clustering and application to pixel classification. *Fuzzy sets and systems*. 2005;155:191-214.
- [86] Wang W, Zhang Y. On fuzzy cluster validity indices. *Fuzzy sets and systems*. 2007;158:2095-117.
- [87] Zanaty E. Determining the number of clusters for kernelized fuzzy C-means algorithms for automatic medical image segmentation. *Egyptian Informatics Journal*. 2012;13:39-58.
- [88] Upadhyaya A, Sagar P, Kumar M, Mishra SK. Particle Swarm Optimization—Functional Link Multilayer Perceptron for Rician noise suppression from MRI images. *Global Trends in Signal Processing, Information Computing and Communication (ICGTSPICC)*, 2016 International Conference on: IEEE; 2016. p. 103-7.
- [89] Mostafa A, Hassanien AE, Houseni M, Hefny H. Liver segmentation in MRI images based on whale optimization algorithm. *Multimedia Tools and Applications*. 2017;76:24931-54.
- [90] Deb K, Pratap A, Agarwal S, Meyarivan T. A fast and elitist multiobjective genetic algorithm: NSGA-II. *IEEE transactions on evolutionary computation*. 2002;6:182-97.
- [91] Whitley D. A genetic algorithm tutorial. *Statistics and computing*. 1994;4:65-85.
- [92] Al Salami NM. Ant colony optimization algorithm. *UbiCC Journal*. 2009;4:823-6.
- [93] Dorigo M, Stützle T. The ant colony optimization metaheuristic: Algorithms, applications, and advances. *Handbook of metaheuristics*: Springer; 2003. p. 250-85.
- [94] Eberhart RC, Kennedy J. A new optimizer using particle swarm theory. *Proceedings of the sixth international symposium on micro machine and human science*: New York, NY; 1995. p. 39-43.
- [95] Kennedy J. Particle swarm optimization. *Encyclopedia of machine learning*: Springer; 2011. p. 760-6.
- [96] Yang X-S, Hossein Gandomi A. Bat algorithm: a novel approach for global engineering optimization. *Engineering Computations*. 2012;29:464-83.
- [97] Yang X-S. Bat algorithm for multi-objective optimisation. *International Journal of Bio-Inspired Computation*. 2011;3:267-74.
- [98] Mirjalili S. The ant lion optimizer. *Advances in Engineering Software*. 2015;83:80-98.
- [99] Benzi R, Parisi G, Sutera A, Vulpiani A. Stochastic resonance in climatic change. *Tellus*. 1982;34:10-6.
- [100] Martínez L, Pérez T, Mirasso CR, Manjarrez E. Stochastic resonance in the motor system: effects of noise on the monosynaptic reflex pathway of the cat spinal cord. *Journal of neurophysiology*. 2007;97:4007-16.
- [101] Moss F, Ward LM, Sannita WG. Stochastic resonance and sensory information processing: a tutorial and review of application. *Clinical neurophysiology*. 2004;115:267-81.
- [102] Kawaguchi M, Mino H, Durand DM. Stochastic resonance can enhance information transmission in neural networks. *IEEE Transactions on Biomedical Engineering*. 2011;58:1950-8.
- [103] He Q, Wang J, Hu F, Kong F. Wayside acoustic diagnosis of defective train bearings based on signal resampling and information enhancement. *Journal of Sound and Vibration*. 2013;332:5635-49.
- [104] Simani S, Fantuzzi C, Beghelli S. Diagnosis techniques for sensor faults of industrial processes. *IEEE Transactions on Control Systems Technology*. 2000;8:848-55.
- [105] McInnes C, Gorman D, Cartmell MP. Enhanced vibrational energy harvesting using nonlinear stochastic resonance. *Journal of Sound and Vibration*. 2008;318:655-62.
- [106] Li J, Chen X, He Z. Multi-stable stochastic resonance and its application research on mechanical fault diagnosis. *Journal of Sound and Vibration*. 2013;332:5999-6015.
- [107] Benzi R, Sutera A, Vulpiani A. The mechanism of stochastic resonance. *Journal of Physics A: mathematical and general*. 1981;14:L453.
- [108] Longtin A. Stochastic resonance in neuron models. *Journal of statistical physics*. 1993;70:309-27.
- [109] Rallabandi VS. Enhancement of ultrasound images using stochastic resonance-based wavelet transform. *Computerized medical imaging and graphics*. 2008;32:316-20.

- [110] Hickman S, Brex P, Brierley C, Silver N, Barker G, Scolding N, et al. Detection of optic nerve atrophy following a single episode of unilateral optic neuritis by MRI using a fat-saturated short-echo fast FLAIR sequence. *Neuroradiology*. 2001;43:123-8.
- [111] Miller FH, Hammond N, Siddiqi AJ, Shroff S, Khatri G, Wang Y, et al. Utility of diffusion-weighted MRI in distinguishing benign and malignant hepatic lesions. *Journal of Magnetic Resonance Imaging*. 2010;32:138-47.
- [112] Pizurica A, Wink AM, Vansteenkiste E, Philips W, Roerdink BJ. A review of wavelet denoising in MRI and ultrasound brain imaging. *Current medical imaging reviews*. 2006;2:247-60.
- [113] Lim JS. Two-dimensional signal and image processing. Englewood Cliffs, NJ, Prentice Hall, 1990, 710 p. 1990.
- [114] Descombes X, Kruggel F, von Cramon DY. fMRI signal restoration using a spatio-temporal Markov random field preserving transitions. *NeuroImage*. 1998;8:340-9.
- [115] Baselice F, Ferraioli G, Pascazio V. A 3D MRI denoising algorithm based on Bayesian theory. *Biomedical engineering online*. 2017;16:25.
- [116] Wirestam R, Bibic A, Lätt J, Brockstedt S, Ståhlberg F. Denoising of complex MRI data by wavelet-domain filtering: Application to high-b-value diffusion-weighted imaging. *Magnetic resonance in medicine*. 2006;56:1114-20.
- [117] Nguyen MP, Chun SY. Bounded Self-Weights Estimation Method for Non-Local Means Image Denoising Using Minimax Estimators. *IEEE Transactions on Image Processing*. 2017;26:1637-49.
- [118] Wong A, Mishra AK. Quasi-Monte Carlo estimation approach for denoising MRI data based on regional statistics. *IEEE Transactions on Biomedical Engineering*. 2011;58:1076-83.
- [119] Golshan HM, Hasanzadeh RP. An optimized LMMSE based method for 3D MRI denoising. *IEEE/ACM transactions on computational biology and bioinformatics*. 2015;12:861-70.
- [120] Priya US, Nair JJ. Denoising of DT-MR Images with an Iterative PCA. *Procedia Computer Science*. 2015;58:603-13.
- [121] Lee J-S. Digital image enhancement and noise filtering by use of local statistics. *IEEE transactions on pattern analysis and machine intelligence*. 1980:165-8.
- [122] Brion V, Riff O, Descoleaux M, Mangiri J-F, Le Bihan D, Poupon C, et al. The Parallel Kalman Filter: An efficient tool to deal with real-time non central χ noise correction of HARDI data. *Biomedical Imaging (ISBI), 2012 9th IEEE International Symposium on: IEEE; 2012*. p. 34-7.
- [123] Pan J, Yang X, Cai H, Mu B. Image noise smoothing using a modified Kalman filter. *Neurocomputing*. 2016;173:1625-9.
- [124] Szilágyi L, Benyo Z, Szilágyi SM, Adam H. MR brain image segmentation using an enhanced fuzzy c-means algorithm. *Engineering in Medicine and Biology Society, 2003 Proceedings of the 25th Annual International Conference of the IEEE: IEEE; 2003*. p. 724-6.
- [125] Riji R, Rajan J, Sijbers J, Nair MS. Iterative bilateral filter for Rician noise reduction in MR images. *Signal, image and video processing*. 2015;9:1543-8.
- [126] Drumheller D. General expressions for Rician density and distribution functions. *IEEE transactions on aerospace and electronic systems*. 1993;29:580-8.
- [127] Simon MK. *Probability distributions involving Gaussian random variables: A handbook for engineers and scientists*: Springer Science & Business Media; 2007.
- [128] Miller AJ, Joseph PM. The use of power images to perform quantitative analysis on low SNR MR images. *Magnetic resonance imaging*. 1993;11:1051-6.
- [129] Sijbers J, Den Dekker A, Van Dyck D, Raman E. Estimation of signal and noise from Rician distributed data. *Proceedings of the international conference on signal processing and communications 1998*. p. 140-2.
- [130] Jiang L, Yang W. Adaptive Magnetic Resonance Image Denoising Using Mixture Model and Wavelet Shrinkage. *DICTA2003*. p. 831-8.
- [131] Gabarda S, Cristóbal G. Blind image quality assessment through anisotropy. *JOSA A*. 2007;24:B42-B51.

- [132] Aja-Fernandez S, Estepar RSJ, Alberola-Lopez C, Westin C-F. Image quality assessment based on local variance. Engineering in Medicine and Biology Society, 2006 EMBS'06 28th Annual International Conference of the IEEE: IEEE; 2006. p. 4815-8.
- [133] Singh M, Verma A, Sharma N. Optimized Multistable Stochastic Resonance for the Enhancement of Pituitary Microadenoma in MRI. IEEE Journal of Biomedical and Health Informatics. 2018;22:862-73.
- [134] Golshan HM, Hasanzadeh RP. A modified Rician LMMSE estimator for the restoration of magnitude MR images. Optik-International Journal for Light and Electron Optics. 2013;124:2387-92.
- [135] Gabarda S, Redondo R, Gil E, Cristóbal G. Image denoising and quality assessment through the Renyi entropy. Mathematics for Signal and Information Processing: International Society for Optics and Photonics; 2009. p. 744419.
- [136] Singh M, Sharma N, Verma A, Sharma S. Dynamic Stochastic Resonance Based Diffusion-Weighted Magnetic Resonance Image Enhancement Using Multi-Objective Particle Swarm Optimization. Journal of Medical and Biological Engineering. 2016;36:891-900.
- [137] Zhang Y, Wang S, Ji G. A comprehensive survey on particle swarm optimization algorithm and its applications. Mathematical Problems in Engineering. 2015;2015.
- [138] Zhang L-Q, Cichocki A, Amari S. Kalman filter and state-space approach to blind deconvolution. Neural Networks for Signal Processing X, 2000 Proceedings of the 2000 IEEE Signal Processing Society Workshop: IEEE; 2000. p. 425-34.
- [139] Yang J, Fan J, Ai D, Zhou S, Tang S, Wang Y. Brain MR image denoising for Rician noise using pre-smooth non-local means filter. Biomedical engineering online. 2015;14:2.
- [140] Jaccard P. The distribution of the flora in the alpine zone. New phytologist. 1912;11:37-50.
- [141] Dice LR. Measures of the amount of ecologic association between species. Ecology. 1945;26:297-302.
- [142] Zhu X, Milanfar P. Automatic parameter selection for denoising algorithms using a no-reference measure of image content. IEEE Transactions on image processing. 2010;19:3116-32.
- [143] Singh M, Verma A, Sharma N. Bat optimization based neuron model of stochastic resonance for the enhancement of MR images. Biocybernetics and Biomedical Engineering. 2017;37:124-34.
- [144] Hudson TM, Hamlin DJ, Enneking WF, Pettersson H. Magnetic resonance imaging of bone and soft tissue tumors: Early experience in 31 patients compared with computed tomography. Skeletal Radiology. 1985;13:134-46.
- [145] Suddath RL, Casanova MF, Goldberg TE, Daniel DG, Kelsoe Jr JR, Weinberger DR. Temporal lobe pathology in schizophrenia: a quantitative magnetic resonance imaging study. The American Journal of Psychiatry. 1989;146:464.
- [146] Dimililer K, İlhan A. Effect of Image Enhancement on MRI Brain Images with Neural Networks. Procedia Computer Science. 2016;102:39-44.
- [147] Gammaitoni L, Hänggi P, Jung P, Marchesoni F. Stochastic resonance. Reviews of modern physics. 1998;70:223.
- [148] Bulsara A, Jacobs E, Zhou T, Moss F, Kiss L. Stochastic resonance in a single neuron model: Theory and analog simulation. Journal of Theoretical Biology. 1991;152:531-55.
- [149] Pei X, Wilkens L, Moss F. Noise-mediated spike timing precision from aperiodic stimuli in an array of Hodgkin-Huxley-type neurons. Physical review letters. 1996;77:4679.
- [150] McDonnell MD, Stocks NG, Pearce CEM, Abbott D. Stochastic Resonance: From Suprathreshold Stochastic Resonance to Stochastic Signal Quantization. Cambridge: Cambridge University Press; 2008.
- [151] Zhou W, Bovik AC. A universal image quality index. IEEE Signal Processing Letters. 2002;9:81-4.
- [152] Bulsara A, Boss R, Jacobs E. Noise effects in an electronic model of a single neuron. Biological cybernetics. 1989;61:211-22.
- [153] Vom Scheidt J. Gard, TC, Introduction to Stochastic Differential Equations. New York-Basel, Marcel Dekker Inc. 1988. XI, 234 pp., \$78.-. ISBN 0-8247-7776-X (Pure and Applied Mathematics

- 114). ZAMM-Journal of Applied Mathematics and Mechanics/Zeitschrift für Angewandte Mathematik und Mechanik. 1989;69:258-.
- [154] Wang Z, Bovik AC, Sheikh HR, Simoncelli EP. Image quality assessment: from error visibility to structural similarity. *IEEE transactions on image processing*. 2004;13:600-12.
- [155] He H-L, Wang T-Y, Leng Y-G, Zhang Y, Li Q. Study on non-linear filter characteristic and engineering application of cascaded bistable stochastic resonance system. *Mechanical systems and signal processing*. 2007;21:2740-9.
- [156] Yang X-S. A new metaheuristic bat-inspired algorithm. *Nature inspired cooperative strategies for optimization (NICSO 2010)*: Springer; 2010. p. 65-74.
- [157] Zitzler E, Thiele L. An evolutionary algorithm for multiobjective optimization: The strength pareto approach. Citeseer; 1998.
- [158] Wang Z, Sheikh HR, Bovik AC. No-reference perceptual quality assessment of JPEG compressed images. *Image Processing 2002 Proceedings 2002 International Conference on*: IEEE; 2002. p. I-477-I-80 vol. 1.
- [159] Flandrin P, Baraniuk RG, Michel O. Time-frequency complexity and information. *Acoustics, Speech, and Signal Processing, 1994 ICASSP-94, 1994 IEEE International Conference on*: IEEE; 1994. p. III/329-III/32 vol. 3.
- [160] Jacobson LD, Wechsler H. Joint spatial/spatial-frequency representation. *Signal processing*. 1988;14:37-68.
- [161] Chouhan R, Jha RK, Biswas PK. Enhancement of dark and low-contrast images using dynamic stochastic resonance. *IET Image Processing*. 2013;7:174-84.
- [162] Jobson DJ, Rahman Z-u, Woodell GA. Properties and performance of a center/surround retinex. *IEEE transactions on image processing*. 1997;6:451-62.
- [163] Gonzalez RC, Richard E. Woods, digital image processing. ed: Prentice Hall Press, ISBN 0-201-18075-8. 2002.
- [164] Zuiderveld K. Contrast limited adaptive histogram equalization. *Graphics gems IV*: Academic Press Professional, Inc.; 1994. p. 474-85.
- [165] Mukherjee J, Mitra SK. Enhancement of color images by scaling the DCT coefficients. *IEEE Transactions on Image Processing*. 2008;17:1783-94.
- [166] Fletcher LM, Barsotti JB, Hornak JP. A multispectral analysis of brain tissues. *Magnetic Resonance in Medicine*. 1993;29:623-30.
- [167] MacAdam DL. Maximum attainable luminous efficiency of various chromaticities. *Journal of the Optical Society of America*. 1950;40:120.
- [168] Pizer SM, Austin JD, Perry JR, Safrin HD, Zimmerman JB. Adaptive histogram equalization for automatic contrast enhancement of medical images. *Application of Optical Instrumentation in Medicine XIV and Picture Archiving and Communication Systems (PACS IV) for Medical Applications: International Society for Optics and Photonics*; 1986. p. 242-50.
- [169] Sheet D, Garud H, Suveer A, Mahadevappa M, Chatterjee J. Brightness preserving dynamic fuzzy histogram equalization. *IEEE Transactions on Consumer Electronics*. 2010;56.
- [170] Krishnamoorthy KS, Soman TB, Takeoka M, Schaefer PW. Diffusion-weighted imaging in neonatal cerebral infarction: clinical utility and follow-up. *Journal of child neurology*. 2000;15:592-602.
- [171] Groenendaal F, Benders MJ, De Vries LS. Pre-wallerian degeneration in the neonatal brain following perinatal cerebral hypoxia-ischemia demonstrated with MRI. *Seminars in perinatology*: Elsevier; 2006. p. 146-50.
- [172] Mourmans J, Majoie C, Barth P, Duran M, Akkerman E. Sequential MR imaging changes in nonketotic hyperglycinemia. *American journal of neuroradiology*. 2006;27:208-11.
- [173] Parmar H, Sitoh YY, Ho L. Maple syrup urine disease: diffusion-weighted and diffusion-tensor magnetic resonance imaging findings. *Journal of computer assisted tomography*. 2004;28:93-7.
- [174] Simmons A, Tofts PS, Barker GJ, Arridge SR. Sources of intensity nonuniformity in spin echo images at 1.5 T. *Magnetic Resonance in Medicine*. 1994;32:121-8.

- [175] Wicks DA, Barker GJ, Tofts PS. Correction of intensity nonuniformity in MR images of any orientation. *Magnetic Resonance Imaging*. 1993;11:183-96.
- [176] Likar B, Viergever MA, Pernus F. Retrospective correction of MR intensity inhomogeneity by information minimization. *IEEE transactions on medical imaging*. 2001;20:1398-410.
- [177] Likar B, Maintz JA, Viergever MA, Pernus F. Retrospective shading correction based on entropy minimization. *Journal of Microscopy*. 2000;197:285-95.
- [178] Mukherjee S, Acton ST. Region based segmentation in presence of intensity inhomogeneity using legendre polynomials. *IEEE Signal Processing Letters*. 2015;22:298-302.
- [179] Seshamani S, Cheng X, Fogtman M, Thomason ME, Studholme C. A method for handling intensity inhomogeneities in fMRI sequences of moving anatomy of the early developing brain. *Medical image analysis*. 2014;18:285-300.
- [180] Narayana PA, Borthakur A. Effect of Radio Frequency Inhomogeneity Correction on the Reproducibility of Intra-Cranial Volumes Using MR Image Data. *Magnetic Resonance in Medicine*. 1995;33:396-400.
- [181] Vokurka EA, Thacker NA, Jackson A. A fast model independent method for automatic correction of intensity nonuniformity in MRI data. *Journal of Magnetic Resonance Imaging*. 1999;10:550-62.
- [182] Zhou L, Zhu Y, Bergot C, Laval-Jeantet A-M, Bousson V, Laredo J-D, et al. A method of radio-frequency inhomogeneity correction for brain tissue segmentation in MRI. *Computerized Medical Imaging and Graphics*. 2001;25:379-89.
- [183] Brinkmann BH, Manduca A, Robb RA. Optimized homomorphic unsharp masking for MR grayscale inhomogeneity correction. *IEEE transactions on medical imaging*. 1998;17:161-71.
- [184] Belaroussi B, Milles J, Carme S, Zhu YM, Benoit-Cattin H. Intensity non-uniformity correction in MRI: existing methods and their validation. *Medical Image Analysis*. 2006;10:234-46.
- [185] Walsh JB. An introduction to stochastic partial differential equations. *École d'Été de Probabilités de Saint Flour XIV-1984*: Springer; 1986. p. 265-439.
- [186] Thacker NA, Lacey A, Bromiley PA. Validating MRI Field Homogeneity Correction Using Image Information Measures. *BMVC2002*. p. 1-10.
- [187] Sharma N, Ray AK, Sharma S, Shukla K, Pradhan S, Aggarwal LM. Segmentation and classification of medical images using texture-primitive features: Application of BAM-type artificial neural network. *Journal of medical physics*. 2008;33:119.
- [188] Salvado O, Hillenbrand C, Zhang S, Wilson DL. Method to correct intensity inhomogeneity in MR images for atherosclerosis characterization. *IEEE transactions on medical imaging*. 2006;25:539-52.
- [189] Li C, Gore JC, Davatzikos C. Multiplicative intrinsic component optimization (MICO) for MRI bias field estimation and tissue segmentation. *Magnetic resonance imaging*. 2014;32:913-23.
- [190] Martin D, Fowlkes C, Tal D, Malik J. A database of human segmented natural images and its application to evaluating segmentation algorithms and measuring ecological statistics. *Computer Vision, 2001 ICCV 2001 Proceedings Eighth IEEE International Conference on: IEEE*; 2001. p. 416-23.
- [191] Peck WW, Dillon W, Norman D, Newton T, Wilson C. High-resolution MR imaging of pituitary microadenomas at 1.5 T: experience with Cushing disease. *American Journal of Roentgenology*. 1989;152:145-51.
- [192] Kinoshita M, Tanaka H, Arita H, Goto Y, Oshino S, Watanabe Y, et al. Pituitary-Targeted Dynamic Contrast-Enhanced Multisection CT for Detecting MR Imaging–Occult Functional Pituitary Microadenoma. *American Journal of Neuroradiology*. 2015;36:904-8.
- [193] Sudeep P, Palanisamy P, Kesavadas C, Rajan J. Nonlocal linear minimum mean square error methods for denoising MRI. *Biomedical Signal Processing and Control*. 2015;20:125-34.
- [194] Delakis I, Hammad O, Kitney RI. Wavelet-based de-noising algorithm for images acquired with parallel magnetic resonance imaging (MRI). *Physics in Medicine and biology*. 2007;52:3741.

- [195] Bahendwar Y, Sinha G. Efficient Algorithm for Denoising of Medical Images Using Discrete Wavelet Transform. pp-158-162, Proceedings of the 17th International Conference on Mathematical Methods, Computational Techniques and Intelligent Systems (MAMECTIS'15) Tenerife, Canary Islands, Spain January 2015. p. 10-2.
- [196] Al-Manea A, El-Zaart A. Contrast enhancement of MRI images. 3rd Kuala Lumpur International Conference on Biomedical Engineering 2006: Springer; 2007. p. 255-8.
- [197] Mitaim S, Kosko B. Adaptive stochastic resonance. Proceedings of the IEEE. 1998;86:2152-83.
- [198] Dakua SP, Abinahed J, Al-Ansari AA. Pathological liver segmentation using stochastic resonance and cellular automata. Journal of Visual Communication and Image Representation. 2016;34:89-102.
- [199] Singh M, Verma A, Sharma N. Bat optimization based neuron model of stochastic resonance for the enhancement of MR images. Biocybernetics and Biomedical Engineering.
- [200] Mirjalili S, Jangir P, Saremi S. Multi-objective ant lion optimizer: a multi-objective optimization algorithm for solving engineering problems. Applied Intelligence. 2016:1-17.
- [201] Gard TC. Introduction to stochastic differential equations: M. Dekker; 1988.
- [202] Sun M, Li C-C, Sekhar LN, Scelabassi RJ. Efficient computation of the discrete pseudo-Wigner distribution. IEEE Transactions on Acoustics, Speech, and Signal Processing. 1989;37:1735-42.
- [203] Classen T, Mecklenbrauker WF. The Wigner distribution—a tool for time-frequency signal analysis, PART I: continuous-time signals. Philips J Res. 1980;35:217-50.
- [204] Chaudhary V, Bano S. Imaging of the pituitary: Recent advances. Indian journal of endocrinology and metabolism. 2011;15:216.
- [205] Sakamoto Y, Takahashi M, Korogi Y, Bussaka H, Ushio Y. Normal and abnormal pituitary glands: gadopentetate dimeglumine-enhanced MR imaging. Radiology. 1991;178:441-5.
- [206] Yuh W, Fisher DJ, Nguyen HD, Tali ET, Gao F, Simonson TM, et al. Sequential MR enhancement pattern in normal pituitary gland and in pituitary adenoma. American journal of neuroradiology. 1994;15:101-8.
- [207] Symons SP, Montanera WJ, Aviv RI, Kucharczyk W. The sella turcica and parasellar region. In: Atlas SW, editor. Magnetic resonance imaging of the brain and spine. Philadelphia: Lippincott Williams & Wilkins; 2009. p. 1283–362.
- [208] Maier C, Riedl M, Clodi M, Bieglmayer C, Mlynarik V, Trattinig S, et al. Dynamic contrast-enhanced MR imaging of the stimulated pituitary gland. Neuroimage. 2004;22:347-52.
- [209] Hamdy M, Nguyen A-T, Hensen JL. A performance comparison of multi-objective optimization algorithms for solving nearly-zero-energy-building design problems. Energy and Buildings. 2016;121:57-71.
- [210] Araújo DR, Bastos-Filho CJ, Barboza EA, Chaves DA, Martins-Filho JF. A performance comparison of multi-objective optimization evolutionary algorithms for all-optical networks design. Computational Intelligence in Multicriteria Decision-Making (MDCM), 2011 IEEE Symposium on: IEEE; 2011. p. 89-96.
- [211] Haralick RM, Shapiro LG. Image segmentation techniques. Computer vision, graphics, and image processing. 1985;29:100-32.
- [212] Norouzi A, Rahim MSM, Altameem A, Saba T, Rad AE, Rehman A, et al. Medical image segmentation methods, algorithms, and applications. IETE Technical Review. 2014;31:199-213.
- [213] Balafar MA. Fuzzy C-mean based brain MRI segmentation algorithms. Artificial Intelligence Review. 2014;41:441-9.
- [214] Bezdek JC, Ehrlich R, Full W. FCM: The fuzzy c-means clustering algorithm. Computers & Geosciences. 1984;10:191-203.
- [215] Chen S, Zhang D. Robust image segmentation using FCM with spatial constraints based on new kernel-induced distance measure. IEEE Transactions on Systems, Man, and Cybernetics, Part B (Cybernetics). 2004;34:1907-16.
- [216] Krinidis S, Chatzis V. A robust fuzzy local information C-means clustering algorithm. IEEE Transactions on Image Processing. 2010;19:1328-37.

- [217] Jamshidi O, Pilevar AH. Automatic segmentation of medical images using fuzzy c-means and the genetic algorithm. *Journal of Computational Medicine*. 2013;2013.
- [218] Mekhmoukh A, Mokrani K. Improved Fuzzy C-Means based Particle Swarm Optimization (PSO) initialization and outlier rejection with level set methods for MR brain image segmentation. *Computer methods and programs in biomedicine*. 2015;122:266-81.
- [219] Wikaisuksakul S. A multi-objective genetic algorithm with fuzzy c-means for automatic data clustering. *Applied Soft Computing*. 2014;24:679-91.
- [220] Mukhopadhyay A, Bandyopadhyay S, Maulik U. Clustering using multi-objective genetic algorithm and its application to image segmentation. *Systems, Man and Cybernetics, 2006 SMC'06 IEEE International Conference on: IEEE; 2006*. p. 2678-83.
- [221] Bandyopadhyay S, Maulik U, Mukhopadhyay A. Multiobjective genetic clustering for pixel classification in remote sensing imagery. *IEEE transactions on Geoscience and Remote Sensing*. 2007;45:1506-11.
- [222] Faceli K, de Souto MC, de Carvalho AC. A strategy for the selection of solutions of the pareto front approximation in multi-objective clustering approaches. *Neural Networks, 2008 SBRN'08 10th Brazilian Symposium on: IEEE; 2008*. p. 27-32.
- [223] Mukhopadhyay A, Maulik U, Bandyopadhyay S. Multiobjective genetic clustering with ensemble among pareto front solutions: Application to MRI brain image segmentation. *Advances in Pattern Recognition, 2009 ICAPR'09 Seventh International Conference on: IEEE; 2009*. p. 236-9.
- [224] Xu S, Hu L, Yang X, Liu X. A cluster number adaptive fuzzy c-means algorithm for image segmentation. *International Journal of Signal Processing, Image Processing and Pattern Recognition*. 2013;6.
- [225] Benaichouche A, Oulhadj H, Siarry P. Improved spatial fuzzy c-means clustering for image segmentation using PSO initialization, Mahalanobis distance and post-segmentation correction. *Digital Signal Processing*. 2013;23:1390-400.
- [226] Ahmed MN, Yamany SM, Mohamed N, Farag AA, Moriarty T. A modified fuzzy c-means algorithm for bias field estimation and segmentation of MRI data. *IEEE transactions on medical imaging*. 2002;21:193-9.
- [227] Billaudel P, Devillez A, Lecolier GV. Performance evaluation of fuzzy classification methods designed for real time application. *International journal of approximate reasoning*. 1999;20:1-20.
- [228] Gath I, Geva AB. Unsupervised optimal fuzzy clustering. *IEEE Transactions on pattern analysis and machine intelligence*. 1989;11:773-80.
- [229] Pakhira MK, Bandyopadhyay S, Maulik U. Validity index for crisp and fuzzy clusters. *Pattern recognition*. 2004;37:487-501.
- [230] Cocosco CA, Kollokian V, Kwan RK-S, Pike GB, Evans AC. Brainweb: Online interface to a 3D MRI simulated brain database. *NeuroImage: Citeseer*; 1997.
- [231] Zou KH, Warfield SK, Bharatha A, Tempany CM, Kaus MR, Haker SJ, et al. Statistical validation of image segmentation quality based on a spatial overlap index 1: Scientific reports. *Academic radiology*. 2004;11:178-89.

