

## Table of Contents

Contents	Page No.
List of Figures	xiii - xix
List of Tables	xxi
List of Abbreviations/Symbols	xxiii - xxiv
Preface	xxv- xxxiv
<b>Chapter 1: Introduction</b>	<b>1</b>
<b>Chapter 2: Review of literature</b>	<b>7</b>
<b>2.1 Composite and its types</b>	<b>7</b>
2.1.1 Processing techniques for composites	8
<b>2.2 Tribology</b>	<b>15</b>
<b>2.3 Wear and types of wear</b>	<b>15</b>
2.3.1 Factors affecting wear	17
<b>2.4 Lubrication</b>	<b>19</b>
2.4.1 Liquid lubrication	20
2.4.2 Solid lubrication	21
2.4.3 Need for solid lubrication	24
<b>2.5 Architecture of high-temperature solid-lubricating materials</b>	<b>26</b>
2.5.1 High-temperature matrix	26
2.5.2 High-temperature solid lubricant	27
<b>2.6 Intermetallic (Ni<sub>3</sub>Al and NiAl) based high-temperature solid-lubricating composites</b>	<b>34</b>

<b>2.7 Formulation of the problem</b>	<b>44</b>
<b>2.8 Objectives of the study</b>	<b>46</b>
<b>Chapter 3: Synthesis of Materials and Experimental Procedure</b>	<b>47</b>
<b>3.1 Material Synthesis</b>	<b>47</b>
3.1.1 Synthesis of Ni <sub>3</sub> Al intermetallic compound	47
3.1.2 Preparation of Cu-modified <i>h</i> BN nanosheets (Cu- <i>h</i> BN)	48
<b>3.2 Vacuum hot press sintering of composites</b>	<b>49</b>
3.2.1 Ni <sub>3</sub> Al-based composites containing Ag, WS <sub>2</sub> , and Ag-WS <sub>2</sub>	49
3.2.2 Ni <sub>3</sub> Al-based composites containing Ag, Cu- <i>h</i> BN, and Ag-Cu- <i>h</i> BN	50
3.2.3 Ni <sub>3</sub> Al-based composites containing WS <sub>2</sub> , Cu- <i>h</i> BN, and WS <sub>2</sub> -Cu- <i>h</i> BN	51
<b>3.3 Characterization of powders and Ni<sub>3</sub>Al-based composites</b>	<b>52</b>
3.3.1 Field emission scanning electron microscopy of powders and composites	52
3.3.2 Thermogravimetric Analysis of ball-milled powders	52
3.3.3 Transmission electron microscopy of Cu- <i>h</i> BN powders	52
3.3.4 XRD and XPS of Cu- <i>h</i> BN powders	52
3.3.5 X-ray diffraction analysis of powders and composites	52
3.3.6 Hardness and density measurement	53
<b>3.4 Dry sliding friction and wear testing</b>	<b>53</b>
<b>3.5 Characterization of worn surfaces</b>	<b>56</b>
3.5.1 Field emission scanning electron microscopy of worn surfaces	56
3.5.2 X-ray diffraction and Raman spectroscopy analysis of worn surfaces	56
3.5.3 Examination of cross-section of worn surfaces	57

<b>Chapter 4: Synthesis and tribological behaviour of vacuum hot press sintered Ni<sub>3</sub>Al-based composites containing Ag, WS<sub>2</sub> and Ag-WS<sub>2</sub> at elevated temperature</b>	<b>59</b>
<b>4.1 Results and discussions</b>	<b>59</b>
4.1.1 Characterization of elemental powders	59
4.1.2 Characterization of composites	61
4.1.3 Dry sliding friction and wear behaviour of composites	67
4.1.4 Morphology of worn surfaces	71
<b>4.2 Discussions</b>	<b>84</b>
<b>Chapter 5: Synthesis and tribological behaviour of vacuum hot press sintered Ni<sub>3</sub>Al-Ag-Cu-<i>h</i>BN and Ni<sub>3</sub>Al-WS<sub>2</sub>-Cu-<i>h</i>BN composites at elevated temperatures</b>	<b>93</b>
<b>5.1 Results and discussions: Synthesis and Tribological behaviour Ni<sub>3</sub>Al-Ag/Ni<sub>3</sub>Al-Cu-<i>h</i>BN/Ni<sub>3</sub>Al-Ag-Cu-<i>h</i>BN composites</b>	<b>93</b>
5.1.1 Characterization of <i>h</i> -BNNSs and Cu- <i>h</i> BN powders	93
5.1.2 Characterisation of ball-milled powders and composites	97
5.1.3 Tribological behaviour Ni <sub>3</sub> Al-Ag/Ni <sub>3</sub> Al-Cu- <i>h</i> BN/Ni <sub>3</sub> Al-Ag-Cu- <i>h</i> BN composites	102
5.1.4 Morphology of worn surfaces	106
<b>5.2 Discussions: Friction and Wear behaviour of Ni<sub>3</sub>Al-Ag/Ni<sub>3</sub>Al-Cu-<i>h</i>BN/Ni<sub>3</sub>Al-Ag-Cu-<i>h</i>BN composites</b>	<b>121</b>
<b>5.3 Results and discussions: Synthesis and Tribological behaviour of Ni<sub>3</sub>Al-WS<sub>2</sub>/Ni<sub>3</sub>Al-Cu-<i>h</i>BN/Ni<sub>3</sub>Al-WS<sub>2</sub>-Cu-<i>h</i>BN composites</b>	<b>128</b>
5.3.1 Characterisation of Cu-doped <i>h</i> BN nanosheets	128

5.3.2	Characterisation of Ni <sub>3</sub> Al-based composites	130
5.3.3	Tribological behaviour of Ni <sub>3</sub> Al-WS <sub>2</sub> /Ni <sub>3</sub> Al-Cu- <i>h</i> BN/Ni <sub>3</sub> Al-WS <sub>2</sub> -Cu- <i>h</i> BN	134
5.3.4	Analysis of Worn Surfaces	137
<b>5.4</b>	<b>Discussions: Friction and Wear behaviour of Ni<sub>3</sub>Al-WS<sub>2</sub>/Ni<sub>3</sub>Al-Cu-<i>h</i>BN/Ni<sub>3</sub>Al-WS<sub>2</sub>-Cu-<i>h</i>BN composites</b>	<b>151</b>
<b>5.5</b>	<b>Summary of friction and wear behaviour of Ni<sub>3</sub>Al/-Ag/-WS<sub>2</sub>/-Cu-<i>h</i>BN/Ag-WS<sub>2</sub>/Ag-Cu-<i>h</i>BN/WS<sub>2</sub>-Cu-<i>h</i>BN composites</b>	<b>159</b>
<b>Chapter 6:</b>	<b>Conclusions</b>	<b>163</b>
<b>6.1</b>	<b>Characterization of Ni<sub>3</sub>Al intermetallic compound and (Cu-<i>h</i>BN) hybrid</b>	<b>163</b>
<b>6.2</b>	<b>Characterization of Ni<sub>3</sub>Al-based self-lubricating composites</b>	<b>163</b>
<b>6.3</b>	<b>Friction and wear behaviour of Ni<sub>3</sub>Al-based self-lubricating composites</b>	<b>165</b>
6.3.1	Tribological behaviour of Ni <sub>3</sub> Al/Ni <sub>3</sub> Al-Ag/Ni <sub>3</sub> Al-WS <sub>2</sub> /Ni <sub>3</sub> Al-Ag-WS <sub>2</sub>	165
6.3.2	Tribological behaviour of Ni <sub>3</sub> Al/Ni <sub>3</sub> Al-Ag/Ni <sub>3</sub> Al-Cu- <i>h</i> BN/Ni <sub>3</sub> Al-Ag-Cu- <i>h</i> BN	167
6.3.3	Tribological behaviour of Ni <sub>3</sub> Al-WS <sub>2</sub> /Ni <sub>3</sub> Al-Cu- <i>h</i> BN/Ni <sub>3</sub> Al-WS <sub>2</sub> -Cu- <i>h</i> BN	168
<b>6.4</b>	<b>Comparative analysis of tribological behaviour of Ni<sub>3</sub>Al-Ag-WS<sub>2</sub>, Ni<sub>3</sub>Al-Ag-Cu-<i>h</i>BN and Ni<sub>3</sub>Al-WS<sub>2</sub>-Cu-<i>h</i>BN composites</b>	<b>170</b>
<b>Future scope</b>		<b>171</b>
<b>References</b>		<b>173</b>
<b>List of publications</b>		<b>193</b>