

I would like to dedicate this thesis to my family who has supported and encouraged me throughout this endeavour: thank you for your love and support throughout my entire life and helping me to realize who I am today!



CERTIFICATE

It is certified that the work contained in the thesis titled “**Water pollution due to coal mining and its management with special reference to the Govind Ballabh Pant reservoir**” by “**Ramita Varshney**” has been carried out under my supervision and that this work has not been submitted elsewhere for a degree.

It is further certified that the student has fulfilled all the requirements of Comprehensive Examination, Candidacy and SOTA for the award of Ph.D. Degree.

Professor Aarif Jamal
(Supervisor)
Department of Mining Engineering
Indian Institute of Technology
(Banaras Hindu University)
Varanasi 221005
India

DECLARATION BY THE CANDIDATE

I, **Ramita Varshney**, certify that the work embodied in this thesis is my own bonafide work and carried out by me under the supervision of **Professor Aarif Jamal** from July-2014 to June-2020, at the **Department of Mining Engineering**, Indian Institute of Technology (BHU), Varanasi. The matter embodied in this thesis has not been submitted for the award of any other degree/diploma.

I declare that I have faithfully acknowledged and given credits to the research workers wherever their works have been cited in my work in this thesis. I further declare that I have not will fully copied any other's work, paragraphs, text, data, results, etc., reported in journals, books, magazines, reports dissertations, theses, etc., or available at websites and have not included them in this thesis and have not cited as my own work.

Date:

Place: Varanasi

(Ramita Varshney)

CERTIFICATE BY THE SUPERVISOR

It is certified that the above statement made by the student is correct to the best of my knowledge.

Professor Aarif Jamal
(Supervisor)
Department of Mining Engineering
Indian Institute of Technology
(Banaras Hindu University)
Varanasi-221005
India

Professor Piyush Rai
(Head of Department)
Department of Mining Engineering
Indian Institute of Technology
(Banaras Hindu University)
Varanasi-221005
India

COPYRIGHT TRANSFER CERTIFICATE

**Title of the Thesis: WATER POLLUTION DUE TO COAL MINING AND ITS
MANAGEMENT WITH SPECIAL REFERENCE TO THE
GOVIND BALLABH PANT RESERVOIR**

Name of the Student: Ramita Varshney

Copyright Transfer

The undersigned hereby assigns to the Indian Institute of Technology (Banaras Hindu University), Varanasi all rights under copyright that may exist in and for the above thesis submitted for the award of the "*Doctor of Philosophy*".

Date:

Place: Varanasi

(Ramita Varshney)

Note: However, the author may reproduce or authorize others to reproduce material extracted verbatim from the thesis or derivative of the thesis for author's personal use provided that the source and the Institute's copyright notice are indicated.

ACKNOWLEDGEMENT

This thesis is the outcome of six years of long dedicated work whereby I have been accompanied and supported by many people. It is a pleasant moment that I have now the opportunity to express my sincere gratitude to all of them.

First and foremost, I would like to thank the God, the Almighty, for his showers of blessings throughout my research work to complete it successfully. I would like to express my deep gratitude to my research supervisor Professor Aarif Jamal, Department of Mining Engineering, IIT(BHU) for his unparalleled guidance, expertise, encouragement and wisdom to improve my research, academic writing and presentation skills throughout the whole long thesis work. He has always supported and strengthened me in many direct and indirect ways. His thoughtful and valuable reviews, constructive criticism and tireless review of all the manuscripts have immensely helped me to improve the work. I consider myself fortunate to have the opportunity to work under his able guidance.

I am highly grateful to Professor Piyush Rai, Head, Department of Mining Engineering, Indian Institute of Technology (Banaras Hindu University), for providing necessary facilities and encouragement required during the research work.

I would also like to thank Dr. Anurag Ohri, Associate Professor, Department of Civil Engineering, IIT (BHU) and Dr. Amrendra Kumar, Associate Professor, Department of Mining Engineering for the enthusiastic forward-thinking and giving valuable suggestions during my research progress evaluation committee meetings. They also taught me about the ups and downs of reviewers, which I'll never forget.

I express my sincere thanks to all DPGC and RPEC members for their direct or indirect motivation and assistance from different corners during my research work at institute.

Also, I express my sincere thanks to all the faculty members and supporting staff of the Department of Mining Engineering, IIT (BHU); Central Instrument Facility, IIT (BHU); Interdisciplinary School of Life Sciences, BHU; Department of Botany, BHU; Department of Civil Engineering, IIT (BHU); Department of Chemical Engineering and Technology, IIT(BHU); Department of Geography, BHU, Varanasi and Officers of Northern Coalfields Limited, Singrauli for their continued help and co-operation for completion of this research work.

I would like to extend my sincere thanks to my seniors, friends and colleagues for not only their help and support but also making this journey unforgettable. I am greatly indebted to my parents Mrs. Sunita Gupta and Mr. R.A. Gupta and my family members specially my husband and brother who have always supported and encouraged me throughout this endeavour. They were always there for me in my difficulties and it was their sound faith in me that always helped me to proceed further. This thesis could not have been reality without the blessing of my parents and family members. Thank you for your love and support throughout my life and helping me to realize who I am today.

I am grateful to the Ministry of Human Resource and Development (MHRD), Government of India and Department of Mining Engineering, IIT (BHU) Varanasi for financial and necessary supports to undertake the work. I wish to extend a warm thank to all those who could not find a separate name but have helped directly and indirectly.

Date:

Varanasi

(Ramita Varshney)

Table of Contents

Title	Page No.
<i>Certificate</i>	ii-iv
<i>Acknowledgement</i>	v-vi
<i>Table of Contents</i>	vii-xi
<i>List of Figures</i>	xii-xvi
<i>List of Tables</i>	xvii
<i>List of Abbreviation and Symbols</i>	xviii
<i>Preface</i>	xix-xx
<i>Abstract</i>	xxi-xxviii
1. Introduction	1-14
1.1 General Statement	1
1.2 Assessment of Water Quality	6
1.3 Application of Remote Sensing and GIS	8
1.4 Role of Multivariate Statistical Techniques	8
1.5 Significance of Land Use/ Land Cover	9
1.6 Importance of Volume Estimation of Reservoir	11
1.7 Remediation of Water Pollution	12
1.8 Objective of the Study	13
2. Literature Review	15-39
2.1 General Statement	15
2.2 Studies on water pollution caused by coal mining	15
2.3 Studies on assessment of the water quality	17
2.4 Studies on analysis of land use/land cover	24
2.5 Studies on estimation of reservoir volume	34
3. Study Area	40-61
3.1 General Statement	40
3.2 Administration	43
3.3 Climate	44
3.4 Rainfall	44

3.5 Geography of the area/ Physiography	48
3.6 Soil Characteristics	49
3.7 Drainage Pattern	49
3.8 Flora and Fauna	51
3.9 General Geology	52
3.9.1 Precambrian Basement	56
3.9.2 Talcher Formation	56
3.9.3 Barakar Formation	57
3.9.4 Barren Measures	58
3.9.5 Raniganj Formation	58
3.9.6 Panchet Formation	59
3.9.7 Mahadeva Formation	59
3.10 Geology of Coal Seam	60
3.10.1 Barakar Formation	60
3.10.1.1 Kota Seam	60
3.10.1.2 Turra Seam	60
3.10.1.3 Purewa Bottom Seam	60
3.10.1.4 Purewa Top Seam	60
3.10.1.5 Purewa Merged Seam	60
3.10.1.6 Khadia Seam	60
3.10.1.7 Pani Pahari Seam	61
3.10.2 Raniganj Formation	61
3.10.2.1 Jhingurdah Bottom Seam	61
3.10.2.2 Jhingurdah Top Seam	61
4. Material and Methods	62-78
4.1 Water Sampling and its physico-chemical analysis	62
4.2 Method for calculation of Water Quality Index	67
4.3 Mapping of Water Quality /Spatial Distribution Map	69
4.4 Basic Statistical Analysis	71
4.4.1 Correlation Analysis	71
4.4.2 Box Plot Diagrams	72
4.4.3 Hierarchical Cluster Analysis (HCA)	72

4.4.4 Piper Diagram	73
4.5 Land Use/ Land Cover (LU/LC)	74
4.5.1 Preprocessing	75
4.5.2 Image Enhancement	76
4.5.3 Image Classification	76
4.6 Post Classification Change Detection	77
4.7 Volume Estimation of water present in the reservoir	77
5. Results and Discussion	79-173
5.1 Description of various physico-chemical parameters during pre and post monsoon seasons along with Spatial Distribution Map showing scattering of few important physico-chemical parameters	79
5.1.1 Total Suspended Solids (TSS)	81
5.1.2 Calcium (Ca)	84
5.1.3 Magnesium (Mg)	86
5.1.4 Iron (Fe)	88
5.1.5 Zinc (Zn)	90
5.1.6 Copper (Cu)	92
5.1.7 Sulphate (SO_4^{2-})	94
5.1.8 Fluoride (F^-)	96
5.1.9 Chromium (Cr)	98
5.1.10 Cadmium (Cd)	100
5.1.11 Nickel (Ni)	102
5.1.12 Water Quality Index (WQI)	104
5.1.13 pH	109
5.1.14 Oxidation Reduction Potential (ORP)	110
5.1.15 Total Dissolved Solids (TDS)	110
5.1.16 Electrical Conductivity (EC)	111
5.1.17 Salinity	111
5.1.18 Dissolved Oxygen (D.O.)	112
5.1.19 Chloride (Cl^-)	112
5.1.20 Nitrate (NO_3^-)	113
5.1.21 Phosphate (PO_4^{3-})	114
5.1.22 Bicarbonate (HCO_3^-)	114

5.1.23 Sodium (Na)	115
5.1.24 Potassium (K)	115
5.1.25 Lithium (Li)	116
5.1.26 Lead (Pb)	116
5.1.27 Hardness	117
5.2 Statistical Analysis	118
5.2.1 Correlation Analysis	118
5.2.2 Box Plot Analysis	122
5.2.3 Hierarchical Cluster Analysis (HCA)	132
5.2.4 Piper Diagram	135
5.3 Spectral characterization of Land Use/Land Cover classes	141
5.4 Land Use/Land Cover Analysis (1988)	143
5.5 Land Use/Land Cover Analysis (1996)	146
5.6 Land Use/Land Cover Analysis (2005)	149
5.7 Land Use/Land Cover Analysis (2016)	152
5.8 Land Use/Land Cover Analysis (2018)	155
5.9 Land Use /Land Cover change (1988-1996-2005-2016-2018)	158
5.10 Change Detection Analysis	163
5.11 Volume Estimation of Govind Ballabh Pant reservoir	168
6. Management of Water Pollution through Phytoremediation	174-185
6.1 Introduction	174
6.2 Material and Method	178
6.3 Results and Discussion	181
6.4 Conclusions	184
7. Conclusions and Future Suggestions	186-190
7.1 Conclusions	186
7.2 Suggestions for Future Work	190
8. References	191-219
Appendices	220-244
Appendix A.1	220-222
Appendix A.2	223-225
Appendix A.3	226-228
Appendix A.4	229-231

Appendix A.5	232-234
Appendix A.6	235-237
Appendix A.7	238-240
Appendix A.8	241-243
Appendix A.9	244
Glossary	245-248
List of Publications and Papers Presented in Conferences	249

List of Figures

Figure No.	Caption	Page No.
3.1	Location map of study area	42
3.2	False Colour Composite (FCC) of study area	42
3.3	Toposheet of study area	43
3.4	Graph representing annual average rainfall	48
3.5	Drainage map of study area	51
3.6	Opencast coal mine of Northern Coalfield Limited, Singrauli	53
3.7	Geological map of study area	54
3.8	Google Earth View of study area	54
4.1	Sampling Location Map of study area	63
4.2	Laboratory analysis of samples through multi-parameter analyser	64
4.3	Laboratory analysis of water samples through Ion Chromatography	64
4.4	Analysis of water samples through Induced Coupled Plasma	65
4.5	Laboratory analysis of water samples for Total Suspended Solids	65
4.6	Analysis of water samples through Atomic Absorption Spectroscopy	66
4.7	Water sample locations in coal mines of NCL	66
4.8	Water sample locations in Govind Ballabh Pant reservoir	67
5.1	Spatial distribution of TSS during pre-monsoon season in the Study Area	83
5.2	Spatial distribution of TSS during post monsoon season in the Study Area	83
5.3	Spatial distribution of Calcium during pre-monsoon season in the Study Area	85

5.4	Spatial distribution of Calcium during post monsoon season in the Study Area	85
5.5	Spatial distribution of Magnesium during pre-monsoon season in the study area	87
5.6	Spatial distribution of Magnesium during post monsoon season in the study area	87
5.7	Spatial distribution of Iron during pre-monsoon season in the study area	89
5.8	Spatial distribution of Iron during post monsoon season in the study area	89
5.9	Spatial distribution of Zinc during pre-monsoon season in the study area	91
5.10	Spatial distribution of Zinc during post monsoon season in the study area	91
5.11	Spatial distribution of Copper during pre-monsoon season in the study area	93
5.12	Spatial distribution of Copper during post monsoon season in the study area	93
5.13	Spatial distribution of Sulphate during pre-monsoon season in the study area	95
5.14	Spatial distribution of Sulphate during post monsoon season in the study area	95
5.15	Spatial distribution of Fluoride during pre-monsoon season in the study area	97
5.16	Spatial distribution of Fluoride during post monsoon season in the study area	97
5.17	Spatial distribution of Chromium during pre-monsoon season in the study area	99
5.18	Spatial distribution of Chromium during post monsoon season in the study area	99
5.19	Spatial distribution of Cadmium during pre-monsoon season in the study area	101

5.20	Spatial distribution of Cadmium during post monsoon season in the study area	101
5.21	Spatial distribution of Nickel during pre-monsoon season in the study area	103
5.22	Spatial distribution of Nickel post monsoon season in the study area	103
5.23	Spatial distribution of Water Quality Index during pre-monsoon season in the study area	106
5.24	Spatial distribution of Water Quality Index during post monsoon season in the study area	106
5.25	Graphical representation of Water Quality Index during pre-monsoon season	107
5.26	Graphical representation of Water Quality Index during post monsoon season	107
5.27	Pie Chart representing Water Quality Index during pre-monsoon season	108
5.28	Pie Chart representing Water Quality Index during post monsoon season	108
5.29	Correlation analysis during pre-monsoon season	121
5.30	Correlation analysis during post monsoon season	121
5.31	Box Plot Diagram of the physico-chemical parameters of water samples of study area	122-131
5.32	Dendrogram of the HCA based on WQI of the Sampling Sites during pre-monsoon season	134
5.33	Dendrogram of the HCA based on WQI of the Sampling Sites during post monsoon season	135
5.34	Piper diagram for describing the hydro-geo-chemical facies variations for pre-monsoon season	137
5.35	Piper diagram for describing the hydro-geo-chemical facies variations for post monsoon season	137
5.36	Modified Piper Plot of the classification scheme for hydro-geo-chemical facies variations during pre-monsoon season	138

5.37	Modified Piper Plot of the classification scheme for hydro-geo-chemical facies variations during post monsoon season	138
5.38	Graph representing Land Use/ Land Cover Classification for the year 1988	144
5.39	Land Use/ Land Cover Map of study area based on Landsat 5 MSS (1988)	145
5.40	Graph representing Land Use/ Land Cover Classification for the year 1996	147
5.41	Land Use/ Land Cover Map of study area based on Landsat 5 MSS (1996)	148
5.42	Graph representing Land Use/ Land Cover Classification for the year 2005	150
5.43	Land Use/ Land Cover Map of study area based on Landsat 5 MSS (2005)	151
5.44	Graph representing Land Use/ Land Cover Classification for the year 2016	153
5.45	Land Use/ Land Cover Map of study area based on Landsat 8 OLI/ TIRS (2016)	154
5.46	Graph representing Land Use/ Land Cover Classification for the year 2018	156
5.47	Land Use/ Land Cover Map of study area based on Landsat 8 OLI/ TIRS (2018)	157
5.48	Graph representing various Land Use/ Land Cover Classes in square kilometres	159
5.49	Graph representing various Land Use/ Land Cover Classes in percentage (%)	160
5.50	Graph representing Land Transformation Statistics from 1988-2018	166
5.51	Change Detection Map of study area (1988-2018)	167
5.52	Estimation of Govind Ballabh Pant reservoir volume during 1998	171
5.53	Estimation of Govind Ballabh Pant reservoir volume during 2013	172

5.54	Estimation of Govind Ballabh Pant reservoir volume during 2016	172
5.55	Estimation of Govind Ballabh Pant reservoir volume during 2018	173
6.1	Line Diagram Representing Experimental Setup	179
6.2	Experimental Setup for Mitigation at Department Laboratory	179

List of Tables

Table No.	Caption	Page No.
2.1	Tabular Representation of Summary of Literature Review	17
2.2	Tabular Representation of Summary of Literature Review	22
2.3	Tabular Representation of Summary of Literature Review	32
2.4	Tabular Representation of Summary of Literature Review	37
3.1	Average Annual Rainfall (1967-2018) in Singrauli region	45
3.2	Stratigraphy of study area	55
5.1	Classification of Hardness in water	117
5.2	Land Use /Land Cover Statistics (1988)	144
5.3	Land Use /Land Cover Statistics (1996)	147
5.4	Land Use /Land Cover Statistics (2005)	150
5.5	Land Use /Land Cover Statistics (2016)	153
5.6	Land Use /Land Cover Statistics (2018)	156
5.7	Statistics showing Land Use /Land Cover Change Analysis during 1988-1996-2005-2016-2018 period	158
5.8	Land Transformation Statistics from 1988-2018	165
6.1	Result of Experimental Setup for treatment of Mine Waste Water	181

LIST OF ABBREVIATIONS/SYMBOLS

AAS	Atomic Absorption Spectroscopy
AOI	Area of Interest
APHA	American Public Health Association
BIS	Bureau of Indian Standards
CCME	Canadian Council of Ministers of the Environment
CPCB	Central Pollution Control Board
DEM	Digital Elevation Model
DO	Dissolved Oxygen
EC	Electrical Conductivity
EDTA	Ethylene Diamine Tetra Acetic Acid
ESDA	Exploratory Spatial Data Analysis
FCC	False Colour Composite
GIS	Geographic Information System
HCA	Hierarchical Cluster Analysis
IC	Ion Chromatography
ICP	Inductively Couple Plasma
IDW	Inverse Distance Weighting
LU/LC	Land Use/ Land Cover
MSS	Multispectral Scanner System
NSE	Normalized Sum of Excursions
OLI	Operational Land Imager
ORP	Oxidation Reduction Potential
TDS	Total Dissolved Solids
TIN	Triangular Irregular Network
TIRS	Thermal Infrared Sensor
TM	Thematic Mapper
TSS	Total Suspended Solids
USGS	United States Geological Survey
WHO	World Health Organisation
WQI	Water Quality Index

PREFACE

The thesis mainly consist of seven chapters in addition to the chapters containing references which have been cited in the entire thesis.

Chapter 1 provides a general introduction about the surface water along with its qualitative assessment using conventional and advanced techniques. The current chapter also included the objectives of the research work carried out in this thesis.

Chapter 2 deals with the exhaustive literature review of past studies related to the research work carried out in this thesis.

Chapter 3 gives a detailed description of the study area where the current study has been carried out.

Chapter 4 describes the various methodologies adopted for the collection of water samples, their physico-chemical analysis, statistical data validation methods, Land Use/ Land Cover analysis of the area and Volume estimation of the reservoir under study.

Chapter 5 explains the results of each objective highlighted in the study which include the evaluation of various physico-chemical parameters of the water samples collected during the research work during pre and post monsoon season including spatial distribution maps along with their validation through few multivariate statistical methods. Apart from this, it also incorporates the changes in the area under study during a time span of 30 years using Land Use/ Land Cover analysis as well as exhibited the decrease in volume of the reservoir during a time span of 20 years. In addition to this, the results of the objectives manifested in the study have also been discussed in this chapter.

Chapter 6 gives an insight into the management of waste water released through various industries present in the area at one of the source pouring its water directly into the reservoir through phytoremediation in combination with sandstone filtration system.

Chapter 7 reports the conclusions based on the research work. Finally, some recommendations for future work have also been incorporated in this chapter of the thesis.

Abstract

One of the global challenges before humanity is to ensure good water supply to meet its ever-growing demand due to the expanding world population and industrialization. Lakes, rivers, and reservoirs are some of the most substantial sources of freshwater. These water bodies cater to the needs for irrigation, drinking, domestic, industrial, and other uses. The locations of these water bodies are also ideal sites for coal mining, coal-based thermal power plants and many other associated industries. Deterioration of the water quality of these water bodies is a common phenomenon that happens due to natural and anthropogenic activities. It causes a significant risk on water quality and the health of living beings including human beings in and around the area of study. Due to adverse impact of coal mining and thermal power plants on water bodies, the issues of natural water adulteration and their mitigation require significant attention in the area under study.

In India, one of the major industrial activities which cause degradation of the environment is coal mining. It is also one of the eight core industries of India and plays a crucial role in the economic growth of the country. These large-scale coal mining activities pose both short-term and long-term adverse impacts on the environment in general and water quality in particular. The occurrence of coal and location of Govind Ballabh Pant reservoir in the area makes it an ideal site for power generation. Side by side, these industries are also the constant source of contamination of water. As water is the most vital natural resource and essential for human survival, hence this study focuses on assessment of water pollution of Govind Ballabh Pant reservoir due to coal mines and associated industries. An adequate amount of data has been collected from the representative sites in the study area. The water samples have been collected to discern the water quality and the risks

associated with it. Along with this, other studies has also been conducted to assess the impact of mining on the volume of the reservoir (water retention capacity). This requires the implementation of efficient methodology for monitoring the annual changes and the deterioration taking place in the quality of water.

The increasing production of coal and power generation along with other industries near the Govind Ballabh Pant reservoir are posing the need for a thorough investigation of degradation in water quality. The Govind Ballabh Pant reservoir (study area) is located at the border of Madhya Pradesh (Singrauli district) and Uttar Pradesh (Sonbhadra district). The reservoir receives effluents from the nearby coal mines and the power plant.

The study area experiences tropical monsoon climate with the Koppen-Geiger climate classification of Cwa having an annual temperature range of 8.8⁰C- 40.8⁰C. The average annual temperature of the area is around 24.7⁰C. The rainfall data acquired during 1967-2018 showed a decreasing trend which is also reflected by alterations in other climatic conditions. The average annual rainfall during this period of 61 years is 1167.53 mm with 80% rainfall falling during the monsoon.

The main objective of the study was to assess the impact of coal mining on the water quality of the Govind Ballabh Pant reservoir and to suggest management in order to protect the quality and volume of the water. To achieve the above objective, different methods and technologies were employed to comprehensively monitor and evaluate the water quality of the study area. Twenty-six physico-chemical parameters were identified to assess the impact of mining on the quality of water. For this, sixty sampling sites have been selected to monitor the quality of the water in pre and post monsoon seasons. Apart from this, statistical correlation between various water quality parameters was also done to manifest interrelations among various water pollutants. The analytical data of these 26

physico-chemical parameters were used for calculating the water quality index of 60 sampling sites during pre and post monsoon seasons of the study area. In addition, the statistical analysis of the data was conducted to investigate the correlation between these different parameters. Remote sensing and GIS technologies were also used to support the work done in the study area by preparing spatial distribution maps of various physico-chemical parameters along with the water quality index.

Besides the above studies, the assessment of Land Use/ Land Cover changes using multi-temporal Landsat data for the years 1988, 1996, 2005, 2016, and 2018 has also been done. The changes in Land Use/ Land Cover patterns due to mining and other activities were also determined using the Change Detection Map for the years 1988-2018.

The study also attempted to ascertain the change in volume of the Govind Ballabh Pant reservoir due to mining and other activities for the years 1998, 2013, 2016, and 2018 using Triangulated Irregular Network model. Finally, to mitigate the impact of mining and associated industries on the reservoir water quality, laboratory experimentation has been done to manifest the design and implementation of phytoremediation technology in addition to a sandstone filtration system.

On the basis of 26 physico-chemical parameters, the water quality during pre and post-monsoon season from 2016 to 2018 for 60 sampling locations had been analysed. The mean values of each season had been used to assess the quality of surface water for different purposes. The result of the analysis indicated that pH of most of the samples was more than 7, indicating the alkaline nature of water during both the seasons. The Total Dissolved Solids (TDS) and Total Suspended Solids (TSS) for all the samples were well within the permissible limit of 500 mg/L except for two samples during both the seasons. The EC of water samples ranged between 1148 $\mu\text{S}/\text{cm}$ to 214 $\mu\text{S}/\text{cm}$ with a mean value

of 477.4 $\mu\text{S}/\text{cm}$ during pre-monsoon monsoon while it ranged from 1231 $\mu\text{S}/\text{cm}$ to 354 $\mu\text{S}/\text{cm}$ with a mean value of 573.6 $\mu\text{S}/\text{cm}$. However, most of the samples revealed moderately higher conductivity values than the permissible limit of 300 $\mu\text{S}/\text{cm}$ as recommended by BIS/WHO but can be used for drinking purposes.

The cations like magnesium and sodium ranged from 37.9 mg/L to 10.1 mg/L and 49.9 mg/L to 11.9 mg/L respectively with a mean value of 19.2 mg/L and 27.1 mg/L respectively during pre-monsoon season. In post-monsoon season, it ranged from 33.5 mg/L to 8.1 mg/L and 59.2 mg/L to 20.9 mg/L with a mean value of 14.8 mg/L and 31.6 mg/L respectively. These values were well within the permissible limit of 50 mg/L and 50 mg/L respectively as suggested by BIS/WHO. However, the concentration of calcium and potassium in the region ranged from 95.2 mg/L to 11.1 mg/L and 26.2 mg/L to 10.6 mg/L with a mean value of 36.3 mg/L and 13.6 mg/L respectively during pre-monsoon season. Whereas in post-monsoon season, it ranged from 98.8 mg/L to 13.7 mg/L and 25.1 mg/L to 7.5 mg/L with a mean value of 41.6 mg/L and 12.0 mg/L respectively. These values were higher than the permissible limit of 75 mg/L and 15 mg/L respectively for most of the samples during both the seasons. The hardness of the surface water calculated from the cations analysed ranged from 206.4 mg/L to 82.2 mg/L and 202.3 mg/L to 95.4 mg/L respectively with a mean value of 123.6 mg/L and 128.3 mg/L respectively during pre and post-monsoon season respectively, depicting that it was well under the permissible limit of 500 mg/L as per BIS/WHO guidelines.

The heavy metals such as iron, copper, zinc, nickel, chromium, cadmium and lead were also analysed. These ranged from 2.1 mg/L to 0.1 mg/L, 1.8 mg/L to 1.0 mg/L, 5.8 mg/L to 1.4 mg/L, 0.29 mg/L to 0.01 mg/L, 0.08 mg/L to 0.01 mg/L, 0.26 mg/L to 0.01 mg/L and 0.48 mg/L to 0.01 mg/L respectively with a mean value of 0.8 mg/L, 1.1 mg/L, 2.5 mg/L, 0.07 mg/L, 0.02 mg/L, 0.05 mg/L and 0.12 mg/L respectively during pre-monsoon

season. However, during post-monsoon season, the heavy metals ranged from 2.1 mg/L to 0.1 mg/L, 1.8 mg/L to 1.0 mg/L, 5.8 mg/L to 1.4 mg/L, 0.26 mg/L to 0.01 mg/L, 0.07 mg/L to 0.01 mg/L, 0.23 mg/L to 0.01 mg/L and 0.45 mg/L to 0.01 mg/L respectively with a mean value of 0.7 mg/L, 1.1 mg/L, 2.4 mg/L, 0.07 mg/L, 0.01 mg/L, 0.04 mg/L and 0.09 mg/L respectively. These metals exceeded the permissible limit of 1.0 mg/L, 1.5 mg/L, 5.0 mg/L, 0.20 mg/L, 0.01 mg/L, 0.10 mg/L and 0.15 mg/L respectively as suggested by BIS/WHO in many samples for both the seasons.

During both the seasons, the important anions were also analysed. It has been observed that anions, such as chloride and phosphate ranged from 96.3 mg/L to 43.8 mg/L and 18.1 mg/L to 0.1 mg/L respectively with a mean value of 60.8 mg/L and 1.8 mg/L respectively during pre-monsoon season. In post-monsoon season, it ranged from 91.0 mg/L to 31.6 mg/L and 16.8 mg/L to 0.1 mg/L respectively with a mean value of 51.1 mg/L and 1.5 mg/L respectively. These were well within the permissible limits of 250 mg/L and nil respectively as prescribed by BIS/WHO whereas fluoride, sulphate, nitrate and bicarbonate ranged from 1.7 mg/L to 0.6 mg/L, 735.5 mg/L to 60.5 mg/L, 97.2 mg/L to 10 mg/L and 362 mg/L to 122 mg/L respectively with a mean value of 1.3 mg/L, 115.7 mg/L, 19.3 mg/L, and 172.2 mg/L respectively during pre-monsoon season. However, during post-monsoon season, the anions ranged from 1.6 mg/L to 0.4 mg/L, 728.7 mg/L to 14.9 mg/L, 93.4 mg/L to 7.3 mg/L and 389 mg/L to 145 mg/L respectively with a mean value of 1.1 mg/L, 106.2 mg/L, 14.4 mg/L and 194.3 mg/L respectively. These exceeded the permissible limit of 1.5 mg/L, 150 mg/L, 45 mg/L and 200 mg/L respectively as recommended by BIS/WHO at few of the locations. Possibly, this is due to the discharge of industrial effluents into the surface water, making it unfit for human consumption.

To obtain a comprehensive summary of quality status of the water samples, water quality index has been determined. For this, 26 physico-chemical parameters were used to

calculate the water quality index for the area collected during pre and post-monsoon seasons. The calculation of water quality index has been done by using the Canadian Council of Ministers of the Environment Water Quality Index (CCME WQI) method. Evaluation of water quality parameters concluded that in the pre-monsoon season, 55% of the samples were under the good category, 26.67% under excellent, 13.33% under fair, 1.67% in marginal, and 3.33% in the poor category as per the classification. While during the post-monsoon season, 71.67% of water samples fell under the good category, 5% under the excellent category, 13.33% in the fair category, 3.33% in marginal, and 6.67% under the poor category for all the samples collected from the area under study. Few of the physicochemical parameters along with the Water Quality Index had also been depicted spatially in this thesis.

Apart from this, different statistical approaches for grouping water samples had also been utilized to prove its statistical optimization. For the statistical viability of the data, methods like Correlation Analysis, Box Plot, Hierarchical Cluster Analysis, and Piper Plot had been done for all water samples collected in both the seasons. During pre-monsoon, positive correlation was observed between TDS with EC (+0.997), K^+ with Hardness (+0.939) and Cd^{2+} with HCO_3^- (+0.864). While during post monsoon season, TDS with EC (+0.989), Na^+ with Hardness (+0.906) and Cd^{2+} with HCO_3^- (+0.875). The Box Plot analysis envisaged the quartiles distribution of various water quality parameters for estimating the water quality of the area. Hierarchical Cluster Analysis revealed that the water quality index was divided into 4 groups and 3 groups during pre and post monsoon seasons respectively. The hydro-geo-chemical facies analysis indicated Ca-Mg-Cl-SO₄ as the dominant type during pre and post-monsoon seasons.

The change in water quality was caused by many factors. The change in Land Use/ Land Cover pattern is important amongst them. The classification of the area was done by using

Landsat TM, ETM+, and OLI/TIRS images during 1988, 1996, 2005, 2016 and 2018 into six classes. This was apparent from the study that a decrease in the area of hills/forest (4.57%) and water body (3.06%). Further there is an increase in area covered by mining (2.54%), habitation (0.61%) and fallow/ barren land (5.29%) during a time span of 30 years was observed. Apart from it, Cropland exhibited a mixed trend showing an increase during 1996, decrease in 2005, again increasing up to 2016 followed by drastic decrease in 2018. This change in the area by the transformation of one land class into another was also manifested from the Change Detection map for the period of 1988-2018. Due to these changes in the land use/ land cover pattern, there was a possibility of addition of pollutants in the reservoir.

As a result of discharge and deposition of insoluble suspended solids and other fine particles into the reservoir, the water retaining capacity of the reservoir may be affected. To calculate this impact, the change in volume of the Govind Ballabh Pant reservoir during 1998-2018 was estimated using Triangulated Irregular Network model based on ASTERGDEM data. This study concluded that there had been an increasing trend in insoluble suspended solids in the reservoir thereby decreasing the volume of the reservoir from 1998 to 2018. It has been calculated that in 1998 the volume of reservoir was 30.72 km³ and it is reduced to 25.12 km³ in 2018. Possibly, this may be due to the increase in mining activities as exhibited by land use/ land cover maps of the area.

Apart from the assessment of water quality of the area affected due to mining and other activities in addition to change in Land Use/ Land Cover pattern, the management of water pollution caused due to coal mining activities had also been suggested in the study. This part of the thesis emphasized on the adoption of phytoremediation techniques in combination with a sandstone filtration system for the abatement of water pollution. For this study, an experimental setup was used to mitigate the water pollution discharged

through Nalas. In the area, Balia Nala is a major stream carrying mine pollutants and entering directly into the reservoir. Therefore, Balia Nala was chosen as an example for the experiment at laboratory scale. The experimental setup includes aquatic wetland species such as *Eichhornia crassipes* and *Phragmites australis* for the removal of few contaminants.

It has been observed that within 15 days of treatment, there was a considerable decrease in a few of the contaminants such as TDS, TSS, magnesium, calcium, chromium and cadmium concentration. Hence, there was an overall improvement in the quality of water. This treated water can later be used for agricultural or industrial purposes while the remnant of these species can be used for composting, production of green fertilizers, and methane through anaerobic digestion. Therefore, the suggested method may be considered as an economical and sustainable solution for wastewater treatment of streams carrying mine pollutants and entering directly into the reservoir.