



(c)



(d)



(e)



(f)

Figure 5. 39(a-f) Deformation and damage of hitch element, bucket teeth and arc anchors

It was found from the simulation results that stress is accumulated in the hitch element and bucket teeth. Figure 5.39 a–f shows the deformation of teeth, damage of hitch elements and damage of arc anchors from different dragline buckets in the mine. Figure 5.39 d shows that a small part of the teeth tip was broken, and Figure 5.39 c shows that the teeth were worn out and deformed under dynamic conditions. The maintenance logs of the study mine also reported maximum failure at the tip of teeth and the hitch element of the bucket.

**CONCLUSIONS AND RECOMMENDATIONS FOR FUTURE WORK**

---

**6.1 Conclusions**

From the present study following scientific conclusions have been drawn as listed below:

- i.** In static and empty bucket condition when only dead load is applied, it has been observed from analysis that stress concentration and damage was maximum, near the hitch elements and arc anchors. Further analysis reveals that the fatigue life and factor of safety was minimum near the hitch elements and arc anchors, which verifies the conclusions drawn on state of stress and factor of safety in empty bucket condition.
- ii.** In the loaded condition similar observation as in static conditions have been found but the magnitude of stress increased, and damage was found to further increased in the regions near the hitch element and arc anchors. On further analysis, it has been observed that, magnitude of fatigue life and factor of safety is reduced in the hitch elements and arc anchors.
- iii.** Under dynamic loading condition, the maximum Von Mises stress value was located near the teeth and the hitch elements of the bucket. Hence the probability of failure is maximum at these locations.
- iv.** The maximum Von Mises stress on the moving bucket condition was 216 MPa under the loading and boundary conditions. Though this maximum stress should not cause failure of the whole body of the bucket, any overfilling condition would induce fatigue or fractures at critical locations in the bucket.
- v.** The simulation outcome revealed that maximum Von Mises stress values on the bucket teeth, hitch element and arc anchors. Suggesting the maximum probability of failure at these locations. Furthermore, the factor of safety has

been found to be minimum at the tip of the teeth and hitch element of the bucket.

- vi.** In both static and dynamic loading conditions, it has been observed from the analysis that the stress concentration was maximum near the hitch element, arc anchors and teeth which means that the hitch element, arc anchors and teeth are most prone to failure assemblies in a dragline bucket.
- vii.** The study has revealed optimum rake angle of ( $30^0$  to  $45^0$ ) for different rock formation.
- viii.** The study revealed the relationship between bucket width and ground resistive force. With increase in bucket width ground resistive force have also been found to increase.
- ix.** The study also revealed the relationship between teeth depth and ground resistive force. With increase in teeth depth ground resistive force also increases and vice-versa.
- x.** The field logs also reveal real time damage in the various buckets. Maximum damage and distortion at the hitch elements, arc anchors and teeth of bucket was prominent in the real time images, as well. This again validates the findings of the study.

## **6.2 Limitations of the study**

- i.** In the present research work, field data collection was very cumbersome process.
- ii.** Simulation becomes very complicated when bucket chain assembly was considered.
- iii.** The errors of the simulation results were not in the permissible limit.

## **6.3 Recommendations for future work**

- i.** Estimation of the wear and tear of the side wall and mother plate of the bucket when overburden material is flowing in and out of the bucket.
- ii.** Simulation and evaluation of dragline bucket and chain assembly under the operating conditions.
- iii.** Performance evaluation of the dragline boom and pulleys.
- iv.** Impact of cyclic loading and unloading on dragline bucket and its assembly may be studied.

## REFERENCES

---

- Abo-Elnor, M., Hamilton, R., and Boyle, J. T.(2003). 3D Dynamic Analysis of Soil-Tool Interaction Using the Finite Element Method. *J. Terramechanics*, 40(1), 51-62.
- Abo-Elnor, M., Hamilton, R., and Boyle, J. T. (2004). Simulation of Soil–Blade Interaction for Sandy Soil Using Advanced 3D Finite Element Analysis. *Soil and Tillage Research*, 75, 61–73.
- Alekseeva, T. V.,Artem'ev, K. A.,Bromberg, A. A., Voitsekhovskii, R. I., and Ul'yanov, N. A. (1985).*Machines for Earthmoving Work: Theory and Calculations*. Rotterdam: Balkema.
- Aluko, O. B. (2008). Finite Element Aided Brittle Fracture Force Estimation During Two-Dimensional Soil Cutting. *International Agrophysics*, 22, 5-15.
- Aluko, O. B., and Chandler, H. W. (2004). A Fracture Strength Parameter for Brittle Agricultural Soils. *Biosystems Engineering*, 88(3), 369-381.
- Anon. a, (2009). Peak Performance Practices, Dippers, P and H Mine Pro Services, Milwaukee, USA.
- Anonymous. (2004). Dragline Excavator. Retrieved August 22, 2010, From Wikipedia: [http://www.enotes.com/topic/Dragline\\_excavator](http://www.enotes.com/topic/Dragline_excavator).
- Anonymous.(2008).Retrieved.December2010,From<http://www.pbase.com/intermodal/image/99215155/original>.
- Ansys 18 User's Manual. (2018). Getting Started with Ansys.
- Azam, S. F., and Rai, P. (2018). Modelling of Dragline Bucket for Determination of Stress. *ASME Journals*, 78, 392-402.

## *References*

- Beatty, R. A. (1996). *Bosmin Technical Bulletin Queensland, Australia*. [www.bosmin.com/Topnet/TopNetBulletin.pdf](http://www.bosmin.com/Topnet/TopNetBulletin.pdf)
- Bende, S. B. and Awate, N. P. (2013). Design, Modelling and Analysis of Excavator's Arm. *Int. J. Design Manufacturing Technology*, 4, 14–20.
- Blouin, S., Hemami, A., and Lipsett, M. (2001). Review of Resistive Force Models for Earthmoving Processes. *Journal of Aerospace Engineering*, 102-111.
- Bright, T. (1985). Onsite Dragline Applications in Open Coal Management. *Journal of Scientific Mining*, 24 (2), 5-34.
- Chi, L., and Kushwaha, R. L. (1989). Finite Element Analysis of Forces on a Plane Soil Blade. *Canadian Agricultural Engineering*, 31(2), 135-140.
- Cleary, P. W. (1998). The Filling of Dragline Buckets. *Mathematical Engineering in Industry*, 7(1), 1-24.
- Coetzee, C. J. and Els, D. N. J. (2009). The Numerical Modelling of Excavator Bucket Filling Using DEM. *J. Terramechanics*, 46(5), 217–227.
- Coetzee, C. J., Basson, A. H., and Vermeer, P. A. (2007). Discrete and Continuum Modelling of Excavator Bucket Filling. *Journal of Terramechanics*, 44, 177–186.
- Davoudi, S., Alimardani, R., Keyhani, A., and Atarnejad, R. (2008). A Two-Dimensional Finite Element Analysis of a Plane Tillage Tool in Soil Using a Non-linear Elastic-Plastic Model. *American-Eurasian Journal of Agricultural and Environmental Sc*, 3(3), 498-505.
- Dayawansa, P., Chitty, G., Kerezsi, B., Bartosiewicz, H., and Price, J. W. (2006). The Cracking of Clusters in Mining Dragline Booms: Causes and Responses. *Proceedings of International Conference on Failure Analysis and Maintenance Technologies*.

## *References*

- Demirel, N. (2009). Towing - Bucket Performance the Affecting Operational Factors. Mining Condemnation of Symposium Proceedings the Book, 4(6), 267-276.
- Demirel, N. E. (2007). Dynamic Dragline Modeling and Boom Stress Analysis for Efficient Excavation. PhD Thesis.
- Dragline Dictionary (2014). Mining Intelligence and Benchmarking, Edition, Fourth.
- Fielke, J. M. (1999). Finite Element Modelling of the Interaction of the Cutting Edge of Tillage Implements with Soil. Journal of Agricultural Engineering Research, 74, 91-101.
- Gilewicz, P. (1999). U.S. Dragline Census. Coal Age, 104(8).
- Gill, W. R., and Vanden Berg, G. E. (1968). Soil Dynamics in Tillage and Traction. Washington, U.S.A., Agricultural Research.
- Golbasi, O., and Demirel, N. (2015). Investigation of Stress in an Earthmover Bucket Using Finite Element Analysis. A Generic Model for Draglines. Journal of the Southern African Institute of Mining and Metallurgy, 115(7), 623-628.
- Handbook, Caterpillar Performance.(2017)."Edition 47." Cat® Publication by Caterpillar Inc., Peoria, Illinois, USA.
- Hartman, H. L. (Ed.) (1992). SME Mining Engineering Handbook (2nd Edition ed., Vol. 1). Society for Mining, Metallurgy, and Exploration, Inc.
- Hartman, H. L., and Mutmansky, J. M. (2002). Introductory Mining Engineering (2nd Edition ed.). John Wiley and Sons, Inc.
- Hearn, E. J. (1997). Mechanics of Materials 2. The Mechanics of Elastic and Plastic Deformation of Solids and Structural Materials, Elsevier.
- Hemami, A., Goulet, S., and Aubertin, M. (1994). Resistance of Particulate Media to Excavation. Application to Bucket Loading. International Journal of Surface Mining, Reclamation and Environment, 8, 125-129.

## *References*

- Hettiaratchi, D., and Reece, A. (1974). The Calculation of Passive Soil Resistance. *Geotechnique*, 24(3), 289-310.
- Hofstetter, K. (2002). Analytic Method to Predict the Dynamic Interaction of Dozer Blade with Earthen Material. Proceedings of the 14th International Conference of the ISTVS. Vicksburg.
- Humphrey, J. D.(1990). "The Fundamentals of the Dragline. 28." Marion Division-Dresser Ind.
- Karpuz, C. and Demirel, N. (2016), Surface Mining, Mine 202 Lecture Notes, Metu, Ankara.
- Kavetsky, A.(1999). Modelling Dragline Bucket Dynamics and Digging. Australian Coal, Association Research Program (ACARP).
- Lever, P. (2003). Open Cut Automation Scoping Study. Retrieved from Australian Coal Association Research Program (ACARP) Web Site. <http://www.acarp.com.au/abstracts.aspx?repId=C11054>
- MATLAB 18 User's Manual. (2018). Getting Started with MATLAB.
- McKyes, E. (1985). Soil Cutting and Tillage. Elsevier, Amsterdam, p. 7.
- Meyers, T., and Leslie, B. (2001). Optimized Bucket for Parallel/Universal Rig. Retrieved August 2010, from Australian Coal Association Research Program (ACARP) Web Site: <http://www.acarp.com.au/abstracts.aspx?repId=C10034>
- Mirabediny, H., and E. Baafi.(1998). Dragline Digging Methods in Australian Strip Mines-a Survey.
- Mootaz, A. E., Hamilton, R., and Boyle, J. T. (2003). 3D Dynamic Analysis of Soil-Tool Interaction Using the Finite Element Method. *Journal of Terramechanics*, 40, 51-62.

## *References*

- Mouazen, A. M., and Nemenyi, M. (1999). Finite Element Analysis of Subsoiler Cutting in Non-Homogeneous. *Soil and Tillage Research*, 51, 1-15.
- Nedoredzov, I. (1992). Forces Prediction of Underwater Soil Cutting by Excavating Robots. 9th International Symposium on Automation and Construction, Tokyo.
- O'Beirne, T., and Lumley, G. (1997). Improved Dragline Productivity Through Rigging Design. Retrieved June 2010, from Australian Coal Association Research Program (ACARP) Web Site: <http://www.acarp.com.au/abstracts.aspx?repId=C4003>.
- Osman, M. S. (1964). The Mechanics of Soil Cutting Blades. *Journal of Agricultural Engineering Research*, 9(4), 313-328.
- Owen, D., Feng, R. J., Neto, T., Cottrell, E. A., Wang, M., Pires, F. M., et al. (2002). The Modelling of Multi-Fracturing Solids and Particulate Media. *Proceedings of the 5th World Congress on Computational Mechanics*. Vienna.
- Ozdogan, M. (2002). Interactive Energy Consumption Parameters of Walking Draglines in Turkish Coal Mines (Doctoral dissertation, Middle East Technical University. Department of Mining Engineering).
- Ozdogan, M. (2003). Bucket Penetration Mechanism and Force of Dragline Excavators. *Mining*, Vol. 42, No. 1, March 2003, Ankara, pp. 17-26.
- Ozdogan, M. (2009). Estimating Bucket Payload of a Walking Dragline – A Case Study, Balkan Mine Mining Congress, Izmir.
- Ozdogan, M. and Machinery, I. (2015). Walking Dragline Bucket Penetration Mechanism and Penetration Forces. <https://doi.org/10.13140/RG.2.1.2304.8406>.
- Ozdogan, M., and Ozdoganb, H. (2016). Digging Forces of Electric Rope Shovel (ERS) and Adjustments Made for a Better Digging Shovel having Optimum Dipper Rake and Tooth Angles.

## *References*

- Ozdogan, Metin. (1984). Walking and Excavation Energy Consumption in Tower Succeeded Grounds Case Study.
- Rai, P., Trivedi, R., and Nath, R. (2000). Cycle Time and Idle Time Analysis of Draglines for Increased Productivity—A Case Study.
- Raper, R. L., and Erbach, D. C. (1990). Prediction of Soil Stresses Using the Finite Element Method. *Transactions of the ASAE*, 33(3), 725-730. Research Program (ACARP) Web Site: <http://www.acarp.com.au/abstracts.aspx?repId=C6010>
- Ridley, P., and Algra, R. (2004). Dragline Bucket and Rigging Dynamics. *Mechanism and Machine Theory*, 39, 999-1016.
- Rowlands, J. (2000). Dragline Rigging and Control System for Universal Dig and Dump. Retrieved August 20, 2010, from Australian Coal Association Research Program (ACARP) Web Site: <http://www.acarp.com.au/abstracts.aspx?repId=C9039>
- Rusinski, E., Harnatkiewicz, P., Kowalczyk, M., and Moczko, P. (2010). Examination of the Causes of a Bucket Wheel Fracture in a Bucket Wheel Excavator. *Engineering Failure Analysis*, 17(6), 1300-1312.
- Ryerson, R. (1980). Patent No. 4233761. United States of America.
- Salih, Abdusamad A (2018). Finite Element Method. Department of Aerospace Engineering, Indian Institute of Space Science and Technology.
- Srour, J. (1999). Development of Tools and Methods for Rigging Data Specification for use in Dragline Bucket Simulation. Retrieved August 2010, from Australian Coal Association.
- Strength, R. (1996). M Chapter 14. Landslides: Investigation and Mitigation, (1586), 372.

## *References*

- Suryo, S. H., Bayuseno, A. P., Jamari, J., and Ramadhan, G. (2018). Simulation of Excavator Bucket Pressuring Through Finite Element Method. *Civil Engineering Journal*, 4(3).
- Swick, W. C., and Perumpral, J. V. (1988). A Model for Predicting Soil-Tool Interaction. *Journal of Terramechanics*, 25(1), 43-56.
- Townson, P., Murthy, P., Guan, Z., and Gurgenci, H. (2001). Optimization of Design Load Levels for Dragline Buckets. Retrieved June 2010, from Australian Coal Association Research Program (ACARP) Web Site: <http://www.acarp.com.au/abstracts.aspx?repId=C7003>
- Tupkar, M. P. and Zaveri, S. R. (2015). Design and Analysis of an Excavator Bucket. *Int. J. Sci. Res. Eng. Technol.*, 4(3), 227– 229.
- Vynne, J. F. (2008). Innovative Dragline Monitoring Systems and Technologies. <http://tbirdpac.com/support/pdf/innovatedraglinevynne.pdf>.
- Young, R., and Hanna, A. (1977). Finite Element Analysis of Plane Soil Cutting. *Journal of Terramechanics*, 14(3), 103-125.
- Zelenin, A. N., Balovnev, V. I., and Kerov, L. P. (1986). *Machines for Moving the Earth*.
- Zhu, T. Y. (2012). Some Useful Numbers on the Engineering Properties of Materials (Geologic and Otherwise). GEOL 615, Department of Geophysics.