

Bibliography

- [1] A. Agarwal, M. Garg and B. Maji, *Riesz-type criteria for the Riemann hypothesis*, Proc. Amer. Math. Soc., **150**: 5151–5163, 2022.
- [2] R. Agnihotri, *Lambert series associated to Hilbert modular form*, Int. J. Number Theory, **18**: 1335–1349, 2022.
- [3] A. Andrianov, *Introduction to Siegel Modular Forms and Dirichlet Series*, Russian Academy of Science, Springer, 2009.
- [4] T. M. Apostol, *Introduction to Analytic number theory*, Narosa Publishing House, 1989.
- [5] A. O. L. Atkin and J. Lehner, *Hecke Operators on $\Gamma_0(m)$* , Math. Ann., **185**: 134–160, 1970.
- [6] Babita, A. Juyal, A. K. Jha and B. Maji, *An asymptotic expansion for a Lambert series associated to Siegel cusp forms*, Ramanujan J. 2024.
- [7] Babita, M. Tripathi and L. Vaishya, *Oscillations of Fourier coefficients of product of L-functions at integers in a sparse set*, Int. J. Number Theory, 2024.
- [8] S. Banerjee and K. Chakraborty, *Asymptotic behaviour of a Lambert series à la Zagier: Maass case*, Ramanujan J., **48**: 567–575, 2019.

-
- [9] S. Banerjee and R. Kumar, *Equivalent criterion for the grand Riemann hypothesis associated to Maass cusp forms*, Cambridge Univ. Press, 2023.
- [10] B. C. Berndt, *Ramanujan's Notebooks*, Part V, Springer-Verlag, New York, 1998.
- [11] J. Bourgain, *Decoupling, exponential sums and the Riemann zeta function*, J. Amer. Math. Soc., 205–224, 2017.
- [12] J. H. Bruinier, G. van der Geer, G. Harder and D. Zagier, *The 1-2-3 of modular forms*, Lectures from the Summer School on Modular Forms and their Applications, edited by Kristian Ranestad, held in Nordfjordeid, June 2004, Universitext, Springer-Verlag, Berlin, 2008.
- [13] D. Bump, *The Rankin-Selberg method: A survey*, Academic press, Boston, 49–109, 1987.
- [14] K. Chakraborty, S. Kanemitsu and B. Maji, *Modular-type relations associated to the Rankin-Selberg L-function*, Ramanujan J., **42**: 285–299, 2004.
- [15] K. Chakraborty, A. Juyal, S. D. Kumar and B. Maji, *An asymptotic expansion of a Lambert series associated to cusp forms*, Int. J. Number Theory, **14**: 289–299, 2018.
- [16] J. Cogdell and P. Michel, *On the complex moments of symmetric power L-functions at $s = 1$* , Int. Math. Res. Not. **31**: 1561–1617, 2004.
- [17] D. A. Cox, *Primes of the form $x^2 + ny^2$: Fermat, class field theory, and complex multiplication*, Pure and Applied Mathematics: A Wiley Series of Texts, Monographs and Tracts **119**, John Wiley & Sons, 2014.
- [18] H. Davenport, *Multiplicative number theory*, Springer-Verlag, Berlin Heidelberg, New York, 1980.

-
- [19] A. Dixit, A. Roy and A. Zaharescu, *Ramanujan-Hardy-Littlewood-Riesz phenomena for Hecke forms*, J. Math. Anal. Appl., **426**: 594–611, 2015.
- [20] A. Dixit, A. Roy and A. Zaharescu, *Riesz-type criteria and theta transformation analogues*, J. Number Theory, **160**: 385–408, 2016.
- [21] A. Dixit, S. Gupta and A. Vatwani, *A modular relation involving non-trivial zeros of the Dedekind zeta function, and the generalized Riemann hypothesis*, J. Math. Anal. Appl., **515(02)** 126435, 2022.
- [22] M. Eichler and D. Zagier, *The Theory of Jacobi Forms*, Progr. in Math. **55**, Birkhauser, Boston, 1985.
- [23] A. Erdélyi, W. Magnus, F. Oberhettinger and F. G. Tricomi, *Higher Transcendental Functions. Based, in Part, on Notes Left by Harry Bateman, I*, McGraw-Hill, New York, 1953.
- [24] M. Garg and B. Maji, *Hardy-Littlewood-Riesz type equivalent criteria for the generalized Riemann hypothesis*, Monatsh. Math. 2023.
- [25] S. Gupta and A. Vatwani, *Riesz type criteria for L-functions in the Selberg class*, Canad. J. Math., 2023.
- [26] J. Hafner and J. Stopple, *A heat kernel associated to Ramanujan's tau function*, Ramanujan J., **4**: 123–128, 2000.
- [27] G. H. Hardy and J. E. Littlewood, *Contributions to the theory of the Riemann zeta-function and the theory of the distribution of primes*, Acta Math., **41**: 119–196, 1916.
- [28] D. R. Heath-Brown, *The growth rate of the Dedekind zeta-function on the critical line*, Acta Arith. **49 (4)**: 323–339, 1988.

-
- [29] G. Hua, *Average behaviour of higher moments of cusp form coefficients*, *Functiones et Approximatio* **202**: 1–8, 2022.
- [30] H. Iwaniec, *Topics in classical automorphic forms*, *Grad. Stud. Math.* **17**, Amer. Math. Soc., Providence, RI, 1997.
- [31] H. Iwaniec and E. Kowalski, *Analytic number theory*, *Amer. Math. Soc. Colloq. Publ.*, **53**, Amer. Math. Soc., Providence, RI, 2004.
- [32] H. L. Montgomery, *The pair correlation of zeros of the zeta function*, *Analytic Number Theory (St. Louis, MO, 1972)*, *Proc. Sympos. Pure Math.* **24**: 181–193, Amer. Math. Soc. Providence, R. I., 1973.
- [33] Y. Jiang and Guangshi Lu, *Sum of coefficients of L -functions and applications*, *J. Number Theory*, **171**: 56–70, 2017.
- [34] A. Juyal, B. Maji and S. Satyanarayana, *An exact formula for a Lambert series associated to a cusp form and the Möbius function*, *Ramanujan J.*, **57**: 769–784, 2022.
- [35] A. Juyal, B. Maji and S. Satyanarayana, *An asymptotic expansion for a Lambert series associated to the symmetric square L -function*, *Int. J. Number Theory*, **19**: 553–567, 2022.
- [36] S. Kanemitsu, A. Sankaranarayanan and Y. Tanigawa, *A mean value theorem for Dirichlet series and a general divisor problem*, *Monatsh. Math.* **136**: 17–34, 2002.
- [37] S. Kanemitsu and H. Tsukada, *Contributions to the theory of zeta-functions. The modular relation supremacy*, *Series on Number Theory and its Applications*, **10**. World Sci., Singapore, 2015.

-
- [38] H. Klingen, *Introductory lectures on Siegel modular forms*, Cambridge University Press, 2009.
- [39] N. Koblitz, *Introduction to elliptic curves and modular forms*, Springer-Verlag, New York Berlin Heidelberg Tokyo, 1984.
- [40] W. Kohnen and N. P. Skoruppa, *A certain Dirichlet series attached to Siegel modular forms of degree two*, *Invent. Math.*, **95(3)**: 541–558, 1989.
- [41] W. Kohnen, *Jacobi forms and Siegel modular forms: Recent results and problems*, *Enseign. Math.* **39**: 121–136, 1993.
- [42] W. Kohnen, *On characteristic twists of certain Dirichlet series*, *Mem. Fac. Sci. Kyushu Univ.* **47**: 103–117, 1993.
- [43] W. Kohnen, A. Krieg and J. Sengupta, *Characteristic twists of a Dirichlet Series for Siegel cusp forms*, *Manuscripta. Math.* **87**: 489–499, 1995.
- [44] W. Kohnen, *On the growth of the Petersson norms of Fourier-Jacobi coefficients of Siegel cusp forms*, *Bul. Lond. Math. Soc.* **43**: 2025-2052, 2011.
- [45] W. Kohnen and J. Sengupta, *Bounds for Fourier-Jacobi coefficients of Siegel cusp forms of degree two, L-functions and automorphic forms*, 159–169, 2017.
- [46] A. Krieg, *A Dirichlet series for modular forms of degree n* , *Acta Arith.* **LIX.3**: 243-259, 1991.
- [47] B. Kumar and B. Paul, *Ramanujan-Petersson conjecture Fourier-Jacobi coefficient for Siegel cusp forms*, *Bul. Lond. Math. Soc.*, **53**: 274–284, 2021.
- [48] Y. K. Lau, G. Lü and J. Wu, *Integral power sums of Hecke eigenvalues*, *Acta Arith.* **150 (2)**: 193 – 207, 2011.

-
- [49] W. Li, *L-series of Rankin Type and their functional equations*, Math Ann. **244**: 135–166, 1979.
- [50] G. Lü, *On general divisor problems involving Hecke eigenvalues*, Acta Math. Hungar. **135**: 148–159, 2012.
- [51] G. Lü and A. Sankaranarayanan, *On the coefficients of triple product L-functions*, Rocky Mountain J. Math. **47 (2)**: 553 – 570, 2017.
- [52] H. Maass, *Siegel’s modular forms and Dirichlet series*, *Lecture notes in mathematics*, **216**, Springer-Verlag, Berlin-New York, 1971.
- [53] B. Maji, S. Sathyanarayana and B. R. Shankar, *An asymptotic expansion for a twisted Lambert series associated to a cusp form and the Möbius function: level aspect*, Results Math., **77**, 2022.
- [54] B. Maji, P. Naskar and S. Sathyanarayana, *A series associated to Rankin-Selberg L-function and modified K-Bessel function*, submitted for publication, 2023.
- [55] J. Newton and J.A. Thorne, *Symmetric power functoriality for holomorphic modular forms*, Publ. math. IHES **134**: 1–116, 2021.
- [56] J. Newton and J.A. Thorne, *Symmetric power functoriality for holomorphic modular forms, II*, Publ. math. IHES **134**: 117–152, 2021.
- [57] R. M. Nunes, *Subconvexity for $GL(3)$ L-functions*. arXiv e-prints, 2017. arXiv:1703.04424.
- [58] F. W. J. Olver, D. W. Lozier, R. F. Boisvert and C. W. Clark, eds., *NIST handbook of mathematical functions*, Cambridge Univ. Press, Cambridge, 2010.

-
- [59] M. K. Pandey and L. Vaishya, *Asymptotic of Fourier coefficients of Hecke eigenforms at integers represented by binary quadratic form of fixed discriminant*, Publ. Math. Debrecen, 2024.
- [60] S. Ramanujan, *On certain arithmetical functions*, Trans. Cambridge Philos. Soc. **22(9)**: 159–184, 1916.
- [61] S. Ramanujan, *Notebooks of Ramanujan, Vol 2*, Tata Institute of Fundamental Research, Bombay, 1957.
- [62] R. A. Rankin, *Contributions to the theory of Ramanujan's function $\tau(n)$ and similar arithmetical functions II. The order of the Fourier coefficients of the integral modular forms*, Math. Proc. Cambridge Philos. Soc. **35**: 357–372, 1939.
- [63] M. Rubinstein and P. Sarnak, *Chebyshev's bias*, **3(3)**: 173–197, Experiment. Math., 1994.
- [64] A. Selberg, *Bemerkungen über eine Dirichletsche Reihe, die mit der Theorie der Modulformen nahe verbunden ist*, Arch. Math. Naturvid. **43**: 47–50, 1940.
- [65] G. Shimura, *On the holomorphy of certain Dirichlet series*, Proc. London Math. Soc. **31(3)**: 79–98, 1975.
- [66] E. C. Titchmarsh, *The Theory of the Riemann zeta-function*, Clarendon Press, Oxford, 1986.
- [67] L. Vaishya, *Signs of Fourier coefficients of cusp forms at integers represented by an integral binary quadratic form*, Proc. Indian Acad. Sci. (Math. Sci.), **131(41)**, 2021.
- [68] L. Vaishya, *Average estimates and sign change of Fourier coefficients of Hecke eigenforms at integers represented by binary quadratic forms of a fixed discriminant*, Cornell Univ., 2022.

-
- [69] D. Wang, *On the general divisor problems involving Hecke eigenvalues*, Acta Math. Hungar. **153**: 509–523, 2017.
- [70] C. Xu, *General asymptotic formula of Fourier coefficients of cusp forms over sum of two squares*, J. Number Theory, 2021.
- [71] D. Zagier, *The Rankin-Selberg method for automorphic functions which are not of rapid decay*, J. Fac. Sci. Univ. Tokyo IA Math. **28**: 415–437, 1981.
- [72] D. Zagier, *Introduction to modular forms, From number theory to physics* (Les Houches, 1989), Springer, 238–291, 1992.
- [73] S. Zhai, *Average behaviour of Fourier coefficients of cusp forms over sum of two squares*, J. Number Theory, **133**: 3862–3876, 2013.
- [74] C. Ziegler, *Jacobi forms of higher degree*, Abh. Math. Sem. Univ. Hamburg, **59**: 191–224, 1989.

List of Publications

- [1] **Babita**, A. Juyal, A. K. Jha, and B. Maji, *An asymptotic expansion for a Lambert series associated to Siegel cusp forms*, Ramanujan J., 2024.
DOI: <https://doi.org/10.1007/s11139-024-00864-z>,
- [2] **Babita**, M. Tripathi, L. Vaishya, *Oscillations of Fourier coefficients of product of L-functions at integers in a sparse set*, International J. of Number Theory, 2024.
DOI: <https://doi.org/10.1142/S1793042124500854>,
- [3] **Babita**, A. K. Jha, B. Maji, M. Pal, *An asymptotic expansion for a Lambert series associated to Siegel cusp forms of degree n* (submitted).
- [4] **Babita**, A. K. Jha, B. Maji, *An asymptotic expansion for a Lambert series associated to noarmalized Hecke eigenform* (submitted).
-