

Contents

List of Figures	xiii
List of Tables	xv
Preface	xvii
1 Introduction	1
1.1 Fractional Calculus	1
1.2 Special Functions	5
1.2.1 Euler's Gamma Function	6
1.2.2 Mittag-Leffler Function	6
1.2.3 Wright Function	7
1.3 Definitions of fractional order integral and derivative	7
1.3.1 Riemann-Liouville integral	7
1.3.2 Riemann-Liouville derivative	8
1.3.3 Some properties of Reimann-Liouville operator	8
1.3.4 Caputo fractional derivative	8
1.3.5 Some properties of Caputo fractional derivative	9
1.4 Fractional derivative and integration of variable order	9
1.4.1 Riemann-Liouville integral of variable order	10
1.4.2 Caputo derivative of variable order	10
1.4.3 Some properties of fractional variable order operators	10
1.5 Diffusion phenomena	11
1.5.1 Derivation of diffusion equation	12
1.6 Fractional order reaction-diffusion equation	14
1.7 Numerical methods	16
2 Numerical solution of coupled type fractional order Burgers' equation using finite difference and Fibonacci collocation method	21
2.1 Introduction	21

2.2	Properties of Fibonacci Polynomial	24
2.3	Numerical solution using NSFDC scheme	25
2.4	Numerical Applications	28
2.5	Conclusion	35
3	A novel numerical technique for solving nonlinear coupled variable order reaction-diffusion equation	37
3.1	Introduction	37
3.2	Basic properties and definitions of Bernstein polynomials	39
3.3	Approximation of the unknown functions	40
3.4	Operational matrix of the variable order derivative	41
3.5	Convergence analysis of the scheme	43
3.6	Numerical simulations and error analysis	45
3.7	Results and discussion	50
3.8	Conclusion	51
4	Numerical study of variable order fractional physical model arising in chemical processes by using operational matrix and collocation methods	53
4.1	Introduction	53
4.2	Vieta–Lucas polynomials	56
4.2.1	Shifted Vieta–Lucas polynomials	57
4.3	Function approximation	58
4.4	Generating operational matrix of variable order fractional derivative	61
4.5	Description of the presented technique	64
4.6	Convergence analysis	66
4.7	Numerical examples	71
4.8	Conclusion	78
5	Existence, uniqueness and Ulam–Hyers stability results for advection-diffusion-reaction predator-prey systems of variable order and their numerical solution	79
5.1	Introduction	79
5.2	Airfoil polynomials and their shifted forms	81
5.3	Function approximation	83
5.4	Operational matrix of variable order derivative of $\Pi(x)$	85
5.5	Existence, uniqueness and Ulam–Hyers stability	88
5.5.1	Existence and uniqueness analysis	88
5.5.2	Ulam–Hyers stability	93
5.6	Application of the presented technique	97
5.7	Numerical results	99
5.8	Conclusion	107

6 Conclusion and future work	109
6.1 Conclusion	109
6.2 Future work	111
Bibliography	113

List of Figures

1.1	Geometry of considered rectangular volume	13
2.1	Simulation of fractional-order CBEs for $a_1 = b_1 = 10$ at $t = 0.5$	33
2.2	Simulation of fractional-order CBEs for $a_0 = b_0 = 2$ at $t = 0.5$	34
3.1	Plots of $u(x, t)$ vs. x for different fractional variable order for (a) $p_1 = -1$, (b) $p_1 = 1$	50
3.2	Plots of $v(x, t)$ vs. x for different fractional variable order for (a) $\tilde{p}_3 = 1$, (b) $\tilde{p}_3 = -1$	50
4.1	Plots of numerical result and absolute error of Example 1 for $u(x, t)$ with $\alpha_1(x, t) = 0.85 - 0.25e^{-xt}$, $\alpha_2(x, t) = 0.45 + 0.33\sin(xt)$ and $m = 11$	73
4.2	Plots of numerical result and absolute error of Example 1 for $v(x, t)$ with $\alpha_1(x, t) = 0.85 - 0.25e^{-xt}$, $\alpha_2(x, t) = 0.45 + 0.33\sin(xt)$ and $m = 11$	73
4.3	Plots of numerical result and absolute error of Example 2 for $u(x, t)$ with $\alpha_1(x, t) = (\cos(t) + e^{-2t}\sin(x))/2$, $\alpha_2(x, t) = 0.7 + 0.25e^{-2t}\sin(x)$ and $m = 11$	75
4.4	Plots of numerical result and absolute error of Example 2 for $v(x, t)$ with $\alpha_1(x, t) = (\cos(t) + e^{-2t}\sin(x))/2$, $\alpha_2(x, t) = 0.7 + 0.25e^{-2t}\sin(x)$ and $m = 11$	75
4.5	Plots of numerical result and absolute error of Example 3 for $u(x, t)$ with $\alpha_1(x, t) = (1.35 + 0.25\sin(xt))/2$, $\alpha_2(x, t) = (1 + 0.65e^{-2xt})/2$ and $m = 11$	77
4.6	Plots of numerical result and absolute error of Example 3 for $v(x, t)$ with $\alpha_1(x, t) = (1.35 + 0.25\sin(xt))/2$, $\alpha_2(x, t) = (1 + 0.65e^{-2xt})/2$ and $m = 11$	77
5.1	The graph of approximate solution and absolute error result of $u(x, t)$ for $n = 11$ with $\alpha_1(x, t) = 0.50 + 0.2e^{-xt}$ and $\alpha_2(x, t) = 0.65 + 0.2\sin(xt)$ for Example 1	102
5.2	The graph of approximate solution and absolute error result of $v(x, t)$ for $n = 11$ with $\alpha_1(x, t) = 0.50 + 0.2e^{-xt}$ and $\alpha_2(x, t) = 0.65 + 0.2\sin(xt)$ for Example 1	102

5.3	The graph of approximate solution and absolute error result of $u(x, t)$ for $n = 11$ with $\alpha_1(x, t) = 0.60 + 0.25\sin(xt)$ and $\alpha_2(x, t) = 0.80 - 0.2(x^2 + t^2)$ for Example 2	104
5.4	The graph of approximate solution and absolute error result of $v(x, t)$ for $n = 11$ with $\alpha_1(x, t) = 0.60 + 0.25\sin(xt)$ and $\alpha_2(x, t) = 0.80 - 0.2(x^2 + t^2)$ for Example 2	104
5.5	The graph of approximate solution and absolute error result of $u(x, t)$ for $n = 11$ with $\alpha_1(x, t) = 1 - 0.3e^{-xt}$ and $\alpha_2(x, t) = 1 - 0.2\sin(xe^{-t})$ for Example 3	106
5.6	The graph of approximate solution and absolute error result of $v(x, t)$ for $n = 11$ with $\alpha_1(x, t) = 1 - 0.3e^{-xt}$ and $\alpha_2(x, t) = 1 - 0.2\sin(xe^{-t})$ for Example 3	107

List of Tables

2.1	Comparison of numerical results with different methods for Example 1.	31
2.2	Comparison of numerical results with different methods for Example 2.	32
3.1	Comparison of L_∞ and L_2 norm errors for $u(x, t)$ at $t = 0.05$	47
3.2	Comparison of L_∞ and L_2 norm errors for $v(x, t)$ at $t = 0.05$	47
3.3	Comparison of L_∞ and L_2 norm errors for $u(x, t)$ at $t = 0.05$	48
3.4	Comparison of L_∞ and L_2 norm errors for $v(x, t)$ at $t = 0.05$	48
3.5	Comparison of L_∞ and L_2 norm errors for $u(x, t)$ at $t = 0.05$	49
3.6	Comparison of L_∞ and L_2 norm errors for $v(x, t)$ at $t = 0.05$	49
4.1	MAE and CO of Example 1 for two different values of $\alpha_1(x, t)$ and $\alpha_2(x, t)$	73
4.2	MAE and CO of Example 2 for two different values of $\alpha_1(x, t)$ and $\alpha_2(x, t)$	75
4.3	MAE and CO of Example 3 for two different values of $\alpha_1(x, t)$ and $\alpha_2(x, t)$	77
5.1	For Example 1, a comparison of L_2 and L_∞ errors of the solution $u(x, t)$	101
5.2	For Example 1, a comparison of L_2 and L_∞ errors of the solution $v(x, t)$	101
5.3	For Example 2, a comparison of L_2 and L_∞ errors of the solution $u(x, t)$	103
5.4	For Example 2, a comparison of L_2 and L_∞ errors of the solution $v(x, t)$	103
5.5	For Example 3, a comparison of L_2 and L_∞ errors of the solution $u(x, t)$	105
5.6	For Example 3, a comparison of L_2 and L_∞ errors of the solution $u(x, t)$	106