

REFERENCES

1. Acharya, A., and Duan, J. G., "Three-dimensional simulation of flow field around series of spur Dykes," *In World Environmental and Water Resources Congress*, 2011, pp. 2085-2094.
2. Ahmad, M., "Experiments on design and behavior of spur Dykes Proceeding of Intenational Hydraulic Convention," *ASCE*, 1953, pp. 145-159.
3. Alekseevskiy, N.T., Berkovich, K.M., Chalov, R.S., "Erosion, sediment transportation and accumulation in rivers," *International Journal of Sediment Research*, 2008, 23(2), pp. 93-105.
4. Azamathulla, H. M., Ghani, A. A., Leow, C. S., Chang, C. K., Zakaria, N. A., "Gene expression programming for the development of a stage discharge curve of the Pahang River," *Water Resource Mnagement*, 2011, 25(11), pp. 2901-2916.
5. Azamathulla, H. M., "Gene expression programming for prediction of scour depth downstream of sills," *Journal of Hydrology*, 2012, 460, pp. 156-159.
6. Azamathulla, H. M., Jarrett, R. D., "Use of gene-expression programming to estimate Manning's roughness coefficient for high gradient streams," *Water resources management*, 2013, 27 (3), pp. 715-729.
7. Azamathulla, H., Ghani, M. A., Zakaria, A. N. A., Guven, A., "Genetic programming to predict bridge pier scour," *ASCE Journal of Hydraulic Engineering*, 2010, 136(3), pp. 165-169.
8. Biswas, P., and Barbhuiya, A. K., "Experimental study on scour at 90° horizontal forced bend and its protection using riprap," *Aquatic Procedia*, 2015, 4, pp. 797-804
9. Bresuers, H. N. C., "Time scale of two-dimensional local scour," *In Proc. 12th Congress IAHR*, 1967, 3, pp. 32.

10. Breusers, H. N. C., "Discussion of Sediment transportation mechanics: erosion of sediment by Task Force on Preparation of Sedimentation Manual," *J. Hydraulic Div. Am. Soc. Civ. Eng.*, 1963, 89, pp. 277-281.
11. Buckingham, E., "On physically similar systems Illustrations of the use of dimensional equations," *Physical Review*, 1914, 4, pp. 345-376.
12. Chabert, J., and Engeldinger, P., "Study of scour around bridge piers," *Rep. Prepared for the Laboratoire National d'Hydraulique Chatou*, 1956, 10.
13. Chang, H. H., "Fluvial processes in river engineering," *Wiley and Sons Publication New York*, 1988.
14. Chen, N. S., and Li, C. H., "Numerical solution of the flow around a spur Dyke with turbulent model," *Journal of Nanjing Hydraulic Research Institute*, 1989, 3, pp. 11-23.
15. Chiew, Y. M., "Local scour at bridge piers," *Research Space@ Auckland*, 1984.
16. Choi, G.W., Ahn, S.J., Kang, K.W., "State of art of pier scour prediction for design application," *Korean Journal of Hydroscience*, 1991, 2, pp. 6.
17. Coleman, S. E., Lauchlan, C. S., and Melville, B. W., "Clear water scour development at bridge abutments," *Journal of Hydraulic Research*, 2003, 41(5), pp. 521-531.
18. Copeland, R. R., "Bank protection techniques using spur Dykes. Hydraulics Laboratory U.S. Army Engineer Waterways Experiment Station, Vicksburg, MS USA, 1983.
19. Coscarella, F., Gaudio, R., and Manes, C., "Near-bed eddy scales and clear-water local scouring around vertical cylinders," *Journal of Hydraulic Research*, 2020, 58(6), pp. 968-981.

20. Dehuri, S., Cho, S. B., "Multi-objective classification rule mining using gene expression programming," *In Third International Conference on Convergence and Hybrid Information Technology*, 2008, 2, pp. 754–760.
21. Deshpande, V., Kumar, B., "Turbulent flow structures in alluvial channels with curved cross- sections under conditions of downward seepage," *Earth Surface Processes and Landforms*, 2016, 41(8), pp. 1073-1087.
22. Dey, S., Barbhuiya, A. K., "Time variation of scour at abutments," *Journal of Hydraulic Engineering ASCE*, 2005, 131(1), pp. 11-23
23. Duan, L., Tang, C., Zhang, T., Wei, D., Zhang, H., Distance Guided Classification with Gene Expression Programming X. Li, O.R. Zaiane, and Z. Li (Eds.) ADMA 2006, LNAI 4093, pp. 239 – 246, 2006. © Springer-Verlag Berlin Heidelberg 2006.
24. Eldrandaly, K. A., Negm, A. A., "Performance evaluation of gene expression programming for hydraulic data mining," *Int Arab J Inf Technol*, 2008, 5(2), pp. 126-131.
25. Ettema, R., and Muste, M., "Scale effects in flume experiments on flow around a spur Dyke in flatbed channel," *Journal of Hydraulic Engineering*, 2004, 130(7), pp. 635-646.
26. Fazli, M., Ghodsian, M., and Neyshabouri, S. A. A. S., "Scour and flow field around a spur Dyke in a 90° bend," *International Journal of Sediment Research*, 2008, 23(1), pp. 56-68.
27. Fei, Y. C., and Ikeda, S., "Horizontal separation flows in shallow open channels with spur Dykes," *Journal of Hydrosience and hydraulic Engineering*, 1997, 15(2), pp. 15-30.

28. Fernando, A. K., Shamseldin, A.Y., Abrahart, R. J.,“Using gene expression programming to develop a combined runoff estimate model from conventional rainfall-runoff model outputs,”*In Proc. 18th World IMACS Congress and MODSIM09 International Congress on Modelling and Simulation*, 2009, pp. 2377–2383.
29. Ferreira, C.,“Gene expression programming A new adaptive algorithm for solving problems,”*Complex Systems*, 2001b, 13 (2), pp. 87–129.
30. Ferreira, C.,“Gene expression programming in problem solving,”*6th Online World Conference on Soft Computing in Industrial Applications*, 2001a.
31. Ferreira, C.,“Gene expression programming: mathematical modeling by an artificial intelligence,”*Springer Netherlands*, 2006, 21,.
32. Fluent, A. N. S. Y. S., “19.2 Theory Guide ANSYS,”*Inc. Canonsburg PA USA*, 2018.
33. Froehlich, D.C.,“Local scour at bridge abutments,”*In Proceeding of the national conference on Hydraulic Engineering, New Orleans ASCE Louisiana*, 1989, pp. 13–18.
34. Gandomi, A.H., Alavi, A. H.,“ Multi stage genetic programming a new strategy to nonlinear system modeling,”*Information Science*, 2011, 181, pp. 5227-5239.
35. Gandomi, A.H., Alavi, A. H.,“A new multi genetic programming approach to nonlinear system modeling part-1 material and structural engineering problems,”*Nural computing and applications*, 2012, 21(1), pp.171-187
36. Garcia, M. H.,“Sediment transport and morphodynamics,” *Sedimentation engineering Processes, measurements, modeling and practice US ASCE Publication*, 2008 pp. 21.

37. Gaur, S., Graillot, D., Chahar, B. R., Kumar, D. N., "Application of artificial neural networks and particle swarm optimization for the management of groundwater resources," *Water ResourManag*, 2013, 27(3), pp. 927–941.
38. Ghani, A., Azamathulla, H., "Gene-Expression Programming for Sediment Transport in Sewer Pipe Systems," *J Pipeline Syst EngPract*, 2011, 2(3), pp. 102–106. [https://doi.org/10.1061/\(asce\)ps.1949-1204.0000076](https://doi.org/10.1061/(asce)ps.1949-1204.0000076).
39. Ghodsian, M., and Vaghefi, M., "Experimental study on scour and flow field in a scour hole around a T-shape spur Dyke in a 90° bend," *International Journal of Sediment Research*, 2009, 24(2), pp. 145-158.
40. Gill, M. A., "Erosion of sand beds around spur Dykes," *Journal of the Hydraulics Division*, 1972, pp. 98.
41. Giri, S., Shimizu, Y., and Fujita, M., "Flow characteristics in a mildly meandering channel with & without river training structure," *Proceedings of hydraulic engineering*, 2003, 47, pp. 835-840.
42. Giri, S., Shimizu, Y., and Surajate, B., "Laboratory measurement and numerical simulation of flow and turbulence in a meandering-like flume with spurs," *Flow Measurement and Instrumentation*, 2004, 15(6), pp. 301-309.
43. Guven, A., and Gunal, M., "Genetic programming for prediction of local scour downstream of grade-control structures," *J. Irrigation and Drainage Engineering*, 2008b, 134(2), pp. 241-249.
44. Guven, A., and Gunal, M., "Prediction of scour downstream of grade-control structures using neural networks," *J. Hydraulic Engineering*, 2008a, 134(11), pp. 1656-1660.

45. Guven, A., Aytek, A., "A new approach for stage-discharge relationship: Gene-Expression Programming," *Journal Hydrologic Engineering*, 2010, 14(8), pp. 812-820.
46. Heller, V., Hager, W. H., Minor, H. E., "Scale effects in subaerial landslide generated impulse waves," *Experiments in Fluids*, 2007, 44(5), pp.691-703.
47. Heller, V., "Scale effects in physical hydraulic engineering models," *Journal of Hydraulic Research*, 2011, 49 (3), pp. 293-306.
48. Hugues, S. A., Physical models and laboratory techniques in coastal engineering, Advanced Series on Ocean Engineering World Scientific Publishing , Singapore, 1993.
49. Husain, D., Quaraishi, A. A., Ibrahim, A., "Local scour at bridge abutments," *JKAU Eng. Sci.*, 1998, 10, pp. 141-153.
50. Jarrett, R. D., "Hydraulics of High- Gradient Streams," *Journal of Hydraulic Engineering*, 1984, 110 (11),.
51. Jennifer, D. U. A. N., Li, H. E., Guangqian, W. A. N. G., and Xudong, F. U., "Turbulent burst around experimental spur Dyke," *International Journal of Sediment Research*, 2011, 26(4), pp. 471-523.
52. Jiao, Z. X., Dou, X. P., Zheng, J. H., Zhang, X. Z., and Gao, X. Y., "Influence of spur Dyke on hydrodynamic exchange between channel and shoal of generalization estuary in physical model test," *China Ocean Engineering*, 2017, 31(5), pp. 624-630.
53. Jothiprakash, V., Shanthi, G., "Single reservoir operating policies using genetic algorithm," *Water Resour. Manag.*, **2006**, 20, pp. 917-929.

54. Kafle, M. R., "Numerical simulation of flow around a spur Dyke with free surface flow in fixed flat bed," *Journal of the Institute of Engineering*, 2013, 9(1), pp. 107-114.
55. Khan, M., Azamathulla, H.M., Tufail, M., "Gene-expression programming to predict pier scour depth using laboratory data," *JHydroinformatics*, 2012, 14(3), pp. 628–645.
56. Kikkawa, H., Ikeda, S., and Kitagawa, A., "Flow and bed topography in curved open channels," *Journal of the Hydraulics Division*, 1976, pp.102.
57. Kohli, A., and Hager, W. H., "Buildings scour in floodplains," *In Proceedings of the Institution of Civil Engineers Water and Maritime Engineering*, 2001, 148(2), pp. 61-80.
58. Kothyari, U. C., and Rangaraju, K. G., "Scour around spur Dykes and bridge abutments," *Journal of hydraulic research*, 2001, 39(4), pp. 367-374.
59. Kothyari, U. C., Hager, W. H., and Oliveto, G., "Generalized approach for clear-water scour at bridge foundation elements," *Journal of hydraulic Engineering*, 2007, 133(11), pp. 1229-1240.
60. Koza, J. R., *Genetic Programming: on the Programming of Computers by means of Natural Selection*, The MIT Press Cambridge M. A., 1999.
61. Koza, J. R., "Genetic Programming On the Programming of Computers by means of Natural Selection," *The MIT Press Cambridge MA*, 1999.
62. Kuhnle, R., and Alonso, C., "Flow near a model spur Dyke with a fixed scoured bed," *International Journal of Sediment Research*, 2013, 28(3), pp. 349-357.
63. Kwan, R. T., and Melville, B. W., "Local scour and flow measurements at bridge abutments," *Journal of Hydraulic Research*, 1994, 32(5), pp. 661-673.

64. Laursen, E. M., and Toch, A., "A generalized model study of scour around bridge piers and abutments," *State University of Iowa*, 1953.
65. Laursen, E. M., "Observations on the nature of scour," *Proceedings of 5th hydraulic conference state university of Iowa Bulletin*, 1952, 34, pp. 179-197.
66. Lim, S.Y., Cheng, N.S., "Prediction of live-bed scour at bridge abutments," *Journal of Hydraulic Engineering ASCE*, 1997, 124, pp. 635-638.
67. Manes, C., Brocchini, M., "Local scour around structures and the phenomenology of turbulence," *Journal of Fluid Mechanics*, 2015, 779, pp. 309.
68. Moussar, Y.A., "Modeling of local scour depth downstream hydraulic structure in channel using GEP and ANNs" *Ain Shams Eng. J.*, 2013,4, pp. 717-722.
69. Masjedi, A., Akbari, I., and Abyar, H., "Evaluating scour at L-shape spur Dyke in a 180-degree bend," *World Applied Sciences Journal*, 2011, 15(12), pp. 1740-1745.
70. Masjedi, A., Bejestan, M. S., and Moradi, A., "Experimental study on the time development of local scour at a spur Dyke in a 180°-flume bend," *Journal of Food Agriculture & Environment*, 2010a, 8(2), pp. 904-907.
71. Masjedi, A., Bejestan, M. S., and Rahnavard, P., "Experimental study on the time development of local scour on around single T-shape spur Dyke in a 180-degree flume bend," *Research Journal of Environmental Sciences*, 2010b, 4(6), pp. 530-539.
72. Masjedi, A., Dehkordi, V., Alinejadi, M., and Taeedi, A., "Experimental study on scour depth in around a t-shape spur Dyke in a 180-degree bend," *World Applied Sciences Journal*, 2010c, 10(10), pp. 1146-1152.

73. Mayerle, R., Wang, S. S. Y., and Toro, F. M., "Verification of a three-dimensional numerical model simulation of the flow in the vicinity of spur Dykes," *Journal of Hydraulic Research*, 1995, 33(2), pp. 243-256.
74. Melville, B. W., "Local scour at bridge abutments," *Journal of Hydraulic Engineering*, 1992, 118(4), pp. 615-631.
75. Molinas, A., Kheireldin, K., and Wu, B., "Shear stress around vertical wall abutments," *Journal of Hydraulic Engineering*, 1998, 124(8), pp. 822-830.
76. Najafzadeh, M., Barani, G. A., Azamathulla, H. M., "GMDH to predict the scour depth around a pier in cohesive soils," *Applied ocean research*, 2013, 40, pp. 35-41.
77. Naji A. M. N., Ghodsian, M., Vaghefi, M., and Panahpur, N., "Experimental and numerical simulation of flow in a 90 bend," *Flow Measurement and Instrumentation*, 2010, 21(3), pp. 292-298.
78. Novak, P., Guinot, V., Jeffrey, A., Reeve, D., *Hydraulic Modelling - An Introduction, Principles Methods and Applications* Spon Press New York, 2010.
79. Novak, P., Moffat, A. I. B., Nalluri, C., and Narayanan, R., *Hydraulic Structures* 4th edition, Taylor & Francis USA and Canada, 2007.
80. Odgaard, A. J., and Bergs, M. A., "Flow processes in a curved alluvial channel," *Water Resources Research*, 1988, 24(1), pp. 45-56.
81. Onen, F., "Prediction of scour at a side weir with GEP, ANN and regression models," *Arabian J.Sci. Eng.* 2014, 39, pp. 6031-6041.
82. Oslen, N. R. B., "A three-dimensional numerical model for simulation of sediment movement in water intakes with multiblock option," *Users Manual Department of Hydraulic and Environmental Engineering Norwegian University of Science and Technology Norway*, 2018.

83. Oslen, N. R. B., "Computational fluid dynamics in hydraulic and sedimentation engineering," *Department of Hydraulic and Environmental Engineering, Norwegian University of Science and Technology Norway*, 1999,.
84. Ouillon, S., and Le, G. B., "Modelling non-cohesive suspended sediment transport in 2D vertical free surface flows," *Journal of Hydraulic Research*, 2018, 34(2), pp. 219-236.
85. Pagliara, S., and Kurdistani, S. M., "Clear water scour at J-Hook Vanes in channel bends for stream restorations," *Ecological engineering*, 2015,83, pp. 386-393.
86. Pandey, M., Ahmad, Z and Sharma, P., "Estimation of Maximum Scour Depth near a Spur Dyke," *Canadian Journal of Civil Engineering*, 2015, pp.43.
87. Pandey, M., Ahmad, Z., and Sharma, P. K., "Estimation of maximum scour depth near a spur Dyke," *Canadian Journal of Civil Engineering*, 2016,43(3), pp. 270-278.
88. Pandey, M., Ahmad, Z., and Sharma, P. K., "Scour around impermeable spur Dykes a review," *ISH Journal of Hydraulic Engineering*, 2018, 24(1), pp. 25-44.
89. Pandey, M., Ahmad, Z., and Sharma, P. K., "Scour around impermeable spur Dykes: a review," *ISH Journal of Hydraulic Engineering*, 2018, 24(1), pp. 25-44.
90. Pandey, M., Azamathulla, H. M., Chaudhuri, S., Pu, J. H., and Pourshahbaz, H., "Reduction of time-dependent scour around piers using collars," *Ocean Engineering*, 2020a, 213, pp. 107692.
91. Pandey, M., Chen, S. C., Sharma, P. K., Ojha, C. S. P., and Kumar, V., "Local Scour of Armor Layer Processes around the Circular Pier in Non-Uniform Gravel Bed," *Water*, 2019 b, 11(7), pp. 1421.

92. Pandey, M., Lam, W. H., Cui, Y., Khan, M. A., Singh, U. K., and Ahmad, Z., "Scour around Spur Dyke in Sand Gravel Mixture Bed," *Water*, 2019 a, 11(7), pp. 1417.
93. Pandey, M., Sharma, P. K., Ahmad, Z., and Singh, U. K., "Experimental investigation of clear-water temporal scour variation around bridge pier in gravel," *Environmental Fluid Mechanics*, 2018c, 18(4), pp. 871-890.
94. Pandey, M., Sharma, P. K., Ahmad, Z., Singh, U. K., and Karna, N., "Three-dimensional velocity measurements around bridge piers in gravel bed," *Marine Georesources & Geotechnology*, 2018b, 36(6), pp. 663-676.
95. Pandey, M., Valyrakis, M., Qi, M., Sharma, A., and Lodhi, A. S., "Experimental assessment and prediction of temporal scour depth around a spur Dyke," *International Journal of Sediment Research*, 2018, 36(1), pp. 17-28.
96. Pandey, M., Valyrakis, M., Qi, M., Sharma, A., and Lodhi, A. S., "Experimental assessment and prediction of temporal scour depth around a spur Dyke," *International Journal of Sediment Research*, 2020b.
97. Patel, M., Deshpande, V., Kumar, B., "Turbulent characteristics and evolution of sheet flow in an alluvial channel with downward seepage," *Geomorphology*, 2015, 248, pp. 161-171.
98. Peng, J., "Flow and local scour around spur-Dyke. Zheng Zhou, China," *The Yellow River Press Publications*, 2004.
99. Piotr, J., Ewa, R., "Agent-Based Gene Expression Programming for Solving the RCSPS/max Problem," *ICANNGA*, 2009, pp. 203-212.
100. Pourshahbaz, H., Abbasi, S., Pandey, M., Pu, J. H., Taghvaei, P., and Tofangdar, N., "Morphology and hydrodynamics numerical simulation around groynes," *ISH Journal of Hydraulic Engineering*, 2020, pp. 1-9.

101. Pu, J. H., and Lim, S. Y., "Efficient numerical computation and experimental study of temporally long equilibrium scour development around abutment," *Environmental fluid mechanics*, 2014, 14(1), pp. 69-86.
102. Pu, J. H., Pandey, M., and Hanmaiahgari, P. R., "Analytical modelling of sidewall turbulence effect on streamwise velocity profile using 2D approach A comparison of rectangular and trapezoidal open channel flows," *Journal of Hydro-environment Research*, 2020, 32, pp. 17-25.
103. Pu, J. H., Tait, S., Guo, Y., Huang, Y., and Hanmaiahgari, P. R., "Dominant features in three-dimensional turbulence structure: comparison of non-uniform accelerating and decelerating flows," *Environmental Fluid Mechanics*, 2018, 18(2), pp. 395-416.
104. Radan, P., and Vaghefi, M., "Flow and scour pattern around submerged and non-submerged T-shaped spur Dykes in a 90° bend using the SSIIM model," *International journal of river basin management*, 2016, 14(2), pp. 219-232.
105. Rajaratnam, N., and Nwachukwu, B. A., "Flow near groin-like structures," *Journal of Hydraulic Engineering*, 1983, 109(3), pp. 463-480.
106. Rashedipoor, A., Masjedi, A., and Shojaenjad, R., "Investigation on Scour Hole around Spur Dyke in a 180 Degree Flume Bend," *World Applied Sciences Journal*, 2012, 19(7), pp. 924-928.
107. Rouse, H., "Engineering hydraulics: sediment transportation," 1965.
108. Rozovski, I., "Flow of Water in Bends of Open Channels," *Is Program for Sci. Trans Jerusalem*, 1957.

109. Salamatian, S. A., Forghani, M., and Tabarestani, M. K., "Flow pattern and stress distribution around three spur Dykes in ninety-degree bend," *International journal of engineering and technology*, 1974, 8(6),.
110. Samadi, M., Afshar, M. H., Jabbari, E. H., Sarkardeh, H., "Prediction of current-induced scour depth around pile groups using MARS, CART, and ANN approaches," *Marine Georesources & Geotechnology*, 2021, 39(5), pp. 577-588
111. Samadi, M., Afshar, M. H., Jabbari, E., Sarkardeh, H., "Application of multivariate adaptive regression splines and classification and regression trees to estimate wave-induced scour depth around pile groups," *Iranian Journal of Science and Technology*, 2020b, 44(1), pp. 447-459.
112. Samadi, M., Jabbari, E., Azamathulla, H. M., "Assessment of M5 model tree and classification and regression tree for prediction of scour depth free overfall spillways," *Neural Computing and applications*, 2014, 24 (2), pp. 357-366.
113. Samadi, M., Jabbari, E., Azamathulla, H. M., "Mojallal, M., Estimation of scour depth below free overfall spillway using multivariate adaptive regression splines and artificial neural networks," *Engineering Applications of Computational Fluid Mechanics*, 2015, 9(1), pp. 291-300
114. Samadi, M., Sarkardeh, H., Jabbari, E., "Explicit data-driven models for prediction of pressure fluctuations occur during turbulent flows on sloping channels," *Stochastic Environmental Research and Risk Assessment*, 2020a, 34(5), pp. 691-707.
115. Sharma, K., and Mohapatra, P. K., "Separation zone in flow past a spur dyke on rigid bed meandering channel," *Journal of Hydraulic Engineering*, 2012, 138(10), pp. 897-901.

116. Shukry, A., "Flow around bends in an open flume," *Trans ASCE*, 1950,115, pp. 751-779.
117. Singh, R. K., Pandey, M., Pu, J. H., Pasupuleti, S., and Villuri, V. G. K., "Experimental study of clear-water contraction scour," *Water Supply*, 2020,20(3), pp. 943-952.
118. Singh, U. K., Ahmad, Z., Kumar, A., and Pandey, M., "Incipient motion for gravel particles in cohesion less sediment mixtures," *Iranian Journal of Science and Technology Transactions of Civil Engineering*, 2019,43(2), pp. 253-262.
119. Solomatine, D. P., and Otsfeld, A., "Data-driven modelling: some past experiences and new approaches," *Journal of Hydroinformatics*, 2012,10(1), pp. 3-22.
120. Spalding, D. B., "The numerical computation of turbulent flow," *Comp. Methods Appl. Mech. Eng.*, 1974, 3, pp. 269.
121. Tingsanchali, T., and Maheswaran, S., "2-D depth-averaged flow computation near groyne," *Journal of Hydraulic Engineering*, 1990,116(1), pp. 71-86.
122. Vaghefi, M., Akbari, M., and Fiouz, A. R., "An experimental study of mean and turbulent flow in a 180-degree sharp open channel bend Secondary flow and bed shear stress," *KSCE Journal of Civil Engineering*, 2016, 20(4), pp. 1582-1593.
123. Vaghefi, M., Ghodsian, M., and Akbari, M., "Experimental investigation on 3D flow around a single T-shaped spur Dyke in a bend," *Periodica Polytechnica Civil Engineering*, 2017a, 61(3), pp. 462-470.
124. Vaghefi, M., Ghodsian, M., and Neyshaboori, S. S. A. A., "Experimental study on the effect of a T-shaped spurs Dyke length on scour in a 90° channel bend," *Arabian Journal for Science and Engineering*, 2020,34(2), pp. 337.

125. Vaghefi, M., Ghodsian, M., and Neyshabouri, S. A. A. S., "Experimental study on scour around a T-shaped spur Dyke in a channel bends," *Journal of Hydraulic Engineering*, 2020, 138(5), pp. 471-474.
126. Vaghefi, M., Ghodsian, M., Neyshabouri, S. A. A. S., "Experimental study on scour around a T-shaped spur Dyke in a channel bend," *Journal of Hydraulic Engineering*, 2012 138(5), pp. 471-474.
127. Vaghefi, M., Radan, P., and Akbari, M., "Flow pattern around attractive, vertical, and repelling T-shaped spur Dykes in a mild bend using CFD modeling," *International Journal of Civil Engineering*, 2019, 17(5), pp. 607-617.
128. Vaghefi, M., Safarpour, Y., and Akbari, M., "Numerical comparison of the parameters influencing the turbulent flow using a T-shaped spur Dyke in a 90° bend," *Journal of Applied Fluid Mechanics*, 2017b, 10(1), pp. 231-241.
129. Vaghefi, M., Safarpour, Y., and Akbari, M., "Numerical investigation of flow pattern and components of three-dimensional velocity around a submerged T-shaped spur Dyke in a 90° bend," *Journal of Central South University*, 2016, 23(11), pp. 2984-2998.
130. Vaghefi, M., Safarpour, Y., and Hashemi, S. S., "Effect of T-shaped spur Dyke on flow separation in a 90° bend using SSIIM model," *Journal of the National Science Foundation of Sri Lanka*, 2017c, 45(2),.
131. Vaghefi, M., Safarpour, Y., and Hashemi, S. S., "Effects of relative curvature on the scour pattern in a 90° bend with a T-shaped spur Dyke using a numerical method," *International Journal of River Basin Management*, 2015, 13(4), pp. 501-514.
132. Vaghefi, M., Shakerdargah, M., Fiouz, A. R., Akbari, M., "Numerical Investigation of the Effect of Froude Number on Flow Pattern around a Single T-

- shaped Spur Dyke in a Bend Channel,”*International Journal of Engineering Research*, 2014,3(5), pp. 351-355.
133. Vaghefi, M., Yaser, S., and Shaker, H. S., “Effects of distance between the T-shaped spur Dykes on flow and scour patterns in 90 bend using the SSIIM model,”*Ain Shams Engineering Journal*, 2016, 7(1), pp. 31-45.
134. Vanoni, V.A., American Society of Civil Engineers Task Committee for the Resources institute (U.S), Sedimentation engineering (Manuals and reports on engineering practice No. 54) ASCE Publications US, 1975.
135. Versteeg, H. K., and Malalasekera, W., “An introduction to computational fluid dynamics: the finite volume method,”*Pearson education*, 2007.
136. Xie, Z. Li., X, Di., Eugenio, B., Xiao, W., Tirpak, T. M., Nelson, P. C., “Using gene expression programming to construct sentence ranking functions for text summarization,”*In COLING 2004 Proceedings of the 20th International Conference on Computational Linguistics*, 2004, pp. 1381–1384.
137. Xiufang, Z., Pingyi, W. A. N. G., and Chengyu, Y. A. N. G., “Experimental study on flow turbulence distribution around a spur Dyke with different structure,”*Procedia Engineering*, 2012, 28, pp. 772-775.
138. Xuelin, T., Xiang, D., Zhicong, C., “Large Eddy Simulations of Three-Dimensional Flows Around a Spur Dyke,”*Tsinghua Science & Technology*, 2006, 11(1), pp. 117-123.
139. Yakhot, V. S. A. S. T. B. C. G., Orszag, S. A., Thangam, S., Gatski, T. B., and Speziale, C. G., “Development of turbulence models for shear flows by a double expansion technique,”*Physics of Fluids A Fluid Dynamics*, 1992, 4(7), pp. 1510-1520.

140. Yalin, M. S., *Fundamentals of Hydraulic Physical Modelling, Recent Advances in Hydraulic Physical Modelling* Dordrecht Kluwer Academic Publishers, The Netherlands, 1989.
141. Yazdi, J., Sarkardeh, H., Azamathulla, H. M., and Ghani, A. A., "3D simulation of flow around a single spur Dyke with free-surface flow," *Intl. J. River Basin Management*, 2010, 8(1), pp. 55-62.
142. Yen, C. L., "Bed configuration and characteristics of subcritical flow in a meandering channel," 1967.
143. Zaghoul, N. A., "Local scour around spur-Dykes," *Journal of Hydrology*, 1983, 60(4), pp. 123-140.
144. Zakaria, N. A., Azamathulla, H. M., Chang, C. K., Ghani, A. A., "Gene expression programming for total bed material load estimation-a case study," *Science of the total environment*, 2010, 408 (21), pp. 5078-5085.
145. Zhang, H., and Nakagawa, H., "Scour around spur dyke: recent advances and future researches," *Disaster Prevention Research Institute Annuals*, 2008, 51(B), pp. 633-652.
146. Zhang, Y., Xiao, J., "A New Strategy for Gene Expression Programming and Its Applications in Function Mining, *Universal Journal of Computer Science and Engineering Technology*," 2010, 1(2), pp. 122-126.
147. Zhou, K., Duan, J. G., and Bombardelli, F. A., "Experimental and Theoretical Study of Local Scour around Three-Pier Group," *Journal of Hydraulic Engineering*, 2020, 146(10), pp. 04020069.
148. Zhou, Y., "Large-eddy simulation of 3-D flow motion around submerged spur-Dyke," *Journal of Yangtze River Scientific Research Institute*, 2001, 18(5), pp. 28-36.

List of Publication

1. Tripathi, R. P., Pandey, K. K., “Experimental study of local scour around T-shaped spur dyke in a meandering channel”*Water Supply*, 2020, 21(2), pp. 542-552.
2. Tripathi, R.P., Pandey, K.K., “Numerical Investigation of Flow Field around T-shaped Spur dyke in a Reverse-Meandering Channel”*Water Supply*, 2021, doi; 10.2166/ws.2021.253
3. Tripathi, R.P., Pandey, K.K. (2021) Scour around spur dyke in curved channel: A review. (under review SCI Paper)
4. Tripathi, R.P., Pandey, K.K. (2021) Gene-expression programming for scour around spur dyke in curved and bend channel. (Accepted)

PERMISSIONS FOR REPRINT AND INCLUSION AS CHAPTER IN THESIS

1. WATER SUPPLY, IWA PUBLISHING

from: Emma Buckingham <ebuckingham@iwap.co.uk>
to: "ravipt.rs.civ15@itbhu.ac.in" <ravipt.rs.civ15@itbhu.ac.in>
date: Aug 19, 2021, 9:15 PM
subject: RE: Regarding permission to incorporate my Research Paper in my Thesis as chapter.

Dear Ravi,

Thank you for your email. Both of the papers you have listed were published open access under CC BY NC ND licences. This means that you are free to reproduce them in your thesis as per the terms of the licence:

This is an Open Access article distributed under the terms of the Creative Commons Attribution Licence (CC BY-NC-ND 4.0), which permits copying and redistribution for non-commercial purposes with no derivatives, provided the original work is properly cited (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

Kind regards,

Emma

Emma Buckingham
Editorial Operations Manager
IWA Publishing
ebuckingham@iwap.co.uk

IWA Publishing
Units 1.04 & 1.05 Export Building
1 Clove Crescent, London, E14 2BA
<https://www.iwaponline.co.uk>
Company registered in England No. 3690822