

## References

---

- Absalan G., Arabi M. and Tashkhourian J., Construction of an optical sensor for the determination of ascorbic acid using ionic liquids as modifier. *Analytical sciences : the international journal of the Japan Society for Analytical Chemistry*, 28, 1225-1230, 2012.
- Alfaya A. A. S. and Gushikem Y., The Preparation and Application of Silica–Zirconia Xerogel as Potentiometric Sensor for Chromium(VI). *Journal of Colloid and Interface Science*, 209, 428-434, 1999.
- Ali M., Tahir M. N., Siwy Z., Neumann R., Tremel W. and Ensinger W., Hydrogen Peroxide Sensing with Horseradish Peroxidase-Modified Polymer Single Conical Nanochannels. *Analytical chemistry*, 83, 1673-1680, 2011.
- Amri A., Jiang Z.-T., Pryor T., Yin C.-Y., Xie Z. and Mondinos N., Optical and mechanical characterization of novel cobalt-based metal oxide thin films synthesized using sol–gel dip-coating method. *Surface and Coatings Technology*, 207, 367-374, 2012.
- André R., Natálio F., Humanes M., Leppin J., Heinze K., Wever R., Schröder H. C., Müller W. E. and Tremel W., V<sub>2</sub>O<sub>5</sub> Nanowires with an Intrinsic Peroxidase-Like Activity. *Advanced Functional Materials*, 21, 501-509, 2011.
- Ansari A. A., Alhoshan M., Alsalhi M. and Aldwayyan A., Nanostructured metal oxides based enzymatic electrochemical biosensors. 2010.
- Aricò A. S., Bruce P., Scrosati B., Tarascon J.-M. and Van Schalkwijk W., Nanostructured materials for advanced energy conversion and storage devices. *Nature materials*, 4, 366-377, 2005.
- Arora A. K., Synthesis and characterization of some nanosized metal mixed metal oxides of transition metals. 2014.

- Asai R., Nemoto H., Jia Q., Saito K., Iwase A. and Kudo A., A visible light responsive rhodium and antimony-codoped SrTiO<sub>3</sub> powdered photocatalyst loaded with an IrO<sub>2</sub> cocatalyst for solar water splitting. *Chem Commun*, 50, 2543-2546, 2014.
- Asati A., Santra S., Kaittanis C., Nath S. and Perez J. M., Oxidase-Like Activity of Polymer-Coated Cerium Oxide Nanoparticles. *Angewandte Chemie International Edition*, 48, 2308-2312, 2009.
- Asif M. H., Ali S. M. U., Nur O., Willander M., Brännmark C., Strålfors P., Englund U. H., Elinder F. and Danielsson B., Functionalised ZnO-nanorod-based selective electrochemical sensor for intracellular glucose. *Biosensors and Bioelectronics*, 25, 2205-2211, 2010.
- Atkinson A., Barnett S., Gorte R. J., Irvine J., McEvoy A. J., Mogensen M., Singhal S. C. and Vohs J., Advanced anodes for high-temperature fuel cells. *Nature materials*, 3, 17-27, 2004.
- Avnir D., Coradin T., Lev O. and Livage J., Recent bio-applications of sol-gel materials. *Journal of Materials Chemistry*, 16, 1013-1030, 2006.
- Avnir D., Levy D. and Reisfeld R., The nature of the silica cage as reflected by spectral changes and enhanced photostability of trapped rhodamine 6G. *The Journal of Physical Chemistry*, 88, 5956-5959, 1984.
- Bai B., Li L., Liu Y., Liu H., Wang Z. and You C., Preformed particle gel for conformance control: factors affecting its properties and applications. *SPE Reservoir Evaluation & Engineering*, 10, 415-422, 2007.
- Bao-Ling W. and Li-Li H., Study of refractive index and thickness of TiO<sub>2</sub>/ormosil planar waveguide. *Chinese Physics*, 13, 1887, 2004.
- Bard A. J. and Mallouk T., Electrodes modified with clays, zeolites, and related microporous solids. *Molecular design of electrode surfaces*. Wiley, New York, 271-312, 1992.

- Bhattacharya D., Baksi A., Banerjee I., Ananthkrishnan R., Maiti T. K. and Pramanik P., Development of phosphonate modified Fe  $1-x$  Mn $x$ Fe $2$ O $4$  mixed ferrite nanoparticles: novel peroxidase mimetics in enzyme linked immunosorbent assay. *Talanta*, 86, 337-348, 2011.
- Biernat J. F., Konieczka P., Tarbet B. J., Bradshaw J. S. and Izatt R. M., Complexing and chelating agents immobilized on silica gel and related materials and their application for sorption of inorganic species. *Separation and purification methods*, 23, 77-348, 1994.
- Bigey C., Hilaire L. and Maire G., Catalysis on Pd/WO $_3$  and Pd/WO $_2$ : Effect of the Modifications of the Surface States Due to Redox Treatments on the Skeletal Rearrangement of Hydrocarbons: Part I. Physical and Chemical Characterizations of Catalysts by BET, TPR, XRD, XAS, and XPS. *Journal of Catalysis*, 184, 406-420, 1999.
- Bond A. M., Miao W., Smith T. D. and Jamis J., Voltammetric reduction of mercury(II), silver(I), lead(II) and copper(II) ions adsorbed onto a new form of mesoporous silica. *Analytica Chimica Acta*, 396, 203-213, 1999.
- Borgo C. A., Ferrari R. T., Colpini L. M. S., Costa C. M. M., Baesso M. L. and Bento A. C., Voltammetric response of a copper(II) complex incorporated in silica-modified carbon-paste electrode. *Analytica Chimica Acta*, 385, 103-109, 1999.
- Brabec C., Scherf U. and Dyakonov V., *Organic photovoltaics: materials, device physics, and manufacturing technologies*, John Wiley & Sons: 2014.
- Braga A., Giménez S., Concina I., Vomiero A. and Mora-Seró I., Panchromatic sensitized solar cells based on metal sulfide quantum dots grown directly on nanostructured TiO $_2$  electrodes. *The Journal of Physical Chemistry Letters*, 2, 454-460, 2011.

- Brinker C., Keefer K., Schaefer D., Assink R., Kay B. and Ashley C., Sol-gel transition in simple silicates II. *Journal of Non-Crystalline Solids*, 63, 45-59, 1984.
- Brinker C. J., Keefer K. D., Schaefer D. W. and Ashley C. S., Sol-gel transition in simple silicates. *Journal of Non-Crystalline Solids*, 48, 47-64, 1982.
- Brinker C. J. and Scherer G. W., *Sol-gel science: the physics and chemistry of sol-gel processing*, Gulf Professional Publishing: 1990.
- Brinker C. J., Better ceramics through chemistry symposium held February 1984 in Albuquerque, New Mexico, U.S.A. [http://journals.cambridge.org/mrsopl\\_32](http://journals.cambridge.org/mrsopl_32).
- Camargo P. H. C., Satyanarayana K. G. and Wypych F., Nanocomposites: synthesis, structure, properties and new application opportunities. *Materials Research*, 12, 1-39, 2009.
- Campuzano S., Pedrero M., Nikoleli G. P., Pingarrón J. M., Nikolelis D. P., Tzamtzis N. and Psychoyios V. N., ZnO and Graphene Microelectrode Applications in Biosensing. *Biosensors Nanotechnology*, 1-35, 2014.
- Chawla S. and Pundir C. S., An amperometric hemoglobin A1c biosensor based on immobilization of fructosyl amino acid oxidase onto zinc oxide nanoparticles-polypyrrole film. *Analytical biochemistry*, 430, 156-162, 2012.
- Chawla S., Rawal R., Kumar D. and Pundir C. S., Amperometric determination of total phenolic content in wine by laccase immobilized onto silver nanoparticles/zinc oxide nanoparticles modified gold electrode. *Analytical biochemistry*, 430, 16-23, 2012.
- Chen C. H., Chen Y. C. and Lin M. S., Amperometric determination of NADH with Co(3)O(4) nanosheet modified electrode. *Biosensors & bioelectronics*, 42, 379-384, 2013a.

- Chen J.-Z., Ko W.-Y., Yen Y.-C., Chen P.-H. and Lin K.-J., Hydrothermally processed TiO<sub>2</sub> nanowire electrodes with antireflective and electrochromic properties. *ACS nano*, 6, 6633-6639, 2012a.
- Chen P.-Y., Lin A., Lin Y.-S., Seki Y., Stokes A., Peyras J., Olevsky E., Meyers M. and McKittrick J., Structure and mechanical properties of selected biological materials. *Journal of the mechanical behavior of biomedical materials*, 1, 208-226, 2008.
- Chen S., Yuan R., Chai Y. and Hu F., Electrochemical sensing of hydrogen peroxide using metal nanoparticles: a review. *Microchimica Acta*, 180, 15-32, 2013b.
- Chen S. F., Li J. P., Qian K., Xu W. P., Lu Y., Huang W. X. and Yu S. H., Large scale photochemical synthesis of M@TiO<sub>2</sub> nanocomposites (M=Ag, Pd, Au, Pt) and their optical properties, CO oxidation performance, and antibacterial effect. *Nano Research*, 3, 244-255, 2010a.
- Chen W.-Y., Lin J.-Y., Chen W.-J., Luo L., Wei-Guang Diao E. and Chen Y.-C., Functional gold nanoclusters as antimicrobial agents for antibiotic-resistant bacteria. *Nanomedicine-Uk*, 5, 755-764, 2010b.
- Chen W., Cai S., Ren Q.-Q., Wen W. and Zhao Y.-D., Recent advances in electrochemical sensing for hydrogen peroxide: a review. *The Analyst*, 137, 49-58, 2012b.
- Chen X., Wu G., Chen J., Chen X., Xie Z. and Wang X., Synthesis of “clean” and well-dispersive Pd nanoparticles with excellent electrocatalytic property on graphene oxide. *Journal of the American Chemical Society*, 133, 3693-3695, 2011.
- Chen Y., Cao H., Shi W., Liu H. and Huang Y., Fe-Co bimetallic alloy nanoparticles as a highly active peroxidase mimetic and its application in biosensing. *Chem Commun (Camb)*, 49, 5013-5015, 2013c.
- Choi Y.-G., Sakai G., Shimanoe K., Miura N. and Yamazoe N., Preparation of aqueous sols of tungsten oxide dihydrate from sodium tungstate by an

- ion-exchange method. *Sensors and Actuators B: Chemical*, 87, 63-72, 2002.
- Choi Y. J., Lim H., Lee S., Suh S., Kim J. R., Jung H. S., Park S., Lee J. H., Kim S. G., Hwang C. S. and Kim H., Improving the electrical properties of lanthanum silicate films on Ge metal oxide semiconductor capacitors by adopting interfacial barrier and capping layers. *ACS applied materials & interfaces*, 6, 7885-7894, 2014.
- Chopra N., Gavalas V. G., Bachas L. G. and Hinds B. J., Functional One-Dimensional Nanomaterials: Applications in Nanoscale Biosensors. *Anal Lett*, 40, 2067-2096, 2007a.
- Chopra N., Gavalas V. G., Hinds B. J. and Bachas L. G., Functional one-dimensional nanomaterials: Applications in nanoscale biosensors. *Analytical Letters*, 40, 2067-2096, 2007b.
- Chung T.-S., Jiang L. Y., Li Y. and Kulprathipanja S., Mixed matrix membranes (MMMs) comprising organic polymers with dispersed inorganic fillers for gas separation. *Progress in Polymer Science*, 32, 483-507, 2007.
- Ciriminna R., Fidalgo A., Pandarus V., Béland F. o., Ilharco L. M. and Pagliaro M., The sol-gel route to advanced silica-based materials and recent applications. *Chemical Reviews*, 113, 6592-6620, 2013.
- Clapsaddle B., Zhao L., Gash A., Satcher J., Shea K., Pantoya M. and Simpson R. In *Synthesis and characterization of mixed metal oxide nanocomposite energetic materials*, Materials Research Society Symposium Proceedings, Warrendale, Pa.; Materials Research Society; 1999: 2004; pp 91-98.
- Collinson M. M., Analytical applications of organically modified silicates. *Microchimica Acta*, 129, 149-165, 1998.
- Corma A., Inorganic solid acids and their use in acid-catalyzed hydrocarbon reactions. *Chemical Reviews*, 95, 559-614, 1995.

- Curulli A., Valentini F., Padeletti G., Viticoli M., Caschera D. and Palleschi G., Smart (Nano) materials: TiO<sub>2</sub> nanostructured films to modify electrodes for assembling of new electrochemical probes. *Sensors and Actuators B: Chemical*, 111, 441-449, 2005.
- Davis S. E., Ide M. S. and Davis R. J., Selective oxidation of alcohols and aldehydes over supported metal nanoparticles. *Green Chemistry*, 15, 17-45, 2013.
- Deng H.-H., Li G.-W., Hong L., Liu A.-L., Chen W., Lin X.-H. and Xia X.-H., Colorimetric sensor based on dual-functional gold nanoparticles: Analyte-recognition and peroxidase-like activity. *Food chemistry*, 147, 257-261, 2014.
- Deng Z., Gong Y., Luo Y. and Tian Y., WO<sub>3</sub> nanostructures facilitate electron transfer of enzyme: application to detection of H<sub>2</sub>O<sub>2</sub> with high selectivity. *Biosensors & bioelectronics*, 24, 2465-2469, 2009.
- Depagne C., Roux C. and Coradin T., How to design cell-based biosensors using the sol-gel process. *Analytical and bioanalytical chemistry*, 400, 965-976, 2011.
- Devi R., Yadav S. and Pundir C. S., Amperometric determination of xanthine in fish meat by zinc oxide nanoparticle/chitosan/multiwalled carbon nanotube/polyaniline composite film bound xanthine oxidase. *The Analyst*, 137, 754-759, 2012.
- Diedenhofen S. L., Vecchi G., Bauhuis G. and Rivas J. G., Broadband and Omnidirectional Anti-reflection Coating for III/V Multi-junction Solar Cells. In *High-Efficiency Solar Cells*, Springer: 2014; pp 571-595.
- Dryhurst G., *Electrochemistry of biological molecules*, Elsevier: 2012.
- Du L., Miao X., Jiang Y., Jia H., Tian Q., Shen J. and Liu Y., An effective strategy for the synthesis of biocompatible gold nanoparticles using danshensu antioxidant: prevention of cytotoxicity via attenuation of free radical formation. *Nanotoxicology*, 7, 294-300, 2013.

- Dzombak D. A., Surface complexation modeling: hydrous ferric oxide, John Wiley & Sons: 1990.
- Fabbri E., Mohamed R., Levecque P., Blair S., Conrad O., Kötz R. and Schmidt T. J. In Electrochemical characterization of oxide catalysts by thin film rotating ring disk electrode (RRDE) measurements for application in alkaline energy conversion devices, 223rd ECS Meeting (May 12-17, 2013), Ecs: 2013.
- Feng J.-J., Xu J.-J. and Chen H.-Y., Direct electron transfer and electrocatalysis of hemoglobin adsorbed onto electrodeposited mesoporous tungsten oxide. *Electrochemistry communications*, 8, 77-82, 2006.
- Fernandez-Garcia M., Martinez-Arias A., Hanson J. and Rodriguez J., Nanostructured oxides in chemistry: characterization and properties. *Chemical Reviews*, 104, 4063-4104, 2004.
- Fernández-García M. and Rodríguez J. A., Metal oxide nanoparticles. *Encyclopedia of Inorganic and Bioinorganic Chemistry*, 2007.
- Fonseca A. J., Cabrita A. R., Pinho L. A., Kim E. J. and Dewhurst R. J., Effects of protein sources on concentrations of hydrogen sulphide in the rumen headspace gas of dairy cows. *Animal : an international journal of animal bioscience*, 7, 75-81, 2013.
- Fritzsche W. and Taton T. A., Metal nanoparticles as labels for heterogeneous, chip-based DNA detection. *Nanotechnology*, 14, R63, 2003.
- Galus Z., Reynolds G. and Marcinkiewicz S., *Fundamentals of electrochemical analysis*, Ellis Horwood Chichester: 1976; Vol. 328.
- Gao A., Zou N., Dai P., Lu N., Li T., Wang Y., Zhao J. and Mao H., Signal-to-noise ratio enhancement of silicon nanowires biosensor with rolling circle amplification. *Nano letters*, 13, 4123-4130, 2013.

- Gao L., Zhuang J., Nie L., Zhang J., Zhang Y., Gu N., Wang T., Feng J., Yang D. and Perrett S., Intrinsic peroxidase-like activity of ferromagnetic nanoparticles. *Nature nanotechnology*, 2, 577-583, 2007.
- Goniakowski J., Finocchi F. and Noguera C., Polarity of oxide surfaces and nanostructures. *Reports on Progress in Physics*, 71, 016501, 2008.
- Graham T., On the properties of silicic acid and other analogous colloidal substances. *Journal of the Chemical Society*, 17, 318-327, 1864.
- Greenwood N. N. and Earnshaw A., *Chemistry of the Elements*, Elsevier: 1997.
- Guerin S. and Attard G. S., Electrochemical behaviour of electrodeposited nanostructured palladium+platinum films in 2 M H<sub>2</sub>SO<sub>4</sub>. *Electrochemistry communications*, 3, 544-548, 2001.
- Guier A., Reier T., Heidary N., Felkel D., Johnson B., Vainio U., Schlaad H., Aksu Y., Driess M., Strasser P., Thomas A., Polte J. and Fischert A., A One-Pot Approach to Mesoporous Metal Oxide Ultrathin Film Electrodes Bearing One Metal Nanoparticle per Pore with Enhanced Electrocatalytic Properties. *Chemistry of Materials*, 25, 4645-4652, 2013.
- Guo Y., Deng L., Li J., Guo S., Wang E. and Dong S., Hemin– graphene hybrid nanosheets with intrinsic peroxidase-like activity for label-free colorimetric detection of single-nucleotide polymorphism. *ACS nano*, 5, 1282-1290, 2011.
- Guo Y., Guadalupe A. R., Resto O., Fonseca L. F. and Weisz S. Z., Chemically Derived Prussian Blue Sol–Gel Composite Thin Films. *Chemistry of Materials*, 11, 135-140, 1998.
- Ha S. Y. and Kim S., Preparation and characterization of sol–gel derived carbon composite ceramic electrodes: electrochemical and XANES study of nitrite reduction. *Journal of Electroanalytical Chemistry*, 468, 131-138, 1999.

- Haber J., Fundamentals of hydrocarbon oxidation. Handbook of Heterogeneous Catalysis, 2008.
- Hench L. L. and West J. K., The sol-gel process. Chemical Reviews, 90, 33-72, 1990.
- Huang P. and Carter E. A., Advances in correlated electronic structure methods for solids, surfaces, and nanostructures. Annu. Rev. Phys. Chem., 59, 261-290, 2008.
- Huang T. H., Salter G., Kahn S. L. and Gindt Y. M., Redox Titration of Ferricyanide to Ferrocyanide with Ascorbic Acid: Illustrating the Nernst Equation and Beer–Lambert Law. Journal of Chemical Education, 84, 1461, 2007.
- Huheey J. E., Keiter E. A., Keiter R. L. and Medhi O. K., Inorganic chemistry: principles of structure and reactivity, Pearson Education India: 2006.
- Hwang Y. J., Hahn C., Liu B. and Yang P., Photoelectrochemical properties of TiO<sub>2</sub> nanowire arrays: a study of the dependence on length and atomic layer deposition coating. ACS nano, 6, 5060-5069, 2012.
- Iler R. K., The colloid chemistry of silica and silicates. Soil Science, 80, 86, 1955.
- Iyer M. A., Oza G., Velumani S., Maldonado A., Romero J., Munoz M. d. L., Sridharan M., Asomoza R. and Yi J., Scanning Fluorescence-Based Ultrasensitive Detection of Dengue Viral DNA on ZnO Thin Films. Sensors and Actuators B: Chemical, 2014.
- Izu N., Matsubara I., Itoh T., Akamatsu T. and Shin W., CO responses of sensors based on cerium oxide thick films prepared from clustered spherical nanoparticles. Sensors (Basel), 13, 3252-3261, 2013.
- Jang B., Chae O. B., Park S.-K., Ha J., Oh S. M., Na H. B. and Piao Y., Solventless synthesis of an iron-oxide/graphene nanocomposite and its application as an anode in high-rate Li-ion batteries. Journal of Materials Chemistry A, 1, 15442-15446, 2013.

- Jiang J., Li Y., Liu J., Huang X., Yuan C. and Lou X. W. D., Recent Advances in Metal Oxide-based Electrode Architecture Design for Electrochemical Energy Storage. *Advanced Materials*, 24, 5166-5180, 2012.
- Jo A., Kang M., Cha A., Jang H. S., Shim J. H., Lee N. S., Kim M. H., Lee Y. and Lee C., Nonenzymatic amperometric sensor for ascorbic acid based on hollow gold/ruthenium nanoshells. *Anal Chim Acta*, 819, 94-101, 2014.
- Jung C. Y., Kim J. S., Kim H. Y., Ha J. M., Kim Y. H. and Koo S. M., One-pot synthesis and surface modifications of organically modified silica (ORMOSIL) particles having multiple functional groups. *J Colloid Interface Sci*, 367, 67-73, 2012.
- Jv Y., Li B. and Cao R., Positively-charged gold nanoparticles as peroxidase mimic and their application in hydrogen peroxide and glucose detection. *Chem. Commun.*, 46, 8017-8019, 2010.
- Kacar C., Erden P. E., Pekyardimci S. and Kilic E., An Fe<sub>3</sub>O<sub>4</sub>-nanoparticles-based amperometric biosensor for creatine determination. *Artificial cells, nanomedicine, and biotechnology*, 41, 2-7, 2013.
- Kango S., Kalia S., Celli A., Njuguna J., Habibi Y. and Kumar R., Surface modification of inorganic nanoparticles for development of organic-inorganic nanocomposites—A review. *Progress in Polymer Science*, 38, 1232-1261, 2013.
- Karyakin A. A., Karyakina E. E. and Gorton L., Amperometric biosensor for glutamate using Prussian blue-based “artificial peroxidase” as a transducer for hydrogen peroxide. *Analytical Chemistry*, 72, 1720-1723, 2000.
- Kim H.-S., Lee J.-W., Yantara N., Boix P. P., Kulkarni S. A., Mhaisalkar S., Grätzel M. and Park N.-G., High efficiency solid-state sensitized solar

- cell-based on submicrometer rutile TiO<sub>2</sub> nanorod and CH<sub>3</sub>NH<sub>3</sub>PbI<sub>3</sub> perovskite sensitizer. *Nano letters*, 13, 2412-2417, 2013.
- Kim H. Interface studies on the organic-inorganic hybrid heterojunctions and device applications of nanowire materials. Brown University, 2010.
- Kim M.-G., Kanatzidis M. G., Facchetti A. and Marks T. J., Low-temperature fabrication of high-performance metal oxide thin-film electronics via combustion processing. *Nature materials*, 10, 382-388, 2011.
- Kirk J. T., Brault N. D., Baehr-Jones T., Hochberg M., Jiang S. and Ratner D. M., Zwitterionic polymer-modified silicon microring resonators for label-free biosensing in undiluted human plasma. *Biosensors & bioelectronics*, 42, 100-105, 2013.
- Kong Y., Shan X., Ma J., Chen M. and Chen Z., A novel voltammetric sensor for ascorbic acid based on molecularly imprinted poly(o-phenylenediamine-co-o-aminophenol). *Anal Chim Acta*, 809, 54-60, 2014.
- Korotcenkov G., Nanocomposites in Gas Sensors: Promising Approach to Gas Sensor Optimization. In *Handbook of Gas Sensor Materials*, Springer: 2014; pp 181-184.
- Kurihara L. A., Fujiwara S. T., Alfaya R. V., Gushikem Y., Alfaya A. A. and de Castro S. C., Copper (II) adsorbed on SiO<sub>2</sub>/SnO<sub>2</sub> obtained by the sol-gel processing method: application as electrochemical sensor for ascorbic acid. *Journal of Colloid and Interface Science*, 274, 579-586, 2004.
- Lee H. S., Min S.-W., Chang Y.-G., Park M. K., Nam T., Kim H., Kim J. H., Ryu S. and Im S., MoS<sub>2</sub> nanosheet phototransistors with thickness-modulated optical energy gap. *Nano letters*, 12, 3695-3700, 2012.
- Lee S. H., Deshpande R., Parilla P. A., Jones K. M., To B., Mahan A. H. and Dillon A. C., Crystalline WO<sub>3</sub> nanoparticles for highly improved electrochromic applications. *Advanced Materials*, 18, 763-766, 2006.

- Leonidovna E. E. Étude expérimentale et modélisation de l'oxydation partielle du méthane en gaz de synthèse sur réacteur catalytique monolithique à temps court. Université Claude Bernard-Lyon I, 2008.
- Lev O., Tsionsky M., Rabinovich L., Glezer V., Sampath S., Pankratov I. and Gun J., Organically modified sol-gel sensors. *Analytical Chemistry*, 67, 22A-30A, 1995.
- Lev O., Wu Z., Bharathi S., Glezer V., Modestov A., Gun J., Rabinovich L. and Sampath S., Sol-Gel Materials in Electrochemistry. *Chemistry of Materials*, 9, 2354-2375, 1997.
- Li H., Wang Y., Ye D., Luo J., Su B., Zhang S. and Kong J., An electrochemical sensor for simultaneous determination of ascorbic acid, dopamine, uric acid and tryptophan based on MWNTs bridged mesocellular graphene foam nanocomposite. *Talanta*, 127, 255-261, 2014.
- Li J., Tan S. N. and Ge H., Silica sol-gel immobilized amperometric biosensor for hydrogen peroxide. *Analytica Chimica Acta*, 335, 137-145, 1996.
- Li M. D., Hu M., Jia D. L., Ma S. Y. and Yan W. J., NO<sub>2</sub>-sensing properties based on the nanocomposite of n-WO<sub>3</sub>-x/n-porous silicon at room temperature. *Sensor Actuat B-Chem*, 186, 140-147, 2013.
- Li Z., Wang J., Liu X., Liu S., Ou J. and Yang S., Electrostatic layer-by-layer self-assembly multilayer films based on graphene and manganese dioxide sheets as novel electrode materials for supercapacitors. *J. Mater. Chem.*, 21, 3397-3403, 2011.
- Liao S. C., Wu H. M., Tsao Y. C., Lin H. R., Chen K. S. and Chen W. Y., Post treatment of plasma-polymerized SnO<sub>x</sub> organic-like films with poly ethylene glycol for improving CO gas sensitivity. *Journal of nanoscience and nanotechnology*, 12, 1280-1283, 2012.
- Lin J. and Brown C. W., Sol-gel glass as a matrix for chemical and biochemical sensing. *TrAC Trends in Analytical Chemistry*, 16, 200-211, 1997.

- Lin Y., Li Z., Chen Z., Ren J. and Qu X., Mesoporous silica-encapsulated gold nanoparticles as artificial enzymes for self-activated cascade catalysis. *Biomaterials*, 34, 2600-2610, 2013.
- Liu A., Towards development of chemosensors and biosensors with metal-oxide-based nanowires or nanotubes. *Biosensors and Bioelectronics*, 24, 167-177, 2008.
- Liu J., Guo C., Li C. M., Li Y., Chi Q., Huang X., Liao L. and Yu T., Carbon-decorated ZnO nanowire array: a novel platform for direct electrochemistry of enzymes and biosensing applications. *Electrochemistry communications*, 11, 202-205, 2009.
- Liu J. and Hurt R. H., Ion release kinetics and particle persistence in aqueous nano-silver colloids. *Environmental science & technology*, 44, 2169-2175, 2010.
- Liu S., Yu J. and Jaroniec M., Tunable photocatalytic selectivity of hollow TiO<sub>2</sub> microspheres composed of anatase polyhedra with exposed {001} facets. *Journal of the American Chemical Society*, 132, 11914-11916, 2010a.
- Liu T.-x., Li X.-z. and Li F.-b., Enhanced photocatalytic activity of Ce<sup>3+</sup>/TiO<sub>2</sub> hydrosols in aqueous and gaseous phases. *Chemical engineering journal*, 157, 475-482, 2010b.
- Liu X., Wang Q., Zhao H., Zhang L., Su Y. and Lv Y., BSA-templated MnO<sub>2</sub> nanoparticles as both peroxidase and oxidase mimics. *The Analyst*, 137, 4552-4558, 2012.
- Lokhande C., Dubal D. and Joo O.-S., Metal oxide thin film based supercapacitors. *Current Applied Physics*, 11, 255-270, 2011.
- Lu D. Y., Chen J., Deng S. Z., Xu N. S. and Zhang W. H., The most powerful tool for the structural analysis of tungsten suboxide nanowires: Raman spectroscopy. *Journal of Materials Research*, 23, 402-408, 2008.

- Lu X., Xiao X., Li Z., Xu F., Tan H., Sun L. and Wang L., A novel nonenzymatic hydrogen peroxide sensor based on three-dimensional porous Ni foam modified with a Pt electrocatalyst. *Analytical Methods*, 6, 235-241, 2014.
- Luo X., Morrin A., Killard A. J. and Smyth M. R., Application of nanoparticles in electrochemical sensors and biosensors. *Electroanal*, 18, 319-326, 2006.
- Ma Y., Zhang Z., Ren C., Liu G. and Chen X., A novel colorimetric determination of reduced glutathione in A549 cells based on Fe<sub>3</sub>O<sub>4</sub> magnetic nanoparticles as peroxidase mimetics. *The Analyst*, 137, 485-489, 2012.
- Mahadeva S. K. and Kim J., Conductometric glucose biosensor made with cellulose and tin oxide hybrid nanocomposite. *Sensors and Actuators B: Chemical*, 157, 177-182, 2011.
- Makote R. and M. Collinson M., Organically modified silicate films for stable pH sensors. *Analytica Chimica Acta*, 394, 195-200, 1999.
- Malik S. and Tripathi C. C., Thin Film Deposition by Langmuir Blodgett Technique for Gas Sensing Applications. *Journal of Surface Engineered Materials and Advanced Technology*, 3, 235, 2013.
- Malvi B., Panda C., Dhar B. B. and Gupta S. S., One pot glucose detection by [Fe<sup>III</sup>(biuret-amide)] immobilized on mesoporous silica nanoparticles: an efficient HRP mimic. *Chemical Communications*, 48, 5289, 2012.
- Markov D. A., Lillie E. M., Garbett S. P. and McCawley L. J., Variation in diffusion of gases through PDMS due to plasma surface treatment and storage conditions. *Biomedical microdevices*, 16, 91-96, 2014.
- Markovich I. and Mandler D., Preparation and characterization of octadecylsilane monolayers on indium–tin oxide (ITO) surfaces. *Journal of Electroanalytical Chemistry*, 500, 453-460, 2001.

- Mars P. and Van Krevelen D. W., Oxidations carried out by means of vanadium oxide catalysts. *Chemical Engineering Science*, 3, 41-59, 1954.
- Martin A., Garcia R. A., Sen Karaman D. and Rosenholm J. M., Polyethyleneimine-functionalized large pore ordered silica materials for poorly water-soluble drug delivery. *J Mater Sci*, 49, 1437-1447, 2014.
- Mazloun-Ardakani M., Talebi A., Beitollahi H., Naeimi H. and Taghavinia N., Determination of Ascorbic Acid in the Presence of Uric Acid and Folic Acid by a Nanostructured Electrochemical Sensor Based on a TiO<sub>2</sub> Nanoparticle Carbon Paste Electrode. *Anal Lett*, 43, 2618-2630, 2010.
- McCarthy G. J., Roy R. and McKay J. M., Preliminary Study of Low-Temperature "Glass" Fabrication from Noncrystalline Silicas. *Journal of the American Ceramic Society*, 54, 637-638, 1971.
- Mohseni M., Bastani S. and Jannesari A., Influence of silane structure on curing behavior and surface properties of sol-gel based UV-curable organic-inorganic hybrid coatings. *Prog Org Coat*, 77, 1191-1199, 2014.
- Moscone D., D'ottavi D., Compagnone D., Palleschi G. and Amine A., Construction and analytical characterization of Prussian blue-based carbon paste electrodes and their assembly as oxidase enzyme sensors. *Analytical Chemistry*, 73, 2529-2535, 2001.
- Nicollian E. H. and Brews J. R., *MOS (metal oxide semiconductor) physics and technology*, Wiley New York et al.: 1982; Vol. 1987.
- Nie L., Yu J., Li X., Cheng B., Liu G. and Jaroniec M., Enhanced performance of NaOH-Modified Pt/TiO<sub>2</sub> toward room temperature selective oxidation of formaldehyde. *Environmental science & technology*, 47, 2777-2783, 2013.
- Nilius N., Kozlov S. M., Jerratsch J.-F., Baron M., Shao X., Vines F., Shaikhutdinov S., Neyman K. M. and Freund H.-J., Formation of One-

Dimensional Electronic States along the Step Edges of CeO<sub>2</sub> (111). ACS nano, 6, 1126-1133, 2012.

O'Regan B., Schwartz D. T., Zakeeruddin S. M. and Grätzel M., Electrodeposited Nanocomposite n–p Heterojunctions for Solid-State Dye-Sensitized Photovoltaics. Advanced Materials, 12, 1263-1267, 2000.

Ong S. P. First Principles Design and Investigation of Lithium-Ion Battery Cathodes and Electrolytes. Massachusetts Institute of Technology, 2011.

Orcel G. and Hench L. L. In Physical-Chemical Variables in Processing Na<sub>2</sub>O-B<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub> Gel Monoliths, MRS Proceedings, Cambridge Univ Press: 1984; p 79.

Oskam G. and Searson P. C., Sol–Gel Synthesis and Characterization of Carbon/Ceramic Composite Electrodes. The Journal of Physical Chemistry B, 102, 2464-2468, 1998.

Pandey P., Chauhan D. and Singh V., Effect of processable polyindole and nanostructured domain on the selective sensing of dopamine. Materials Science and Engineering: C, 32, 1-11, 2012a.

Pandey P., Prakash A., Pandey A. and Pandey D., 3-Aminopropyltrimethoxysilane and 3-Glycidoxypropyltrimethoxysilane Mediated Synthesis of Graphene and its Nanocomposite: Potential Bioanalytical Applications. J Anal Bioanal Tech S, 7, 2, 2014.

Pandey P., Upadhyay S. and Sharma S., Functionalized ormosils-based biosensor probing a horseradish peroxidase-catalyzed reaction. Journal of the Electrochemical Society, 150, H85-H92, 2003a.

Pandey P., Upadhyay S. and Sharma S., TTF-TCNQ Functionalized Ormosil Based Electrocatalytic Biosensor: A comparative study on Bioelectrocatalysis. Electroanal, 15, 1115-1119, 2003b.

- Pandey P., Upadhyay S., Tiwari I. and Sharma S., A Novel Ferrocene-Encapsulated Palladium-Linked Ormosil-Based Electrocatalytic Biosensor. The Role of the Reactive Functional Group. *Electroanal*, 13, 1519-1527, 2001a.
- Pandey P., Upadhyay S., Tiwari I. and Tripathi V., An organically modified silicate-based ethanol biosensor. *Analytical biochemistry*, 288, 39-43, 2001b.
- Pandey P., Upadhyay S., Tiwari I. and Tripathi V., An ormosil-based peroxide biosensor—a comparative study on direct electron transport from horseradish peroxidase. *Sensors and Actuators B: Chemical*, 72, 224-232, 2001c.
- Pandey P., Upadhyay S., Upadhyay B. and Tripathi V., Studies on new ormosils derived from reactive alkoxysilane precursors as a function of hydrophobicity/hydrophilicity. *Journal of sol-gel science and technology*, 33, 25-32, 2005a.
- Pandey P. C., Chauhan D. S. and Singh V., Effect of processable polyindole and nanostructured domain on the selective sensing of dopamine. *Materials science & engineering. C, Materials for biological applications*, 32, 1-11, 2012b.
- Pandey P. C. and Pandey A. K., Cyclohexanone and 3-aminopropyltrimethoxysilane mediated controlled synthesis of mixed nickel-iron hexacyanoferrate nanosol for selective sensing of glutathione and hydrogen peroxide. *The Analyst*, 138, 952-959, 2013a.
- Pandey P. C. and Pandey A. K., Electrochemical Behavior of Hydrogen Peroxide at Nanocomposite of Prussian Blue with Palladium of Variable Nanogeometry Modified Electrode. *Journal of the Electrochemical Society*, 159, G128-G136, 2012.

- Pandey P. C. and Pandey A. K., Novel synthesis of Prussian blue nanoparticles and nanocomposite sol: Electro-analytical application in hydrogen peroxide sensing. *Electrochimica acta*, 87, 1-8, 2013b.
- Pandey P. C. and Pandey G., Tunable functionality and nanogeometry in tetrahydrofuran hydroperoxide and 3-aminopropyl-trimethoxysilane mediated synthesis of gold nanoparticles; functional application in glutathione sensing. *J Mater Chem B*, 2, 3383-3390, 2014.
- Pandey P. C. and Prakash A., Studies on the Synthesis and Characterization of Pd-TiO<sub>2</sub>-SiO<sub>2</sub> Nanocomposite for Electroanalytical Applications. *Electroanal*, 23, 1991-1997, 2011.
- Pandey P. C. and Singh B., Library of electrocatalytic sites in nano-structured domains: electrocatalysis of hydrogen peroxide. *Biosensors & bioelectronics*, 24, 848-854, 2008.
- Pandey P. C. and Singh V., Electrochemical polymerization of aniline over tetracyanoquinodimethane encapsulated ormosil matrix: application in the electrocatalytic oxidation of ascorbic acid and acetylthiocholine. *The Analyst*, 136, 1472-1480, 2011.
- Pandey P. C. and Upadhyay B. C., Role of palladium in the redox electrochemistry of ferrocene monocarboxylic acid encapsulated within ORMOSIL networks. *Molecules*, 10, 728-739, 2005a.
- Pandey P. C. and Upadhyay B. C., Studies on differential sensing of dopamine at the surface of chemically sensitized ormosil-modified electrodes. *Talanta*, 67, 997-1006, 2005b.
- Pandey P. C., Upadhyay S. and Pathak H. C., A new glucose biosensor based on sandwich configuration of organically modified sol-gel glass. *Electroanal*, 11, 59-64, 1999a.
- Pandey P. C., Upadhyay S. and Pathak H. C., A new glucose sensor based on encapsulated glucose oxidase within organically modified sol-gel glass. *Sensor Actuat B-Chem*, 60, 83-89, 1999b.

- Pandey P. C., Upadhyay S., Pathak H. C. and Pandey C. M. D., Studies on ferrocene immobilized sol-gel glasses and its application in the construction of a novel solid-state ion sensor. *Electroanal*, 11, 950-956, 1999c.
- Pandey P. C., Upadhyay S., Pathak H. C., Tiwari I. and Tripathi V. S., Studies on glucose biosensors based on nonmediated and mediated electrochemical oxidation of reduced glucose oxidase encapsulated within organically modified sol-gel glasses. *Electroanal*, 11, 1251-1258, 1999d.
- Pandey P. C., Upadhyay S., Tiwari I. and Tripathi V. S., An organically modified silicate-based ethanol biosensor. *Analytical biochemistry*, 288, 39-43, 2001d.
- Pandey P. C., Upadhyay S. and Upadhyay B. C., Photo-Electrochemistry of Ormosil Sandwiched D-96N Bacteriorhodopsin. *Journal of sol-gel science and technology*, 33, 51-58, 2005b.
- Park J.-H., Seo Y.-S., Kim H.-S. and Kim I.-K., Photodegradation of benzene, toluene, ethylbenzene and xylene by fluidized bed gaseous reactor with TiO<sub>2</sub>/SiO<sub>2</sub> photocatalysts. *Korean Journal of Chemical Engineering*, 28, 1693-1697, 2011.
- Patil D., Dung N. Q., Jung H., Ahn S. Y., Jang D. M. and Kim D., Enzymatic glucose biosensor based on CeO<sub>2</sub> nanorods synthesized by non-isothermal precipitation. *Biosensors and Bioelectronics*, 31, 176-181, 2012a.
- Patil D., Dung N. Q., Jung H., Ahn S. Y., Jang D. M. and Kim D., Enzymatic glucose biosensor based on CeO<sub>2</sub> nanorods synthesized by non-isothermal precipitation. *Biosensors & bioelectronics*, 31, 176-181, 2012b.
- Pawlik J., Widziolek M., Cholewa-Kowalska K., Laczka M. and Osyczka A. M., New sol-gel bioactive glass and titania composites with enhanced

- physico-chemical and biological properties. *Journal of biomedical materials research. Part A*, 102, 2383-2394, 2014.
- Peng Q., Kalanyan B., Hoertz P. G., Miller A., Kim D. H., Hanson K., Alibabaei L., Liu J., Meyer T. J. and Parsons G. N., Solution-Processed, Antimony-Doped Tin Oxide Colloid Films Enable High-Performance TiO<sub>2</sub> Photoanodes for Water Splitting. *Nano letters*, 13, 1481-1488, 2013.
- Pessôa C. A. and Gushikem Y., Cobalt(II) metallated hematoporphyrin IX and protoporphyrin IX immobilized on niobium(V) oxide grafted on a silica gel surface: electrochemical studies. *Journal of Electroanalytical Chemistry*, 477, 158-163, 1999.
- Pessoa R., Fraga M., Santos L., Massi M. and Maciel H., Nanostructured thin films based on TiO<sub>2</sub> and/or SiC for use in photoelectrochemical cells: A review of the material characteristics, synthesis and recent applications. *Materials Science in Semiconductor Processing*, 2014.
- Psaila M., Fsadni P. and Montefort S., Chronic cough as a complication of treatment with statins: a case report. *Therapeutic advances in respiratory disease*, 6, 243-246, 2012.
- Pundir C., Yadav S. and Kumar A., Creatinine sensors. *TrAC Trends in Analytical Chemistry*, 50, 42-52, 2013.
- Qiao F., Chen L., Li X., Li L. and Ai S., Peroxidase-like activity of manganese selenide nanoparticles and its analytical application for visual detection of hydrogen peroxide and glucose. *Sensors and Actuators B: Chemical*, 193, 255-262, 2014.
- Qiu J., Zhang S. and Zhao H., Recent applications of TiO<sub>2</sub> nanomaterials in chemical sensing in aqueous media. *Sensors and Actuators B: Chemical*, 160, 875-890, 2011.
- Qu F., Nasraoui R., Etienne M., Côme Y. B. S., Kuhn A., Lenz J., Gajdzik J., Hempelmann R. and Walcarius A., Electrogeneration of ultra-thin silica

- films for the functionalization of macroporous electrodes. *Electrochemistry communications*, 13, 138-142, 2011.
- Rahman M. M., Gruner G., Al-Ghamdi M. S., Daous M. A., Khan S. B. and Asiri A. M., Chemo-sensors development based on low-dimensional codoped Mn<sub>2</sub>O<sub>3</sub>-ZnO nanoparticles using flat-silver electrodes. *Chemistry Central journal*, 7, 60, 2013.
- Reddaiah K., Reddy M. M., Raghu P. and Reddy T. M., An electrochemical sensor based on poly (solochrome dark blue) film coated electrode for the determination of dopamine and simultaneous separation in the presence of uric acid and ascorbic acid: a voltammetric method. *Colloids and surfaces. B, Biointerfaces*, 106, 145-150, 2013.
- Rhim J.-W., Park H.-M. and Ha C.-S., Bio-nanocomposites for food packaging applications. *Progress in Polymer Science*, 38, 1629-1652, 2013.
- Ribeiro E. S. and Gushikem Y., Iron(II) tetrasulphophthalocyanine complex adsorbed on a silica gel surface chemically modified by 3-n-propylpyridinium chloride. *Electrochimica acta*, 44, 3589-3592, 1999.
- Rodriguez J. A., Garcia M. and Rodriguez J., *The World of Oxide Nanomaterials*, John Wiley & Sons, Inc.: Hoboken, NJ: 2007.
- Rudnitskaya A., Evtuguin D. V., Costa L. C., Graca M. P., Fernandes A. J., Correia M. R., Gomes M. T. and Oliveira J. A., Potentiometric chemical sensors from lignin-poly(propylene oxide) copolymers doped by carbon nanotubes. *The Analyst*, 138, 501-508, 2013.
- Rury A. S., Goodrich L. E., Galinato M. G. I., Lehnert N. and Sension R. J., Ligand Recruitment and Spin Transitions in the Solid-State Photochemistry of Fe (III) TPPCl. *The Journal of Physical Chemistry A*, 116, 8321-8333, 2012.
- Saeedfar K., Heng L. Y., Ling T. L. and Rezayi M., Potentiometric urea biosensor based on an immobilised fullerene-urease bio-conjugate. *Sensors (Basel)*, 13, 16851-16866, 2013.

- Safavi A., Maleki N., Farjami E. and Mahyari F. A., Simultaneous electrochemical determination of glutathione and glutathione disulfide at a nanoscale copper hydroxide composite carbon ionic liquid electrode. *Analytical Chemistry*, 81, 7538-7543, 2009.
- Sakka S. and Kamiya K., The sol-gel transition in the hydrolysis of metal alkoxides in relation to the formation of glass fibers and films. *Journal of Non-Crystalline Solids*, 48, 31-46, 1982.
- Salinas-Torres D., Montilla F., Huerta F. and Morallón E., All electrochemical synthesis of polyaniline/silica sol-gel materials. *Electrochimica acta*, 56, 3620-3625, 2011.
- Sanchez C., Julian B., Belleville P. and Popall M., Applications of hybrid organic-inorganic nanocomposites. *Journal of Materials Chemistry*, 15, 3559-3592, 2005.
- Sayari A. and Hamoudi S., Periodic mesoporous silica-based organic-inorganic nanocomposite materials. *Chemistry of Materials*, 13, 3151-3168, 2001.
- Schubert U., Cluster-based inorganic-organic hybrid materials. *Chemical Society reviews*, 40, 575-582, 2011.
- Schubert U., Huesing N. and Lorenz A., Hybrid inorganic-organic materials by sol-gel processing of organofunctional metal alkoxides. *Chemistry of Materials*, 7, 2010-2027, 1995.
- Scopigno T., Steurer W., Yannopoulos S., Chrissanthopoulos A., Krisch M., Ruocco G. and Wagner T., Vibrational dynamics and surface structure of amorphous selenium. *Nature communications*, 2, 195, 2011.
- Sebald J., Krohns S., Lunkenheimer P., Ebbinghaus S., Riegg S., Reller A. and Loidl A., Colossal dielectric constants: A common phenomenon in  $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$  related materials. *Solid State Communications*, 150, 857-860, 2010.

- Shang S., Jiao X. and Chen D., Template-free fabrication of TiO<sub>2</sub> hollow spheres and their photocatalytic properties. *ACS applied materials & interfaces*, 4, 860-865, 2012.
- Sharifi E., Salimi A. and Shams E., Electrocatalytic activity of nickel oxide nanoparticles as mediatorless system for NADH and ethanol sensing at physiological pH solution. *Biosensors & bioelectronics*, 45, 260-266, 2013.
- Sharma S., Studies on ormosils and their application in sensors design. Banaras Hindu University, 2002.
- Shi W., Liu C., Song Y., Lin N., Zhou S. and Cai X., An ascorbic acid amperometric sensor using over-oxidized polypyrrole and palladium nanoparticles composites. *Biosensors & bioelectronics*, 38, 100-106, 2012.
- Singh B., Studies on ormosil modified electrodes for application in electrochemical sensors. Banaras Hindu University, 2007.
- Singh J., Srivastava M., Roychoudhury A., Lee D. W., Lee S. H. and Malhotra B., Bionzyme-functionalized monodispersed biocompatible cuprous oxide/chitosan nanocomposite platform for biomedical application. *The Journal of Physical Chemistry B*, 117, 141-152, 2012a.
- Singh S., Kaur H., Singh V., Jain K. and Senguttuvan T., Highly sensitive and pulse-like response toward ethanol of Nb doped TiO<sub>2</sub> nanorods based gas sensors. *Sensors and Actuators B: Chemical*, 171, 899-906, 2012b.
- Song W., Chen X., Jiang Y., Liu Y., Sun C. and Wang X., Fabrication of a chemically modified electrode containing 12-molybdophosphoric acid by the sol-gel technique and its application as an amperometric detector for iodate. *Analytica Chimica Acta*, 394, 73-80, 1999.
- Sorek Y., Reisfeld R. and Weiss A., Effect of composition and morphology on the spectral properties and stability of dyes doped in a sol-gel glass waveguide. *Chemical physics letters*, 244, 371-378, 1995.

- Strawbridge I. and James P. F., Thin silica films prepared by dip coating. *Journal of Non-Crystalline Solids*, 82, 366-372, 1986.
- Sugimoto T. and Zhou X., Synthesis of Uniform Anatase TiO<sub>2</sub> Nanoparticles by the Gel–Sol Method: 2. Adsorption of OH<sup>–</sup> Ions to Ti (OH)<sub>4</sub> Gel and TiO<sub>2</sub> Particles. *Journal of Colloid and Interface Science*, 252, 347-353, 2002.
- Svancara I., Kalcher K., Walcarius A. and Vytras K., *Electroanalysis with carbon paste electrodes*, CRC Press: 2012.
- Szultka M., Buszewska-Forajta M., Kaliszan R. and Buszewski B., Determination of ascorbic acid and its degradation products by high-performance liquid chromatography-triple quadrupole mass spectrometry. *Electrophoresis*, 35, 585-592, 2014.
- Teymourian H., Salimi A. and Hallaj R., Low potential detection of NADH based on Fe<sub>3</sub>O<sub>4</sub> nanoparticles/multiwalled carbon nanotubes composite: fabrication of integrated dehydrogenase-based lactate biosensor. *Biosensors & bioelectronics*, 33, 60-68, 2012.
- Tran-Minh C., Pandey P. C. and Chavanne D., A new membrane electrode for the detection of antibody. *Biosensors & bioelectronics*, 7, 147-149, 1992.
- Tripathi V. S., *Studies on some electrochemical sensors based on organically modified sol-gel glasses*. Banaras Hindu University, 2002.
- Tsopela A., Lale A., Vanhove E., Reynes O., Séguy I., Temple-Boyer P., Juneau P., Izquierdo R. and Launay J., Integrated electrochemical biosensor based on algal metabolism for water toxicity analysis. *Biosensors and Bioelectronics*, 2014.
- ul Rehman S. and Pandith A. H. G. *Preparation of Selective Ion Exchange Material for Chemical Analysis by Sol-Gel Method*. 2013.
- Valentini F. and Palleschi G., *Nanomaterials and Analytical Chemistry*. *Anal Lett*, 41, 479-520, 2008.

- Varghese O. K. and Grimes C. A., Metal oxide nanoarchitectures for environmental sensing. *Journal of nanoscience and nanotechnology*, 3, 277-293, 2003.
- Wabaidur S. M., Alothman Z. A. and Khan M. R., A rapid method for the simultaneous determination of L-ascorbic acid and acetylsalicylic acid in aspirin C effervescent tablet by ultra performance liquid chromatography-tandem mass spectrometry. *Spectrochimica acta. Part A, Molecular and biomolecular spectroscopy*, 108, 20-25, 2013.
- Walcarius A., Electrochemical applications of silica-based organic-inorganic hybrid materials. *Chemistry of Materials*, 13, 3351-3372, 2001.
- Walcarius A., Template-directed porous electrodes in electroanalysis. *Analytical and bioanalytical chemistry*, 396, 261-272, 2010.
- Walcarius A. and Collinson M. M., Analytical chemistry with silica sol-gels: traditional routes to new materials for chemical analysis. *Annual review of analytical chemistry*, 2, 121-143, 2009.
- Walcarius A. and Delacôte C., Rate of access to the binding sites in organically modified silicates. 3. Effect of structure and density of functional groups in mesoporous solids obtained by the co-condensation route. *Chemistry of Materials*, 15, 4181-4192, 2003.
- Walcarius A., Despas C. and Bessiere J., Selective monitoring of Cu(II) species using a silica modified carbon paste electrode. *Analytica Chimica Acta*, 385, 79-89, 1999a.
- Walcarius A. and Kuhn A., Ordered porous thin films in electrochemical analysis. *TrAC Trends in Analytical Chemistry*, 27, 593-603, 2008.
- Walcarius A., Lüthi N., Blin J.-L., Su B.-L. and Lamberts L., Electrochemical evaluation of polysiloxane-immobilized amine ligands for the accumulation of copper (II) species. *Electrochimica acta*, 44, 4601-4610, 1999b.

- Walcarius A., Mandler D., Cox J. A., Collinson M. and Lev O., Exciting new directions in the intersection of functionalized sol-gel materials with electrochemistry. *Journal of Materials Chemistry*, 15, 3663-3689, 2005.
- Wang C., Yin L., Zhang L., Xiang D. and Gao R., Metal oxide gas sensors: sensitivity and influencing factors. *Sensors-Basel*, 10, 2088-2106, 2010.
- Wang G.-L., Xu J.-J. and Chen H.-Y., Dopamine sensitized nanoporous TiO<sub>2</sub> film on electrodes: Photoelectrochemical sensing of NADH under visible irradiation. *Biosensors and Bioelectronics*, 24, 2494-2498, 2009.
- Wang G., Wang H., Ling Y., Tang Y., Yang X., Fitzmorris R. C., Wang C., Zhang J. Z. and Li Y., Hydrogen-treated TiO<sub>2</sub> nanowire arrays for photoelectrochemical water splitting. *Nano letters*, 11, 3026-3033, 2011.
- Wang J. and Collinson M. M., Electrochemical characterization of inorganic/organic hybrid films prepared from ferrocene modified silanes. *Journal of Electroanalytical Chemistry*, 455, 127-137, 1998.
- Wang W., Jiang X. and Chen K., Iron phosphate microflowers as peroxidase mimic and superoxide dismutase mimic for biocatalysis and biosensing. *Chem Commun (Camb)*, 48, 7289-7291, 2012.
- Wang X., Wu P., Hou X. and Lv Y., An ascorbic acid sensor based on protein-modified Au nanoclusters. *The Analyst*, 138, 229-233, 2013.
- Washe A. P., Macho S., Crespo G. A. and Rius F. X., Potentiometric online detection of aromatic hydrocarbons in aqueous phase using carbon nanotube-based sensors. *Anal Chem*, 82, 8106-8112, 2010.
- Wei H. and Wang E., Nanomaterials with enzyme-like characteristics (nanozymes): next-generation artificial enzymes. *Chemical Society reviews*, 42, 6060-6093, 2013.
- Wilkinson M., Kafizas A., Bawaked S. M., Obaid A. Y., Al-Thabaiti S. A., Basahel S. N., Carmalt C. J. and Parkin I. P., Combinatorial Atmospheric Pressure Chemical Vapor Deposition of Graded TiO<sub>2</sub>-VO<sub>2</sub> Mixed-Phase Composites and Their Dual Functional Property as Self-

- Cleaning and Photochromic Window Coatings. ACS combinatorial science, 15, 309-319, 2013.
- Wright A. C., Scientific opportunities for the study of amorphous solids using pulsed neutron sources. Journal of Non-Crystalline Solids, 76, 187-210, 1985.
- Wu S., Weng Z., Liu X., Yeung K. and Chu P., Functionalized TiO<sub>2</sub> Based Nanomaterials for Biomedical Applications. Advanced Functional Materials, 2014.
- Xia X., Tu J., Zhang Y., Wang X., Gu C., Zhao X.-b. and Fan H. J., High-quality metal oxide core/shell nanowire arrays on conductive substrates for electrochemical energy storage. ACS nano, 6, 5531-5538, 2012.
- Xu F., Hua M., Luo L., Du H. and Yang Y., Electrochemical aptamer sensor for thrombin detection based on Au nanoneedle and enzymatic ascorbic acid oxidization. Journal of nanoscience and nanotechnology, 13, 558-563, 2013.
- Xu Y., Sheng K., Li C. and Shi G., Self-assembled graphene hydrogel via a one-step hydrothermal process. ACS nano, 4, 4324-4330, 2010.
- Yagati A. K., Lee T., Min J. and Choi J. W., An enzymatic biosensor for hydrogen peroxide based on CeO<sub>2</sub> nanostructure electrodeposited on ITO surface. Biosensors & bioelectronics, 47, 385-390, 2013.
- Yang H., Liu X., Fei R. and Hu Y., Sensitive and selective detection of Ag<sup>+</sup> in aqueous solutions using Fe<sub>3</sub>O<sub>4</sub>@Au nanoparticles as smart electrochemical nanosensors. Talanta, 116, 548-553, 2013.
- Yang Z., Zhang C., Zhang J. and Bai W., Potentiometric glucose biosensor based on core-shell Fe<sub>3</sub>O<sub>4</sub>-enzyme-polypyrrole nanoparticles. Biosensors & bioelectronics, 51, 268-273, 2014.
- Yin L., Wang Y., Pang G., Koltypin Y. and Gedanken A., Sonochemical synthesis of cerium oxide nanoparticles—effect of additives and

- quantum size effect. *Journal of Colloid and Interface Science*, 246, 78-84, 2002.
- Yu F., Huang Y., Cole A. J. and Yang V. C., The artificial peroxidase activity of magnetic iron oxide nanoparticles and its application to glucose detection. *Biomaterials*, 30, 4716-4722, 2009.
- Yuan S. J., Li Y. G., Zhang Q. H. and Wang H. Z., Anatase TiO<sub>2</sub> Colloids Derived from the Peptization of TiO<sub>2</sub> Precipitates with CF<sub>3</sub>COOH and their Photocatalytic Activities. *Advanced Materials Research*, 465, 44-50, 2012.
- Zallen R., *The Physics of Amorphous Solids*, Wiley: 1998.
- Zang J., Li C. M., Cui X., Wang J., Sun X., Dong H. and Sun C. Q., Tailoring zinc oxide nanowires for high performance amperometric glucose sensor. *Electroanal*, 19, 1008-1014, 2007.
- Zaporozhets O., Smyk N. and Sukhan V., 'The complexing properties of 1-(2-thiazolylazo)-2-naphthol and 1, 5-diphenylthiocarbazon adsorbed on silica surface. *Functional Materials*, 8, 566-570, 2001.
- Zecchina A., Lamberti C. and Bordiga S., Surface acidity and basicity: General concepts. *Catalysis today*, 41, 169-177, 1998.
- Zhang G. and Lou X. W., General Synthesis of Multi-Shelled Mixed Metal Oxide Hollow Spheres with Superior Lithium Storage Properties. *Angew Chem Int Ed Engl*, 2014.
- Zhang H., Jin M., Xiong Y., Lim B. and Xia Y., Shape-controlled synthesis of Pd nanocrystals and their catalytic applications. *Accounts of chemical research*, 46, 1783-1794, 2012a.
- Zhang J., Li B., Wang Z., Cheng G. and Dong S., Functionalized inorganic-organic composite material derivated by sol-gel for construction of mediated amperometric hydrogen peroxide biosensor. *Analytica Chimica Acta*, 388, 71-78, 1999.

- Zhang J., Liu X., Wu S., Cao B. and Zheng S., One-pot synthesis of Au-supported ZnO nanoplates with enhanced gas sensor performance. *Sensors and Actuators B: Chemical*, 169, 61-66, 2012b.
- Zhang N., Liu S., Fu X. and Xu Y.-J., Synthesis of M@TiO<sub>2</sub> (M= Au, Pd, Pt) core-shell nanocomposites with tunable photoreactivity. *The Journal of Physical Chemistry C*, 115, 9136-9145, 2011.
- Zhang X.-Q., Gong S.-W., Zhang Y., Yang T., Wang C.-Y. and Gu N., Prussian blue modified iron oxide magnetic nanoparticles and their high peroxidase-like activity. *Journal of Materials Chemistry*, 20, 5110-5116, 2010.
- Zhang X., Yu S., He W., Uyama H., Xie Q., Zhang L. and Yang F., Electrochemical sensor based on carbon-supported NiCoO<sub>2</sub> nanoparticles for selective detection of ascorbic acid. *Biosensors & bioelectronics*, 55, 446-451, 2014.
- Zhang Y., Tian J., Liu S., Wang L., Qin X., Lu W., Chang G., Luo Y., Asiri A. M., Al-Youbi A. O. and Sun X., Novel application of CoFe layered double hydroxide nanoplates for colorimetric detection of H<sub>2</sub>O<sub>2</sub> and glucose. *The Analyst*, 137, 1325-1328, 2012c.
- Zhao J., Zhu M., Zheng M., Tang Y., Chen Y. and Lu T., Electrocatalytic oxidation and detection of hydrazine at carbon nanotube-supported palladium nanoparticles in strong acidic solution conditions. *Electrochimica acta*, 56, 4930-4936, 2011.
- Zhao M. Q., Zhang Q., Huang J. Q. and Wei F., Hierarchical Nanocomposites Derived from Nanocarbons and Layered Double Hydroxides-Properties, Synthesis, and Applications. *Advanced Functional Materials*, 22, 675-694, 2012.
- Zhao Z., Lei W., Zhang X., Wang B. and Jiang H., ZnO-based amperometric enzyme biosensors. *Sensors-Basel*, 10, 1216-1231, 2010.

- Zhou H., Fan T. and Zhang D., Biotemplated materials for sustainable energy and environment: current status and challenges. *ChemSusChem*, 4, 1344-1387, 2011.
- Zhu C., Guo S. and Dong S., PdM (M= Pt, Au) Bimetallic Alloy Nanowires with Enhanced Electrocatalytic Activity for Electro-oxidation of Small Molecules. *Advanced Materials*, 24, 2326-2331, 2012.
- Zoppi R. and Nunes S., Electrochemical impedance studies of hybrids of perfluorosulfonic acid ionomer and silicon oxide by sol-gel reaction from solution. *Journal of Electroanalytical Chemistry*, 445, 39-45, 1998.
- Zuo S.-H., Zhang L.-F., Yuan H.-H., Lan M.-B., Lawrance G. A. and Wei G., Electrochemical detection of DNA hybridization by using a zirconia modified renewable carbon paste electrode. *Bioelectrochemistry*, 74, 223-226, 2009.
- Zuo X., Zhang H. and Li N., An electrochemical biosensor for determination of ascorbic acid by cobalt (II) phthalocyanine–multi-walled carbon nanotubes modified glassy carbon electrode. *Sensors and Actuators B: Chemical*, 161, 1074-1079, 2012.