

# CHAPTER 8

---

## REFERENCES

---

- A. Almutari, T.A. Warner, "Change detection accuracy and image properties: a study using simulated data," *Remote Sensing*, **2** no. 6(2010) 1508-1529.
- A. Das, S. S. Patel, R. Kumar, K. V. S. S. Krishna, S. Dutta, M. C. Saha, S. Sengupta, D. Guha, "Geochemical sources of metal contamination in a coal mining area in Chhattisgarh, India using lead isotopic ratios," *Chemosphere*, **197** (2018) 152–164.
- A. Dubey, "Overburden dump erosion in opencast mines and its impact on environmental pollution," Ph.D. Thesis, Institute of Technology, Banaras Hindu University, India, 1999.
- A. F. Rusydi, "Correlation between conductivity and total dissolved solid in various type of water: A review," *In IOP conference series: earth and environmental science*, 118(1) (2018) 012019.
- A. Jamal, "Environmental Impact of Opencast Coal Mining on Air and Water Quality and its Management," Ph.D. Thesis, Institute of Technology, Banaras Hindu University, India, 1990.
- A. Jamal, B.B. Dhar, S. Ratan, "Acid mine drainage control in an opencast coal mine," *Mine Water and the Environment*, **10**(1991) 1–16.
- A. Jamal, S. Siddharth, B.B. Dhar and R. Shukla, "Acid-base accounting – A geo-chemical tool for management of acidic drainage in coal mines," *International Journal of Mine Water and Environment*, **21** no. 3(2002) 106 - 110.
- A. Javed, & I. Khan, "Landuse/Land cover change due to mining activities in Singrauli Industrial belt, Madhya Pradesh using remote sensing and GIS," *Journal of Environmental Research and Development*, **6**(2012), 834-843.
- A. Khanna, and C. Khanna, *Water and Sanitation in M.P. – A profile of the State, Institutions and Policy Environment*, Water Aid India, 2005.

- A. Kumar and T. Ahmad, “Geochemistry of mafic dykes in part of Chotanagpur gneissic complex: Petrogenetic and tectonic implications,” *Geochem J*, **41** (2007) 173-186.
- A. L. Usham, C. S. Dubey, D. P. Shukla, B. K. Mishra, and G. P. Bhartiya, “Sources of Fluoride Contamination in Singrauli with Special Reference to Rihand Reservoir and its Surrounding,” *J Geol Soc India*, **91** (2018) 441-448.
- A. M. Noori, B. Pradhan and Q.M. Ajaj, “Dam site suitability assessment at the Greater Zab River in northern Iraq using remote sensing data and GIS,” *Journal of Hydrology*, **574** (2019) 964-979.
- A. Prakash, and R. P. Gupta, “Land-use mapping and change detection in a coal mining area - a case study in the Jharia coalfield, India,” *International journal of remote sensing*, **19** no. 3(2011) 391-410.
- A. Roy Chowdhury, D. Sarkar, and R. Datta, “A combined chemical and phytoremediation method for reclamation of acid mine drainage–impacted soils,” *Environmental Science and Pollution Research*, **26**(2019) 14414–14425.
- A. Shalaly, R. Tateishi, “Remote sensing & GIS for mapping & monitoring land cover and land-use changes in the Northwestern coastal zone of Egypt,” *Applied Geography* **27**(2007) 28-4.
- A. Sharma, G. Ghodke and M.T. Prabhu, “Monitoring volume fluctuations of Indian reservoirs from space,” *International Journal of Geomatics and Geosciences*, **4** no. 2 (2013) 342.
- A. Singh, “Review Article: Digital change detection techniques using remotely sensed data,” *International Journal of Remote Sensing*, **10** no. 6(1989) 983-1003.

A. Sood, K.D. Singh, P. Pandey, S. Sharma “Assessment of bacterial indicators and physicochemical parameters to investigate pollution status of Gangetic River system of Uttarakhand (India),” *Ecol Indic* **8** no.5 (2008) 709–717.

A.A. Carbonell, M.A. Aarabi, R.D. Delaune, R.P. Gambrell, Jr. W.H. Patrick, “Bioavailability and uptake of arsenic by wetland vegetation: effects on plant growth and nutrition,” *J Environ Sci Health A*, **33(1)** (1998) 45–66.

A.A. Othman, Y.I. Al-Saady, A.K. Al-Khafaji, K. Gloaguen, “Environmental change detection in the central part of Iraq using remote sensing and GIS,” *Arabian Journal of Geoscience*, **7** no.3 (2013) 1017-1028.

A.K. Tiwari, M. De Maio, P.K. Singh, A.K. Singh, “Hydrogeochemical characterization and groundwater quality assessment in a coal mining area, India,” *Arabian Geosci*, **9** (2016) 1-17.

A.M. Piper, “A graphic procedure in the geochemical interpretation of water analysis,” *Transactions of the America geophysical union*, **25**(1944) 914-923.

A.R. Upadhyay, B.D. Tripathi, “Principle and process of biofiltration of Cd, Cr, Co, Ni & Pb from tropical opencast coalmine effluent,” *Water Air Soil Pollut*, **180(1–4)** (2007) 213–223.

A.S. Sheoran, V. Sheoran, P. Poonia, “Rehabilitation of mine degraded land by metallophytes,” *Mining Engineers Journal*, **10** no.3 (2008) 11–16.

American Public Health Association Standard methods for the examination of water and wastewater. 18<sup>th</sup> Edition, Washington DC 1992.

Andrea Giardina, Sandra F. Larson, Brian Wisner, John Wheeler & Matthew Chao, “Long term & acute effect of zinc contamination of a stream on fish mortality & physiology,” *Environmental toxicology & chemistry*, **28** no.2(2009) 287-295.

Anshumali, M. Rani., S. K. Yadav, and A. Kumar, “Geochemical alterations in surface waters of Govind Ballabh Pant Sagar, Northern Coalfield, India,” *Environ Earth Sci*, **71** (2014) 3181-3193.

B. B. Dhar, S. Ratan, A. Jamal, “Impact of opencast coal mining on water environment-A case study,” *J of Mines Metals and Fuels*, **12**(34) (1986) 596–601.

B. Freese, *Coal: A Human History*. Publisher, Penguin Books, New York. Pages, 2003.

B. Prasad & K.C. Jaiprakash “Evaluation of heavy metals in ground water near mining area and development of heavy metal pollution index,” *Journal of Environmental Science and Health, Part A*, **34** no.1(1999) 91-102.

B. Reger, A. Otte, R. Waldhardt, “Identifying of land cover change and their physical attributes in a marginal European landscape,” *Landscape Urban Planning*, **81**(2007) 104-113.

B.B. Dhar, A. Jamal, and S. Ratan, “Air pollution problem in an Indian open cast coal mining Complex: A case study,” *International Journal of Surface Mining, Reclamation and Environment*, **5** no. 2 (1991) 83-88.

B.C. Sarkar, B.N. Mahanta, K. Saikia, P.R. Paul and G. Singh, “Geo-environmental quality assessment in Jharia coalfield, India, using multivariate statistics and geographic information system,” *Environmental geology*, **51** no.7 (2007) 1177.

B.C. Wolvertson, R.C. McDonald, “Water hyacinth (*Eichhornia-crassipes*) productivity and harvesting studies,” *Econ Bot*, **33**(1979) 1–10.

B.K. Mitra, “Spatial and temporal variation of groundwater quality in sand dune area of Aomori prefecture in Japan, Paper number 062023,” In 2006 ASAE annual meeting, 1998.

B.K. Sahoo, S. De, B.C. Meikap, “An investigation into the influence of microwave energy on iron ore – water slurry rheology,” *Journal of Ind Eng Chem* **25**(2015) 122-130.

B.T. Kamtchueng, W.Y. Fantong, M.J. Wirmvem, R.E. Tiodjio, A.F. Takounjou, J.R.N. Ngoupayou, M. Kusakabe, J. Zhang, T. Ohba, G. Tanyileke, J.V. Hell, and A. Ueda, “Hydrogeochemistry and quality of surface water and groundwater in the vicinity of Lake Monoun, West Cameroon: approach from multivariate statistical analysis and stable isotopic characterization,” *Environmental Monitoring and Assessment*, **188**(2016) 524.

Back, William, “Techniques for mapping of hydro chemical facies,” *U.S. Geological survey professional paper*, **424**(1961) 380-382.

C. Ahmedat, S. Dabi, M. Zahraoui, “Spatial distribution of stream sediment pollution by toxic trace elements at Tourtit and Ichoumellal abandoned mining areas (Central Morocco),” *Arab J Geosci* **11**(2018) 55.

C. Giri, Z. Zhu, B. Reed, “A comparative analysis of the global land cover 2000 and MODIS land cover data sets,” *Remote Sensing of Environment*, **94**(2005) 123-132.

C. Güler, M. A. Kurt, M. Alpaslan, and C. Akbulut, “Assessment of the impact of anthropogenic activities on the groundwater hydrology and chemistry in Tarsus coastal plain (Mersin, SE Turkey) using fuzzy clustering, multivariate statistics and GIS techniques,” *Journal of Hydrology*, **414**(2012) 435-451.

C. K. Singh & V. Srivastava, “Morphotectonics of the area around Renukoot, district Sonbhadra, UP using remote sensing and GIS techniques,” *Journal of the Indian Society of Remote Sensing*, **39**(2) (2011) 235–240.

- C. Mant, S. Costa, J. Williams, E. Tambourgi, “Phytoremediation of chromium by model constructed wetland,” *Biores Technol*, **97** (2007) 767–772.
- C. N. Mgbenu, J. C. Egbueri, “The hydrogeochemical signatures, quality indices and health risk assessment of water resources in Umunya district, southeast Nigeria,” *Applied water science*, **9(1)** (2019) 1-19.
- C. Ramakrishnaiah, C. Sadashivaiah, G. Ranganna, “Assessment of water quality index for the groundwater in Tumkur Taluk, Karnataka state, India,” *Journal of Chemistry*, **6** no.2 (2009) 523–530.
- C. S. R. Rao, “Coal fields of India, Coal resources of Madhya Pradesh, Jammu & Kashmir,” *Bulletins of the Geological Survey of India*, *III*, 1983.
- C. Wu, B. Du, X. Cui, L. Zhang, “A post classification change detection method based on iterative slow feature analysis and Bayesian soft fusion,” *Remote Sensing of Environment*, **199**(2017) 241-255.
- C.A. Vishwakarma, S. Thakur, P.K. Rai, V. Kamal, and S. Mukherjee, “Changing Land Trajectories: A Case Study from India Using a Remote Sensing based Approach,” *European Journal of Geography*, **7** no. 2 (2016) 61-71.
- C.B. Pande, K. Moharir, “Spatial analysis of groundwater quality mapping in hard rock area in the Akola and Buldhana districts of Maharashtra, India.,” *Applied Water Science*, **8**(2018) 106.
- C.K. Jain, A. Bandyopadhyay, A. Bhadra, “Assessment of ground water quality for drinking purpose, District Nainital, Uttarakhand,” *India Environ Monit Assess*, **166** (2010) 663-676.

C.N. Sawyer, P.L. McCarty (1978) Chemistry for environmental engineering. Mc-Graw Hill, New York, p 532.

C.P. Lo, T. Fung, “Production of land use and land cover maps of central Guandong Province of China from Landsat MSS imagery,” *International Journal of Remote Sensing*, 7(1986) 1051-1074.

C.V. Bhaskar, K. Kumar, and G. Nagendrappa, “Assessment of heavy metals in water samples of certain locations,” *Journal of Chemistry*, 7 no.2(2010) 349-352.

C.W. Liu, K.H. Lin, Y.M. Kuo, “Application of factor analysis in the assessment of groundwater quality in a blackfoot disease area in Taiwan,” *The Science of the Total Environment*, 313(2003) 77-89.

CGWB, “District Ground Water Information Booklet Singrauli District Madhya Pradesh. Ministry of Water Resources, Central Ground Water Board, North Central Region, Bhopal,”(2013).<http://cgwb.gov.in/Regions/GW-yearBooks/GWYB-2015.../GWYB%20NCR%202015-16.pdf>.

Chunqiao Song, Bo Huang, Linghong Ke, Keith S. Richards, “Remote sensing of alpine lake water environment changes on the Tibetan plateau and surroundings:A review,” *ISPRS Journal of Photogrammetry and Remote Sensing*, 2014, 26-37.

CMPDI Report 2005

Coal statistics- Ministry of Coal, Government of India, 2018.

CPCB, “Guidelines for water quality management,” CPCB, Parivesh Bhavan East Arjun Nagar, Delhi 2008.

D. E. Kimbrough, Y. Cohen, A. M. Winer, L. Creelman, and C. Mabuni, “A critical assessment of chromium in the environment,” *Critical Reviews in Environmental Science and Technology*, **29(1)** (1999) 1–46.

D. Garai, & A.C. Narayana, “Land use/land cover changes in the mining area of Godavari coal fields of southern India,” *The Egyptian Journal of Remote Sensing and Space Science*, **21** no. 3 (2018) 375-381.

D. K. Todd, “Groundwater Hydrology,” Second Edition, University of California, Berkeley. John Wiley & Sons (2004).

D. Köster, N. Hutchinson, Review of Long-Term Water Quality Data for the Lake System Health Program. Ontario: 2008.

D. L. Anderson, “Chemical composition of the mantle,” *Journal of Geophysical Research: Solid Earth*, **88(S01)** (1983) B41-B52.

D. S. Kamat, A. K. S. Gopalan, K. L. Majumder, R. Ramakrishnan, V. R. Rao, S. R. Naga Bhusana, S. Thayalan, H. P. Krishnappa and A. S. Sadashivaah, “Monitoring changes in ecology in the Kudremukh mining region,” *International Journal of Remote Sensing*, **6**(1985) 541-548.

D. Tambekar, S. Waghode, S. Ingole, S. Gulhane, “Water quality index (WQI), analysis of the salinity-affected villages from Purna River basin of Vidarbha region,” *Nature of Environmental Pollution and Technology*, **7** no.4 (2008) 707–711.

D.A. Wunderlin, M.P. Diaz, M.V. Ame, S.F. Pesce, A.C. Hued, M.A. Bistoni, “Pattern recognition techniques for the evaluation of spatial and temporal variations in water quality. A case study: Suquia river basin (Cordoba, Argentina),” *Water Research*, **35**(2001) 2881-2894.

D.E. Salt, R.D. Smith, I. Raskin, "Phytoremediation," *Annu Rev Plant Physiol* **49**(1998) 643–68.

D.G. Rossiter, Using the R Environment for Statistical Computing in applied geostatistics, edited 44, International Institute for Geo-information Science & Earth Observation (ITC), Enschede 2007

D.U. Ophori, and J. Toth, "Characterization of ground-water flow by field mapping and numerical simulation, Ross Creek Basin, Alberta, Canada," *Ground Water*, **27** no.2 (1989) 193-201.

District census 2011- [www.census2011.co.in](http://www.census2011.co.in).

E. Bazrafshan, F. K. Mostafapour, M. Esmaelnejad, G. R. Ebrahimzadeh, & A. H. Mahvi, "Concentration of heavy metals in surface water and sediments of Chah Nimeh water reservoir in Sistan and Baluchestan province, Iran," *Desalination and Water Treatment*, (2015)1-11.

E. Stoimenova, P. Mateev, M. Dobрева, "Outlier detection as a method for knowledge extraction from digital resources," *Review of the National Centre for Digitization*, **9**(2006) 1-11.

E.I. Krajnc, "Integrated criteria document. Cadmium effects. Appendix, Bilthoven," National Institute of Public Health and Environmental Protection 1987 (Report No. 758476004).

ESRI, ArcGIS 10.5: using ArcGIS Spatial Analyst. Software user Guide ESRI, USA, 2015.

F. Ahmad, and L. Goparaju, "Spatio-temporal dynamics of mines in Singrauli, India: An analysis using geospatial technology," *Journal of Geomatics*, **11** no. 1 (2017) 53-59.

F. Rakotondrabe, J.R. Ndam Ngoupayou, Z. Mfonka, E.H. Rasolomanana, A.J. Nyangono Abolo, A. Ako Ako, “Water quality assessment in the Bétaré-Oya gold mining area (East-Cameroon): Multivariate Statistical Analysis approach,” *Science of the total environment*, **610-611**(2018) 831-844.

Federal Institute for Geosciences & Natural Resources (BGR) Energy study, BP Statistical Review of World Energy, 2019.

G. Areendran, P. Rao, K. Raj, S. Mazumdar, and K. Puri, “Land use/land cover change dynamics analysis in mining areas of Singrauli district in Madhya Pradesh, India,” *Tropical Ecology*, **54** no.2 (2013) 239-250.

G. Venkataraman, S. P. Kumar, D.S. Ratha, A.B. Inamdar and R. Nagarajan, “Open cast mine monitoring and environmental impact studies through remote sensing-a case study from Goa, India,” *Geocarto International*, **12** no.2 (1997) 39-53.

G.B. Stracher, A. Prakash, and E.V. Sokol, Coal and peat fires: a global perspective, coal-geology and combustion, vol. 3, Elsevier, 2014.

G.S. Banúelos, H.A. Ajwa, L.L. Mackey, C. Wu, S. Cook, S. Akohoue, et al, “Evaluation of different plant species used for phytoremediation of high soil selenium,” *J Environ Qual*, **26**(1997) 639–46.

H. Guo, H. Liu, H. Wu, H. Cui, J. Fang, Z. Zuo, J. Deng, Y. Li, X. Wang, L. Zhao, “Nickel Carcinogenesis Mechanism: DNA Damage,” *International journal of molecular sciences*, **20**(19) (2019) 4690. <https://doi.org/10.3390/ijms20194690>.

H. Oliveira, “Chromium as an environmental pollutant: insights on induced plant toxicity,” *Journal of Botany*, (2012).

H. Song, P. Li, J. Wu, V. Elumalai, N. Adimalla. "Groundwater quality under land use/land cover changes: a temporal study from 2005 to 2015 in Xi'an, northwest China," *Human and Ecological Risk Assessment: An International Journal*, **26(10)** (2020) 2771-2797. <https://doi.org/10.1080/10807039.2019.1684186>.

H.A. Szymanki, "Theory and Practice of Infrared Spectroscopy," Plenum Press, NY, 1964.

H.L. Song, X.N. Li, X.J. Wang, X.W. Lu, "Enhancing nitrogen removal performance of vegetated floating-bed by adding *Hyriopsis cumingii* Lea and an artificial medium," *Fresenius Environmental Bulletin*, **20**(2011) 2435-2441.

Howard Perlman USGS, Jack Cook, Woods Hole Oceanographic Institution, Adam Nieman. Data. Igor Shiklomanov. <https://ga.water.usgs.gov/edu/earthhowmuch.html>.

I. Audu, and A. Usman, "An application of geostatistics to analysis of water quality parameters in rivers & streams in Niger State, Nigeria," *American Journal of Theoretical & Applied Statistics*, 4 no.5(2015) 373-338.

I. Khan, and A. Javed, "Spatio-temporal land cover dynamics in open cast coal mine area of Singrauli, M.P., India," *Journal of Geographic Information System*, **4** (2012) 521-529.

I. Martin, P. Bardos, A review of full scale treatment technologies for the remediation of contaminated land. Richmond, Survey: EPP Publications, 1996.

I. Shiklomanov, P.H. Gleick, "Water in Crisis: A Guide to the World's Fresh Water Resources chapter in World fresh water resources". Oxford University Press, New York, 1993.

I. Tudunwada, E. Essiet, S. Mohammed, "The effects of tannery sludge on heavy metals concentration in cereals on small-holder farms in Kano, Nigeria," *Notulae Botanicae Horti Agrobotanici Cluj-Napoca*, **35** no.2 (2007) 55–60.

IBM Report 58<sup>th</sup> edition 2019.

Imran Khan, “Impact of coal mining on land use land cover in Singrauli industrial belt Central India using remote sensing and GIS,” Ph.D. Thesis, Aligarh Muslim University, India, 2012.

Imran Khan, Javed Akram, Shadab Khurshid, “Physico-chemical analysis of surface and groundwater around Singrauli Coalfield, District Singrauli, Madhya Pradesh, India,” *Environ Earth Sci* **68**(2013) 1849–1861.

Indian Coal and Lignite Resources, Government of India, Geological Survey of India, Natural Energy Resources, Mission-II B, 2019.

J. D. Powell, “Origin and influence of coal mine drainage on streams of the United States,” *Environmental Geology and Water Sciences*, **11**(2) (1988) 141–152.

J. Fuska, D. Kubinsky, K. Weis, L. Lackoova, J. Pokryvkova, M. Leitmanova, T. Panagopoulos, “Area storage Capacity curve of historic artificial water reservoir ottergrund, Slovakia - Assessment of the historical data with the use of GIS tools,” *Journal of Ecological Engineering*, **18** no. 1(2017) 48-56.

J. G. Ibanez, M. Hernandez-Esparza, C. Doria-Serrano, A. Fregoso-Infante, M. M. Singh, “Dissolved oxygen in water,” *In Environmental chemistry*, (2008)16-27, Springer, New York, NY.

J. Lions, “Etude hydrogéochimique de la mobilité de polluants inorganique dans des sédiments de curage mis en dépôt : expérimentations, études in situ et modélisation,” Thèse de doctorat. Ecole Nationale Supérieure des Mines de Paris, France, 2004.

J. Peat, B. Barton, E. Elliott, Statistics workbook for evidence-based health care Evidence-Based Medicine, John Wiley & Sons, 2009.

J. Vangronsveld, A.F. Van, H. Clijsters, “Reclamation of a bare industrial area contaminated by non-ferrous metals: in situ metal immobilization and revegetation,” *Environ Pollut*, **87**(1995) 51–9.

J.C. Egbueri, “Assessment of the quality of groundwaters proximal to dumpsites in Awka and Nnewi metropolises: a comparative approach,” *Int J Energ Water Res*. **2(1-4)** (2018) 33-48. <https://doi.org/10.1007/s42108-018-0004-1>.

J.C. Zajic, “Water pollution disposal & Re-use,” Marel Dakkar. Inc. New York, 1971.

J.D. Hem, “Study and interpretation of the chemical characteristics of natural water,” **2254** (1985), Department of the Interior, US Geological Survey.

J.G. Burken, J.L. Schnoor, “Uptake and metabolism of atrazine by popular trees,” *Environmental Science Technology*, **31**(1997) 1399–406.

J.H. Patil, M.L.A. Raj, S. Bhargav, S.R. Sowmya, “Anaerobic co-digestion of water hyacinth with primary sludge,” *Res J Chem Sci* **1** no.3(2011) 72–77.

J.K. Mano, S. Ghosh, and P.K. Padhy, “Characterization and classification of hydrochemistry using multivariate graphical and hydrostatistical techniques,” *Research Journal Chemical Sciences*, **3**(2013) 32-42.

J.P. Lesschen, P.H. Verburg, S.J. Staal, “Statistical methods for analyzing the spatial dimension of changes in land use and farming systems,” LUCC Report Series 7. The International Livestock Research Institute, Nairobi, Kenya and LUCC Focus 3 office, Wageningen University, The Netherlands, 2005.

J.R. Jensen, “Introductory digital image processing: A Remote Sensing perspective 3<sup>rd</sup> Edition,” Prentice – Hall, Upper Saddle River, New Jersey, 2004.

K. Khasanov, "Evaluation of ASTER DEM and SRTM DEM data for determining the area and volume of the water reservoir," *In IOP Conference Series: Materials Science and Engineering*, 883 (1) (2020) 012063.

K. Mohan, V. Srivastava, and C. K. Singh, "Pattern and genesis of lineament in and across Son-Narmada lineament zone in a part of Central India around Renukoot District Sonbhadra, U.P.," *J Indian Soc Remote*, **35** (2007) 193-200.

K. Swarnalatha, B. Radhakrishnan, "Studies on removal of Zn and Cr from aqueous solutions using water hyacinth," *Pollution*, **1** no.2 (2015)193–202.

K. Takeuchi, On the scale diseconomy of large reservoirs in land occupation. Sustainability of water resources under increasing uncertainty. International Association of Hydrological Sciences, Wallingford, UK, 1997.

K.P. Singh, A. Malik, D. Mohan, S. Sinha, "Multivariate statistical techniques for the evaluation of spatial and temporal variations in water quality of Gomti River (India): A case study," *Water Research*, **38**(2004) 3980-3992.

L. Khaba, and J.A. Griffiths, "Calculation of reservoir capacity loss due to sediment deposition in the Muela reservoir, Northern Lesotho," *International Soil and Water Conservation Research*, **5** no.2 (2017) 130-140.

L. McCallum, S. Lip, S. Padmanabhan, "The hidden hand of chloride in hypertension," *Pflugers Archiv: European journal of physiology*, **467(3)** (2015) 595–603.  
<https://doi.org/10.1007/s00424-015-1690-8>.

L. Pei-Yue, Q. Hui, W. Jian-Hua, "Groundwater quality assessment based on improved water quality index in Pengyang County, Ningxia, Northwest China," *Journal of Chemistry*, **7S1**(2010) S209–S216.

L. Zlatanović, J. P. van der Hoek, J. H. G. Vreeburg, “An experimental study on the influence of water stagnation and temperature change on water quality in a full-scale domestic drinking water system,” *Water research*, **123** (2017) 761-772. <https://doi.org/10.1016/j.watres.2017.07.019>.

L.A. Navarro, G. Phiri, *Water Hyacinth in Africa and the Middle East: A Survey of Problems and Solutions*, IDRC 2000.

L.D. Chrosniak, L.N. Smith, C.G. McDonald, B.F. Jones, J.M. Flinn, “Effects of enhanced zinc and copper in drinking water on spatial memory & fear conditioning,” *Journal of Geochemical Exploration*, **88**(2006) 91-94.

M. Dutta, N. Islam, S. Rabha, B. Narzary, M. Bordoloi, D. Saikia, B. K. Saikia, “Acid mine drainage in an Indian high-sulfur coal mining area: Cytotoxicity assay and remediation study,” *Journal of hazardous materials*, **389** (2020) 121851.

M. Gitlin, “Lithium side effects and toxicity: prevalence and management strategies,” *International journal of bipolar disorders*, **4**(1) (2016) 27. <https://doi.org/10.1186/s40345-016-0068-y>.

M. Gupta, P. Sharma, N.B. Sarin, A.K. Sinha, “Differential response of arsenic stress in two varieties of Brassica juncea L,” *Chemosphere*, **74** (9) (2009)1201–1208.

M. Klavinš, A. Briede, V. Rodinov, I. Kokorite, E. Parele, I. Klavina, “Heavy metals in rivers of Latvia,” *Science of the Total Environ*, **262**(2000) 175–183.

M. Mokolobate, R. Haynes, “Comparative liming effect of four organic residues applied to an acid soil,” *Biol Fertil Soils*, **35** no.2 (2002) 79–85.

M. N. Varnosfaderany, N. Mirghaffary, E. Ebrahimi, & A. Soffianian, “Water quality assessment in an arid region using a water quality index,” *Water Science and Technology*, **60** no.9(2009), 2319-2327.

M. Otto, “Multivariate methods,” In: R. Kellner, J.M. Mermet, M. Otto, H.M. Widmer (eds), *Analytical Chemistry*, Wiley-VCH, Weinheim 1998.

M. Singh, “Heavy metal pollution in freshly deposited sediments of the Yamuna River (the Ganges River tributary): A case study from Delhi and Agra urban centres, India,” *Environmental Geology*, **40** no. 6 (2001) 664–671.

M. Vega, R. Pardo, E. Barrado, L. Deban, “Assessment of seasonal and polluting effects on the quality of river water by exploratory data analysis,” *Water Research* **32**(1998) 3581–3592.

M. Wu, W. Zhang, X. Wang, D. Luo, “Application of MODIS satellite data in monitoring water quality parameters of Chaohu Lake in China,” *Environmental Monitoring and Assessment*, **148**(2009) 255–264.

M. Zamani, A. Sadoddin, and A.Z. Garizi, “Assessing Land cover/ Land use change and its impact on surface water quality in the Ziarat Catchment. Golestan Province Iran,” *International Environmental Modelling and Software society*, 2012.

M.H. Julien, “Biological control of water hyacinth with arthropods: a review to 2000,” In: Julien, M.H., Hill, M.P., Center, T.D., Jianqing, D. (Eds.), *ACIAR Proceedings*. In: **102**(2001) 8–20.

M.H. Wong, “Ecological restoration of mine degraded soils, with emphasis on metal contaminated soils,” *Chemosphere*, **50**(2003) 775– 780.

M.S. Moran, R. Bryant, K. Thome, W. Ni, Y. Nouvellon, M.P. Gonzalez-Dugo, J. Qi, T.R. Clarke, “A refined empirical line approach for reflectance factor retrieval from Landsat-5 TM and Landsat-7 ETM+,” *Remote Sensing of Environment*, **78**(2001) 71–82.

Mohammad, Hajighdizadeh, “Water quality modelling using multivariate statistical analysis & remote sensing in South Florida” (2016).

N. Badreldin, R. Gossens, “Monitoring land use/land cover change using multi-temporal Landsat satellite images in an arid environment: a case study of El-Arish, Egypt,” *Arabian Journal of Geoscience*, **7** no.5 (2014) 1671-1681.

N. F. Parks, G. W. Peterson, and G. M. Baumer, “High resolution remote sensing of spatially and spectrally complex coal surface mines of Central Pennsylvania: A comparison between SPOT, MSS and Landsat-TM,” *Photogrammetric Engineering and Remote Sensing*, **53**(1987), 415-420.

N. Gunalan, R. Kamaraj, M. Krishnan and R.R. Krishnamurthy, “Assessment of Groundwater Quality in and around Neyveli Lignite Mines using GIS and Water Quality Index, Cuddalore District, Tamil Nadu,” *Journal of Academia and Industrial Research*, **3** no.7 (2014).

N. Li, C.Z. Yan, and J.L. Xie, “Remote sensing monitoring recent rapid increase of coal mining activity of an important energy base in northern China, a case study of Mu Us Sandy Land,” *Resources, Conservation and Recycling*, **94** (2015) 129-135.

N. Mamula, “Remote sensing methods for monitoring surface coal mining in the Northern Great Plains,” *Journal Research US Geological Survey*, **6**no. 2 (1978) 149-160.

N. Niagolova, S. P. McElmurry, T. C. Voice, D. T. Long, E. A. Petropoulos, I. Havezov, K. Chou, V. Ganey, “Nitrogen species in drinking water indicate potential exposure pathway for Balkan Endemic Nephropathy,” *Environ Pollut*, **134** (2005) 229-237.

N. Saha, and M.S. Rahman, “Multivariate statistical analysis of metal contamination in surface water around Dhaka export processing industrial zone, Bangladesh,” *Environmental nanotechnology, monitoring & management*, **10**(2018) 206-211.

N. Štambuk-Giljanović, “Water quality evaluation by index in Dalmatia,” *Water Res*, **33** no.16 (1999) 3423–3440.

N.D. Sharma, J. Patel, “Evaluation of groundwater quality index of the urban segments of Surat City, India,” *International Journal of Geology*, **4**(2010) 1–4.

N.S. Magesh, N. Chandra Sekar, “Evaluation of spatial variations in GW quality by WQI & GIS technique: a case study of Virudunagar District, TN, India,” *Arabian Journal of Geosciences* **6**(2013) 1883-1898.

O. Arkoc, S. Ucar, C. Ozcan, “Assessment of impact of coal mining on ground and surface waters in Tozaklı coal field, Kırklareli, northeast of Thrace, Turkey,” *Environ Earth Sci*, **75**(2016), 514.

O. Crouvi, E. Ben-Dor, M. Beyth, D. Avigad, R. Amit, “Quantitative mapping of arid alluvial fan surfaces using field spectrometer and hyperspectral remote sensing,” *Remote Sensing of Environment*, **104**(2006) 103-117.

O. Saeed, F.F. Ahmadi, H. Ebadi, and R. Bianchetti, “Wetland cover change detection using multi-temporal remotely sensed data,” *Arabian Journal of Geosciences*, **10** no. 21 (2017) 470.

O. Selinus, B. J. Alloway, J. A. Centeno, R. B. Finkelman, R. Fuge, U. Lindh and P. Smedley, “Essentials of Medical Geology: Impact of natural environment on Public health” *Elsevier publishing press*, (2013) 812.

P. Agrawal, A. Mittal, R. Prakash, M. Kumar, S. K. Tripathi, “Contamination of drinking water due to coal-based thermal power plants in India,” *Environment Forensics*, **12** (2011) 92–97.

P. Chakraborty, P.V. Babu, “Environmental controls on the speciation and distribution of mercury in surface sediments of a tropical estuary India,” *Mar Pollut Bull*, **95(1)** (2015) 350–357. <https://doi.org/10.1016/j.marpolbul.2015.02.03>.

P. K. Rai and B. D. Tripathi, “Comparative assessment of *Azollapinnata* and *Vallisneriaspiralis* in Hg removal from GB Pant Sagar of Singrauli Industrial region, India,” *Environ Monit Assess*, **148** (2009) 75-84.

P. K. Sahoo, K. Kim, M. A. Powell, S. M. Equeenuddin, “Recovery of metals and other beneficial products from coal fly ash: a sustainable approach for fly ash management,” *International Journal of Coal Science & Technology*, **3(3)** (2016) 267–283.

P. K. Singh, M. P. Singh, N. Volkmann, A. S. Naik, K. Börner, “Petrological characteristics of lower Gondwana coal from Singrauli coalfield, Madhya Pradesh, India,” *International Journal of Oil, Gas and Coal Technology*, **8(2)** (2014) 194-220.

P. K. Srivastava, M. Gupta, S. Mukherjee, “Mapping spatial distribution of pollutants in groundwater of a tropical area of India using remote sensing and GIS,” *Applied Geomatics* **4**(2012), 21-32.

- P. Li, H. Qian, J. Wu, Y. Zhang, H. Zhang, “Major ion chemistry of shallow groundwater in the Dongsheng Coalfield, Ordos Basin, China,” *Mine Water Environ*, **32** (2013) 195-206.
- P. Patel, N. J. Raju, B. S. R. Reddy, U. Suresh, W. Gossel, P. Wycisk, “Geochemical processes and multivariate statistical analysis for the assessment of groundwater quality in the Swarnamukhi River basin Andhra Pradesh, India,” *Environ Earth Sci*, **751** (2016) 24.
- P. Saha, O. Shinde, and S. Sarkar, “Phytoremediation of industrial mines wastewater using water hyacinth,” *International Journal of Phytoremediation*, **19** no. 1(2017) 87–96.
- P. Saha, O. Shinde, S. Sarkar, “Phytoremediation of industrial mines wastewater using water hyacinth,” *International journal of phytoremediation*, **19(1)** (2017) 87-96.
- P. Sharma, P. Kachhal, B. Anand, S. Vyas, M. Kaushal, N.V. Mahure, and R. Murari “Monitoring the contamination in the Govind Ballabh Pant Sagar, Rihand U.P. India,” *International journal of Environmental Sciences*, 3 no.1 (2012).
- P.B. Ging, D.T. Long, and R.W. Lee “Selected Geochemical Characteristics of Ground Water from the Marshall Aquifer in the Central Lower Peninsula of Michigan,” U.S. Geological Survey Water-Resources Investigations Report, 1996, pp. 94-4220.
- P.B.A.N. Kumar, V. Dushenkov, H. Motto, I. Rasakin, “Phytoextraction: the use of plants to remove heavy metals from soils,” *Environ Sci Technol*, **29**(1995) 1232–8.
- P.K. Rai, “Phytoremediation of heavy metals in a tropical impoundment of industrial region,” *Environmental monitoring and assessment*, **165**(2010) 529-537.
- P.K. Rai, “Seasonal monitoring of heavy metals and physicochemical characteristics in a lentic ecosystem of subtropical industrial region, India,” *Environmental monitoring and assessment*, **165**(2010) 407-433.

P.L. Basommi, Q. Guan and D. Cheng, “Exploring Land use and Land cover change in the mining areas of Wa East District, Ghana using Satellite Imagery,” *Open Geosciences*, **1**(2015) 616-626.

P.L. Younger, “Groundwater in the environment: An Introduction,” John Wiley and Sons, (2006).

P.O. Adeniyi, “Land use change analysis using sequential aerial photography and computer technique,” *Photogrammetric Engineering and Remote Sensing*, **46**(1980) 1447-1464.

P.R. Dugan, “Biochemical Ecology of Water Pollution,” Plenum Press London, 1972, p.159.

P.Y. Li, H. Qian, J.H. Wu, “Hydrochemical characteristics and evolution laws of drinking groundwater in Pengyang County, Ningxia, Northwest China,” *E-J Chem* **8** no.2 (2011) 565–575.

Q. Wang, T. Yan, M. Zhou, “Research progress on cause of hypoxia and its influence in coastal and estuary region,” *Marine Environmental Science*, 31 no. 5 (2012) 775–778.

Q. Zhang, J. Wang, X. Peng, and P. Ship, “Urban built- up change detection with road density and spectral information from multi-temporal Landsat TM data,” *International Journal of Remote sensing*, **23** no.15 (2002) 3057 -3078.

R. A. Freeze, and J. A. Cherry, Groundwater. Prentice Hall, Englewood Cliffs, 1979.

R. B. Finkelman, “Health impacts of coal: facts and fallacies,” *AMBIO - A J Human Environment*, **36** (2007) 103–106.

R. Ghosh, “Remote sensing for analysis of ground water availability in an area with long unplanned mining history,” *Journal of the Indian Society of Remote Sensing*, **21** no.3 (1993) 119-126.

R. Kumar, R.D. Singh, K.D. Sharma, “Water resources of India,” *Current Science*, **89**(2005) 794-811.

R. Kumar, S. Chaudhary and S. Yadav, “Anthropogenic influences on the hydrogeochemistry and water quality of ground water in singrauli power belt region, central India,” *In Proc Indian Natn Sci Acad*, **85(3)** (2019) 637-658.

R. M. Daly, and P. R. Ebeling, “Is excess calcium harmful to health?,” *Nutrients*, **2(5)** (2010) 505–522. <https://doi.org/10.3390/nu2050505>.

R. Van Driesche, B. Blossey, M. Hoddle, S. Lyon, R. Reardon, Biological Control of Invasive Plants in the Eastern United States. Forest Health Technology Enterprise Team, USDA Forest Service, 2002.

R. Varshney, A. Jamal, “A Multivariate Statistical Analysis Approach for the Assessment of Water Quality in Govind Ballabh Pant Sagar reservoir,” *Rasayan Journal of Chemistry*, **12**(2019) 251-256.

R. Varshney, A. Jamal, “Evaluation of reservoir Water Quality using Water Quality Index in Govind Ballabh Pant Sagar reservoir, India,” *Rasayan Journal of Chemistry*, **11**(2018) 1177-1182.

R.A. Ortt, S. VanRyswick, and D. Wells, Bathymetry and Sediment accumulation of Triadelphia & Rocky gorge reservoirs, Maryland: Department of Natural Resources Watershed services, Maryland Geological Survey, 2007.

R.A.H. Smith, A.D. Bradshaw, “Stabilization of toxic mine wastes by the use of tolerant plant populations,” *Trans Inst Min Metall, Sect A*, **81**(1972) 230–7.

R.B.P Singh, A. Singh, S.K. Choudhary, “Impact of opencast coal mining on the quality of surface water, groundwater and vegetation: a case study in Simlong coalfield, Sahibganj, Jharkhand,” *Int J Emerging Techno* **5(2)** (2014) 95.

R.K. Horton, “An index number system for rating water quality,” *Journal of Water Pollution Control Federation*, **37** no.3 (1965) 300–306.

R.K. Kaufmann, K.C. Seto, “Change detection, accuracy, and bias in a sequential analysis of Landsat imagery in the Pearl River Delta, China: econometric techniques,” *Agricultural Ecosystem and Environment*, **85**(2001) 95-105.

R.K. Tiwari, “Environmental Impact of coal mining on water regime and its management,” *Water, Air, and Soil Pollution*, **132**(2001)185 – 199.

R.N. Hota, P.C. Adhikari, A. Mohanty, W. Maejima, “Cyclic Sedimentation of the Barakar Formation, Singrauli coalfield, India: Statistical Assessment from Borehole Logs,” *Open Journal of Geology*, **2**(2012) 1-13.

Roger G. Bates, “Determination of pH: theory and practice,” *Wiley*, (1973).

Rose, “Comparative major ion geochemistry of piedmont streams in the Atlanta, Georgia region: possible effects of urbanization,” *Environ Geol* **42** (2002) 102–113.

S. Ali, S.K. Thakur, A. Sarkar, S. Shekhar, “Worldwide contamination of water by fluoride,” *Environ Chem Lett*, **14** (2016) 291-315.

S. Bhardwaj, R. Soni, S.K. Gupta, et al, “Mercury, arsenic, lead and cadmium in waters of the Singrauli coal mining and power plants industrial zone, Central East India,” *Environ Monit Assess*, **192** (2020) 251. <https://doi.org/10.1007/s10661-020-8225-2>.

S. Chanakya, G. Borgaonkar, K.S. Jagadish Meena, “Solid-phase biogas production with garbage or water hyacinth,” *Bioresour Technol*, **46** no.3 (1993) 227–231.

S. Christopher, W. M. Donald, N. P. Bahadurb and D. G. B. Boocock, “A suite of multi-segment fugacity models describing the fate of organic contaminants in aquatic systems: Application to the Rihand Reservoir India,” *Water Res*, **36** (2002) 4341-4355.

S. D. Jawak, K. Kulkarni, A. J. Luis, “A review on extraction of lakes from remotely sensed optical satellite data with a special focus on cryospecific lakes,” *Advances in remote sensing*, **4**(2015) 196-213.

S. Dey, B. Giri, “Fluoride fact on human health and health problems: a review,” *Med Clin Rev*, **2(1)** (2016) 11.

S. Gupta, D. Mondal, A. Bardhan, “Geochemical provenance and spatial distribution of fluoride in Groundwater in parts of Raniganj coal field, West Bengal,” *India Scholars Research Library*, **4** (2012) 292-306.

S. Jayalakshmi, and E. Velappan, “Assessment of Water Quality Index in the St. Thomas Mount Block Using GIS and Remote Sensing,” *Polish Journal of Environmental Studies*, **24** no.4 (2015).

S. Jayalakshmi, E. Velappan “Assessment of water quality index in the St. Thomas mount block using GIS and remote sensing,” *Polish Journal of Environmental Studies*, **24** no.4 (2015) 1611-1619.

S. K. Behera, S. Chakraborty, B.C. Meikap (2018). “Demineralization mechanism and influence of parameters on high ash Indian coal by chemical leaching of acid and alkali solution,” *International Journal of Coal Science Technology*, **5** no.2 (2018) 142-155.

S. Kumar, N. Radhakrishnan, and S. Mathew “Land use change modelling using a Markov model and remote sensing,” *Geomatics, Natural Hazards and Risk*, **5** no. 2(2013) 145–156.

S. Kumari, A. K. Singh, A. K. Verma, N. P. S. Yaduvanshi, "Assessment and spatial distribution of groundwater quality in industrial areas of Ghaziabad, India," *Environmental monitoring and assessment*, **186(1)** (2014) 501-514.

S. M. Wazir, I. Ghobrial, "Copper deficiency, a new triad: anemia, leucopenia, and myeloneuropathy," *Journal of community hospital internal medicine perspectives*, **7(4)**, (2017) 265–268. <https://doi.org/10.1080/20009666.2017.1351289>.

S. Nazneen, N.J. Raju, S. Madhav, "Spatial and temporal dynamics of dissolved nutrients and factors affecting water quality of Chilika lagoon," *Arab J Geosci*, **12(2019)** 243.

S. Shirin, A. Jamal, P. Ranjan and A. K. Yadav, "Study on assessment of slope stability and mixed disposal of overburden in voids of Singrauli Coalfield," *Environmental Quality Management*, **28(3)** (2019) 131-139.

S. Shrestha, and F. Kazama, "Assessment of surface water quality using multivariate statistical techniques: A case study of the Fuji river basin, Japan," *Environmental Modelling & Software*, **22** no. 4 (2007) 464-475.

S. Tiwari, S. Dixit, N. Verma, "An effective means of biofiltration of heavy metal contaminated water bodies using aquatic weed *Eichhornia crassipes*," *Environ Monit Assess*, **129(1–3)** (2007) 253–256.

S.A. Ali, U. Ali, "Hydrochemical characteristics and spatial analysis of groundwater quality in parts of Bundelkhand Massif, India," *Appl Water Sci* **8** no. 39 (2018).

S.E. Apitz, J. Brils, A. Marcomini, A. Crittce, P. Agostini, Ch. Micheletti, R. Pippa, P. Scanferla, S. Zuin, T. Lanczos, K. Dercova, A. Kocan, J. Petrik, P. Hucko, P. Kusnir, "Approaches & frameworks for managing contaminated sediments – a European perspective. Assessment & Remediation of Contaminated Sediments," Proceedings of the

NATO Advanced Research Workshop on Assessment & Remediation of Contaminated Sediments, Bratislava, Slovak Republic, 2005, 5-83.

S.H. Hanchang, “Industrial Waste water-Types, Amounts and Effects,” *Encyclopaedia of Life Support Systems*, **2**(2009) 191–203.

S.K. Singh, P.R. Thawale, A.A. Juwarkar, “Sustainable reclamation of coal mine spoil dump using microbe assisted phytoremediation technology,” *International Journal of Environmental Science and Toxicology Research*, **2** no.3 (2014) 43– 54.

S.M. Hamza, A. Ahsan, M.A. Imteaz, A.H. Ghazali, A. R. M. Shariff, “Assessment of spatial relationship between groundwater pollution vulnerability and quality indices in Kano, Nigeria,” *Arabian Journal of Geoscience*, **10**(2017) 168.

S.M. Sadat-Noori, K. Ebrahimi, & A.M. Liaghat, “Groundwater quality assessment using the Water Quality Index and GIS in Saveh-Nobaran aquifer, Iran,” *Environ Earth Sci* **71**(2014), 3827–3843.

S.S. Alexander, J.L. Dein, D.P. Gold, “The use of ERTS-1 MSS data for mapping strip mines and acid mine drainage in Pennsylvania, NASA,” *Goddard Space Flight Centre Symp. on Significant Results obtained from the ERTS-1, Sect. A and B*, **1**(1973) 569-575.

S.U. Shahaid, J. Iqbal, S.J. Khan, “A comprehensive assessment of spatial interpolation methods for the ground water quality evaluation of Lahore, Punjab, Pakistan,” *NUST Journal of Engineering Services*, **10** no.1(2017) 1-3.

S.U. Shahid and J. Iqbal, “Ground water quality assessment using averaged water quality index: a case study of Lahore city, Punjab, Pakistan,” *Proceedings of world Multidisciplinary Earth sciences symposium* , Prague, Czech Republic, 2016.

T. Saeed, G. Sun, “A review on nitrogen and organics removal mechanisms in subsurface flow constructed wetlands: dependency on environmental parameters, operating conditions and supporting media,” *Journal of Environmental Management*, **112** (2012) 429–448.

T. Saeed, N. Yasmin, G. Sun, and A. Hasnat, “The use of biochar and crushed mortar in treatment wetlands to enhance the removal of nutrients from sewage,” *Environmental Science and Pollution Research*, **26**(2019) 586–599.

T.R. Téllez, E.M.D.R. López, G.L. Granado, E.A. Pérez, R.M. López, J.M.S. Guzmán, “The water hyacinth, *Eichhornia crassipes*: an invasive plant in the Guadiana River Basin (Spain),” *Aquat. Invasions*, **3** no. 1(2008), 42–53.

U. Rösner, “Effects of historical mining activities on surface water and groundwater - an example from northwest Arizona,” *Environmental Geology*, **33**(1998), 224–230.

US-EPA, Statistical Analysis of Groundwater Monitoring Data at RCRA Facilities, Unified Guidance. US-Environmental Protection Agency, 2009.

V. Dushenkov, P.B. Kumar, H. Motto, “Rhizofiltration—the use of plants to remove heavy metals from aqueous streams,” *Environ Sci Technol*, **29**(5) (1995)1239–1245.

V. Kumar, “Impact of opencast coal mining on air quality in Singrauli area with special reference to SPM characterisation and dispersal,” Ph.D. Thesis, Institute of Technology, Banaras Hindu University, India, 1998.

V. Mishra, A.R. Upadhyay, S.K. Pandey, B.D. Tripathi, “Concentrations of heavy metals and aquatic macrophytes of Govind Ballabh Pant Sagar: an anthropogenic lake affected by Coal Mining effluent,” *Environmental Monitoring and Assessment*, **141**(2008) 49-58.

V. Moschini-Carlos, M. L. M. Pompêo, F. D. L. Lobo, S. T. Meirelles, “Impact of coal mining on water quality of three artificial lakes in Morozini River Basin (Treviso, Santa Catarina State, Brazil),” *Acta Limnologica Brasiliensia*, **23** (2011) 271-281.

V. Simeonov, P. Simeonova, R. Tsitouridou, “Chemometric quality assessment of surface waters: two case studies,” *Chemical and Engineering Ecology*, **11** no.6 (2004) 449-469.

V. Singhal, J.P.N. Rai, “Biogas production from water hyacinth and channel grass used for phytoremediation of industrial effluents,” *Bioresource Technology*, **86**(2003) 221–225.

V.M. Varghese, B. Rajan, A.P. Pradeepkumar, and R. Stephen, “GIS- Based land use/land covers change characterization in the humid tropical Meenachil river basin, Kerala South India,” Conference on Applied Geoinformatics for Society and Environment (AGSE), 2010.

W.B. Wu, J. Yao, T.J. Kang, “Study on land use changes of the coal mining area based on TM image,” *Journal of Coal Science and Engineering (China)*, **14** no. 2(2008) 287-290.

W.R. White, World water: resources, usage and the role of man--made reservoirs. Buckinghamshire: Foundation for Water research, 2010.

W.T. Penfound, T.T. Earle, “The biology of water hyacinth,” *Ecol Monogr*, **18**(1948) 447–472.

Water Sector in India: Overview and the focus areas for the future. Pan IIT Conclave 2010 [kpmg.com/in](http://kpmg.com/in).

World Health Organization “Guidelines for Drinking Water Quality,” third ed., vol. 1, World Health Organization (WHO), Geneva, 2008.

[www.cgwb.gov.in/District\\_Profile/MP/Singrauli.pdf](http://www.cgwb.gov.in/District_Profile/MP/Singrauli.pdf)

[www.en.climate-data.org/asia/india/madhya-pradesh/singrauli-59731/](http://www.en.climate-data.org/asia/india/madhya-pradesh/singrauli-59731/)

[www.latitudelongitude.org/in/singrauli](http://www.latitudelongitude.org/in/singrauli)

X.N. Li, H.L. Song, W. Li, X.W. Lu, O. Nishimura, “An integrated ecological floating-bed employing plant, freshwater clam and biofilm carrier for purification of eutrophic water,” *Ecological Engineering*, **36**(2010) 382-390.

Y. A. Murkute, “Hydrogeochemical characterization and quality assessment of groundwater around Umrer coal mine area Nagpur District, Maharashtra, India,” *Environ Earth Sci*, **72** (2014) 4059-4073.

Y. Shan, W. Wang, Y. Qin, & L. Gao, “Multivariate analysis of trace elements leaching from coal and host rock,” *Groundwater for Sustainable Development*, **8**(2019) 402-412.

Y. Wang, M. Liao, G. Sun, & J. Gong, “Analysis of the water volume, length, total area and inundated area of the Three Gorges Reservoir, China using the SRTM DEM data,” *International Journal of Remote Sensing*, **26**(2005).

Y.O. Ouma, “Evaluation of multiresolution digital elevation model (DEM) from real-time kinematic GPS and ancillary data for reservoir storage capacity estimation,” *Hydrology*, **3** no. 2 (2016) 16.

Z. Duan, W.G.M. Bastiaanssen, “Estimating water volume variations in lakes and reservoirs from four operational satellite altimetry databases and satellite imagery data,” *Remote Sensing of Environment*, **134** (2013) 403–416.

## Appendix A.1

Table A.1:- Analysis of Physical Parameters in water samples during pre-monsoon season

S. No.	Sample Location	Latitude	Longitude	pH	D.O. (mg/L)	EC ( $\mu$ S/cm)	TDS (mg/L)	TSS (mg/L)	Salinity (ppt)	ORP (mV)
1)	G.B.P.S.	24°12'27.7"N	83°0'10.5"E	7.0	4.4	331	165	330	0.06	122.5
2)	G.B.P.S.	24°12'5.6"N	83°59'41.1"E	6.9	5.1	325	162	235	0.06	130.3
3)	G.B.P.S.	24°12'3.6"N	83°58'2.3"E	6.9	5.7	317	158	545	0.05	145.4
4)	G.B.P.S.	24°12'32"N	83°0'16"E	6.9	4.5	338	164	343	0.06	121.5
5)	G.B.P.S.	24°11'56.5"N	83°59'41.1"E	6.6	5.0	410	205	390	0.19	138.1
6)	G.B.P.S.	24°12'30.9"N	83°0'8.0"E	6.9	4.6	336	163	428	0.06	129.8
7)	G.B.P.S.	24°12'23.4"N	83°0'21.8"E	7.1	5.2	332	166	425	0.06	141.3
8)	G.B.P.S.	24°7'41.6"N	83°47'40.8"E	7.0	5.3	349	178	315	0.16	135.6
9)	G.B.P.S.	24°12'35.8"N	83°0'12.3"E	7.0	4.7	340	170	234	0.06	121.7
10)	G.B.P.S.	24°11'57.4"N	82°58'55.1"E	7.2	5.1	356	179	411	0.17	133.0
11)	G.B.P.S.	24°11'12.5"N	83°55'35.5"E	7.2	5.3	282	141	295	0.13	132.0
12)	G.B.P.S.	24°12'34"N	83°0'14"E	7.1	5.2	338	169	263	0.06	130.0
13)	G.B.P.S.	24°12'26.9"N	83°45'53.3"E	7.3	5.4	306	153	264	0.14	134.4
14)	G.B.P.S.	24°7'13.1"N	82°46'9.3"E	7.3	5.6	350	175	251	0.16	130.8
15)	G.B.P.S.	24°11'12.5"N	82°54'14.0"E	7.4	4.9	338	169	218	0.16	133.5
16)	G.B.P.S.	24°11'22.7"N	83°53'23.3"E	7.5	5.2	365	183	227	0.17	365.0
17)	G.B.P.S.	24°11'9.1"N	82°52'58.6"E	7.3	4.6	328	164	316	0.06	138.9
18)	G.B.P.S.	24°10'35.5"N	82°52'15.5"E	7.2	5.4	325	162	109	0.06	144.6
19)	G.B.P.S.	24°11'38.9"N	82°50'7.0"E	7.1	5.7	408	204	267	0.10	144.0

20)	G.B.P.S.	24°11'0.3"N	82°49'3.9"E	7.3	5.5	239	119	262	0.11	123.7
21)	G.B.P.S.	24°10'30.7"N	83°48'4.9"E	7.4	4.8	260	131	295	0.12	117.2
22)	G.B.P.S.	24°9'43.6"N	82°47'31.9"E	7.3	4.6	320	160	389	0.05	116.0
23)	G.B.P.S.	24°9'7.6"N	82°47'20.8"E	7.3	4.7	214	107	272	0.10	121.0
24)	G.B.P.S.	24°5'57.6"N	83°43'37.8"E	7.2	5.0	375	188	286	0.06	125.0
25)	G.B.P.S.	24°12'17.81"N	82°54'39.25"E	7.1	5.5	539	270	247	0.03	132.0
26)	G.B.P.S.	24°11'45.21"N	83°19'21"E	7.2	4.2	547	274	238	0.05	134.2
27)	G.B.P.S.	24°11'36.92"N	83°2'6.5"E	7.2	5.1	582	291	387	0.02	121.0
28)	G.B.P.S.	24°11'54.54"N	83°2'39.12"E	7.9	5.0	536	268	265	0.07	109.0
29)	G.B.P.S.	24°11'59.67"N	83°2'32.41"E	7.5	4.9	528	264	229	0.06	117.0
30)	G.B.P.S.	24°11'20.08"N	83°1'23.58"E	7.3	5.0	515	258	204	0.04	113.2
31)	G.B.P.S.	24°11'10"N	83°0'48.73"E	8.0	5.2	764	382	383	0.05	141.0
32)	G.B.P.S.	24°11'48.34"N	83°3'40.2"E	7.0	5.1	541	271	301	0.05	129.0
33)	G.B.P.S.	24°12'10.51"N	83°0'41.48"E	7.9	5.4	770	385	345	0.04	135.0
34)	G.B.P.S.	24°11'45.12"N	82°54'12.32"E	6.9	5.1	552	276	297	0.04	120.0
35)	G.B.P.S.	24°10'52.17"N	83°51'11.46"E	7.1	5.3	394	197	368	0.06	137.0
36)	G.B.P.S.	24°9'36.93"N	83°46'25.08"E	7.4	6.0	749	375	259	0.04	116.0
37)	G.B.P.S.	24°4'33.19"N	82°41'30.85"E	8.0	5.3	519	260	231	0.05	109.0
38)	G.B.P.S.	24°3'59.67"N	82°41'15.46"E	8.2	4.9	586	293	260	0.07	115.0
39)	G.B.P.S.	24°3'10.09"N	82°40'31.26"E	7.2	5.4	401	201	393	0.06	126.0
40)	G.B.P.S.	24°3'19.75"N	82°39'33.5"E	7.3	5.1	512	256	226	0.06	143.0
41)	G.B.P.S.	24°2'27.6"N	82°38'49"E	7.9	5.1	531	266	258	0.06	139.0
42)	G.B.P.S.	24°2'26.26"N	82°38'5.43"E	7.1	5.4	508	254	317	0.05	121.8
43)	G.B.P.S.	24°2'2.57"N	82°37'12.04"E	7.3	5.2	569	285	364	0.05	126.7
44)	G.B.P.S.	24°3'36.93"N	83°42'22.66"E	8.0	5.7	525	263	303	0.03	131.0
45)	Rihand Dam	24°5'14.7"N	82°42'50.4"E	7.8	5.0	523	261	319	0.06	189.7
46)	Anpara	24°11'47.7"N	82°44'55.5"E	7.0	5.4	537	269	179	0.06	121.7
47)	Hindalco	24°13'12.2"N	82°1'48.8"E	6.6	0.3	593	297	321	0.19	143.3

48)	NTPC Singrauli	24°6'31.1"N	82°42'36.5"E	6.6	0.9	636	316	338	0.20	146.6
49)	NTPC Vindhyanchal	24°5'29.3"N	82°41'11.1"E	6.8	2.7	397	195	298	0.19	123.0
50)	Jhingurdah	24°12'23.3"N	82°44'12.5"E	7.9	5.6	1148	574	366	0.40	167.0
51)	Nigahi	24°9'1.8"N	82°36'19.0"E	8.0	4.5	671	386	354	0.32	172.4
52)	Kakri	24°10'29.4"N	82°44'45.0"E	8.1	4.5	704	362	347	0.34	171.0
53)	Krishnashila	24°9'31.2"N	82°44'45.0"E	6.3	4.7	348	174	332	0.07	172.6
54)	Bina	24°10'5.2"N	82°44'36.2"E	6.4	4.6	256	128	292	0.02	173.3
55)	Dudhichua	24°9'26.9"N	82°41'31.1"E	7.7	4.7	319	160	286	0.06	159.1
56)	Krishnashila+Bina	24°5'59.8"N	82°44'26.8"E	8.8	4.7	277	138	373	0.03	151.4
57)	Jayant	24°10'31"N	82°39'29.2"E	7.3	5.2	520	261	356	0.25	178.5
58)	Amlohri	24°8'28.4"N	82°35'34.2"E	7.3	5.7	529	265	302	0.25	182.5
59)	Baliya Nalla	24°7'20"N	82°40'3.0"E	7.2	5.0	1056	528	697	0.31	174.5
60)	Motwani Dam	24°7'54"N	82°39'23"E	7.5	4.9	1079	540	686	0.33	174.8
	Permissible limit for drinking water as suggested by WHO/BIS			<b>6.5-8.5</b>	<b>&gt;5</b>	<b>300</b>	<b>500</b>	<b>500</b>	<b>10</b>	<b>650</b>

Table A.2:- Analysis of Physical Parameters in water samples during post monsoon season

S. No.	Sample Location	Latitude	Longitude	pH	D.O. (mg/L)	EC (µS/cm)	TDS (mg/L)	TSS (mg/L)	Salinity (ppt)	ORP (mV)
1)	G.B.P.S.	24°12'27.7"N	83°0'10.5"E	7.5	4.2	367	184	252	0.05	130.4
2)	G.B.P.S.	24°12'5.6"N	83°59'41.1"E	7.7	4.6	354	177	156	0.03	134.3
3)	G.B.P.S.	24°12'3.6"N	83°58'2.3"E	8.2	4.8	377	189	365	0.06	143.5
4)	G.B.P.S.	24°12'32"N	83°0'16"E	8.0	4.3	434	217	165	0.05	137.4
5)	G.B.P.S.	24°11'56.5"N	83°59'41.1"E	8.1	4.4	365	233	115	0.06	128.5
6)	G.B.P.S.	24°12'30.9"N	83°0'8.0"E	8.2	4.9	411	206	151	0.05	131.3
7)	G.B.P.S.	24°12'23.4"N	83°0'21.8"E	7.8	4.6	406	203	150	0.06	145.9
8)	G.B.P.S.	24°7'41.6"N	83°47'40.8"E	8.2	4.6	411	206	237	0.04	141.7
9)	G.B.P.S.	24°12'35.8"N	83°0'12.3"E	8.4	5.0	456	228	158	0.05	135.9
10)	G.B.P.S.	24°11'57.4"N	82°58'55.1"E	8.1	5.1	465	233	232	0.03	139.7
11)	G.B.P.S.	24°11'12.5"N	83°55'35.5"E	7.9	4.3	431	216	217	0.07	129.2
12)	G.B.P.S.	24°12'34"N	83°0'14"E	7.6	5.2	561	281	187	0.08	125.3
13)	G.B.P.S.	24°12'26.9"N	83°45'53.3"E	7.6	5.4	382	191	285	0.07	127.4
14)	G.B.P.S.	24°7'13.1"N	82°46'9.3"E	7.9	4.9	390	195	271	0.08	128.2
15)	G.B.P.S.	24°11'12.5"N	82°54'14.0"E	7.6	4.8	370	185	238	0.06	131.6
16)	G.B.P.S.	24°11'22.7"N	83°53'23.3"E	8.1	5.1	430	215	249	0.06	136.7
17)	G.B.P.S.	24°11'9.1"N	82°52'58.6"E	8.2	4.3	465	233	341	0.05	139.9
18)	G.B.P.S.	24°10'35.5"N	82°52'15.5"E	8.3	5.3	489	245	132	0.04	141.5
19)	G.B.P.S.	24°11'38.9"N	82°50'7.0"E	8.3	4.8	496	248	191	0.03	142.7

20)	G.B.P.S.	24°11'0.3"N	82°49'3.9"E	7.8	5.0	441	221	184	0.03	123.6
21)	G.B.P.S.	24°10'30.7"N	83°48'4.9"E	7.9	5.3	456	228	216	0.05	126.1
22)	G.B.P.S.	24°9'43.6"N	82°47'31.9"E	7.8	4.4	459	230	209	0.04	129.1
23)	G.B.P.S.	24°9'7.6"N	82°47'20.8"E	7.7	4.6	379	190	194	0.05	130.2
24)	G.B.P.S.	24°5'57.6"N	83°43'37.8"E	7.9	4.9	445	223	168	0.08	138.5
25)	G.B.P.S.	24°12'17.81"N	82°54'39.25"E	7.7	5.2	677	339	158	0.07	132.1
26)	G.B.P.S.	24°11'45.21"N	83°19'21"E	7.8	4.5	582	291	211	0.07	149.6
27)	G.B.P.S.	24°11'36.92"N	83°2'6.5"E	7.8	4.9	593	297	188	0.07	148.5
28)	G.B.P.S.	24°11'54.54"N	83°2'39.12"E	8.1	4.5	766	333	150	0.05	147.5
29)	G.B.P.S.	24°11'59.67"N	83°2'32.41"E	8.3	5.3	699	350	126	0.04	127.2
30)	G.B.P.S.	24°11'20.08"N	83°1'23.58"E	8.4	5.5	682	341	208	0.05	129.5
31)	G.B.P.S.	24°11'10"N	83°0'48.73"E	8.5	4.7	853	427	223	0.05	146.7
32)	G.B.P.S.	24°11'48.34"N	83°3'40.2"E	7.7	4.9	639	320	266	0.05	148.2
33)	G.B.P.S.	24°12'10.51"N	83°0'41.48"E	7.6	4.2	971	486	219	0.06	143.1
34)	G.B.P.S.	24°11'45.12"N	82°54'12.32"E	7.7	4.7	599	300	190	0.05	141.9
35)	G.B.P.S.	24°10'52.17"N	83°51'11.46"E	7.6	4.8	580	290	181	0.06	131.7
36)	G.B.P.S.	24°9'36.93"N	83°46'25.08"E	8.0	5.1	766	383	153	0.06	136.9
37)	G.B.P.S.	24°4'33.19"N	82°41'30.85"E	7.9	5.3	558	279	182	0.06	124.6
38)	G.B.P.S.	24°3'59.67"N	82°41'15.46"E	7.8	5.1	633	317	215	0.05	126.9
39)	G.B.P.S.	24°3'10.09"N	82°40'31.26"E	8.1	4.0	449	225	146	0.05	123.7
40)	G.B.P.S.	24°3'19.75"N	82°39'33.5"E	8.2	4.5	663	332	179	0.04	134.6
41)	G.B.P.S.	24°2'27.6"N	82°38'49"E	8.2	4.7	575	288	239	0.06	135.5
42)	G.B.P.S.	24°2'26.26"N	82°38'5.43"E	8.4	4.4	594	297	286	0.07	137.3
43)	G.B.P.S.	24°2'2.57"N	82°37'12.04"E	8.3	4.9	635	318	225	0.05	138.2
44)	G.B.P.S.	24°3'36.93"N	83°42'22.66"E	8.4	4.6	648	324	241	0.08	129.3
45)	Rihand Dam	24°5'14.7"N	82°42'50.4"E	7.6	4.8	592	296	155	0.07	141.7
46)	Anpara	24°11'47.7"N	82°44'55.5"E	7.9	4.7	789	345	151	0.05	124.5
47)	Hindalco	24°13'12.2"N	82°1'48.8"E	7.7	4.9	787	394	143	0.08	132.8

48)	NTPC Singrauli	24°6'31.1"N	82°42'36.5"E	8.2	4.3	772	386	158	0.06	121.5
49)	NTPC Vindhyanchal	24°5'29.3"N	82°41'11.1"E	7.8	4.7	562	281	123	0.06	132.7
50)	Jhingurdah	24°12'23.3"N	82°44'12.5"E	8.0	4.2	971	486	187	0.06	135.8
51)	Nigahi	24°9'1.8"N	82°36'19.0"E	8.0	4.4	689	395	177	0.05	121.9
52)	Kakri	24°10'29.4"N	82°44'45.0"E	8.1	4.7	383	192	169	0.05	125.6
53)	Krishnashila	24°9'31.2"N	82°44'45.0"E	7.9	5.1	538	219	154	0.05	129.4
54)	Bina	24°10'5.2"N	82°44'36.2"E	8.2	5.3	451	226	114	0.04	143.2
55)	Dudhichua	24°9'26.9"N	82°41'31.1"E	8.2	4.7	468	234	108	0.05	146.3
56)	Krishnashila+Bina	24°5'59.8"N	82°44'26.8"E	8.5	4.6	450	225	194	0.04	148.3
57)	Jayant	24°10'31"N	82°39'29.2"E	8.5	4.6	553	277	176	0.04	123.0
58)	Amlohri	24°8'28.4"N	82°35'34.2"E	8.3	4.3	569	285	223	0.05	128.3
59)	Baliya Nalla	24°7'20"N	82°40'3.0"E	7.5	5.1	1212	606	219	0.06	135.8
60)	Motwani Dam	24°7'54"N	82°39'23"E	7.6	5.2	1231	616	207	0.08	134.0
	Permissible limit for drinking water as suggested by WHO/BIS			<b>6.5-8.5</b>	<b>&gt;5</b>	<b>300</b>	<b>500</b>	<b>500</b>	<b>10</b>	<b>650</b>

Table A.3:- Analysis of Cations in water samples during pre-monsoon season

S. No.	Sample Location	Latitude	Longitude	Lithium (mg/L)	Sodium (mg/L)	Potassium (mg/L)	Magnesium (mg/L)	Calcium (mg/L)	Total Hardness (mg/L)
1)	G.B.P.S.	24°12'27.7"N	83°0'10.5"E	0.1	12.0	12.7	15.2	21.2	49.2
2)	G.B.P.S.	24°12'5.6"N	83°59'41.1"E	0.1	29.5	12.8	15.1	21.1	48.4
3)	G.B.P.S.	24°12'3.6"N	83°58'2.3"E	0.1	28.2	12.2	14.6	21.0	46.4
4)	G.B.P.S.	24°12'32"N	83°0'16"E	0.1	22.1	12.7	15.2	21.2	49.1
5)	G.B.P.S.	24°11'56.5"N	83°59'41.1"E	0.1	48.2	17.0	13.9	27.2	125.1
6)	G.B.P.S.	24°12'30.9"N	83°0'8.0"E	0.1	20.0	12.9	15.4	21.8	51.7
7)	G.B.P.S.	24°12'23.4"N	83°0'21.8"E	0.1	29.6	12.5	15.1	30.9	48.0
8)	G.B.P.S.	24°7'41.6"N	83°47'40.8"E	0.1	21.8	13.8	18.9	41.7	140.8
9)	G.B.P.S.	24°12'35.8"N	83°0'12.3"E	0.1	22.6	12.7	15.2	31.1	48.8
10)	G.B.P.S.	24°11'57.4"N	82°58'55.1"E	0.1	21.0	12.3	16.7	41.9	173.2
11)	G.B.P.S.	24°11'12.5"N	83°55'35.5"E	0.1	27.8	12.2	12.8	31.7	131.6
12)	G.B.P.S.	24°12'34"N	83°0'14"E	0.1	22.5	12.6	15.1	11.1	48.9
13)	G.B.P.S.	24°12'26.9"N	83°45'53.3"E	0.1	28.1	11.7	14.2	35.6	147.1
14)	G.B.P.S.	24°7'13.1"N	82°46'9.3"E	0.1	21.4	12.3	16.4	40.8	169.2
15)	G.B.P.S.	24°11'12.5"N	82°54'14.0"E	0.1	21.0	12.4	15.9	39.5	164.0
16)	G.B.P.S.	24°11'22.7"N	83°53'23.3"E	0.0	22.4	12.4	17.4	42.5	177.7
17)	G.B.P.S.	24°11'9.1"N	82°52'58.6"E	0.1	28.8	12.4	15.1	21.9	50.6
18)	G.B.P.S.	24°10'35.5"N	82°52'15.5"E	0.0	20.7	12.2	14.6	20.6	45.3
19)	G.B.P.S.	24°11'38.9"N	82°50'7.0"E	0.1	24.9	12.7	18.6	29.9	85.3

20)	G.B.P.S.	24°11'0.3"N	82°49'3.9"E	0.1	26.8	12.6	10.1	23.4	99.9
21)	G.B.P.S.	24°10'30.7"N	83°48'4.9"E	0.1	27.7	12.6	11.4	26.3	112.3
22)	G.B.P.S.	24°9'43.6"N	82°47'31.9"E	0.1	29.4	12.3	14.2	20.5	43.4
23)	G.B.P.S.	24°9'7.6"N	82°47'20.8"E	0.1	25.7	12.7	18.7	20.4	86.6
24)	G.B.P.S.	24°5'57.6"N	83°43'37.8"E	0.1	23.4	12.4	21.9	44.7	201.3
25)	G.B.P.S.	24°12'17.81"N	82°54'39.25"E	0.1	22.0	12.9	22.9	32.9	135.2
26)	G.B.P.S.	24°11'45.21"N	83°19'21"E	0.1	19.1	12.7	27.7	21.8	101.9
27)	G.B.P.S.	24°11'36.92"N	83°2'6.5"E	0.1	22.8	12.3	24.4	32.2	180.4
28)	G.B.P.S.	24°11'54.54"N	83°2'39.12"E	0.1	26.8	12.9	12.3	21.4	103.7
29)	G.B.P.S.	24°11'59.67"N	83°2'32.41"E	0.1	24.6	12.1	16.3	41.2	169.9
30)	G.B.P.S.	24°11'20.08"N	83°1'23.58"E	0.1	21.1	12.9	15.7	18.1	109.5
31)	G.B.P.S.	24°11'10"N	83°0'48.73"E	0.1	21.8	12.5	22.3	23.7	150.8
32)	G.B.P.S.	24°11'48.34"N	83°3'40.2"E	0.1	23.2	12.1	18.1	28.9	146.5
33)	G.B.P.S.	24°12'10.51"N	83°0'41.48"E	0.1	25.6	13.5	22.0	27.6	93.1
34)	G.B.P.S.	24°11'45.12"N	82°54'12.32"E	0.1	25.8	14.0	21.4	34.7	133.6
35)	G.B.P.S.	24°10'52.17"N	83°51'11.46"E	0.1	22.8	13.2	22.0	23.0	106.6
36)	G.B.P.S.	24°9'36.93"N	83°46'25.08"E	0.1	25.8	12.5	24.5	69.4	232.6
37)	G.B.P.S.	24°4'33.19"N	82°41'30.85"E	0.1	29.2	12.6	15.6	52.8	195.9
38)	G.B.P.S.	24°3'59.67"N	82°41'15.46"E	0.1	21.1	13.0	26.6	39.6	167.2
39)	G.B.P.S.	24°3'10.09"N	82°40'31.26"E	0.1	27.4	11.9	17.8	45.7	112.2
40)	G.B.P.S.	24°3'19.75"N	82°39'33.5"E	0.1	28.1	11.9	23.3	39.5	103.4
41)	G.B.P.S.	24°2'27.6"N	82°38'49"E	0.1	21.0	11.8	21.5	35.7	136.4
42)	G.B.P.S.	24°2'26.26"N	82°38'5.43"E	0.1	26.6	12.1	13.4	48.9	177.1
43)	G.B.P.S.	24°2'2.57"N	82°37'12.04"E	0.1	23.3	12.2	18.4	57.7	219.6
44)	G.B.P.S.	24°3'36.93"N	83°42'22.66"E	0.1	27.7	12.4	14.1	21.9	87.7
45)	Rihand Dam	24°5'14.7"N	82°42'50.4"E	0.1	29.0	12.7	15.3	31.4	50.3
46)	Anpara	24°11'47.7"N	82°44'55.5"E	0.1	29.9	12.8	25.7	32.5	54.6
47)	Hindalco	24°13'12.2"N	82°1'48.8"E	0.1	38.6	15.2	22.5	25.2	114.4

48)	NTPC Singrauli	24°6'31.1"N	82°42'36.5"E	0.1	42.7	16.7	27.2	44.3	140.2
49)	NTPC Vindhyanchal	24°5'29.3"N	82°41'11.1"E	0.1	49.9	18.7	19.3	25.4	101.4
50)	Jhingurdah	24°12'23.3"N	82°44'12.5"E	0.1	37.0	14.4	33.2	95.2	292.2
51)	Nigahi	24°9'1.8"N	82°36'19.0"E	0.1	27.1	17.9	38.0	71.2	292.7
52)	Kakri	24°10'29.4"N	82°44'45.0"E	0.1	26.5	26.2	34.7	64.7	304.1
53)	Krishnashila	24°9'31.2"N	82°44'45.0"E	0.1	28.0	12.8	14.6	31.1	46.5
54)	Bina	24°10'5.2"N	82°44'36.2"E	0.1	24.8	10.6	11.6	39.3	29.8
55)	Dudhichua	24°9'26.9"N	82°41'31.1"E	0.1	28.9	12.4	14.8	32.1	49.9
56)	Krishnashila+Bina	24°5'59.8"N	82°44'26.8"E	0.1	22.6	13.7	11.5	37.8	25.7
57)	Jayant	24°10'31"N	82°39'29.2"E	0.1	26.9	15.2	21.9	39.7	122.9
58)	Amlohri	24°8'28.4"N	82°35'34.2"E	0.1	27.2	18.8	24.8	47.8	180.4
59)	Baliya Nalla	24°7'20"N	82°40'3.0"E	0.1	47.5	20.6	32.8	79.8	242.8
60)	Motwani Dam	24°7'54"N	82°39'23"E	0.1	49.5	20.1	34.4	77.5	268.9
	Permissible limit for drinking water as suggested by WHO/BIS			nil	50	15	50	75	500

Table A.4:- Analysis of Cations in water samples during post monsoon season

S. No.	Sample Location	Latitude	Longitude	Lithium (mg/L)	Sodium (mg/L)	Potassium (mg/L)	Magnesium (mg/L)	Calcium (mg/L)	Total Hardness (mg/L)
1)	G.B.P.S.	24°12'27.7"N	83°0'10.5"E	0.1	22.2	11.6	13.1	22.2	47.5
2)	G.B.P.S.	24°12'5.6"N	83°59'41.1"E	0.1	30.0	11.8	13.6	23.0	46.3
3)	G.B.P.S.	24°12'3.6"N	83°58'2.3"E	0.1	29.1	11.4	11.9	24.1	43.5
4)	G.B.P.S.	24°12'32"N	83°0'16"E	0.1	22.5	11.9	12.6	14.6	46.6
5)	G.B.P.S.	24°11'56.5"N	83°59'41.1"E	0.1	49.6	14.6	11.5	29.3	119.2
6)	G.B.P.S.	24°12'30.9"N	83°0'8.0"E	0.1	20.9	11.4	12.4	19.2	47.5
7)	G.B.P.S.	24°12'23.4"N	83°0'21.8"E	0.1	30.4	11.7	12.5	13.7	45.5
8)	G.B.P.S.	24°7'41.6"N	83°47'40.8"E	0.1	22.2	12.9	16.5	45.5	134.8
9)	G.B.P.S.	24°12'35.8"N	83°0'12.3"E	0.1	23.8	11.4	12.2	16.5	45.1
10)	G.B.P.S.	24°11'57.4"N	82°58'55.1"E	0.1	21.2	11.5	13.3	48.4	167.7
11)	G.B.P.S.	24°11'12.5"N	83°55'35.5"E	0.1	28.4	11.6	10.4	35.1	126.0
12)	G.B.P.S.	24°12'34"N	83°0'14"E	0.1	23.7	12.0	14.4	14.9	46.0
13)	G.B.P.S.	24°12'26.9"N	83°45'53.3"E	0.1	29.1	11.1	12.9	38.1	143.1
14)	G.B.P.S.	24°7'13.1"N	82°46'9.3"E	0.1	22.8	11.2	14.6	41.4	167.3
15)	G.B.P.S.	24°11'12.5"N	82°54'14.0"E	0.0	22.1	11.6	11.4	44.4	160.0
16)	G.B.P.S.	24°11'22.7"N	83°53'23.3"E	0.1	23.9	11.7	14.7	46.4	177.0
17)	G.B.P.S.	24°11'9.1"N	82°52'58.6"E	0.1	30.0	11.8	14.4	32.2	48.7
18)	G.B.P.S.	24°10'35.5"N	82°52'15.5"E	0.0	21.1	11.5	13.6	31.6	43.7
19)	G.B.P.S.	24°11'38.9"N	82°50'7.0"E	0.1	25.3	11.5	16.3	39.4	81.2

20)	G.B.P.S.	24°11'0.3"N	82°49'3.9"E	0.1	27.5	11.2	8.1	28.5	98.5
21)	G.B.P.S.	24°10'30.7"N	83°48'4.9"E	0.1	28.2	11.2	10.6	29.3	111.7
22)	G.B.P.S.	24°9'43.6"N	82°47'31.9"E	0.1	30.2	10.0	13.3	25.6	42.5
23)	G.B.P.S.	24°9'7.6"N	82°47'20.8"E	0.1	26.4	11.4	16.3	27.0	82.5
24)	G.B.P.S.	24°5'57.6"N	83°43'37.8"E	0.1	24.5	12.0	18.2	49.1	195.7
25)	G.B.P.S.	24°12'17.81"N	82°54'39.25"E	0.1	22.3	11.4	11.2	36.9	130.8
26)	G.B.P.S.	24°11'45.21"N	83°19'21"E	0.1	29.7	10.9	16.3	27.4	97.7
27)	G.B.P.S.	24°11'36.92"N	83°2'6.5"E	0.1	33.5	9.8	23.3	36.7	179.7
28)	G.B.P.S.	24°11'54.54"N	83°2'39.12"E	0.1	27.1	8.2	11.6	24.5	103.7
29)	G.B.P.S.	24°11'59.67"N	83°2'32.41"E	0.1	25.4	11.7	17.6	44.2	177.9
30)	G.B.P.S.	24°11'20.08"N	83°1'23.58"E	0.1	22.4	9.6	14.3	19.4	107.2
31)	G.B.P.S.	24°11'10"N	83°0'48.73"E	0.1	22.9	9.8	21.5	29.4	149.1
32)	G.B.P.S.	24°11'48.34"N	83°3'40.2"E	0.1	34.5	11.6	17.2	39.3	144.0
33)	G.B.P.S.	24°12'10.51"N	83°0'41.48"E	0.1	36.8	10.6	10.6	30.5	89.7
34)	G.B.P.S.	24°11'45.12"N	82°54'12.32"E	0.1	36.4	12.8	10.4	36.2	130.8
35)	G.B.P.S.	24°10'52.17"N	83°51'11.46"E	0.1	26.8	11.9	13.8	32.9	113.6
36)	G.B.P.S.	24°9'36.93"N	83°46'25.08"E	0.1	33.9	11.9	14.8	77.8	170.0
37)	G.B.P.S.	24°4'33.19"N	82°41'30.85"E	0.1	35.7	10.9	11.8	62.9	135.5
38)	G.B.P.S.	24°3'59.67"N	82°41'15.46"E	0.1	35.6	11.7	17.6	47.8	141.4
39)	G.B.P.S.	24°3'10.09"N	82°40'31.26"E	0.1	37.1	11.8	16.8	58.7	165.5
40)	G.B.P.S.	24°3'19.75"N	82°39'33.5"E	0.1	36.6	11.9	14.9	51.1	163.8
41)	G.B.P.S.	24°2'27.6"N	82°38'49"E	0.1	35.3	9.9	13.4	55.0	117.5
42)	G.B.P.S.	24°2'26.26"N	82°38'5.43"E	0.1	44.6	9.7	11.3	59.8	95.6
43)	G.B.P.S.	24°2'2.57"N	82°37'12.04"E	0.1	32.5	11.8	12.9	69.7	127.0
44)	G.B.P.S.	24°3'36.93"N	83°42'22.66"E	0.1	32.9	10.8	15.8	36.7	156.5
45)	Rihand Dam	24°5'14.7"N	82°42'50.4"E	0.1	40.2	10.4	13.3	42.3	53.0
46)	Anpara	24°11'47.7"N	82°44'55.5"E	0.1	30.1	11.5	14.2	42.8	48.6
47)	Hindalco	24°13'12.2"N	82°1'48.8"E	0.1	59.2	11.5	21.2	29.5	109.1

48)	NTPC Singrauli	24°6'31.1"N	82°42'36.5"E	0.1	53.1	12.3	16.8	52.7	138.7
49)	NTPC Vindhyanchal	24°5'29.3"N	82°41'11.1"E	0.1	50.2	7.5	18.3	29.7	100.6
50)	Jhingurdah	24°12'23.3"N	82°44'12.5"E	0.2	37.4	13.3	12.3	98.8	292.5
51)	Nigahi	24°9'1.8"N	82°36'19.0"E	0.1	28.4	16.9	26.4	79.7	290.2
52)	Kakri	24°10'29.4"N	82°44'45.0"E	0.1	27.3	25.1	33.5	75.5	301.2
53)	Krishnashila	24°9'31.2"N	82°44'45.0"E	0.1	39.0	11.8	13.6	36.3	45.4
54)	Bina	24°10'5.2"N	82°44'36.2"E	0.1	35.2	10.4	11.0	40.4	30.2
55)	Dudhichua	24°9'26.9"N	82°41'31.1"E	0.1	39.3	11.5	13.4	33.5	47.7
56)	Krishnashila+Bina	24°5'59.8"N	82°44'26.8"E	0.1	23.6	12.7	11.1	48.5	25.6
57)	Jayant	24°10'31"N	82°39'29.2"E	0.1	27.2	13.0	10.2	40.7	118.4
58)	Amlohri	24°8'28.4"N	82°35'34.2"E	0.1	28.4	17.3	13.1	58.3	174.5
59)	Baliya Nalla	24°7'20"N	82°40'3.0"E	0.1	49.5	19.2	21.3	80.3	237.9
60)	Motwani Dam	24°7'54"N	82°39'23"E	0.1	48.5	19.2	23.4	88.8	268.2
	Permissible limit for drinking water as suggested by WHO/BIS			nil	50	15	50	75	50

Table A.5:- Analysis of Anions in water samples during pre-monsoon season

S. No.	Sample Location	Latitude	Longitude	Fluoride (mg/L)	Chloride (mg/L)	Nitrate (mg/L)	Sulphate (mg/L)	Phosphate (mg/L)	Bicarbonate (mg/L)
1)	G.B.P.S.	24°12'27.7"N	83°0'10.5"E	1.1	55.5	10.9	72.7	1.3	156
2)	G.B.P.S.	24°12'5.6"N	83°59'41.1"E	1.1	55.5	12.4	71.0	1.3	145
3)	G.B.P.S.	24°12'3.6"N	83°58'2.3"E	1.2	54.3	11.8	70.2	1.1	139
4)	G.B.P.S.	24°12'32"N	83°0'16"E	1.3	55.7	10.9	72.7	1.1	148
5)	G.B.P.S.	24°11'56.5"N	83°59'41.1"E	1.3	51.1	24.2	92.6	3.6	152
6)	G.B.P.S.	24°12'30.9"N	83°0'8.0"E	1.1	65.5	11.5	72.2	1.0	155
7)	G.B.P.S.	24°12'23.4"N	83°0'21.8"E	1.1	54.8	11.0	71.5	1.1	142
8)	G.B.P.S.	24°7'41.6"N	83°47'40.8"E	1.2	57.9	20.7	77.6	3.9	147
9)	G.B.P.S.	24°12'35.8"N	83°0'12.3"E	1.2	55.6	10.8	71.3	1.1	141
10)	G.B.P.S.	24°11'57.4"N	82°58'55.1"E	1.1	53.4	12.7	74.0	1.2	133
11)	G.B.P.S.	24°11'12.5"N	83°55'35.5"E	1.0	54.0	11.6	76.7	1.2	143
12)	G.B.P.S.	24°12'34"N	83°0'14"E	0.7	55.4	10.5	73.1	1.1	138
13)	G.B.P.S.	24°12'26.9"N	83°45'53.3"E	0.9	53.3	11.8	74.7	1.0	129
14)	G.B.P.S.	24°7'13.1"N	82°46'9.3"E	1.0	53.9	11.7	75.1	0.8	143
15)	G.B.P.S.	24°11'12.5"N	82°54'14.0"E	1.1	54.0	11.7	75.5	1.0	152
16)	G.B.P.S.	24°11'22.7"N	83°53'23.3"E	1.2	54.0	11.7	75.0	0.1	130
17)	G.B.P.S.	24°11'9.1"N	82°52'58.6"E	1.2	54.9	10.3	82.5	0.1	133
18)	G.B.P.S.	24°10'35.5"N	82°52'15.5"E	1.3	54.6	11.1	81.1	1.0	149
19)	G.B.P.S.	24°11'38.9"N	82°50'7.0"E	1.3	54.7	11.2	70.0	1.1	138

20)	G.B.P.S.	24°11'0.3"N	82°49'3.9"E	0.9	55.5	11.5	70.7	1.1	142
21)	G.B.P.S.	24°10'30.7"N	83°48'4.9"E	1.2	55.2	11.3	79.7	0.9	147
22)	G.B.P.S.	24°9'43.6"N	82°47'31.9"E	1.3	54.3	11.3	80.0	0.7	135
23)	G.B.P.S.	24°9'7.6"N	82°47'20.8"E	1.3	55.4	11.2	81.2	1.0	139
24)	G.B.P.S.	24°5'57.6"N	83°43'37.8"E	1.6	55.8	11.6	80.1	1.1	141
25)	G.B.P.S.	24°12'17.81"N	82°54'39.25"E	1.2	55.7	11.4	70.5	1.3	126
26)	G.B.P.S.	24°11'45.21"N	83°19'21"E	1.2	56.0	11.3	71.3	1.2	135
27)	G.B.P.S.	24°11'36.92"N	83°2'6.5"E	1.3	43.8	11.8	71.8	1.1	159
28)	G.B.P.S.	24°11'54.54"N	83°2'39.12"E	1.3	53.5	11.9	71.9	1.3	137
29)	G.B.P.S.	24°11'59.67"N	83°2'32.41"E	1.7	54.0	11.7	72.3	1.6	142
30)	G.B.P.S.	24°11'20.08"N	83°1'23.58"E	1.2	54.0	11.8	79.9	1.2	133
31)	G.B.P.S.	24°11'10"N	83°0'48.73"E	1.1	54.6	11.2	80.5	1.2	138
32)	G.B.P.S.	24°11'48.34"N	83°3'40.2"E	1.4	55.2	11.7	81.7	1.3	151
33)	G.B.P.S.	24°12'10.51"N	83°0'41.48"E	1.4	47.3	11.6	79.7	1.3	154
34)	G.B.P.S.	24°11'45.12"N	82°54'12.32"E	0.7	44.7	11.3	79.8	1.4	157
35)	G.B.P.S.	24°10'52.17"N	83°51'11.46"E	0.6	55.9	11.7	80.3	1.2	146
36)	G.B.P.S.	24°9'36.93"N	83°46'25.08"E	0.7	55.2	11.2	80.5	1.5	145
37)	G.B.P.S.	24°4'33.19"N	82°41'30.85"E	1.5	55.9	11.7	61.3	1.2	122
38)	G.B.P.S.	24°3'59.67"N	82°41'15.46"E	1.2	54.9	11.6	71.5	1.4	148
39)	G.B.P.S.	24°3'10.09"N	82°40'31.26"E	1.3	53.8	11.5	60.5	1.3	135
40)	G.B.P.S.	24°3'19.75"N	82°39'33.5"E	1.2	54.9	11.4	69.4	1.3	140
41)	G.B.P.S.	24°2'27.6"N	82°38'49"E	1.2	55.0	11.8	70.5	1.5	143
42)	G.B.P.S.	24°2'26.26"N	82°38'5.43"E	1.2	55.7	11.6	69.5	1.5	147
43)	G.B.P.S.	24°2'2.57"N	82°37'12.04"E	1.2	47.2	11.4	71.2	1.2	139
44)	G.B.P.S.	24°3'36.93"N	83°42'22.66"E	1.2	45.3	11.8	70.4	1.3	133
45)	Rihand Dam	24°5'14.7"N	82°42'50.4"E	1.5	54.6	11.0	91.1	1.0	138
46)	Anpara	24°11'47.7"N	82°44'55.5"E	1.6	55.7	11.0	94.3	0.9	196
47)	Hindalco	24°13'12.2"N	82°1'48.8"E	1.7	89.9	10.0	90.1	4.6	217

48)	NTPC Singrauli	24°6'31.1"N	82°42'36.5"E	1.7	87.0	10.3	87.4	18.1	236
49)	NTPC Vindhyanchal	24°5'29.3"N	82°41'11.1"E	1.7	96.3	56.8	122.0	5.8	224
50)	Jhingurdah	24°12'23.3"N	82°44'12.5"E	1.7	76.9	41.6	735.5	1.1	330
51)	Nigahi	24°9'1.8"N	82°36'19.0"E	1.4	70.9	35.9	453.4	1.1	357
52)	Kakri	24°10'29.4"N	82°44'45.0"E	1.5	75.9	32.5	475.7	1.3	362
53)	Krishnashila	24°9'31.2"N	82°44'45.0"E	1.3	79.1	30.6	99.4	1.2	236
54)	Bina	24°10'5.2"N	82°44'36.2"E	1.3	72.8	30.4	71.0	1.2	193
55)	Dudhichua	24°9'26.9"N	82°41'31.1"E	1.6	75.2	40.9	111.6	1.2	185
56)	Krishnashila+Bina	24°5'59.8"N	82°44'26.8"E	1.6	72.4	31.6	122.0	1.2	176
57)	Jayant	24°10'31"N	82°39'29.2"E	1.6	90.1	97.2	141.8	1.2	256
58)	Amlohri	24°8'28.4"N	82°35'34.2"E	1.4	91.1	54.1	257.1	1.3	312
59)	Baliya Nalla	24°7'20"N	82°40'3.0"E	1.7	94.0	68.7	329.2	6.8	308
60)	Motwani Dam	24°7'54"N	82°39'23"E	1.6	90.6	66.0	377.2	6.5	360
	Permissible limit for drinking water as suggested by WHO/BIS			<b>1.5</b>	<b>250</b>	<b>45</b>	<b>150</b>	<b>nil</b>	<b>200</b>

Table A.6:- Analysis of Anions in water samples during post monsoon season

S. No.	Sample Location	Latitude	Longitude	Fluoride (mg/L)	Chloride (mg/L)	Nitrate (mg/L)	Sulphate (mg/L)	Phosphate (mg/L)	Bicarbonate (mg/L)
1)	G.B.P.S.	24°12'27.7"N	83°0'10.5"E	1.0	42.9	9.8	68.8	0.9	174
2)	G.B.P.S.	24°12'5.6"N	83°59'41.1"E	0.9	44.4	10.2	67.0	0.8	166
3)	G.B.P.S.	24°12'3.6"N	83°58'2.3"E	1.0	52.5	11.4	66.3	0.4	148
4)	G.B.P.S.	24°12'32"N	83°0'16"E	0.8	46.2	9.1	69.6	1.0	159
5)	G.B.P.S.	24°11'56.5"N	83°59'41.1"E	1.1	45.7	20.1	85.6	2.7	171
6)	G.B.P.S.	24°12'30.9"N	83°0'8.0"E	0.9	52.2	8.0	55.2	0.9	173
7)	G.B.P.S.	24°12'23.4"N	83°0'21.8"E	0.9	48.6	10.6	66.5	0.8	167
8)	G.B.P.S.	24°7'41.6"N	83°47'40.8"E	0.8	44.4	16.5	62.6	2.1	165
9)	G.B.P.S.	24°12'35.8"N	83°0'12.3"E	0.7	46.4	10.5	68.0	1.0	162
10)	G.B.P.S.	24°11'57.4"N	82°58'55.1"E	1.0	41.2	9.5	66.9	0.8	156
11)	G.B.P.S.	24°11'12.5"N	83°55'35.5"E	0.6	49.5	9.6	63.7	0.7	157
12)	G.B.P.S.	24°12'34"N	83°0'14"E	0.6	53.1	10.0	69.0	0.7	158
13)	G.B.P.S.	24°12'26.9"N	83°45'53.3"E	0.8	41.1	10.3	61.6	0.7	145
14)	G.B.P.S.	24°7'13.1"N	82°46'9.3"E	0.7	45.2	10.9	62.1	0.6	167
15)	G.B.P.S.	24°11'12.5"N	82°54'14.0"E	0.9	50.1	9.0	62.5	0.8	178
16)	G.B.P.S.	24°11'22.7"N	83°53'23.3"E	1.0	48.7	9.1	62.0	0.0	157
17)	G.B.P.S.	24°11'9.1"N	82°52'58.6"E	1.1	49.2	10.7	65.2	1.0	154
18)	G.B.P.S.	24°10'35.5"N	82°52'15.5"E	1.2	51.1	10.0	74.6	0.9	161
19)	G.B.P.S.	24°11'38.9"N	82°50'7.0"E	1.1	51.7	10.2	63.0	1.0	159

20)	G.B.P.S.	24°11'0.3"N	82°49'3.9"E	0.8	47.5	10.9	63.7	1.0	163
21)	G.B.P.S.	24°10'30.7"N	83°48'4.9"E	1.1	46.7	8.7	62.2	0.4	168
22)	G.B.P.S.	24°9'43.6"N	82°47'31.9"E	1.2	49.4	7.9	73.0	0.5	152
23)	G.B.P.S.	24°9'7.6"N	82°47'20.8"E	1.2	47.0	9.1	74.1	0.8	156
24)	G.B.P.S.	24°5'57.6"N	83°43'37.8"E	1.5	49.6	10.3	74.6	1.1	162
25)	G.B.P.S.	24°12'17.81"N	82°54'39.25"E	1.2	49.2	9.5	64.3	0.9	147
26)	G.B.P.S.	24°11'45.21"N	83°19'21"E	1.1	43.2	8.1	65.5	1.1	156
27)	G.B.P.S.	24°11'36.92"N	83°2'6.5"E	1.2	31.6	8.5	65.1	1.0	172
28)	G.B.P.S.	24°11'54.54"N	83°2'39.12"E	1.2	51.7	10.8	66.8	1.1	158
29)	G.B.P.S.	24°11'59.67"N	83°2'32.41"E	1.4	41.4	10.9	67.5	1.3	167
30)	G.B.P.S.	24°11'20.08"N	83°1'23.58"E	1.1	42.2	10.5	64.3	1.0	154
31)	G.B.P.S.	24°11'10"N	83°0'48.73"E	1.0	51.4	10.2	75.3	1.1	161
32)	G.B.P.S.	24°11'48.34"N	83°3'40.2"E	1.3	32.4	7.3	76.5	1.0	179
33)	G.B.P.S.	24°12'10.51"N	83°0'41.48"E	1.1	35.9	8.6	64.3	0.8	184
34)	G.B.P.S.	24°11'45.12"N	82°54'12.32"E	0.4	42.6	9.5	64.6	1.2	182
35)	G.B.P.S.	24°10'52.17"N	83°51'11.46"E	0.5	42.3	10.9	75.1	1.1	169
36)	G.B.P.S.	24°9'36.93"N	83°46'25.08"E	0.5	52.1	10.1	76.4	1.1	166
37)	G.B.P.S.	24°4'33.19"N	82°41'30.85"E	1.4	52.6	10.1	57.3	1.1	145
38)	G.B.P.S.	24°3'59.67"N	82°41'15.46"E	1.0	51.2	10.9	67.5	1.2	167
39)	G.B.P.S.	24°3'10.09"N	82°40'31.26"E	1.1	49.9	9.7	56.5	1.2	164
40)	G.B.P.S.	24°3'19.75"N	82°39'33.5"E	1.1	47.3	8.3	56.4	1.1	169
41)	G.B.P.S.	24°2'27.6"N	82°38'49"E	1.0	49.4	7.7	67.5	1.3	171
42)	G.B.P.S.	24°2'26.26"N	82°38'5.43"E	0.8	48.1	10.3	56.5	1.3	174
43)	G.B.P.S.	24°2'2.57"N	82°37'12.04"E	0.9	53.3	10.9	68.2	0.9	158
44)	G.B.P.S.	24°3'36.93"N	83°42'22.66"E	1.4	42.7	9.0	67.4	0.8	152
45)	Rihand Dam	24°5'14.7"N	82°42'50.4"E	1.3	43.0	9.1	87.1	0.7	159
46)	Anpara	24°11'47.7"N	82°44'55.5"E	1.3	43.0	9.1	87.3	0.6	224
47)	Hindalco	24°13'12.2"N	82°1'48.8"E	1.4	64.7	9.3	83.1	3.6	236

48)	NTPC Singrauli	24°6'31.1"N	82°42'36.5"E	1.6	62.1	9.1	80.4	16.8	257
49)	NTPC Vindhyanchal	24°5'29.3"N	82°41'11.1"E	1.3	91.0	42.3	15.0	4.6	247
50)	Jhingurdah	24°12'23.3"N	82°44'12.5"E	1.4	62.2	9.9	728.7	1.1	356
51)	Nigahi	24°9'1.8"N	82°36'19.0"E	1.2	55.6	11.5	446.2	0.9	373
52)	Kakri	24°10'29.4"N	82°44'45.0"E	1.2	70.4	9.8	468.6	1.0	389
53)	Krishnashila	24°9'31.2"N	82°44'45.0"E	1.0	64.0	27.3	85.8	1.0	251
54)	Bina	24°10'5.2"N	82°44'36.2"E	1.0	50.6	9.1	60.6	0.7	210
55)	Dudhichua	24°9'26.9"N	82°41'31.1"E	1.2	42.1	9.5	97.1	0.6	219
56)	Krishnashila+Bina	24°5'59.8"N	82°44'26.8"E	1.4	50.6	9.8	117.6	0.8	204
57)	Jayant	24°10'31"N	82°39'29.2"E	1.2	74.3	93.4	137.3	0.7	279
58)	Amlohri	24°8'28.4"N	82°35'34.2"E	1.2	66.4	50.1	253.5	1.1	342
59)	Baliya Nalla	24°7'20"N	82°40'3.0"E	1.4	88.4	54.5	323.5	4.3	351
60)	Motwani Dam	24°7'54"N	82°39'23"E	1.2	85.2	52.2	371.2	4.9	387
	Permissible limit for drinking water as suggested by WHO/BIS			<b>1.5</b>	<b>250</b>	<b>45</b>	<b>150</b>	<b>nil</b>	<b>200</b>

Table A.7:- Analysis of Heavy Metals in water samples during pre-monsoon season

S. No.	Sample Location	Latitude	Longitude	Iron (mg/L)	Copper (mg/L)	Lead (mg/L)	Zinc (mg/L)	Nickel (mg/L)	Chromium (mg/L)	Cadmium (mg/L)
1)	G.B.P.S.	24°12'27.7"N	83°0'10.5"E	0.72	1.01	0.04	2.61	0.01	0.01	0.01
2)	G.B.P.S.	24°12'5.6"N	83°59'41.1"E	0.77	1.02	0.08	2.59	0.02	0.02	0.01
3)	G.B.P.S.	24°12'3.6"N	83°58'2.3"E	0.68	1.02	0.09	2.51	0.02	0.01	0.01
4)	G.B.P.S.	24°12'32"N	83°0'16"E	0.71	1.02	0.02	2.69	0.03	0.01	0.01
5)	G.B.P.S.	24°11'56.5"N	83°59'41.1"E	0.92	1.02	0.03	2.53	0.02	0.01	0.01
6)	G.B.P.S.	24°12'30.9"N	83°0'8.0"E	0.83	1.00	0.05	2.52	0.03	0.01	0.01
7)	G.B.P.S.	24°12'23.4"N	83°0'21.8"E	0.62	1.00	0.04	2.57	0.02	0.01	0.01
8)	G.B.P.S.	24°7'41.6"N	83°47'40.8"E	0.96	1.01	0.05	2.62	0.03	0.02	0.02
9)	G.B.P.S.	24°12'35.8"N	83°0'12.3"E	0.87	1.01	0.07	2.76	0.03	0.01	0.02
10)	G.B.P.S.	24°11'57.4"N	82°58'55.1"E	0.76	1.02	0.08	2.68	0.04	0.01	0.01
11)	G.B.P.S.	24°11'12.5"N	83°55'35.5"E	0.89	1.01	0.11	2.63	0.05	0.01	0.02
12)	G.B.P.S.	24°12'34"N	83°0'14"E	0.61	1.01	0.16	2.64	0.04	0.01	0.02
13)	G.B.P.S.	24°12'26.9"N	83°45'53.3"E	0.46	1.02	0.12	2.72	0.07	0.01	0.02
14)	G.B.P.S.	24°7'13.1"N	82°46'9.3"E	0.54	1.02	0.13	2.54	0.05	0.01	0.02
15)	G.B.P.S.	24°11'12.5"N	82°54'14.0"E	0.83	1.02	0.19	2.61	0.06	0.01	0.02
16)	G.B.P.S.	24°11'22.7"N	83°53'23.3"E	0.91	1.02	0.08	2.83	0.06	0.01	0.02
17)	G.B.P.S.	24°11'9.1"N	82°52'58.6"E	0.77	1.01	0.04	2.86	0.03	0.01	0.02
18)	G.B.P.S.	24°10'35.5"N	82°52'15.5"E	0.62	1.01	0.06	2.79	0.04	0.01	0.02
19)	G.B.P.S.	24°11'38.9"N	82°50'7.0"E	0.84	1.01	0.07	2.72	0.05	0.01	0.02

20)	G.B.P.S.	24°11'0.3"N	82°49'3.9"E	0.71	1.01	0.02	2.59	0.05	0.01	0.03
21)	G.B.P.S.	24°10'30.7"N	83°48'4.9"E	0.75	1.02	0.21	2.57	0.06	0.02	0.02
22)	G.B.P.S.	24°9'43.6"N	82°47'31.9"E	0.68	1.02	0.21	2.66	0.06	0.02	0.01
23)	G.B.P.S.	24°9'7.6"N	82°47'20.8"E	0.61	1.03	0.22	2.62	0.05	0.02	0.02
24)	G.B.P.S.	24°5'57.6"N	83°43'37.8"E	0.81	1.01	0.17	2.68	0.06	0.01	0.02
25)	G.B.P.S.	24°12'17.81"N	82°54'39.25"E	0.57	1.02	0.15	2.61	0.08	0.01	0.02
26)	G.B.P.S.	24°11'45.21"N	83°19'21"E	0.12	1.02	0.12	2.49	0.06	0.01	0.02
27)	G.B.P.S.	24°11'36.92"N	83°2'6.5"E	0.47	1.01	0.06	2.50	0.03	0.01	0.02
28)	G.B.P.S.	24°11'54.54"N	83°2'39.12"E	0.47	1.02	0.01	2.59	0.07	0.02	0.02
29)	G.B.P.S.	24°11'59.67"N	83°2'32.41"E	0.66	1.02	0.01	2.41	0.05	0.02	0.03
30)	G.B.P.S.	24°11'20.08"N	83°1'23.58"E	0.76	1.01	0.02	2.58	0.08	0.01	0.02
31)	G.B.P.S.	24°11'10"N	83°0'48.73"E	0.72	1.00	0.02	2.76	0.08	0.02	0.02
32)	G.B.P.S.	24°11'48.34"N	83°3'40.2"E	0.68	1.01	0.01	2.71	0.07	0.02	0.03
33)	G.B.P.S.	24°12'10.51"N	83°0'41.48"E	0.54	1.02	0.15	2.89	0.08	0.01	0.03
34)	G.B.P.S.	24°11'45.12"N	82°54'12.32"E	0.21	1.02	0.02	2.74	0.08	0.01	0.02
35)	G.B.P.S.	24°10'52.17"N	83°51'11.46"E	0.25	1.02	0.02	2.56	0.07	0.01	0.03
36)	G.B.P.S.	24°9'36.93"N	83°46'25.08"E	0.87	1.02	0.03	2.52	0.06	0.01	0.04
37)	G.B.P.S.	24°4'33.19"N	82°41'30.85"E	0.18	1.02	0.11	1.79	0.07	0.01	0.04
38)	G.B.P.S.	24°3'59.67"N	82°41'15.46"E	0.49	1.03	0.11	1.42	0.07	0.01	0.03
39)	G.B.P.S.	24°3'10.09"N	82°40'31.26"E	0.76	1.03	0.11	1.65	0.07	0.01	0.03
40)	G.B.P.S.	24°3'19.75"N	82°39'33.5"E	0.71	1.02	0.10	1.54	0.05	0.01	0.02
41)	G.B.P.S.	24°2'27.6"N	82°38'49"E	0.87	1.03	0.10	1.59	0.03	0.01	0.03
42)	G.B.P.S.	24°2'26.26"N	82°38'5.43"E	0.85	1.02	0.12	1.62	0.01	0.01	0.02
43)	G.B.P.S.	24°2'2.57"N	82°37'12.04"E	0.74	1.01	0.12	1.71	0.02	0.02	0.02
44)	G.B.P.S.	24°3'36.93"N	83°42'22.66"E	0.62	1.02	0.12	1.77	0.05	0.02	0.02
45)	Rihand Dam	24°5'14.7"N	82°42'50.4"E	0.65	1.03	0.16	2.98	0.05	0.02	0.01
46)	Anpara	24°11'47.7"N	82°44'55.5"E	1.19	1.52	0.16	2.30	0.09	0.04	0.08
47)	Hindalco	24°13'12.2"N	82°1'48.8"E	1.20	1.66	0.28	1.69	0.12	0.05	0.09

48)	NTPC Singrauli	24°6'31.1"N	82°42'36.5"E	1.69	1.61	0.18	2.52	0.14	0.03	0.06
49)	NTPC Vindhyanchal	24°5'29.3"N	82°41'11.1"E	1.15	1.12	0.21	2.16	0.19	0.03	0.08
50)	Jhingurdah	24°12'23.3"N	82°44'12.5"E	1.02	1.13	0.42	3.21	0.15	0.08	0.21
51)	Nigahi	24°9'1.8"N	82°36'19.0"E	0.68	1.20	0.12	2.19	0.09	0.04	0.15
52)	Kakri	24°10'29.4"N	82°44'45.0"E	0.93	1.21	0.12	2.01	0.08	0.03	0.11
53)	Krishnashila	24°9'31.2"N	82°44'45.0"E	0.95	1.12	0.10	1.89	0.08	0.03	0.14
54)	Bina	24°10'5.2"N	82°44'36.2"E	0.98	1.11	0.11	1.43	0.16	0.04	0.12
55)	Dudhichua	24°9'26.9"N	82°41'31.1"E	0.91	1.13	0.12	1.37	0.18	0.04	0.13
56)	Krishnashila+Bina	24°5'59.8"N	82°44'26.8"E	0.93	1.22	0.12	1.45	0.15	0.03	0.16
57)	Jayant	24°10'31"N	82°39'29.2"E	0.99	1.32	0.11	3.09	0.12	0.03	0.19
58)	Amlohri	24°8'28.4"N	82°35'34.2"E	0.91	1.42	0.21	4.27	0.11	0.02	0.17
59)	Baliya Nalla	24°7'20"N	82°40'3.0"E	2.13	1.83	0.35	5.76	0.29	0.06	0.26
60)	Motwani Dam	24°7'54"N	82°39'23"E	1.54	1.70	0.48	5.82	0.23	0.05	0.22
	Permissible limit for drinking water as suggested by WHO/BIS			<b>1.0</b>	<b>1.5</b>	<b>0.15</b>	<b>5.0</b>	<b>0.20</b>	<b>0.01</b>	<b>0.10</b>

Table A.8:- Analysis of Heavy Metals in water samples during post monsoon season

S. No.	Sample Location	Latitude	Longitude	Iron (mg/L)	Copper (mg/L)	Lead (mg/L)	Zinc (mg/L)	Nickel (mg/L)	Chromium (mg/L)	Cadmium (mg/L)
1)	G.B.P.S.	24°12'27.7"N	83°0'10.5"E	0.68	1.01	0.03	2.52	0.01	0.01	0.01
2)	G.B.P.S.	24°12'5.6"N	83°59'41.1"E	0.64	1.01	0.06	2.48	0.01	0.01	0.00
3)	G.B.P.S.	24°12'3.6"N	83°58'2.3"E	0.65	1.01	0.07	2.42	0.02	0.00	0.00
4)	G.B.P.S.	24°12'32"N	83°0'16"E	0.69	1.02	0.01	2.54	0.02	0.00	0.00
5)	G.B.P.S.	24°11'56.5"N	83°59'41.1"E	0.88	1.02	0.02	2.42	0.01	0.01	0.00
6)	G.B.P.S.	24°12'30.9"N	83°0'8.0"E	0.71	1.00	0.04	2.45	0.03	0.00	0.01
7)	G.B.P.S.	24°12'23.4"N	83°0'21.8"E	0.57	1.00	0.03	2.46	0.02	0.00	0.01
8)	G.B.P.S.	24°7'41.6"N	83°47'40.8"E	0.92	1.01	0.04	2.51	0.02	0.01	0.01
9)	G.B.P.S.	24°12'35.8"N	83°0'12.3"E	0.71	1.00	0.06	2.67	0.02	0.00	0.02
10)	G.B.P.S.	24°11'57.4"N	82°58'55.1"E	0.72	1.02	0.05	2.57	0.03	0.00	0.01
11)	G.B.P.S.	24°11'12.5"N	83°55'35.5"E	0.75	1.01	0.01	2.52	0.05	0.00	0.02
12)	G.B.P.S.	24°12'34"N	83°0'14"E	0.54	1.01	0.14	2.53	0.03	0.00	0.01
13)	G.B.P.S.	24°12'26.9"N	83°45'53.3"E	0.41	1.02	0.10	2.69	0.07	0.01	0.01
14)	G.B.P.S.	24°7'13.1"N	82°46'9.3"E	0.52	1.01	0.11	2.51	0.04	0.01	0.02
15)	G.B.P.S.	24°11'12.5"N	82°54'14.0"E	71.00	1.01	0.16	2.57	0.06	0.00	0.02
16)	G.B.P.S.	24°11'22.7"N	83°53'23.3"E	0.88	1.02	0.06	2.79	0.06	0.01	0.02
17)	G.B.P.S.	24°11'9.1"N	82°52'58.6"E	0.73	1.01	0.03	2.81	0.02	0.01	0.02
18)	G.B.P.S.	24°10'35.5"N	82°52'15.5"E	0.58	1.00	0.04	2.72	0.04	0.01	0.01
19)	G.B.P.S.	24°11'38.9"N	82°50'7.0"E	0.82	1.00	0.06	2.68	0.04	0.01	0.02

20)	G.B.P.S.	24°11'0.3"N	82°49'3.9"E	0.69	1.01	0.01	2.52	0.05	0.01	0.03
21)	G.B.P.S.	24°10'30.7"N	83°48'4.9"E	0.71	1.01	0.20	2.54	0.05	0.01	0.02
22)	G.B.P.S.	24°9'43.6"N	82°47'31.9"E	0.64	1.01	0.21	2.61	0.06	0.01	0.01
23)	G.B.P.S.	24°9'7.6"N	82°47'20.8"E	0.55	1.02	0.21	2.56	0.05	0.02	0.01
24)	G.B.P.S.	24°5'57.6"N	83°43'37.8"E	0.79	1.00	0.13	2.62	0.05	0.01	0.02
25)	G.B.P.S.	24°12'17.81"N	82°54'39.25"E	0.55	1.01	0.11	2.58	0.07	0.00	0.01
26)	G.B.P.S.	24°11'45.21"N	83°19'2.1"E	0.11	1.01	0.10	2.46	0.05	0.00	0.02
27)	G.B.P.S.	24°11'36.92"N	83°2'6.5"E	0.43	1.01	0.05	2.47	0.03	0.01	0.02
28)	G.B.P.S.	24°11'54.54"N	83°2'39.12"E	0.35	1.01	0.01	2.57	0.06	0.01	0.02
29)	G.B.P.S.	24°11'59.67"N	83°2'32.41"E	0.54	1.02	0.01	2.39	0.05	0.02	0.02
30)	G.B.P.S.	24°11'20.08"N	83°1'23.58"E	0.72	1.01	0.01	2.55	0.08	0.01	0.02
31)	G.B.P.S.	24°11'10"N	83°0'48.73"E	0.61	1.00	0.01	2.72	0.08	0.02	0.02
32)	G.B.P.S.	24°11'48.34"N	83°3'40.2"E	0.66	1.01	0.01	2.68	0.07	0.02	0.03
33)	G.B.P.S.	24°12'10.51"N	83°0'41.48"E	0.53	1.01	0.11	2.86	0.07	0.01	0.03
34)	G.B.P.S.	24°11'45.12"N	82°54'12.32"E	0.18	1.02	0.01	1.72	0.08	0.00	0.02
35)	G.B.P.S.	24°10'52.17"N	83°51'11.46"E	0.23	1.02	0.02	1.53	0.06	0.01	0.03
36)	G.B.P.S.	24°9'36.93"N	83°46'25.08"E	0.84	1.02	0.03	1.51	0.05	0.00	0.03
37)	G.B.P.S.	24°4'33.19"N	82°41'30.85"E	0.14	1.02	0.01	1.77	0.06	0.00	0.04
38)	G.B.P.S.	24°3'59.67"N	82°41'15.46"E	0.46	1.02	0.01	1.41	0.07	0.01	0.03
39)	G.B.P.S.	24°3'10.09"N	82°40'31.26"E	0.63	1.02	0.01	1.62	0.07	0.00	0.02
40)	G.B.P.S.	24°3'19.75"N	82°39'33.5"E	0.62	1.02	0.00	1.53	0.05	0.00	0.02
41)	G.B.P.S.	24°2'27.6"N	82°38'49"E	0.74	1.02	0.00	1.56	0.03	0.01	0.02
42)	G.B.P.S.	24°2'26.26"N	82°38'5.43"E	0.72	1.02	0.10	1.59	0.01	0.01	0.02
43)	G.B.P.S.	24°2'2.57"N	82°37'12.04"E	0.62	1.01	0.02	1.68	0.02	0.01	0.01
44)	G.B.P.S.	24°3'36.93"N	83°42'22.66"E	0.51	1.02	0.02	1.74	0.05	0.02	0.02
45)	Rihand Dam	24°5'14.7"N	82°42'50.4"E	0.63	1.02	0.11	2.95	0.05	0.02	0.01
46)	Anpara	24°11'47.7"N	82°44'55.5"E	0.97	1.42	0.15	2.10	0.09	0.04	0.06
47)	Hindalco	24°13'12.2"N	82°1'48.8"E	1.05	1.55	0.24	1.62	0.11	0.05	0.07

48)	NTPC Singrauli	24°6'31.1"N	82°42'36.5"E	1.63	1.51	0.16	2.48	0.13	0.03	0.05
49)	NTPC Vindhyanchal	24°5'29.3"N	82°41'11.1"E	1.11	1.10	0.18	2.13	0.17	0.03	0.07
50)	Jhingurdah	24°12'23.3"N	82°44'12.5"E	1.00	1.10	0.41	3.18	0.14	0.08	0.20
51)	Nigahi	24°9'1.8"N	82°36'19.0"E	0.56	1.10	0.12	2.17	0.09	0.04	0.13
52)	Kakri	24°10'29.4"N	82°44'45.0"E	0.81	1.11	0.11	1.97	0.08	0.03	0.09
53)	Krishnashila	24°9'31.2"N	82°44'45.0"E	0.82	1.01	0.10	1.84	0.07	0.03	0.12
54)	Bina	24°10'5.2"N	82°44'36.2"E	0.95	1.01	0.11	1.41	0.15	0.03	0.11
55)	Dudhichua	24°9'26.9"N	82°41'31.1"E	0.90	1.02	0.11	1.35	0.16	0.03	0.12
56)	Krishnashila+Bina	24°5'59.8"N	82°44'26.8"E	0.81	1.18	0.11	1.43	0.14	0.03	0.13
57)	Jayant	24°10'31"N	82°39'29.2"E	0.96	1.22	0.11	3.05	0.10	0.02	0.17
58)	Amlohri	24°8'28.4"N	82°35'34.2"E	0.85	1.32	0.19	4.26	0.10	0.02	0.15
59)	Baliya Nalla	24°7'20"N	82°40'3.0"E	2.10	1.73	0.32	5.73	0.26	0.06	0.23
60)	Motwani Dam	24°7'54"N	82°39'23"E	1.51	1.60	0.45	5.79	0.21	0.05	0.21
	Permissible limit for drinking water as suggested by WHO/BIS			<b>1.0</b>	<b>1.50</b>	<b>0.15</b>	<b>5.0</b>	<b>0.20</b>	<b>0.01</b>	<b>0.10</b>

## Appendix A.9

Table A.9:- Analytical Precision and Accuracy of various equipments

<b>S. No.</b>	<b>Instrument Name And Model</b>	<b>Minimum Detection Limit</b>	<b>Manufacturer Certifying The Values</b>
1)	Ion Chromatography : <i>Metrohm 930 Compact IC, Switzerland</i> For Anions : <i>Metrosep A Supp 5, 250/4.0</i> For Cations : <i>Metrosep C4 150/4.0</i>	0.01 mg/L	Metrohm India Limited
2)	Induced Couple Plasma-Optical Emission Spectrometer : <i>Optima 7000 DV</i>	0.0006 mg/L	PerkinElmer Inc., USA
3)	Atomic Absorption Spectrometer : <i>AAAnalyst 800</i>	Cd - $0.07 \times 10^{-9}$ mg/L Cr - $0.2 \times 10^{-9}$ mg/L Zn - $0.33 \times 10^{-9}$ mg/L Ni - $3.6 \times 10^{-9}$ mg/L Pb - $4.5 \times 10^{-9}$ mg/L Cu - $0.75 \times 10^{-9}$ mg/L Fe - $0.1 \times 10^{-9}$ mg/L	PerkinElmer Inc., USA
4)	Multi Parameter Apparatus : <i>Hanna Hi 9828</i>	pH - 0.01 ORP - 0.1 mV D.O. - 0.01 mg/L TDS - 1 mg/L Salinity - 0.01 mg/L E.C. - 1 $\mu$ S/cm	Hanna Instruments, USA

## GLOSSARY

---

---

The important terms used in this thesis are explained as Glossary.

**Band** - The specific wavelength interval in the electromagnetic spectrum.

**Bioaccumulation** - is defined as the ‘net result of uptake, transformation and elimination of a substance in an organism due to all routes of exposure (i.e., air, water, sediment/soil, and food)’ and degradation as ‘the decomposition of organic molecules to smaller molecules and eventually to carbon dioxide, water, and salts.’

**Bioconcentration** - refers to uptake of contaminants from the external environment only (usually water).

**Biomagnification** - is any concentration of a toxin, such as pesticides or metals, in the tissues of tolerant organisms at successively higher levels in a food chain.

**Contaminants** – defines any physical, chemical, biological or radiological substance or matter in water.

**Digital Elevation Model (DEM)** - is a digital representation of ground surface topography or terrain. It is also widely known as a digital terrain model (DTM). While the term can be used for any representation of terrain as GIS data, it is generally restricted to the use of a raster grid of elevation values.

**Dissolved Oxygen** - Dissolved Oxygen is the amount of gaseous oxygen dissolved in the water.

**Electrical Conductivity** - it is a measure of water’s capability to pass electrical flow. This ability is directly related to the concentration of ions in the water. These conductive ions come from dissolved salts and inorganic materials such as alkalis, chlorides, sulfides and carbonate compounds.

**Electromagnetic spectrum** - the range of electromagnetic radiation wavelengths and frequencies. They are usually divided into seven categories: radio, microwave, infrared, visible, ultra-violet, x-ray, and gamma-ray radiation.

**False Colour Composite** - An artificially generated colour image in which blue, green and red colours are assigned to the wavelength regions to which they do not belong in nature. For example, in standard a False Colour Composite blue is assigned to green radiations (0.5 to 0.6  $\mu\text{m}$ ), green is assigned to red radiations (0.6 to 0.7  $\mu\text{m}$  and red is assigned to Near Infrared radiation (0.7 to 0.8  $\mu\text{m}$ ).

**Geographic Information System (GIS)** - the manipulating of data stored and indexed according to geographic coordinates of its elements.

**Hardness** – The definition of water hardness is the amount of dissolved calcium and magnesium in the water.

**Hierarchical Cluster Analysis** - can be defined as the technique of unsupervised pattern recognition where classes are divided into clusters or groups on the basis of dissimilarities amongst the different classes while classifying them on the basis of similarities within the class.

**Image** - an illustrative representation acquired by satellite systems comprising of data arrays.

**Land Use/ Land Cover** - refers to the categorization or classification of human activities and natural elements on the landscape within a specific time frame based on established scientific and statistical methods of analysis of appropriate source materials.

**Landsat** - Land Remote-Sensing Satellite, a series of satellites developed to gather data of Earth's resources in a systematic manner. Operated by US Earth Observation Satellite

Company and used for: land use inventory, crop/forestry assessment, geological and mineralogical studies, and cartography.

**Multispectral Scanner System** - A scanning system used to collect data over a variety of different wavelength ranges is called a multispectral scanner. It operates in spectral bands ranging from 0.3-14  $\mu\text{m}$ . These are line scanning devices observing the Earth perpendicular to the orbital track.

**Oxidation Reduction Potential** - Redox potential is a measure of the tendency of a chemical species to acquire electrons from or lose electrons to an electrode and thereby be reduced or oxidised respectively.

**pH** - is defined as the negative logarithm of  $\text{H}^+$  ion concentration. Hence, it can be considered as a measure of the acidity or alkalinity of a solution. The pH scale usually ranges from 0 to 14.

**Phytodegradation** - This involves plants and associated microbes for degradation of organic pollutant.

**Phytoextraction** - This technique involves the use of plants for removal of metals from the soil & concentrate them in the harvestable parts of plants.

**Phytoremediation** - is defined as the use of living green plants for in situ removal, degradation, and containment of contaminants in soils, surface waters, and groundwater.

**Phytostabilization** - It involves plants to reduce the mobility and bioavailability of pollutants in the environment either by immobilisation or by prevention of migration.

**Phytovolatilisation** - It is defined as the volatilisation of pollutants into the atmosphere via plants.

**Remote sensing** - the gathering of information about the Earth from a distance, without actually coming in contact with it.

**Resolution** - ability to separate two discernable objects.

**Rhizofiltration** - It includes absorption of metals from streams through plants roots.

**Sustainable** – means meeting our own needs without compromising the ability of future generations to meet their own needs.

**Thermal Infrared Sensor** - measures land surface temperature in two thermal bands with a new technology that applies quantum physics to detect heat.

**Total Dissolved Solids** - is a measure of the dissolved combined content of all inorganic and organic substances present in a liquid in molecular, ionized, or micro-granular (colloidal sol) suspended form.

**Total Suspended Solids** - are particles that are larger than 2 microns found in the water column. These solids include anything drifting or floating in the water, from sediment, silt and sand to plankton and algae.

**Triangulated Irregular Network** - is a 3D surface model derived from irregularly spaced points and break line features.

**Water Pollution** – can be defined as the release of substances into subsurface groundwater or into lakes, streams, rivers, estuaries, and oceans to the point where the substances interfere with beneficial use of the water or with the natural functioning of ecosystems.

**Water Quality Index** - A water quality index provides a single number (like a grade) that expresses overall water quality at a certain location and time based on several water quality parameters.

## LIST OF PUBLICATIONS

---

---

- 1) Evaluation of Reservoir Water Quality Using Water Quality Index in Govind Ballabh Pant Sagar Reservoir, India - Ramita Varshney and Aarif Jamal (2018). *Rasayan Journal of Chemistry*, 11 (3), 1177-1182 (2018). DOI: <http://dx.doi.org/10.31788/rjc.2018.1134023>.
- 2) A Multivariate Statistical Analysis Approach for the Assessment of Water Quality in Govind Ballabh Pant Sagar Reservoir – Ramita Varshney and Aarif Jamal (2019). *Rasayan Journal of Chemistry*, 12 (1), 251-256 (2019). DOI: <http://dx.doi.org/10.31788/rjc.2019.1215056>.

### **Papers Presented in Conferences**

- 3) An Assessment of Water Quality of Rihand River (India) using Multivariate Statistical Techniques – Ramita Varshney, Ashish Kumar Vishwakarma, Ashwani Kumar Sonkar and Aarif Jamal (2019). Accepted and Published in Proceedings of the International Conference on “River Health; Assessment to Restoration (RHAR-2019)”.
- 4) Economic Rehabilitation of Local population in the post mining situation – A. Jamal, R. Kumar, S. Ratan, R. Varshney, S. Shirin (2017). Accepted and Published in CEMEPE/SECOTOX. Proceedings of the Sixth international Conference on Environmental Management, Engineering, Planning and Economics, Thessaloniki, Greece, June 25-30, 2017, pp. 876-885.