


Certificate

It is certified that the work contained in the thesis titled "**Study of Magnetic and Magnetotransport Properties of Some Heusler Alloys**" by **Ms. Srishti Dixit**, Roll Number **18171006**, has been carried out under my/our supervision, and this work has not been submitted elsewhere for a degree.

It is further certified that the student has fulfilled all the requirements of the Comprehensive Examination, Candidacy, and SOTA for the award of **Ph.D. Degree in Physics**.

Signature:


Supervisor
Prof. Sandip Chatterjee
Department of Physics
Indian Institute of Technology (Banaras Hindu University)
Varanasi-221005 (UP)
Professor
Department of Physics
Indian Institute of Technology
(Banaras Hindu University)
Varanasi-221005

Copyright Transfer Certificate

Title of the Thesis: "**Study of Magnetic and Magnetotransport Properties of Some Heusler Alloys**"

Name of the Student : **Srishti Dixit**

Copyright Transfer

The undersigned hereby assigns to the Institute of Technology (Banaras Hindu University) Varanasi all rights under copyright that may exist in and for the above thesis submitted for the award of the **Doctor of Philosophy (Ph.D.) in Physics**.

Date: 28/12/23

Place: IIT(BHU), Varanasi


Signature:

Srishti Dixit

Note: However, the author may reproduce or authorize others to reproduce material extracted verbatim from the thesis or derivative of the thesis for the author's personal use, provided that the source and the Institute's copyright notice are indicated.

Acknowledgements

I would like to express my special gratitude to those people for the constant support, love, and affection I got throughout this journey. Here, I have made a mere attempt to name a few.

First, I would like to sincerely thank my respected supervisor, ***Prof. Sandip Chatterjee, Department of Physics, IIT(BHU), Varanasi***, for his excellent guidance, continuous encouragement, patience, advice, and moral support during the whole span of my Ph.D. I feel fortunate to have such a supervisor who cared so much about my work, shaped my understanding of the subject, and gave me the confidence to work independently. In a single line, the current piece of thesis would not have come to this shape without his motivation and perseverance

I express my cordial thanks to my RPEC members ***Dr. Swapnil Patil, Dr. Ashish Kumar Mishra***, for their knowledgeable suggestions throughout my research work. I extend my profound gratitude to ***Dr. Sanjay Singh, School of Materials Science and Technology, IIT (BHU) Varanasi*** for generously sharing a state-of-the-art technique. This invaluable contribution served as a pivotal building block in my journey and ***Dr. Prashant Shahi*** for furnishing extraordinary measurement facilities abroad to execute the thesis work, without their support it could have been impossible to complete this thesis adequately. I express my gratefulness to ***Prof. Debaprasad Giri*** for his continuous inspiration and valuable remarks. I would also like to thank all faculty of the Department of Physics IIT (BHU) and non-teaching staff members for their kind support. I would also like to thank CIFIC, IIT (BHU) for providing experimental facilities during the entire course of research work. My acknowledgment will never be complete without the special mention of my lab seniors who have taught me the lab culture and have lived by example to make me understand the hard facts of life. My appreciation goes to my seniors for their great help

during my five years of the Ph.D. journey *Dr. Abhishek Singh, Dr. Rahul Singh, Dr. Prince Gupta, Dr. Surajit Ghosh, Dr. Arkadeb Pal, Dr. Vinod Kumar Gangwar, Dr. Prajyoti Singh, Dr. Mahima Singh, Dr. Mohd Alam, Dr. Khyati Anand, Dr. Seema Kumari, Dr. Sambhab Dan*. I also wish to thank my fellow lab mates for providing a friendly and productive environment for carrying out my research work. (*Mr. Rahul Kumar Singh, Ms. Asmitha, Mr. Satya Vijay Kumar, Mr. Dheeraj Kumar, Mr. Nandkishor Pal, Ms. Sneha Yadav, Mr. Vishnu Sharma, Ms. Madhusmita Jena, Mr. Atul Kumar and Mr. Shiv shakti Tiwari*). Additionally I would also like to express my deepest thanks *Sanskar Mishra, Nisha Shahi* for their continuous academic support..

There are always just a few individuals who accompany me with their presence, boundless optimism, and lovely spirit. The inspiration derived from *Shubham, Ankita Didi, Anshika, Labanya Didi, Neha, and Swayangsiddha* has been my constant companion. The unwavering support and optimistic mindset provided by *Vikas Bhaiya* has been a guiding light for me, standing by me in every situation and circumstance. Your belief in possibilities, even in the face of the impossible, has been a constant inspiration. Steadfast support, encouragement, and a positive outlook have made a world of difference. I am truly fortunate to have someone as remarkable as you by my side.

I express my sincere and cordial gratitude to my father *Shri. Om Prakash Dixit*, my mother *Smt. Suman Dixit*, my elder sisters *Sarita Dixit and Sarika Dixit, Akanksha Dixit*, and my elder brother *Shashank Dixit* who always stood by my decisions and provided all kinds of support, moral as well as financial. Their love, care, and patience encouraged me to move on. Thank you for being my pillar of strength and for believing in me when I sometimes struggled to believe in myself. Your impact on my journey is immeasurable, and I am genuinely grateful.

Srishti Dixit

List of figures

1.1	Possible elements for the formation of Heusler alloys(Color coding indicates the choice for X,Y and Z elements).	3
1.2	The unit cell structure of ordered full Heusler alloy (a), unit cell structure with B2 and A2 disorder (b and c respectively.) and quaternary Heusler alloy (d)	5
1.3	Spin alignment of a ferromagnetic, antiferromagnetic, and spin glass system.	7
1.4	Illustration of a 2D triangular lattice and tetrahedral lattice with geometric spin frustration, where not all nearest neighbor antiferromagnetic interactions can be satisfied simultaneously.	9
1.5	Schematic representation of exchange bias effect.	12
1.6	The memory effect in the DC magnetization is evident in the presented data 1.6	13
1.7	Geometrical representation of ordinary Hall effect	17
1.8	(a) Geometrical representation of anomalous Hall effect (b) The Hall resistivity (ρ_{xy}) Vs. the magnetic field of a ferromagnetic conductor, here $R_S M$ denotes the zero-field intercept associated with the AHE as mentioned in equation 1.9	17
1.9	Schematic representation of the major mechanisms	18

2.1	arrangement of vacuum arc melting furnace and image of melted ingot sealed inside the quartz tube.	23
2.2	image of Muffle furnace with temperature controller	35
2.3	X-ray Diffraction setup	36
2.4	Left Figure: Schematic diagram illustrating the photoelectric effect, capturing the essence of electron liberation in response to incident photons. Right Figure: Schematic diagram depicting the X-ray Photoemission Spectroscopy (XPS) setup.	36
2.5	Energy-level diagram showing the states involved in Raman spectra.	37
2.6	Transitions between the core electron which rise near the XAS edges.	38
2.7	Experimental setup for an XMCD experiment. The circularly polarized X-rays are provided by an undulator, which then irradiates the sample, which is kept magnetized by an applied magnetic field.	39
2.8	Image of Quantum design MPMS 3.	39
2.9	MPMS 3 allowed conditions; Schematic representation of working principle of SQUID.	40
2.10	(a) Schematic representation of longitudinal resistivity in four probe setup (ρ_{xx}). (b) Schematic representation of transverse resistivity (ρ_{xy})	40
2.11	Schematic diagram of sample holder for thermoelectric measurement	40
3.1	Powder x-ray diffraction pattern of $Mn_{1.5}Co_{0.5}FeAl$ at room temperature (300 K)	44

3.2	. (a) dc magnetization of $Mn_{1.5}Co_{0.5}FeAl$ measured at 20 Oe in <i>ZFCW</i> and <i>FCW</i> conditions. The inset provides a magnified view of the spin glass transition. (b) dc susceptibility (χ_{dc}) was measured at different fields in <i>ZFCW</i> and <i>FCW</i> conditions. (c) dc magnetization was measured at different fields in <i>ZFCW</i> and <i>FCW</i> conditions. The dash lines (blue for T_{irr} and pink for T_f are showing the shifting of T_{irr} and T_f	45
3.3	Isothermal magnetization $M(H)$. Measured at 4 K (a), 25 K (b), 50 K (c), 175 K (d), 200 K (e), 300 K (f)	46
3.4	Frequency-dependent ac susceptibility. (a) The real part of χ' measured at T_f shows the shifting with frequency. (b) The imaginary part of AC susceptibility shows steplike behavior. (c) and (d) showing the critical scaling fit, Vogel-Fulcher fit, Arrhenius fit, and linear behavior of T_f vs. $H^{\frac{2}{3}}$ shows the presence of the de Almeida-Thouless line	47
3.5	Memory effect measured at 15 K. (a) ZFC and (b) FC curves	50
3.6	Magnetic relaxation measured at 15 K under the application of 1000 Oe external field.	53
3.7	Isothermal magnetization measures at 4 K in ZFC and FC conditions. The inset depicts the enlarged view of shifting along the positive X axis on the application of the +5 T field.	54
4.1	(a-d) X-ray photoemission spectra of Mn, Co, Fe, and Al. (e,f) Survey scan and valance band spectra of $Mn_{1.5}Co_{0.5}FeAl$ alloy.	60
4.2	(a) Temperature dependent Raman spectra of $Mn_{1.5}Co_{0.5}FeAl$ using excitation wavelength of 633 nm. (b) Room temperature Raman spectra with Lorentzian fit.t. (c) variation in peak centre position with temperature (d) peak width with temperature	62

4.3	(a) Temperature-dependent Resistivity of MCFA, fitted with equation 4.1 (orange dot line). (b) Inset shows the logarithmic scale of conductivity vs. $1000/T$ curve to determine the beginning of nonlinearity (c) Temperature variation of weighted mobility (μ_w) along with the temperature dependency of the order of $\alpha = 1.2$	63
4.4	Illustration of, (a) Seebeck coefficient and electrical conductivity of $Mn_{1.5}Co_{0.5}FeAl$ recorded from room temperature to 25 K. (b) Power factor (PF) for the system calculated using equation (5). (c) Thermal variations of thermal conductivity, electronic thermal conductivity (K_e) and lattice thermal conductivity (K_l). (d) Figure of merit (ZT) for the system. The lines are drawn as a guide to the eye.	65
4.5	Temperature dependent X-ray diffraction pattern of $Mn_{1.5}Co_{0.5}FeAl$	67
4.6	Linear fit between $\ln V$ and $\ln \omega$ for the estimation of γ_G	68
5.1	(a) Room temperature powder XRD of NMSA (b) unit cell drawing using VESTA software showing the antisite disorder	75
5.2	Temperature dependent magnetization (M(T)) at 200 Oe in ZFC and FC protocols, Inset showing the (M(T)) curve for 500 Oe field. (b) Isothermal magnetization at 2 K, 260 K, and 300 K.	77
5.3	Temperature-dependent longitudinal resistivity (ρ_{xx})	79
5.4	Schematic representation of four probe setup	80
5.5	(a) Symmetric part of the MR (b) Asymmetric nature of MR (c) and (d) showing the both components of MR at 2K and 300 K inset showing the TOTAL MR (SYM+ASYM)	81

5.6	(a) Field-dependent Hall resistivity curves at different temperatures. (b) inset shows the linear fit of ρ_{xy} at 2 K (c) Field-dependent Hall conductivity curve at various temperatures (d) inset shows the zero-field extrapolation of high-field Hall conductivity data at 2 K; (e) variation in anomalous Hall conductivity with temperature; (f) linear fit of the ρ_{xy} vs. ρ_{xx}^2 curve. Inset shows the linear fit on the logarithmic scale between ρ_{xy} vs. ρ_{xx} logarithmic scale between (h) shows the separate contribution coming from both mechanisms.	82
6.1	Room temperature XRD pattern of <i>CoFeMnSn</i> along with the refinement for the Type I configuration with antisite disorder between <i>Co</i> and <i>Fe</i> , and <i>Mn</i> and <i>Sn</i>	91
6.2	Upper pannel shows the EDS spectrum of the constituent elements of <i>CoFeMnSn</i> (Inset shows the atomic percentage of respective elements) lower panel shows the composition mapping of constituent elements. . . .	93
6.3	The x-ray absorption spectra of Mn (a), Co (b), and Fe (c) along with the XMCD spectra of respective elements at 300 K	93
6.4	Isothermal magnetization (M(H)) curve recorded at 6K and 300 K, dotted line shows the predicted value of m_s from Slater Pauling rule.	95
6.5	Temperature dependent longitudinal electrical resistivity of the system . . .	96
6.6	(a) Field dependence of Hall resistivity at various temperatures (Inset showing the linear fit of Hall data at high field) (b) field dependent Hall resistivity at different temperatures (Inset showing the Anomalous Hall conductivity at 2K.)	97
6.7	(a) Scaling relation used in double logarithmic plot between ρ_{xy}^A and ρ_{xx} (blackballs) and linear fit	

List of tables

4.1	Parameters obtained from temperature-dependent X-ray diffraction. . . .	68
-----	---	----