

REFERENCES

- A. A. Al-Sharif and B. Pradhan, "A novel approach for predicting the spatial patterns of urban expansion by combining the chi-squared automatic integration detection decision tree, Markov chain and cellular automata models in GIS," *Geocarto International*, 2015, v. 30, n. 4, pp. 858-881.
- A. A. Al-sharif and B. Pradhan, "Monitoring and predicting land use change in Tripoli metropolitan city using an integrated markov chain and cellular automata models in GIS," *Arabian Journal of Geosciences*, 2014, v. 7, n. 10, pp. 4291-4301.
- A. Bannari, D. Morin, F. Bonn, and A. R. Huete, "A Review of vegetation indices," *Remote Sensing Reviews*, 1995, v. 13, pp. 95-120.
- A. Baraldi and F. Parmiggiani, "An investigation of the textural characteristics associated with grey level cooccurrence matrix statistical parameters," *IEEE Transaction on Geoscience and Remote Sensing*, 1995, v. 33, n. 2, pp. 293-304.
- A. Comber, P. Fisher, C. Brunsdon and A. Khmag, "Spatial analysis of remote sensing image classification accuracy," *Remote Sensing of Environment*, 2012, v. 127, pp. 237-246.
- A. Elmore, J. Mustard, S. J. Manning, and D. B. Lobell, "Quantifying vegetation change in semiarid environments precision and accuracy of spectral mixture analysis and the normalized difference vegetation index," *Remote Sensing of Environment*, 2000, v. 73, n. 1, pp. 87-102.
- A. F. Friedl, D. K. Mciver, J. C. F. Hodges, X. Y. Zhang, D. Muchoney et al., "Global land cover mapping from MODIS: algorithms and early results," *Remote Sensing of Environment*, 2002, v. 83, n. 1-2, pp. 287-302.
- A. G. Bozkaya, F. B. Balcik, C. Goksel and H. Esbah, "Forecasting land-cover growth using remotely sensed data: a case study of the Igneada protection area in Turkey," *Environmental Monitoring and Assessment*, 2015, v. 187, pp. 59.
- A. Giriraj, M. Irfan-Ullah, M. S. R. Murthy and C. Beierkuhnlein, "Modelling spatial and temporal forest cover change patterns (1973-2020): a case study from South Western Ghats (India)," *Sensors*, 2008, v. 8, n. 10, pp. 6132-6153.
- A. H. S. Solberg and A. K. Jain, "Texture fusion and feature selection applied to SAR imagery," *IEEE Transactions on Geoscience and Remote Sensing*, 1997, v. 35, n. 2, pp. 475-479.
- A. H. Strahler, L. Boschett, G. M. Foody, M. A. Friedl, M. C. Hansen, M. Herold et al., "Global land cover validation: recommendations for evaluation and accuracy assessment of

- global land cover maps," Technical Report, Joint Research Centre, Ispra, Italy, EUR 22156 EN, 2006, pp. 51.
- A. Huete, K. Didan, T. Miura, E. P. Rodriguez, X. Gao and L. G. Ferreira, "Overview of the radiometric and biophysical performance of the MODIS vegetation indices," *Remote Sensing of Environment*, 2002, v. 83, n. 1-2, pp. 195-213.
- A. J. McDonald, F. M. Gemmill and P. E. Lewis, "Investigation of the utility of spectral vegetation indices for determining information on coniferous forests," *Remote Sensing of Environment*, 1998, v. 66, n. 3, pp. 250-272.
- A. Kumar and A.P. Krishna, "Assessment of groundwater potential zones in coal mining impacted hard-rock terrain of India by integrating geospatial and analytic hierarchy process (AHP) approach," *Geocarto International*, 2016. DOI: 10.1080/10106049.2016.1232314.
- A. Liaw and M. Wiener, "Classification and regression by random forest," *R News*, 2002, 2: 18-22.
- A. Luckman, A. C. Frery, C. C. F. Yanasse and G. B. Groom, "Texture in airborne SAR imagery of tropical forest and its relationship to forest regeneration stage," *International Journal of Remote Sensing*, 1997, v. 18, n. 6, pp. 1333-1349.
- A. M. Dean and G. M. Smith, "An evaluation of per-parcel land cover mapping using fuzzy classification methods," *International Journal of Remote Sensing*, 2003, v. 24, n. 14, pp. 2905-2920.
- A. Misra, R. Mani Murli, P. Vethamony, "Assessment of the land use/land cover (LU/LC) and mangrove changes along the Mandovi-Zuari estuarine complex of Goa, India," *Arabian Journal of Geosciences*, 2015, v. 8, n. 1, pp. 267-279.
- A. Ndi Nyoungui, E. Tonye and A. Akono, "Evaluation of speckle filtering and texture analysis methods for land cover classification from SAR images," *International Journal of Remote Sensing*, 2002, v. 23, n. 9, pp. 1895-1925.
- A. Puissant, S. Rougiera and S. Andre', "Object-oriented mapping of urban trees using random forest classifiers," *International Journal of Applied Earth Observations and Geoinformation*, 2014, v. 26, pp. 235-245.
- A. S. Fotheringham, C. Brunson and M. E. Charlton, *Geographically weighted regression: The analysis of spatially varying relationships*, Chichester: Wiley, 2002.
- A. Veldkamp and L. O. Fresco, "CLUE: a conceptual model to study the conversion of land use and its effects," *Ecological Modelling*, 1996, v. 85, n. 2-3, pp. 253-270.
- A. W. Bowman, "An alternative method of cross-validation for the smoothing of density estimates," *Biometrika*, 1984, v. 71, n. 2, pp. 353-360.

A.H.S. Solberg and A.K. Jain, "Texture fusion and feature selection applied to SAR imagery," *IEEE Transaction on Geoscience and Remote Sensing*, 1997, v. 35, n. 2, pp. 475-479.

A.K. Jain and X. Yang, "Modeling the effects of two different land cover change data sets on the carbon stocks of plants and soils in concert with CO₂ and climate change," *Global Biogeochemical Cycles*, 2005, v. 19, n. 2, GB2015.

B. Ahmed and R. Ahmed, "Modeling urban land cover growth dynamics using multi-temporal satellite images: a case study of dhaka, Bangladesh," *ISPRS International Journal of Geo-Information*, 2012, v. 1, pp. 3-31.

B. Bhatta, *Analysis of urban growth and sprawl from remote sensing data*; Springer-Verlag: Heidelberg, Germany, 2010.

B. C. Pijanowski, S. Pithadia, B. A. Shellito and K. Alexandridis, "Calibrating a neural network based urban change model for two metropolitan areas of the Upper Midwest of the United States," *International Journal of Geographical Information Science*, 2005, v. 19, n. 2, pp. 197-215.

B. Dixon and N. Candade, "Multispectral land use classification using neural networks and support vector machines: one or the other, or both?" *International Journal of Remote Sensing*, 2008, v. 29, n. 4, pp. 1185-1206.

B. Lu, M. Charlton, P. Harris, A. S. Fotheringham, "Geographically weighted regression with a non-Euclidean distance metric: a case study using hedonic house price data," *International Journal of Geographical Information Science*, 2014, v. 28, n. 4, pp. 660-681.

B. M. Steele, J. C. Winne and R. L. Redmond, "Estimation and mapping of misclassification probabilities for thematic land cover maps," *Remote Sensing of Environment*, 1998, v. 66, n. 2, pp. 192-202.

B. Manjunath and W. Ma, "Texture features for browsing and retrieval of image data," *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 1996, v. 18, n. 8, pp. 837-842.

B. Prenzel, "Remote sensing-based quantification of land-cover and land-use change for planning," *Progress in Planning*, 2004, 61, pp. 281-299.

B. Rimal, L. Zhang, H. Keshtkar, N. Wang and Y. Lin, "Monitoring and modeling of spatiotemporal urban expansion and land-use/land-cover change using integrated markov chain cellular automata model," *ISPRS International Journal of Geo-Information*, 2017, v. 6, n. 9, pp. 1-21.

- B. S. Chaudhary, G. P. Saroha and M. Yadav, "Human induced land use/land cover changes in northern part of Guragon district, Haryana, India: Natural resources census concept," *Journal of Human Ecology*, 2008, v. 23, n. 3, pp. 243-252.
- B. Singh and C. Jeganathan, "Spatio-temporal forest change assessment using time series satellite data in Palamu district of Jharkhand, India," *Journal of the Indian Society of Remote Sensing*, 2016, v. 44, n. 4, pp. 573-581.
- B. Tao, H. Tian, G. Chen, W. Ren, C. Lu, K. D. Alley, X. Xu, M. Liu, S. Pan and H. Virji, "Terrestrial carbon balance in tropical Asia: contribution from cropland expansion and land management," *Global and Planetary Change*, 2013, v. 100, pp. 85-98.
- B. Thies, H. Meyer, T. Nauss and J. Bendix, "Projecting land use and land-cover changes in a tropical mountain forest of Southern Ecuador," *Journal of Land Use Science*, 2014, v. 9, n. 1, pp. 1-33.
- B. W. Szuster, Q. Chen and M. Borger, "A comparison of classification techniques to support land cover and land use analysis in tropical coastal zones," *Applied Geography*, 2011, v. 31, n. 2, pp. 525-532.
- B.A. Bradley, "Accuracy assessment of mixed land cover using a GIS-designed sampling scheme," *International Journal of Remote Sensing*, 2009, v. 30, n. 13, pp. 3515-3529.
- B.C. Pijanowski, D. G. Brown, B. A. Shellito and G. A. Manik GA, "Using neural networks and GIS to forecast land use changes: a land transformation model," *Computers Environment and Urban Systems*, 2002, v. 26, n. 6, pp. 553-575.
- C. A. Jantz, S. J. Goetz and M. K. Shelley, "Using the SLEUTH urban growth model to simulate the impacts of future policy scenarios on urban land use in the Baltimore-Washington metropolitan area," *Environment and Planning B: Urban Analytics and City*, 2004, v. 31, n. 2, pp. 251-271.
- C. F. Brunson, J. McClatchey and D Unwin, "Spatial variations in the average rainfall-altitude relationships in Great Britain: an approach using geographically weighted regression," *International Journal of Climatology*, 2001, v. 21, n. 4, pp. 455-466.
- C. Cortes and V. N. Vapnik, "Support-vector networks," *Machine Learning*, 1995, v. 20, n. 3, pp. 273-297.
- C. Elachi and J.J. Van Zyl, Introduction to the physics and techniques of remote sensing, John Wiley & Sons, 2006.
- C. F. Brunson, A. S. Fotheringham and M. Charlton, "Geographically weighted regression: A method for exploring spatial nonstationarity," *Geographical Analysis*, 1996, v. 28, n. 4, pp. 281-298.

C. H. Lin and T. H. Wen, "Using Geographically Weighted Regression (GWR) to Explore Spatial Varying Relationships of Immature Mosquitoes and Human Densities with the Incidence of Dengue," *International Journal of Environmental Research and Public Health*, 2011, v. 8, pp. 2798-2815.

C. Huang, L. S. Davis and J. R. G. Townshend, "An assessment of support vector machines for land cover classification," *International Journal of Remote Sensing*, 2002, v. 23, n. 4, pp. 725-749.

C. Hütt, W. Koppe, Y Miao and G. Bareth, "Best accuracy land use/land cover (LULC) classification to derive crop types using multitemporal, multisensor, and multi-polarization SAR satellite images," *Remote Sensing*, 2016, v. 8, n. 8, pp. 1-15.

C. J. Tucker, "Red and photographic infrared linear combinations for monitoring vegetation," *Remote Sensing of Environment*, 1979, v. 8, n. 2, pp. 127-150.

C. Jin, X. Xiao, J. Dong, Y. Qin and Z. Wang, "Mapping paddy rice distribution using multi-temporal Landsat imagery in the Sanjiang Plain, northeast China," *Frontiers of Earth Sciences*, 2016, v. 10, n. 1, pp. 49-62.

C. Kamusoko and M. Aniya, "Land use/cover change and landscape fragmentation analysis in the Bindura District, Zimbabwe," *Land Degradation and Development*, 2007, v. 18, n. 2, pp. 221-233.

C. Kamusoko, M. Aniya, B. Adi and M. Manjoro, "Rural sustainability under threat in Zimbabwe-simulation of future land use/cover changes in the Bindura district based on the Markov-cellular automata model," *Applied Geography*, 2009, v. 29, n. 3, pp. 435-447.

C. Liu, P. Frazier and L. Kumar, "Comparative assessment of the measures of thematic classification accuracy," *Remote Sensing of Environment*, 2007, v. 107, n. 4, pp. 606-616.

C. Losiri, M. Nagai, S. Ninsawat and R. P. Shrestha, "Modeling urban expansion in Bangkok metropolitan region using demographic-economic data through cellular automata-markov chain and multi-layer perceptron-markov chain models," *Sustainability*, 2016, v. 8, n. 7, pp. 1-23.

C. Mozumder and N. K. Tripathi, "Geospatial scenario based modelling of urban and agricultural intrusions in Ramsar wetland Deepor Beel in Northeast India using a multi-layer perceptron neural network," *International Journal of Applied Earth Observation and Geoinformation*, 2014, v. 32, pp. 92-104.

C. Mozumder, N. K. Tripathi, C. Losiri, "Comparing three transition potential models: A case study of built-up transitions in North-East India," *Computers, Environment and Urban System*, 2016, v. 59, pp. 38-49.

- C. Pun and M. Lee, "Log-polar wavelet energy signatures for rotation and scale invariant texture classification," *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 2003, v. 25, n. 5, pp. 590-603.
- C. Y. J. Peng, K. L. Lee and G. M. Ingersoll, "An introduction to logistic regression analysis and reporting," *International Journal of Educational Research*, 2002, v. 96, n. 1, pp. 3-14.
- C. Y. Ji, "Land-use classification of remotely sensed data using Kohonen self organizing feature map neural networks," *Photogrammetric Engineering & Remote Sensing*, 2002, v. 66, n. 12, pp. 1451-1460.
- D. A. Mouat, G. G. Mahin and J. Lancaster, "Remote sensing techniques in the analysis of change detection," *Geocarto International*, 1993, v. 8, n. 2, pp.39-50.
- D. B. Clark, J. M. Read, M. L. Clark, A. M. Cruz, M. F. Dotti and D.A. Clark, "Application of 1-m and 4-m resolution satellite data to ecological studies of tropical rain forests," *Ecological Applications*, 2004, v. 14, n. 1, pp. 61-74.
- D. B. Nguyen, A. Gruber and W. Wagner, "Mapping rice extent and cropping scheme in the Mekong Delta using Sentinel-1A data," *Remote Sensing Letters*, 2016, v. 7, n. 12, pp. 1209-1218.
- D. Chen, D. A. Stow and P. Gong, "Examining the effect of spatial resolution and texture window size on classification accuracy: an urban environment case," *International Journal of Remote Sensing*, 2004, v. 25, n. 11, pp. 2177-2192.
- D. Guan, H. Li, T. Inohae, W. Su, T. Nagaie and K. Hokao, "Modeling urban land use change by the integration of cellular automaton and Markov model," *Ecological Modelling*, v. 222, n. 20-22, pp. 3761-3772.
- D. J. Marceau, P. J. Howarth, J. M. Dubois and D. J. Gratton, "Evaluation of the grey-level co-occurrence matrix method for land-cover classification using SPOT imagery," *IEEE Transactions on Geoscience and Remote Sensing*, 1990, v. 28, n. 4, pp. 513-519.
- D. Lu and Q. Weng, "A survey of image classification methods and techniques for improving classification performance." *International Journal of Remote Sensing*, 2007, v. 28, n. 5, pp. 823-870.
- D. Lu, G. Li, E. Moran, L. Dutra and M. Batistella, "The roles of textural images in improving land-cover classification in the Brazilian Amazon," *International Journal of Remote Sensing*, 2014, v. 35, n. 24, pp. 8188-8207.
- D. Lu, M. Batistella, E. Moran and E. E. De Miranda, "A comparative study of Landsat TM and SPOT HRG images for vegetation classification in the Brazilian Amazon." *Photogrammetric Engineering and Remote Sensing*, 2008, v. 74, n. 3, pp. 311-321.

- D. Lu, P. Mausel, E. Brondizio and E. Moran, "Change detection techniques," *International Journal of Remote Sensing*, 2004, v. 25, n. 12, pp. 2365-2401.
- D. Lu, P. Mausel, M. Batistella and E. Moran, "Comparison of land-cover classification methods in the Brazilian Amazon basin," *Photogrammetric Engineering and Remote Sensing*, 2004, v. 70, n. 6, pp. 723-731.
- D. Mitsova, W. Shuster and X. Wang, "A cellular automata model of land cover change to integrate urban growth with open space conservation," *Landscape and Urban Planning*, 2011, v. 99, n. 2, pp. 141-153.
- D. Triantakostas and G. Mountrakis, "Urban growth prediction: A review of computational models and human perceptions," *Journal of Geographic Information System*, v. 4, pp. 555-587.
- D. Uppala, K. V. Ramana, P. Srikanth, M. V. R. SessaSai and V. K. Dadhwal, "Rice crop discrimination using single date RISAT1 hybrid (RH, RV) polarimetric data," *Photogrammetric Engineering and Remote Sensing*, 2015, v. 81, n. 7, pp. 557-563.
- D. Uppala, K. V. Ramana, P. Srikanth, M. V. R. SessaSai, V. K. Dadhwal, "Discrimination of maize crop with hybrid polarimetric RISAT1 data," *International Journal of Remote Sensing*, 2016, v. 37, n. 11, pp. 2641-2652.
- D. W. Hilbert and B. Ostendorf, "The utility of artificial neural networks for modelling the distribution of vegetation in past, present and future climates," *Ecological Modeleling*, 2001, v. 146, n. 1-3, pp. 311-327.
- D. Yuan, C. D. Elvidge and R. S. Lunetta, Survey of multispectral methods for land cover change analysis. Remote sensing change detection: Environmental monitoring methods and applications, Michigan' Ann Arbor Press, 1998, pp. 21-39.
- D.L. Skole, Data on global land-cover change: acquisition, assessment, and analysis. In W.B. Meyer and B.L. Turner II eds. Changes in land use and land cover: a global perspective. Cambridge University Press, Cambridge, 1994, pp. 437-471.
- E. Adam, O. Mutanga, J. Odindi and E. M. Abdel- Rahman, "Land-use/cover classification in a heterogeneous coastal landscape using RapidEye imagery: evaluating the performance of random forest and support vector machines classifiers," *International Journal of Remote Sensing*, 2014, v. 35, n. 10, pp. 3440-3458.
- E. Bartholome and A. S. Belward, "GLC 2000: A new approach to global land cover mapping from Earth observation data," *International Journal of Remote Sensing*, 2005, v. 26, n. 9, pp. 1959-1977.
- E. Ellis and R. Pontius, Land-use and land-cover change. In: Encyclopedia of Earth, Cleveland C. J. (ed.). Environmental Information Coalition, Washington DC, 2011, pp. 1-20.

- E. F. Lambin, B. L. Turner, J. G. Helmut, S. B. Agbola, A. Angelsen, J. W. Bruce and X. Jianchu, "The causes of land use and land cover changes: moving beyond the myths," *Global Environmental Change*, 2001, v. 11, n. 4, pp. 261-269.
- E. F. Lambin, H. J. Geist and E. Lepers, "Dynamics of land-use and land cover change in tropical regions," *Annual Review of Environment and Resources*, 2003, v. 28, pp. 205-241.
- E. Sali and H. Wolfson, "Texture classification in aerial photographs and satellite data," *International Journal of Remote Sensing*, 1992, v. 13, n. 18, pp. 3395-3408.
- E. Venkateswarlu, T. Sivannarayana and K.V. R. Kumar "A comparative analysis of Resourcesat-2 LISS-3 and Landsat-8 OLI Imagery," *The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, 2014, V. XL-8, pp. 987-989.
- E.A. Siddiq, "Bridging the Rice Yield Gap in India," URL: <http://www.fao.org/docrep/003/X6905E/x6905e09.htm> (last date accessed: 24 September 2016) (2000).
- ENVI User's Guide: ENVI on-line software user's manual, ITT Visual Information Solutions, 2009.
- F. Fasler, "Texture measurement for Seasat-SAR images for urban land use interpretation," Proceedings of the Fall Technical Meeting, ASCM-ASP, Niagara Falls, New York, 1980, pp. PS-2-B-1 to PS-2-B-10.
- F. Melgani and L. Bruzzone, "Classification of hyperspectral remote sensing images with support vector machines," *IEEE Transactions on Geoscience and Remote Sensing*, 2004 v. 42, n. 8, pp. 1778-1790.
- F. Pacifici, M. Chini and W.J. Emery, "A neural network approach using multi-scale texture metrics from very high-resolution panchromatic imagery for urban landuse classification," *Remote Sensing of Environment*, 2009, v. 113, n. 6, pp. 1276-1292.
- F. Qiu and J. R. Jensen, "Opening the black box of neural networks for remote sensing image classification," *International Journal of Remote Sensing*, 2004, v. 25, n. 9, pp. 1749-1768.
- F. Roli and G. Fumera, "Support vector machines for remote-sensing image classification proceedings of SPIE, 2001, v. 4170, pp. 160-166.
- F. Wu, C. Wang, H. Zhang, B. Zhang and Y. X. Tang., "Rice crop monitoring in South China with RADARSAT-2 quad-polarization SAR data," *IEEE Geoscience and Remote Sensing Letters*, 2011, v. 8, n. 2, pp. 196-200.