
1.11 References

- [1] “Amides and Imides,” *Nomenclature of Organic Compounds*, American Chemical Society, Washington, **126**(1974) 166–173.
- [2] A. B. Hughes, “Amino Acids, Peptides and Proteins in Organic Chemistry, Protection Reactions, Medicinal Chemistry,” *Combinatorial Synthesis*, John Wiley & Sons, 2011.
- [3] L. Pauling, “The Nature of the Chemical Bond and the Structure of Molecules and Crystals: An Introduction to Modern Structural Chemistry,” Oxford University Press, London, 1940. b) L. Pauling, “The nature of the chemical bond,” Cornell University Press, New York, 1960.
- [4] B. C. Challis, J. A. Challis, “The Chemistry of Amides by J. Zabicky,” Interscience, London, 1970.
- [5] A. Greenberg, C. M. Breneman, J. F. Liebman, “The Amide Linkage: Structural Significance in Chemistry, Biochemistry, and Materials Science,” Wiley-Interscience, New York, 2000.
- [6] A. J. Bennet, Q. P. Wang, H. Slebocka-Tilk, V. Somayaji, R. S. Brown, B. D. Santarsiero, “Relationship between amidic distortion and ease of hydrolysis in base. If amidic resonance does not exist, then what accounts for the accelerated hydrolysis of distorted amides?,” *Journal of the American Chemical Society*, **112**(1990) 6383-6385.
- [7] a) H. Slebocka-Tilk, R. S. Brown, “Effect of distortion on the hydrolytic reactivity of amides. 2. N-Pyramidalization: decomposition of N-benzoylaziridines in aqueous media,” *The Journal of Organic Chemistry*, **52**(1987) 805-808; b) C. R. Kemnitz, M. J. Loewen, “Amide resonance correlates with a breadth of C–N rotation barriers,” *Journal of the American Chemical Society*, **129**(2007) 2521-2528.
- [8] a) A. K. Ghose, V. N. Viswanadhan, J. J. Wendoloski, “A knowledge-based approach in designing combinatorial or medicinal chemistry libraries for drug discovery. 1. A qualitative and quantitative characterization of known drug databases,” *Journal of combinatorial chemistry*, **1**(1999) 55-68.
- [9] V. Andrushko, N. Andrushko, “Stereoselective synthesis of drugs and natural products,” John Wiley & Sons, 2013.
- [10] J. S. Carey, D. Laffan, C. Thomson, M. T. Williams, “Analysis of the reactions used for the preparation of drug candidate molecules,” *Organic & biomolecular chemistry*, **4**(2006). 2337-2347.

- [11] S. D., Roughley, A. M. Jordan, "The medicinal chemist's toolbox: an analysis of reactions used in the pursuit of drug candidates," *Journal of medicinal chemistry*, **54**(2011) 3451-3479.
- [12] M. B. Smith, "March's advanced organic chemistry: reactions, mechanisms, and structure," John Wiley & Sons, 2020.
- [13] J. D. Roberts, M. C. Caserio, "Basic principles of organic chemistry," WA Benjamin, Inc., 1977.
- [14] E. S. Wallis, J. F. Lane, "The Hofmann Reaction.," *Organic reactions*, **3**(2004), 267-306.
- [15] S. R. Waldvogel, "Comprehensive organic name reactions and reagents," *Synthesis*, **2010**(2010) 892-892.
- [16] K. Marchildon, "Polyamides—still strong after seventy years," *Macromolecular reaction engineering*, **5**(2011). 22-54.
- [17] N., Kumagai, M. Shibasaki, "Nucleophilic and Electrophilic Activation of Non-Heteroaromatic Amides in Atom-Economical Asymmetric Catalysis," *Chemistry—A European Journal*, **22**(2016) 15192-15200.
- [18] D. Kaiser, N. Maulide, "Making the least reactive electrophile the first in class: domino electrophilic activation of amides," *The Journal of Organic Chemistry*, **81**(2016) 4421-4428.
- [19] I. L. Baraznenok, V. G. Nenajdenko, E. S. Balenkova, "Chemical transformations induced by triflic anhydride," *Tetrahedron*, (2000) 3077-3144.
- [20] D. Kaiser, A. Bauer, M. Lemmerer, N. Maulide, "Amide activation: an emerging tool for chemoselective synthesis," *Chemical Society Reviews*, **47**(2018) 7899-7925.
- [21] G. Li, S. Ma, M. Szostak, "Amide bond activation: the power of resonance," *Trends in Chemistry*, **2**(2020) 914-928.
- [22] B. S. Thakkar, J. S. M. Svendsen, R. A. Engh, "Density Functional Studies on Secondary Amides: Role of Steric Factors in Cis/Trans Isomerization," *Molecules*, **23**(2018) 2455.
- [23] R. Szostak, S. Shi, G. Meng, R. Lalancette, M. Szostak, "Ground-state distortion in N-acyl-tert-butyl-carbamates (Boc) and N-acyl-tosylamides (Ts): twisted amides of relevance to amide N–C cross-coupling," *The Journal of Organic Chemistry*, **81**(2016) 8091-8094.
- [24] P. Gao, M. M. Rahman, A. Zamalloa, J. Feliciano, M. Szostak, "Classes of Amides that Undergo Selective N–C Amide Bond Activation: The Emergence of Ground-State Destabilization," *The Journal of Organic Chemistry*, 2022.
- [25] a) B. S. Thakkar, J. S. M. Svendsen, R. A. Engh, "Cis/Trans Isomerization in Secondary Amides: Reaction Paths, Nitrogen Inversion, and Relevance to Peptidic Systems," *The Journal of Physical Chemistry A*, **121**(2017) 6830-6837.

- b) C.Lizak, S. Gerber, G. Michaud, M. Schubert, Y. Y. Fan, M. Bucher, T. Darbre, M. Aebi, G.L. Reymond, K. P. Locher, "Unexpected reactivity and mechanism of carboxamide activation in bacterial N-linked protein glycosylation," *Nature communications*, **4**(2013) 1-11. c) H. E.Elashal, M. Raj, "Site-selective chemical cleavage of peptide bonds" *Chemical Communications*, **52**(2016) 6304-6307.
- [26] A. J. Kirby, I. V. Komarov, P. D. Wothers, N. Feeder, "The most twisted amide: structure and reactions," *Angewandte Chemie International Edition*, **37**(1998) 785-786.
- [27] K. Tani, B. M. Stoltz, "Synthesis and structural analysis of 2-quinuclidonium tetrafluoroborate," *Nature*, **441**(2006) 731-734.
- [28] B. Sliter, J. Morgan, A. Greenberg, "1-Azabicyclo [3.3. 1] nonan-2-one: nitrogen versus oxygen protonation," *The Journal of Organic Chemistry*, **76**(2011) 2770-2781.
- [29] Y. Lei, A. D. Wroblewski, J. E. Golden, D. R. Powell, J. Aubé, "Facile C–N cleavage in a series of bridged lactams," *Journal of the American Chemical Society*, **127**(2005) 4552-4553.
- [30] a) M. Szostak, J. Aube, "Chemistry of bridged lactams and related heterocycles" *Chemical reviews*, **113**(2013) 5701-5765. b) R. Szostak, M. Szostak, "Chemistry of bridged lactams: Recent developments" *Molecules*, **24**(2019) 274.
- [31] G. Meng, J. Zhang, M. Szostak, "Acyclic twisted amides. *Chemical Reviews*," **121**(2021) 12746-12783.
- [32] P. Gao, M. M. Rahman, A. Zamalloa, J. Feliciano, M. Szostak, "Classes of Amides that Undergo Selective N–C Amide Bond Activation: The Emergence of Ground-State Destabilization," *The Journal of Organic Chemistry*, 2022.
- [33] P. Sureshbabu, S. Azeez, P. Chaudhary, J. Kandasamy, "tert-Butyl nitrite promoted transamidation of secondary amides under metal and catalyst free conditions," *Organic & Biomolecular Chemistry*, **17**(2019) 845-850.
- [34] P. Sureshbabu, S. Azeez, K. Pattanaik, S. Sabiah, J. Kandasamy, "Synthesis of N-Cbz Amides and Their Applications in the Transamidation Reactions at Room Temperature," *Asian Journal of Organic Chemistry*, (2022) e202200076.
- [35] M. B. Chaudhari, B. Gnanaprakasam, "Recent Advances in the Metal-Catalyzed Activation of Amide Bonds," *Chemistry–An Asian Journal*, **14**(2019) 76-93.
- [36] C. Liu, M. Szostak, "Twisted Amides: From Obscurity to Broadly Useful Transition-Metal-Catalyzed Reactions by N– C Amide Bond Activation. *Chemistry–A European Journal*, **23**(2017) 7157-7173.
- [37] G. Li, M. Szostak, "Transition-Metal-Free Activation of Amides by N– C Bond Cleavage," *The Chemical Record*, **20**(2020) 649-659.

- [38] G. Li, M.Szostak, "Highly selective transition-metal-free transamidation of amides and amidation of esters at room temperature," *Nature communications*, **9**(2018) 1-8. b) Y. Liu, S. Shi, M.Achtenhagen, R. Liu, M.Szostak, "Metal-Free Transamidation of Secondary Amides via Selective N–C Cleavage under Mild Conditions," *Organic letters*, **19**(2017) 1614-1617.
- [39] Y. Liu, G. Meng, R. Liu, M. Szostak, "Sterically-controlled intermolecular Friedel–Crafts acylation with twisted amides via selective N–C cleavage under mild conditions," *Chemical Communications*, **52**(2016) 6841-6844.
- [40] G. Li, P. Lei, M.Szostak, "Transition-metal-free esterification of amides via selective N–C cleavage under mild conditions," *Organic letters*, **20**(2018) 5622-5625.
- [41] P. Sureshbabu, S. Azeez, N.Muniyappan, S.Sabiah, J. Kandasamy, "Chemoselective synthesis of aryl ketones from amides and Grignard reagents via C (O)–N bond cleavage under catalyst-free conditions," *The Journal of Organic Chemistry*, **84**(2019) 11823-11838.
- [42] J. Chen, D. Joseph, Y. Xia, S. Lee, "Amide/Ester Cross-Coupling via C–N/C–H Bond Cleavage: Synthesis of β -Ketoesters," *The Journal of Organic Chemistry*, **86**(2021) 5943-5953.

2.14 References

- [1] (a) A. Greenberg, C. M. Breneman, J. F. Liebman, *The Amide Linkage: Structural Significance in Chemistry, Biochemistry, and Materials Science*. Wiley-Interscience: New York, 2000; (b) D. Kaiser, A. Bauer, M. Lemmerer, N. Maulide, "Amide activation: an emerging tool for chemoselective synthesis," *Chemical Society Reviews*, **47**(2018) 7899-7925.
- [2] (a) V. R. Pattabiraman, J. W. Bode, "Rethinking amide bond synthesis," *Nature*, **480**(2011) 471-479; (b) R. M. de Figueiredo, J. S. Suppo, J. M. Campagne, "Nonclassical routes for amide bond formation," *Chemical Reviews*, **116**(2016) 12029-12122; (c) T. A. Dineen, M. A. Zajac, A. G. Myers, "Efficient transamidation of primary carboxamides by in situ activation with *N,N*-dialkylformamide dimethyl acetals," *Journal of the American Chemical Society*, **128**(2006) 16406-16409.
- [3] (a) P. Acosta-Guzman, A. Mateus-Gomez, D. Gamba-Sanchez, "Direct transamidation reactions: mechanism and recent advances," *Molecules*, **23**(2018) 2382; (b) R. M. Lanigan, T. D. Sheppard, "Recent developments in amide synthesis: Direct amidation of carboxylic acids and transamidation reactions," *European Journal of Organic Chemistry*, **2013**(2013) 7453-7465; (c) L. Becerra-Figueroa, A. Ojeda-Porras, D. Gamba-Sanchez, "Transamidation of carboxamides catalyzed by Fe (III) and water," *The Journal of organic chemistry*, **79**(2014) 4544-4552; (d) C. L. Allen, B. N. Atkinson, J. M. J. Williams, "Transamidation of primary amides with amines using hydroxylamine hydrochloride as an inorganic catalyst," *Angewandte Chemie International Edition*, **51**(2012) 1383-1386; (e) T. B. Nguyen, J. Sorres, M. Q. Tran, L. Ermolenko, "Boric acid: a highly efficient catalyst for transamidation of carboxamides with amines," *Organic letters*, **14**(2012) 3202-3205; (f) N. A. Stephenson, J. Zhu, S. H. Gellman, S. S. Stahl, "Catalytic transamidation reactions compatible with tertiary amide metathesis under ambient conditions," *Journal of the American Chemical Society*, **131**(2009) 10003-10008.
- [4] (a) J. E. Dander, N. K. Garg, "Breaking amides using nickel catalysis," *ACS catalysis* **7**(2017) 1413-1423; (b) C. W. Liu, M. Szostak, "Twisted Amides: From Obscurity to Broadly Useful Transition-Metal-Catalyzed Reactions by N-C Amide Bond Activation," *Chemistry-A European Journal*, **23**(2017) 7157-7173; (c) S. C. Shi, S. P. Nolan, M. Szostak, "Well-defined palladium (II)-NHC precatalysts for cross-coupling reactions of amides and esters by selective N-C/O-C cleavage," *Accounts of Chemical Research*, **51**(2018) 2589-2599; (d) R. Takise, K. Muto and J. Yamaguchi, "Cross-coupling of aromatic esters and amides," *Chemical Society Reviews*, **46**(2017) 5864-5888; (e) G. Meng, S. Shi, R. Lalancette, R.

- Szostak and M. Szostak, "Reversible twisting of primary amides via ground state N–C (O) destabilization: highly twisted rotationally inverted acyclic amides," *Journal of the American Chemical Society*, **140**(2018) 727-734; (f) R. Szostak, S. Shi, G. Meng, R. Lalancette, M. Szostak, "Ground-state distortion in *N*-acyl-*tert*-butyl-carbamates (Boc) and *N*-acyl-tosylamides (Ts): twisted amides of relevance to amide N–C cross-coupling," *The Journal of Organic Chemistry*, **81**(2016) 8091-8094; (g) M. B. Chaudhari, B. Gnanaprakasam, "Recent Advances in the Metal-Catalyzed Activation of Amide Bonds," *Chemistry–An Asian Journal*, **14**(2019) 76-93.
- [5] (a) E. L. Baker, M. M. Yamano, Y. J. Zhou, S. M. Anthony, N. K. Garg, "A two-step approach to achieve secondary amide transamidation enabled by nickel catalysis," *Nature communications*, **7**(2016) 11554; (b) J. E. Dander, E. L. Baker, N. K. Garg, "Nickel-catalyzed transamidation of aliphatic amide derivatives," *Chemical science*, **8**(2017) 6433-6438.
- [6] (a) Y. M. Liu, S. C. Shi, M. Achtenhagen, R. Z. Liu, M. Szostak, "Metal-Free Transamidation of Secondary Amides via Selective N–C Cleavage under Mild Conditions," *Organic letters*, **19**(2017) 1614-1617; (b) G. C. Li, M. Szostak, "Highly selective transition-metal-free transamidation of amides and amidation of esters at room temperature," *Nature communications*, **9**(2018) 4165; (c) G. Meng, P. Lei, M. Szostak, "A general method for two-step transamidation of secondary amides using commercially available, air-and moisture-stable palladium/NHC (N-heterocyclic carbene) complexes," *Organic letters*, **19**(2017) 2158-2161; (d) S. Shi, M. Szostak, "Pd–PEPPSI: A general Pd–NHC precatalyst for Buchwald–Hartwig cross-coupling of esters and amides (transamidation) under the same reaction conditions," *Chemical communications*, **53**(2017) 10584-10587; (e) M. M. Rahman, G. Li, M. Szostak, "Metal-Free Transamidation of Secondary Amides by N–C Cleavage," *The Journal of Organic Chemistry*, **84**(2019) 12091-12100; (f) G. Li, C-L. Ji, X. Hong, M. Szostak, "Highly chemoselective, transition-metal-free transamidation of unactivated amides and direct amidation of alkyl esters by N–C/O–C cleavage," *Journal of the American Chemical Society*, **141**(2019) 11161–11172; (g) G. Li, T. Zhou, A. Poater, L. Cavallo, S. P. Nolan, M. Szostak, "Buchwald–Hartwig cross-coupling of amides (transamidation) by selective N–C (O) cleavage mediated by air-and moisture-stable [Pd (NHC)(allyl) Cl] precatalysts: catalyst evaluation and mechanism," *Catalysis Science & Technology*, **10**(2020) 710-716; (h) G. Li, M. Szostak, "Non-classical amide bond formation: Transamidation and amidation of activated amides and esters by selective N–C/O–C cleavage," *Synthesis*, **52**(2020) 2579-2599; (i) G. Li, M.

- Szostak, "Transition-Metal-Free Activation of Amides by N–C Bond Cleavage," *The Chemical Record*, **20**(2020) 649-659; (j) G. Li, S. Ma, M. Szostak, "Amide bond activation: the power of resonance," *Trends in Chemistry*, **2**(2020) 914-928.
- [7] (a) O. Verho, M. P. Lati, M. Oschmann, "A two-step procedure for the overall transamidation of 8-aminoquinoline amides proceeding via the intermediate *N*-acyl-Boc-carbamates," *The Journal of Organic Chemistry*, **83**(2018) 4464-4476; (b) C. W. Cheung, M. L. Ploeger, X. L. Hu, "Nickel-catalyzed reductive transamidation of secondary amides with nitroarenes," *ACS Catalysis*, **7**(2017) 7092-7096; (c) J. J. Chen, Y. Z. Xia, S. Lee, "Transamidation for the synthesis of primary amides at room temperature," *Organic letters*, **22**(2020) 3504-3508; (d) R. Ramkumar, S. Chandrasekaran, "Catalyst-Free, Metal-Free, and Chemoselective Transamidation of Activated Secondary Amides," *Synthesis*, **51**(2019) 921-932; (e) W. J. Guo, J. J. Huang, H. X. Wu, T. T. Liu, Z. F. Luo, J. S. Jian, Z. Zeng, "One-pot transition-metal free transamidation to sterically hindered amides," *Organic Chemistry Frontiers*, **5**(2018) 2950-2954.
- [8] (a) A. Arasappan, F. Bennett, S. L. Bogen, S. Venkatraman, M. Blackman, K. X. Chen, S. Hendrata, Y. H. Huang, R. H. Huelgas, L. Nair, A. I. Padilla, W. D. Pan, R. Pike, P. Pinto, S. M. Ruan, M. Sannigrahi, F. Velazquez, B. Vibulbhan, W. L. Wu, W. Y. Yang, A. K. Saksena, V. Girijavallabhan, N. Y. Shih, J. S. Kong, T. Meng, Y. Jin, J. Wong, P. McNamara, A. Prongay, V. Madison, J. J. Piwinski, K. C. Cheng, R. Morrison, B. Malcolm, X. A. Tong, R. Ralston, F. G. Njoroge, "Discovery of narlaprevir (SCH 900518): a potent, second generation HCV NS3 serine protease inhibitor," *ACS medicinal chemistry letters*, **1**(2010) 64-69; (b) A. Y. Howe, S. Venkatraman, "The discovery and development of boceprevir: A novel, first-generation inhibitor of the hepatitis C virus NS3/4A serine protease," *Journal of Clinical and Translational Hepatology*, **1**(2013) 22-32; (c) M. Knaack, P. Emig, J. W. Bats, M. Kiesel, A. Müller, E. Günther, "Synthesis and Characterization of the Biologically Active 2-[1-(4-Chlorobenzyl)-1H-indol-3-yl]-2-oxo-N-pyridin-4-yl Acetamide," *European Journal of Organic Chemistry*, **2001**(2001) 3843-3847.
- [9] (a) L. L. Zhang, D. Z. Lin, Y. Kusov, Y. Nian, Q. J. Ma, J. Wang, A. von Brunn, P. Leyssen, K. Lanko, J. Neyts, A. de Wilde, E. J. Snijder, H. Liu, R. Hilgenfeld, " α -Ketoamides as broad-spectrum inhibitors of coronavirus and enterovirus replication: structure-based design, synthesis, and activity assessment," *Journal of Medicinal Chemistry*, **63**(2020) 4562-4578; (b) L. Zhang, D. Lin, X. Sun, U. Curth, C. Drosten, L. Sauerhering, S. Becker, K. Rox, R. Hilgenfeld, "Crystal structure of SARS-CoV-

- 2 main protease provides a basis for design of improved α -ketoamide inhibitors,” *Science*, **368**(2020) 409-41; (c) S. Pacifico, V. Ferretti, V. Albanese, A. Fantinati, E. Gallerani, F. Nicoli, R. Gavioli, F. Zamberlan, D. Preti, M. Marastoni, “Synthesis and biological activity of peptide α -ketoamide derivatives as proteasome inhibitors,” *ACS medicinal chemistry letters*, **10**(2019) 1086-1092; (d) D. V. Patel, D. V.; D. Jr. G. Richard, H. K. W. Hsu, S. K. Anandan, B. R. Aavula, 2008, (US2008/0200467A1).
- [10] (a) J. Garfinkle, F. S. Kimball, J. D. Trzupke, S. Takizawa, H. Shimamura, M. Tomishima, D. L. Boger, “Total synthesis of chloropectin II (complestatin) and chloropectin I,” *Journal of the American Chemical Society*, **131**(2009) 16036-16038; (b) J. Staunton, B. Wilkinson, “Biosynthesis of erythromycin and rapamycin,” *Chemical reviews*, **97**(1997) 2611-2630.
- [11] (a) T. Meng, J. Han, P. Zhang, J. Hu, J. Fu, J. Yin, “Introduction of the α -ketoamide structure: en route to develop hydrogen peroxide responsive prodrugs,” *Chemical science*, **10**(2019) 7156-7162; (b) J. J. Fu, J. Han, T. T. Meng, J. Hu, J. Yin, “Novel α -ketoamide based diazeniumdiolates as hydrogen peroxide responsive nitric oxide donors with anti-lung cancer activity,” *Chemical Communications*, **55**(2019) 12904-12907.
- [12] E. Ota, K. Usui, K. Oonuma, H. Koshino, S. Nishiyama, G. Hirai, M. Sodeoka, “Thienyl-substituted α -ketoamide: a less hydrophobic reactive group for photo-affinity labeling,” *ACS Chemical Biology*, **13**(2018) 876-880.
- [13] (a) D. Bonne, T. Constantieux, Y. Coquerel, J. Rodriguez, “Stereoselective multiple bond-forming transformations (MBFTs): the power of 1, 2-and 1, 3-dicarbonyl compounds,” *Chemistry—A European Journal*, **19**(2013) 2218-2231; (b) W. Raimondi, D. Bonne, J. Rodriguez, “1, 2-Dicarbonyl Compounds as Pronucleophiles in Organocatalytic Asymmetric Transformations,” *Angewandte Chemie International Edition*, **51**(2012) 40-42; (c) W. Raimondi, D. Bonne, J. Rodriguez, “Asymmetric transformations involving 1, 2-dicarbonyl compounds as pronucleophiles,” *Chemical Communications*, **48**(2012) 6763-6775; (d) A. Muthukumar, S. Sangeetha, G. Sekar, “Recent developments in functionalization of acyclic α -keto amides,” *Organic & Biomolecular Chemistry*, **16**(2018) 7068-7083.
- [14] (a) F. Heaney, J. Fenlon, P. McArdle, D. Cunningham, “ α -Keto amides as precursors to heterocycles—generation and cycloaddition reactions of piperazin-5-one nitrones,” *Organic & Biomolecular Chemistry*, **1**(2003) 1122-1132; (b) D. C. Rogness, R. C. Larock, “Synthesis of *N*-Aryl isatins by the Reaction of Arynes with Methyl 2-Oxo-2-(arylamino) acetates,” *The Journal of Organic Chemistry*, **76**(2011) 4980-4986; (c) Y. X. Jia, D. Katayev, E. P. Kundig, “Synthesis of 3-

- hydroxyoxindoles by Pd-catalyzed intramolecular nucleophilic addition of aryl halides to α -ketoamides,” *Chemical communications*, **46**(2010) 130-2; (d) J. X. Hu, H. Wu, C. Y. Li, W. J. Sheng, Y. X. Jia, J. R. Gao, “Nickel-Catalyzed Intramolecular Nucleophilic Addition of Aryl or Vinyl Chlorides to α -Ketoamides Through C-Cl Bond Activation,” *Chemistry—A European Journal*, **17**(2011) 5234-5237; (e) P. Acosta, D. Becerra, S. Goudedranche, J. Quiroga, T. Constantieux, D. Bonne, J. Rodriguez, ”Exploiting the reactivity of 1, 2-ketoamides: Enantioselective synthesis of functionalized pyrrolidines and pyrrolo-1, 4-benzodiazepine-2, 5-diones,” *Synlett*, **26**(2015) 1591-1595.
- [15] (a) Y. Xu, G. Lu, S. Matsunaga, M. Shibasaki, “Direct anti-Selective Catalytic Asymmetric Mannich-Type Reactions of α -Ketoanilides for the Synthesis of γ -Amino Amides and Azetidene-2-amides,” *Angewandte Chemie*, **48**(2009) 3353-3356; (b) O. Basle, W. Raimondi, M. Duque Mdel, D. Bonne, T. Constantieux, J. Rodriguez, “Highly diastereo-and enantioselective organocatalytic michael addition of α -ketoamides to nitroalkenes,” *Organic Letters*, **12**(2010) 5246-5249; (c) J. Stockigt, A. P. Antonchick, F. R. Wu, H. Waldmann, “The Pictet–Spengler reaction in nature and in organic chemistry,” *Angewandte Chemie International Edition*, **50**(2011) 8538-8564; (d) Q. Liu, S. Perreault, T. Rovis, “Catalytic asymmetric intermolecular Stetter reaction of glyoxamides with alkylidenemalonates,” *Journal of the American Chemical Society*, **130**(2008) 14066-14067.
- [16] (a) C. De Risi, G. P. Pollini, V. Zanirato, “Recent developments in general methodologies for the synthesis of α -ketoamides,” *Chemical Reviews*, **116**(2016) 3241-3305; (b) D. Kumar, S. R. Vemula, G. R. Cook, “Recent advances in the catalytic synthesis of α -ketoamides,” *ACS Catalysis*, **6**(2016) 4920-4945; (c) M. Nakamura, J. Inoue, T. Yamada, “A two-step, one-pot synthesis of diverse *N*-pyruvoyl amino acid derivatives using the Ugi reaction,” *Bioorganic & Medicinal Chemistry Letters*, **10**(2000) 2807–2810; (d) A. Ghoshal, M. D. Ambule, R. Sravanthi, M. Taneja, A. K. Srivastava, “Copper-catalyzed oxidative cleavage of Passerini and Ugi adducts in basic medium yielding α -ketoamides,” *New Journal of Chemistry*, **43**(2019) 14459-14474; (e) B. Song, S. Wang, C. Sun, H. Deng, B. Xu, “Cesium carbonate promoted aerobic oxidation of arylacetamides: an efficient access to *N*-substituted α -keto amides,” *Tetrahedron Letters*, **48**(2007) 8982–8986; (f) W. Wei, Y. Shao, H. Hu, F. Zhang, C. Zhang, Y. Xu, X. Wan, “Coupling of methyl ketones and primary or secondary amines leading to α -ketoamides,” *The Journal of Organic Chemistry*, **77**(2012) 7157-7165; (g) Z. Zhang, J. Su, Z. Zha, Z. Wang, “A novel approach for the one-pot preparation of α -ketoamides by anodic oxidation,” *Chemical Communications*, **49**(2013) 8982-8984; (h) A. Y. Shaw, C. R.

- Denning, C. Hulme, "Selenium dioxide-mediated synthesis of α -ketoamides from arylglyoxals and secondary amines," *Tetrahedron letters*, **53**(2012) 4151–4153; (i) J. Chen, H. Wu, Q. Gui, X. Han, Y. Wu, K. Du, Z. Cao, Y. Lin, W. M. He, "Electrochemical Synthesis of α -Ketoamides under Catalyst-, Oxidant-, and Electrolyte-Free Conditions," *Organic letters*, **22**(2020) 2206-2009; (j) B. Du, B. Jin, P. Sun, "The syntheses of α -ketoamides via $n\text{Bu}_4\text{NI}$ -catalyzed multiple sp^3 C–H bond oxidation of ethylarenes and sequential coupling with dialkylformamides," *Organic & Biomolecular Chemistry*, **12**(2014) 4586–4589; (k) M. Ramanathan, C. Kuo, S. Liu, "One pot synthesis of α -ketoamides from ethylarenes and amines: a metal free difunctionalization strategy," *Organic & Biomolecular Chemistry*, **14**(2016) 11446-11453; (l) C. Zhang, N. Jiao, "Dioxygen activation under ambient conditions: Cu-catalyzed oxidative amidation–diketonization of terminal alkynes leading to α -ketoamides," *Journal of the American Chemical Society*, **132**(2010) 28–29; (m) Q. W. Tan, P. Chovatiab, M. C. Willis, "Copper-catalyzed synthesis of alkylidene 2-pyrrolinone derivatives from the combination of α -keto amides and alkynes," *Organic & Biomolecular Chemistry*, **16**(2018) 7797-7800; (n) V. C. Kokotou, A. Peristeraki, C. G Kokotos, D. A. Six, E. A. Dennis, "Synthesis and activity of 2-oxoamides containing long chain β -amino acids," *Journal of Peptide Science: An Official Publication of the European Peptide Society*, **11**(2005) 431–435; (o) A. Orliac, D. G. Pardo, A. Bombrun, J. Cossy, "Xtalfluor-E, an efficient coupling reagent for amidation of carboxylic acids," *Organic letters*, **15**(2013) 902-905; (p) F. Ozawa, H. Soyma, T. Yamamoto, A. Yamamoto, "Catalytic double carbonylation of organohalogen compounds promoted by palladium complexes," *Tetrahedron Letters*, **23**(1982) 3383–3386; (p) Y-K, Zhang, B. Wang, "Synthesis of α -Ketoamides from β -Ketonitriles and Primary Amines: A Catalyst-Free Oxidative Decyanation–Amidation Reaction," *European Journal of Organic Chemistry*, **2019**(2019) 5732–5735; (q) M. K. Reddy, S. Mallik, I. Ramakrishna, M. Baidya, "Nitrosocarbonyl–Henry and Denitration Cascade: Synthesis of α -Ketoamides and α -Keto Oximes," *Organic Letters*, **19**(2017) 1694-1697.
- [17] R. D. Bach, I. Mintcheva, W. J. Kronenberg, H. B. Schlegel, "Torsional barriers in alpha-keto amides. Model studies related to the binding site of FK506," *The Journal of Organic Chemistry*, **58**(1993) 6135-6138.
- [18] (a) P. Chaudhary, S. Gupta, N. Muniyappan, S. Sabiah, J. Kandasamy, "An efficient synthesis of *N*-nitrosamines under solvent, metal and acid free conditions using *tert*-butyl nitrite," *Green Chemistry*, **18**(2016) 2323-2330; (b) P. Chaudhary, S. Gupta, P. Sureshbabu, S. Sabiah, J. Kandasamy, "A metal free reduction of aryl-*N*-

- nitrosamines to the corresponding hydrazines using a sustainable reductant thiourea dioxide,” *Green Chemistry*, **18**(2016) 6215-6221; (c) P. Chaudhary, R. Korde, S. Gupta, P. Sureshbabu, S. Sabiah, J. Kandasamy, “An Efficient Metal-Free Method for the Denitrosation of Aryl *N*-Nitrosamines at Room Temperature,” *Advanced Synthesis & Catalysis*, **360**(2018) 556-561; (d) P. Chaudhary, S. Gupta, N. Muniyappan, S. Sabiah, J. Kandasamy, “Regioselective nitration of *N*-alkyl anilines using *tert*-butyl nitrite under mild condition,” *The Journal of Organic Chemistry*, **84**(2019) 104-119.
- [19] P. Sureshbabu, S. Azeez, P. Chaudhary, J. Kandasamy, “*tert*-Butyl nitrite promoted transamidation of secondary amides under metal and catalyst free conditions,” *Organic & Biomolecular Chemistry*, **17**(2019) 845-850.
- [20] P. Sureshbabu, S. Azeez, N. Muniyappan, S. Sabiah, J. Kandasamy, “Chemoselective synthesis of aryl ketones from amides and Grignard reagents via C (O)–N bond cleavage under catalyst-free conditions,” *The Journal of Organic Chemistry*, **84**(2019) 11823-11838.
- [21] D. Wang, K. Zhang, L. H. Jia, D. T. Zhang, Y. Zhang, Y. J. Cheng, C. Lin, B. Wang, “*n*Bu₄Ni-Mediated oxidation of methyl ketones to α -ketoamides: using ammonium, primary and secondary amine-salt as an amine moiety,” *Organic & Biomolecular Chemistry*, **15**(2017) 3427-3434.
- [22] P. Das, H. M. Begam, S. K. Bhunia, R. Jana, “Photoredox-Catalyzed Tandem Demethylation of *N*, *N*-Dimethyl Anilines Followed by Amidation with α -Keto or Alkynyl Carboxylic Acids,” *Advanced Synthesis & Catalysis*, **361**(2019) 4048-4054.
- [23] (a) C. Zhang, Z. Xu, L. Zhang, N. Jiao, “Copper-Catalyzed Aerobic Oxidative Coupling of Aryl Acetaldehydes with Anilines Leading to α -Ketoamides,” *Angewandte Chemie*, **123**(2011) 11284-11288; (b) P. Sureshbabu, S. Azeez, N. Muniyappan, S. Sabiah, J. Kandasamy, “Chemoselective synthesis of aryl ketones from amides and Grignard reagents via C (O)–N bond cleavage under catalyst-free conditions,” *The Journal of Organic chemistry*, **84**(2019) 11823-11838.
- [24] X. Li, G. Zou, “Acylative Suzuki coupling of amides: acyl-nitrogen activation via synergy of independently modifiable activating groups,” *Chemical Communications*, **51**(2015) 5089-5092.
- [25] X. Liu, Z. X. Zhang, B. Zhou, Z. S. Wang, R. H. Zheng, L.W. Ye, “Synthesis of α -keto imides through copper-catalyzed oxidation of *N*-sulfonyl ynamides,” *Organic & Biomolecular Chemistry*, **15**(2017) 10156-10159.
- [26] (a) Z. L. Zhang, J. H. Su, Z. G. Zha, Z. Y. Wang, “A novel approach for the one-pot preparation of α -ketoamides by anodic oxidation,” *Chemical Communications*, **49**(2013) 8982-8984; (b) P. H. Li, Z. Wang, H. Fu, Q. P. Dai, C. W. Hua, “Cu

- (I)/{Nb₆O₁₉} catalyzed *N*-acylation of aryl acetic acids with amines under aerobic conditions,” *Chemical Communications*, **54**(2018) 12471-12474; (c) H. Cha, J. Y. Chai, H. B. Kim, D. Y. Chi, “Synthesis of aliphatic α -ketoamides from α -substituted methyl ketones via a Cu-catalyzed aerobic oxidative amidation,” *Organic & Biomolecular Chemistry*, **19**(2021) 4320-4326.
- [27] W. Wei, Y. Shao, H. Y. Hu, F. Zhang, C. Zhang, Y. Xu, X. B. Wan, “Coupling of methyl ketones and primary or secondary amines leading to α -ketoamides,” *The Journal of Organic Chemistry*, **77**(2012) 7157-7165.
- [28] Y. K. Zhang, B. Wang, “Synthesis of α -Ketoamides from β -Ketonitriles and Primary Amines: A Catalyst-Free Oxidative Decyanation–Amidation Reaction,” *European Journal of Organic Chemistry*, **2019**(2019) 5732-5735.
- [29] M. Gergely, R. Farkas, A. Takacs, A. Petz, L. Kollar, “Synthesis of *N*-picolyloxycarboxamides via palladium-catalyzed aminocarbonylation of iodobenzene and iodoalkenes,” *Tetrahedron*, **70**(2014) 218-224.
- [30] M. Ramanathan, C. K. Kuo, S. T. Liu, “One pot synthesis of α -ketoamides from ethylarenes and amines: a metal free difunctionalization strategy,” *Organic & Biomolecular Chemistry*, **14**(2016) 11446-11453.
- [31] L. Liu, L. Du, D. Zhang-Negrerie, Y. F. Du, K. Zhao, “Metal-Free Tandem Oxidative Aryl Migration and C–C Bond Cleavage: Synthesis of α -Ketoamides and Esters from Acrylic Derivatives,” *Organic letters*, **16**(2014) 5772-5775.
- [32] G. X. Gu, T. L. Yang, O. R. Yu, H. Qan, J. Wang, J. L. Wen, L. Dang, X. M. Zhang, “Enantioselective iridium-catalyzed hydrogenation of α -keto amides to α -hydroxy amides,” *Organic Letters*, **19**(2017) 5920-5923.
- [33] D. Ghosh, R. Nandi, S. Khamarui, S. Ghosh, D. K. Maiti, “Selective amidation by a photocatalyzed umpolung reaction,” *Chemical Communications*, **55**(2019) 3883-3886.

3.11 References

- [1] a) J. Staunton, B. Wilkinson, "Biosynthesis of erythromycin and rapamycin," *Chemical reviews*, **97**(1997) 2611-2630; b) M. Knaack, P. Emig, J. W. Bats, M. Kiesel, A. Müller E. Günther, "Synthesis and Characterization of the Biologically Active 2-[1-(4-Chlorobenzyl)-1H-indol-3-yl]-2-oxo-N-pyridin-4-yl Acetamide," *European Journal of Organic Chemistry*, **20**(2001) 3843-3847; c) J. Garfinkle, F. S. Kimball, J. D. Trzupsek, S. Takizawa, H. Shimamura, M. Tomishima, D. L. Boger, "Total synthesis of chloropectin II (complestatin) and chloropectin I," *Journal of the American Chemical Society*, **131**(2009) 16036-16038; d) A. Arasappan, F. Bennett, S. L. Bogen, S. Venkatraman, M. Blackman, K. X. Chen, S. Hendrata, Y. H. Huang, R. H. Huelgas, L. Nair, A. I. Padilla, W. D. Pan, R. Pike, P. Pinto, S. M. Ruan, M. Sannigrahi, F. Velazquez, B. Vibulbhan, W. L. Wu, W. Y. Yang, A. K. Saxena, V. Girijavallabhan, N. Y. Shih, J. S. Kong, T. Meng, Y. Jin, J. Wong, P. McNamara, A. Prongay, V. Madison, J. J. Piwinski, K. C. Cheng, R. Morrison, B. Malcolm, X. A. Tong, R. Ralston, F. G. Njoroge, "Discovery of narlaprevir (SCH 900518): a potent, second generation HCV NS3 serine protease inhibitor," *ACS medicinal chemistry letters*, **1**(2010) 64-69; f) A. Y. Howe, S. Venkatraman, "The Discovery and Development of Boceprevir: A Novel, First-generation Inhibitor of the Hepatitis C Virus NS3/4A Serine Protease," *Journal of Clinical and Translational Hepatology*, **1**(2013) 22-32; g) S. Pacifico, V. Ferretti, V. Albanese, A. Fantinati, E. Gallerani, F. Nicoli, R. Gavioli, F. Zamberlan, D. Preti, M. Marastoni, "Synthesis and biological activity of peptide α -ketoamide derivatives as proteasome inhibitors," *ACS Medicinal Chemistry Letters*, **10**(2019) 1086-1092; h) L. L. Zhang, D. Z. Lin, Y. Kusov, Y. Nian, Q. J. Ma, J. Wang, A. von Brunn, P. Leyssen, K. Lanko, J. Neyts, A. de Wilde, E. J. Snijder, H. Liu, R. Hilgenfeld, " α -Ketoamides as broad-spectrum inhibitors of coronavirus and enterovirus replication: structure-based design, synthesis, and activity assessment," *Journal of Medicinal Chemistry*, **63**(2020) 4562-4578; i) L. Zhang, D. Lin, X. Sun, U. Curth, C. Drosten, L. Sauerhering, S. Becker, K. Rox, R. Hilgenfeld, *Science*, **368**(2020) 409-412; j) M. Robello, E. Barresi, E. Baglini, S. Salerno, S. Taliani, F. D. Settimo, "The alpha keto amide moiety as a privileged motif in medicinal chemistry: current insights and emerging opportunities," *Journal of Medicinal Chemistry*, **64**(2021) 3508-3545; k) B. E. Bierer, P. K. Somers, T. J. Wandless, S. J. Burakoff, S. L. Schreiber, "Probing immunosuppressant action with a nonnatural immunophilin ligand," *Science*, **250**(1990) 556-559.

- [2] a) F. Heaney, J. Fenlon, P. McArdle, D. Cunningham, “ α -Keto amides as precursors to heterocycles—generation and cycloaddition reactions of piperazin-5-one nitrones,” *Organic & Biomolecular Chemistry*, **1**(2003) 1122-1132; b) Q. Liu, S. Perreault, T. Rovis, “Catalytic asymmetric intermolecular Stetter reaction of glyoxamides with alkylidenemalonates,” *Journal of the American Chemical Society*, **130**(2008) 14066-14067; c) Y. Xu, G. Lu, S. Matsunaga, M. Shibasaki, “Direct anti-Selective Catalytic Asymmetric Mannich-Type Reactions of α -Ketoanilides for the Synthesis of γ -Amino Amides and Azetidine-2-amides,” *Angewandte Chemie*, **121**(2009) 3403-3406.; d) O. Basle, W. Raimondi, M. Duque Mdel, D. Bonne, T. Constantieux, J. Rodriguez, “Highly diastereo- and enantioselective organocatalytic michael addition of α -ketoamides to nitroalkenes,” *Organic Letters*, **12**(2010) 5246-5249; e) Y. X. Jia, D. Katayev, E. P. Kundig, “Synthesis of 3-hydroxyoxindoles by Pd-catalysed intramolecular nucleophilic addition of aryl halides to α -ketoamides,” *Chemical Communications*, **46**(2010) 130-132; f) J. X. Hu, H. Wu, C. Y. Li, W. J. Sheng, Y. X. Jia, J. R. Gao, “Nickel-Catalyzed Intramolecular Nucleophilic Addition of Aryl or Vinyl Chlorides to α -Ketoamides Through C- Cl Bond Activation,” *Chemistry—A European Journal*, **17**(2011) 5234-5237; g) D. C. Rogness, R. C. Larock, “Synthesis of *N*-Arylisatins by the Reaction of Arynes with Methyl 2-Oxo-2-(arylamino) acetates,” *The Journal of Organic Chemistry*, **76**(2011) 4980-4986; h) J. Stockigt, A. P. Antonchick, F. R. Wu, H. Waldmann, “The Pictet–Spengler reaction in nature and in organic chemistry,” *Angewandte Chemie International Edition*, **50**(2011) 8538-8564; i) W. Raimondi, D. Bonne, J. Rodriguez, “1, 2-Dicarbonyl Compounds as Pronucleophiles in Organocatalytic Asymmetric Transformations,” *Angewandte Chemie International Edition*, **51**(2012) 40-42; j) W. Raimondi, D. Bonne, J. Rodriguez, “Asymmetric transformations involving 1, 2-dicarbonyl compounds as pronucleophiles,” *Chemical Communications*, **48**(2012) 6763-6775; k) D. Bonne, T. Constantieux, Y. Coquerel, J. Rodriguez, “Stereoselective multiple bond-forming transformations (MBFTs): the power of 1, 2- and 1, 3-dicarbonyl compounds,” *Chemistry—A European Journal*, **19**(2013) 2218-2231; l) P. Acosta, D. Becerra, S. Gouedranche, J. Quiroga, T. Constantieux, D. Bonne, J. Rodriguez, “Exploiting the reactivity of 1, 2-ketoamides: Enantioselective synthesis of functionalized pyrrolidines and pyrrolo-1, 4-benzodiazepine-2, 5-diones,” *Synlett*, **26**(2015) 1591-1595; m) A. Muthukumar, S. Sangeetha, G. Sekar, “Recent developments in functionalization of acyclic α -keto amides,” *Organic & Biomolecular Chemistry*, **16**(2018) 7068-7083.

- [3] Reviews: a) C. De Risi, G. P. Pollini, V. Zanirato, "Recent developments in general methodologies for the synthesis of α -ketoamides," *Chemical Reviews*, **116**(2016) 3241-3305; b) D. Kumar, S. R. Vemula, G. R. Cook, "Recent advances in the catalytic synthesis of α -ketoamides," *ACS Catalysis*, **6**(2016) 4920-4945.
- [4] a) F. Ozawa, H. Soyma, T. Yamamoto, A. Yamamoto, "Catalytic double carbonylation of organohalogen compounds promoted by palladium complexes," *Tetrahedron Letters*, **23**(1982) 3383-3386; b) M. Nakamura, J. Inoue, T. Yamada, "A two-step, one-pot synthesis of diverse *N*-pyruvoyl amino acid derivatives using the Ugi reaction," *Bioorganic & Medicinal Chemistry Letters*, **10**(2000) 2807-2810; c) V. C. Kokotou, A. Peristeraki, C. G Kokotos, D. A. Six, E. A. Dennis, "Synthesis and activity of 2-oxoamides containing long chain β -amino acids," *Journal of Peptide Science: An Official Publication of the European Peptide Society*, **11**(2005) 431-435; d) B. Song, S. Wang, C. Sun, H. Deng, B. Xu, "Cesium carbonate promoted aerobic oxidation of aryl acetamides: an efficient access to *N*-substituted α -keto amides," *Tetrahedron Letters*, **48**(2007) 8982-8986; e) C. Zhang, N. Jiao, "Dioxygen activation under ambient conditions: Cu-catalyzed oxidative amidation– diketonization of terminal alkynes leading to α -ketoamides," *Journal of the American Chemical Society*, **132**(2010) 28-29; f) F.-T. Du, J.-X. Ji, "Copper-catalyzed direct oxidative synthesis of α -ketoamides from aryl methyl ketones, amines, and molecular oxygen," *Chemical Science*, **3**(2012) 460-465; g) W. Wei, Y. Shao, H. Hu, F. Zhang, C. Zhang, Y. Xu, X. Wan, "Coupling of methyl ketones and primary or secondary amines leading to α -ketoamides," *The Journal of Organic Chemistry*, **77**(2012) 7157-7165; h) A. Y. Shaw, C. R. Denning, C. Hulme, "Selenium dioxide-mediated synthesis of α -ketoamides from arylglyoxals and secondary amines," *Tetrahedron letters*, **53**(2012) 4151-4153; i) Z. Zhang, J. Su, Z. Zha, Z. Wang, "A novel approach for the one-pot preparation of α -ketoamides by anodic oxidation," *Chemical Communications*, **49**(2013) 8982-8984; j) A. Orliac, D. G. Pardo, A. Bombrun, J. Cossy, "An efficient coupling reagent for amidation of carboxylic acids," *Organic letters*, **15**(2013) 902-905; k) B. Du, B. Jin, P. Sun, "The syntheses of α -ketoamides via *n*-Bu₄NI-catalyzed multiple sp³ C–H bond oxidation of ethylarenes and sequential coupling with dialkylformamides," *Organic & Biomolecular Chemistry*, **12**(2014) 4586-4589; l) M. K. Reddy, S. Mallik, I. Ramakrishna, M. Baidya, "Nitrosocarbonyl–Henry and Denitration Cascade: Synthesis of α -Ketoamides and α -Keto Oximes," *Organic Letters*, **19**(2017) 1694-1697; m) M. Ramanathan, C. Kuo, S. Liu, "One pot synthesis of α -ketoamides

- from ethylarenes and amines: a metal free difunctionalization strategy,” *Organic & Biomolecular Chemistry*, **14**(2016) 11446-11453; n) Q. W. Tan, P. Chovatiab, M. C. Willis, “Copper-catalysed synthesis of alkylidene 2-pyrrolinone derivatives from the combination of α -keto amides and alkynes,” *Organic & Biomolecular Chemistry*, **16**(2018) 7797-7800; o) Y.-K. Zhang, B. Wang, “Synthesis of α -Ketoamides from β -Ketonitriles and Primary Amines: A Catalyst-Free Oxidative Decyanation–Amidation Reaction,” *European Journal of Organic Chemistry*, **2019**(2019) 5732-5735; p) A. Ghoshal, M. D. Ambule, R. Sravanthi, M. Taneja, A. K. Srivastava, “Copper-catalyzed oxidative cleavage of Passerini and Ugi adducts in basic medium yielding α -ketoamides,” *New Journal of Chemistry*, **43**(2019) 14459-14474; q) J. Chen, H. Wu, Q. Gui, X. Han, Y. Wu, K. Du, Z. Cao, Y. Lin, W. M. He, “Electrochemical Synthesis of α -Ketoamides under Catalyst, Oxidant and Electrolyte-Free Conditions,” *Organic Letters*, **6**(2020) 2206-2209; r) H. Cha, J. Y. Chai, H. B. Kim, D. Y. Chi, “Synthesis of aliphatic α -ketoamides from α -substituted methyl ketones via a Cu-catalyzed aerobic oxidative amidation,” *Organic & Biomolecular Chemistry*, **19**(2021) 4320-4326; s) H. Hu, T. Yu, S. Cheng, J. Li, C. Gan, S. Luo, Q. Zhu, “Palladium-catalyzed tandem Heck/carbonylation/aminocarbonylation en route to chiral heterocyclic α -ketoamides,” *Organic Chemistry Frontiers*, **9**(2022) 939-945.
- [5] a) T. A. Dineen, M. A. Zajac, A. G. Myers, “Efficient transamidation of primary carboxamides by in situ activation with *N*, *N*-dialkylformamide dimethyl acetals,” *Journal of the American Chemical Society*, **128**(2006) 16406-16409; b) V. R. Pattabiraman, J. W. Bode, “Rethinking amide bond synthesis,” *Nature*, **480**(2011) 471-479; c) R. M. de Figueiredo, J. S. Suppo, J. M. Campagne, “Nonclassical routes for amide bond formation,” *Chemical reviews*, **116**(2016) 12029-12122; d) M. Cui, H. Wu, J. Jian, H. Wang, C. Liu, S. Daniel, Z. Zeng, “Palladium-catalyzed Sonogashira coupling of amides: Access to ynones via C–N bond cleavage,” *Chemical Communications*, **52**(2016) 12076-12079; e) Y. Zhang, X. Ye, S. Liu, W. Chen, I. Majeed, T. Liu, Y. Zhu, Z. Zeng, “NaOTs-promoted transition metal-free C–N bond cleavage to form C–X (X= N, O, S) bonds,” *Organic & Biomolecular Chemistry*, **19**(2021) 8566-8571; f) Y. Liu, X. Mo, I. Majeed, M. Zhang, H. Wang, Z. Zeng, “An efficient and straightforward approach for accessing thionoesters via palladium-catalyzed C–N cleavage of thioamides,” *Organic & Biomolecular Chemistry*, **20**(2022) 1532-1537; g) G. Meng, J. Zhang, M. Szostak, “Acyclic twisted amides,” *Chemical Reviews*, **121**(2021) 12746-12783; h) G. Li, Y. Xing, H. Zhao, J. Zhang, X. Hong,

- M. Szostak, “Chemoselective Transamidation of Thioamides by Transition-Metal-Free N–C (S) Transacylation,” *Angewandte Chemie International Edition*, **61**(2022) e202200144.
- [6] a) R. Szostak, S. Shi, G. Meng, R. Lalancette, M. Szostak, “Ground-state distortion in *N*-acyl-*tert*-butyl-carbamates (Boc) and *N*-acyl-tosylamides (Ts): twisted amides of relevance to amide N–C cross-coupling,” *The Journal of Organic Chemistry*, **81**(2016) 8091-8094; b) E. L. Baker, M. M. Yamano, Y. J. Zhou, S. M. Anthony, N. K. Garg, “A two-step approach to achieve secondary amide transamidation enabled by nickel catalysis,” *Nature communications*, **7**(2016) 1-5; c) J. E. Dander, N. K. Garg, “Breaking amides using nickel catalysis,” *ACS catalysis*, **7**(2017) 1413-1423; d) C. W. Liu, M. Szostak, “Twisted Amides: From Obscurity to Broadly Useful Transition-Metal-Catalyzed Reactions by N–C Amide Bond Activation,” *Chemistry—A European Journal*, **23**(2017) 7157-7173; e) R. Takise, K. Muto, J. Yamaguchi, “Cross-coupling of aromatic esters and amides,” *Chemical Society Reviews*, **46**(2017) 5864-5888; f) C. W. Cheung, M. L. Ploeger, X. L. Hu, “Nickel-Catalyzed Reductive Transamidation of Secondary Amides with Nitroarenes,” *ACS Catalysis*, **7**(2017) 7092-7096; g) J. E. Dander, E. L. Baker, N. K. Garg, “Nickel-catalyzed transamidation of aliphatic amide derivatives,” *Chemical science*, **8**(2017) 6433-6438; h) Y. M. Liu, S. C. Shi, M. Achtenhagen, R. Z. Liu, M. Szostak, “Metal-Free Transamidation of Secondary Amides via Selective N–C Cleavage under Mild Conditions,” *Organic Letters*, **19**(2017) 1614-1617; i) G. Li, M. Szostak, “Highly selective transition-metal-free transamidation of amides and amidation of esters at room temperature,” *Nature communications*, **9**(2018) 1-8; j) G. Meng, P. Lei, M. Szostak, “A general method for two-step transamidation of secondary amides using commercially available, air- and moisture-stable palladium/NHC (*N*-heterocyclic carbene) complexes,” *Organic Letters*, **19**(2017) 2158-2161; k) S. Shi, M. Szostak, “Pd–PEPPSI: A general Pd–NHC precatalyst for Buchwald–Hartwig cross-coupling of esters and amides (transamidation) under the same reaction conditions,” *Chemical communications*, **53**(2017) 10584-10587; l) S. C. Shi, S. P. Nolan, M. Szostak, “Well-defined palladium (II)–NHC precatalysts for cross-coupling reactions of amides and esters by selective N–C/O–C cleavage,” *Accounts of Chemical Research*, **51**(2018) 2589-2599; m) G. Meng, S. Shi, R. Lalancette, R. Szostak, M. Szostak, “Reversible twisting of primary amides via ground state N–C (O) destabilization: highly twisted rotationally inverted acyclic amides,” *Journal of the American Chemical Society*, **140**(2018) 727-734; n) D. Joseph, M. S. Park, S.

- Lee, "Metal-free transamidation of benzoylpyrrolidin-2-one and amines under aqueous conditions," *Organic & Biomolecular Chemistry*, **19**(2021) 6227-6232; o) W. J. Guo, J. J. Huang, H. X. Wu, T. T. Liu, Z. F. Luo, J. S. Jian, Z. Zeng, "One-pot transition-metal free transamidation to sterically hindered amides," *Organic Chemistry Frontiers*, **5**(2018) 2950-2954; p) M. B. Chaudhari, B. Gnanaprakasam, "Recent Advances in the Metal-Catalyzed Activation of Amide Bonds," *Chemistry—An Asian Journal*, **14**(2019) 76-93; q) G. Li, S. Ma, M. Szostak, "Amide bond activation: the power of resonance," *Trends in Chemistry*, **2**(2020) 914-928; r) O. Verho, M. P. Lati, M. Oschmann, "A two-step procedure for the overall transamidation of 8-aminoquinoline amides proceeding via the intermediate *N*-acyl-Boc-carbamates," *The Journal of organic chemistry*, **83**(2018) 4464-4476; s) R. Ramkumar, S. Chandrasekaran, "Catalyst-Free, Metal-Free, and Chemoselective Transamidation of Activated Secondary Amides," *Synthesis*, **51**(2019) 921-932; t) M. M. Rahman, G. Li, M. Szostak, "Metal-Free Transamidation of Secondary Amides by N–C Cleavage," *The Journal of Organic Chemistry*, **84**(2019) 12091-12100; u) G. Li, C. L. Ji, X. Hong, M. Szostak, "Highly chemoselective, transition-metal-free transamidation of unactivated amides and direct amidation of alkyl esters by N–C/O–C cleavage," *Journal of the American Chemical Society*, **141**(28) 11161–11172; v) G. Li, T. Zhou, A. Poater, L. Cavallo, S. P. Nolan, M. Szostak, "Buchwald–Hartwig cross-coupling of amides (transamidation) by selective N–C (O) cleavage mediated by air-and moisture-stable [Pd (NHC)(allyl) Cl] precatalysts: catalyst evaluation and mechanism," *Catalysis Science & Technology*, **10**(2020) 710-716; w) G. Li, M. Szostak, "Non-classical amide bond formation: Transamidation and amidation of activated amides and esters by selective N–C/O–C cleavage," *Synthesis*, **52**(2020) 2579-2599; x) J. J. Chen, Y. Z. Xia, S. Lee, "Transamidation for the synthesis of primary amides at room temperature," *Organic Letters*, **22**(2020) 3504-3508; y) G. Li, M. Szostak, "Transition-Metal-Free Activation of Amides by N–C Bond Cleavage," *The Chemical Record*, **20**(2020) 649-659.
- [7] P. Sureshbabu, S. Azeez, P. Chaudhary, J. Kandasamy, "*tert*-Butyl nitrite promoted transamidation of secondary amides under metal and catalyst free conditions," *Organic & Biomolecular Chemistry*, **17**(2019) 845-850.
- [8] S. Popuri, S. Azeez, K. Pattanaik, S. Sabiah, J. Kandasamy, "Synthesis of *N*-Cbz Amides and Their Applications in the Transamidation Reactions at Room Temperature," *Asian Journal of Organic Chemistry*, **11**(2022) e202200076.

-
- [9] P. Sureshbabu, S. Azeez, N. Muniyappan, S. Sabiah, J. Kandasamy, "Chemoselective synthesis of aryl ketones from amides and Grignard reagents via C (O)–N bond cleavage under catalyst-free conditions," *The Journal of Organic Chemistry*, **84**(2019) 11823-11838.
- [10] S. Azeez, P. Sureshbabu, S. Sabiah, J. Kandasamy, "Controlled reduction of activated primary and secondary amides into aldehydes with diisobutylaluminum hydride," *Organic & Biomolecular Chemistry*, **20**(2022) 2048-2053.
- [11] S. Singh, S. Popuri, Q. M. Junaid, S. Sabiah, J. Kandasamy, "Diversification of α -ketoamides via transamidation reactions with alkyl and benzyl amines at room temperature," *Organic & Biomolecular Chemistry*, **19**(2021) 7134-7140.
- [12] S. Tshepelevitsh, A. Kütt, M. Lõkov, I. Kaljurand, J. Saame, A. Heering, I. Leito, "On the basicity of organic bases in different media," *European Journal of Organic Chemistry*, **2019**(2019) 6735-6748.
- [13] W. N. Olmstead, Z. Margolin, F. G. Bordwell, "Acidities of water and simple alcohols in dimethyl sulfoxide solution," *The Journal of Organic Chemistry*, **45**(1980) 3295-3299.
- [14] Reviews: a) A. Carta, S. Piras, G. Loriga, G. Paglietti, "Chemistry, biological properties and SAR analysis of quinoxalinones,: *Mini reviews in Medicinal Mhemistry*, **6**(2006) 1179-1200; b) L. Shi, W. Hu, J. Wu, H. Zhou, H. Zhou, X. Li, "Quinoxalinone as a privileged platform in drug development," *Mini Reviews in Medicinal Chemistry*, **18**(2018) 392-413; c) X. Jiang, K. Wu, R. Bai, P. Zhang, Y. Zhang, "Functionalized quinoxalinones as privileged structures with broad-ranging pharmacological activities," *European Journal of Medicinal Chemistry*, (2022) 114085.
- [15] a) J. Ohmori, M. Shimizu-Sasamata, M. Okada, S. Sakamoto, "8-(1 H-Imidazol-1-yl)-7-nitro-4 (5 H)-imidazo [1, 2-a] quinoxalinone and Related Compounds: Synthesis and Structure– Activity Relationships for the AMPA-type Non-NMDA Receptor," *Journal of Medicinal Chemistry*, **40**(1997) 2053-2063; b) U. J. Ries, H. W. M. Priepke, N. H. Hael, S. Handschuh, G. Mihm, J. M. Stassen, W. Wienen, H. Nar, "Heterocyclic thrombin inhibitors. Part 2: quinoxalinone derivatives as novel, potent antithrombotic agents," *Bioorganic & Medicinal Chemistry letters*, **13**(2003) 2297-2302; c) J. Miyashiro, K. W. Woods, C. H. Park, X. Liu, Y. Shi, E. F. Johnson, J. J. Bouska, A. M. Olson, Y. Luo, E. H. Fry, V. L. Giranda, T. D. Penning, "Synthesis and SAR of novel tricyclic quinoxalinone inhibitors of poly (ADP-ribose) polymerase-1 (PARP-1)," *Bioorganic & Medicinal Chemistry Letters*, **19**(2009) 4050-4054; d) Y. Yang, S. Zhang, B. Wu, M. Ma, X. Chen, X.

- Qin, M. He, S. Hussain, C. Jing, B. Ma, C. Zhu, "An efficient synthesis of quinoxalinone derivatives as potent inhibitors of aldose reductase," *ChemMedChem*, **7**(2012) 823-835; e) S. L. Mangold, L. R. Prost, L. L. Kiessling, "Quinoxalinone inhibitors of the lectin DC-SIGN," *Chemical science*, **3**(2012) 772-777; f) S. Hussain, S. Parveen, X. Hao, S. Zhang, W. Wang, X. Qin, Y. Yang, X. Chen, S. Zhu, C. Zhu, B. Ma, "Structure-activity relationships studies of quinoxalinone derivatives as aldose reductase inhibitors," *European Journal of Medicinal Chemistry*, **80**(2014) 383-392; g) L. Shi, J. Zhou, J. Wu, J. Cao, Y. Shen, H. Zhou, X. Li, "Quinoxalinone (Part II). Discovery of (Z)-3-(2-(pyridin-4-yl) vinyl) quinoxalinone derivatives as potent VEGFR-2 kinase inhibitors," *Bioorganic & Medicinal Chemistry*, **24**(2016) 1840-1852.
- [16] a) J. B. Tingle, F. C. Blanck, "Studies in nitration, iii. nitration of aniline and of certain of its *n*-alkyl, *n*-aryl and *n*-acyl derivatives," *Journal of the American Chemical Society*, **30**(1908) 1395-1412; b) B. Kilpatrick, M. Heller, S. Arns, "Chemoselective nitration of aromatic sulfonamides with *tert*-butyl nitrite," *Chemical Communications*, **49**(2013) 514-516; c) E. Hernando, R. R. Castillo, N. Rodríguez, R. G. Arrayás, J. C. Carretero, "Copper-Catalyzed Mild Nitration of Protected Anilines," *Chemistry—A European Journal*, **20**(2014) 13854-13859; d) U. Kloeckner, B. J. Nachtsheim, "Mild hypervalent iodine mediated oxidative nitration of *N*-aryl sulphonamides," *Chemical Communications*, **50**(2014) 10485-10487; e) Y. X. Li, L. H. Li, Y. F. Yang, H. L. Hua, X. B. Yan, L. B. Zhao, Y. M. Liang, "Direct oxidative nitration of aromatic sulfonamides under mild conditions," *Chemical Communications*, **50**(2014) 9936-9938; f) Y. F. Ji, H. Yan, Q. B. Jiang, "Effective Nitration of Anilides and Acrylamides by *tert*-Butyl Nitrite," *European Journal of Organic Chemistry*, **9**(2015) 2051-2060; g) J. Zhao, P. Li, C. Xia, F. Li, "Metal-free regioselective C-3 nitration of quinoline *N*-oxides with *tert*-butyl nitrite," *RSC Advances*, **5**(2015) 32835-32838; h) P. Chaudhary, S. Gupta, N. Muniyappan, S. Sabiah, J. Kandasamy, "Regioselective nitration of *N*-alkyl anilines using *tert*-butyl nitrite under mild condition," *The Journal of Organic Chemistry*, **84**(2018) 104-119; i) A. Shoberu, C. K. Li, Z. K. Tao, G. Y. Zhang, J. P. Zou, "NaNO₂/K₂S₂O₈-mediated Selective Radical Nitration/Nitrosation of Indoles: Efficient Approach to 3-Nitro- and 3-Nitrosoindoles," *Advanced Synthesis & Catalysis*, **361**(2019) 2255-2261.

4.7 References

- [1] a) P. Majumdar, A. Pati, M. Patra, R. K. Behera, A. K. Behera, Acid hydrazides, "potent reagents for synthesis of oxygen-, nitrogen-, and/or sulfur-containing heterocyclic rings. *Chemical reviews*," **114**(2014) 2942-2977.
- [2] P. Kumar, B. Narasimhan, D. Sharma, "Substituted benzoic acid benzylidene/furan-2-yl-methylene hydrazides: synthesis, antimicrobial evaluation and QSAR analysis," *Arkivoc*, **13**(2008) 159-178.
- [3] A. Masunari, L. C. Tavares, "A new class of nifuroxazide analogues: synthesis of 5-nitrothiophene derivatives with antimicrobial activity against multidrug-resistant *Staphylococcus aureus*," *Bioorganic & medicinal chemistry*, **15**(2007) 4229-4236.
- [4] C. Loncle, J. M. Brunel, N. Vidal, M. Dherbomez, Y. Letourneux, "Synthesis and antifungal activity of cholesterol-hydrazone derivatives," *European journal of medicinal chemistry*, **39**(2004) 1067-1071.
- [5] S. G. Küçükgülzel, A. Mazi, F. Sahin, S. Öztürk, J. Stables, "Synthesis and biological activities of diflunisal hydrazide-hydrazones," *European journal of medicinal chemistry*, **38**(2003) 1005-1013.
- [6] P. Vicini, F. Zani, P. Cozzini, I. Doytchinova, "Hydrazones of 1, 2-benzisothiazole hydrazides: synthesis, antimicrobial activity and QSAR investigations," *European journal of medicinal chemistry*," **37**(2002) 553-564.
- [7] J. V. Ragavendran, D. Sriram, S. K. Patel, I. V. Reddy, N. Bharathwajan, J. Stables, P. Yogeewari, "Design and synthesis of anticonvulsants from a combined phthalimide-GABA-anilide and hydrazone pharmacophore," *European journal of medicinal chemistry*, **42**(2007) 146-151.
- [8] N. Ergenç, N. S. Günay, R. Demirdamar, "Synthesis and antidepressant evaluation of new 3-phenyl-5-sulfonamidoindole derivatives," *European Journal of Medicinal Chemistry*, **33**(1998) 143-148.
- [9] A. R. Todeschini, A. L. P. de Miranda, K. C. M. da Silva, S. C. Parrini, E. J. Barreiro, "Synthesis and evaluation of analgesic, antiinflammatory and antiplatelet properties of new 2-pyridylarylhydrazone derivatives," *European journal of medicinal chemistry*, **33**(1998) 189-199.
- [10] S. Gemma, G. Kukreja, C. Fattorusso, M. Persico, M. P. Romano, M. Altarelli, L. Savini, G. campiani, E. fattorusso, N. Basilico, D. Taramelli, V. Yardley, S. Butini, "Synthesis of N1-arylidene-N2-quinolyl-and N2-acrydinyhydrazones as potent antimalarial agents active against CQ-resistant *P. falciparum* strains" *Bioorganic & medicinal chemistry letters*, **16**(2006) 5384-5388.
- [11] A. Bijev, "New heterocyclic hydrazones in the search for antitubercular agents: Synthesis and in vitro evaluations," *Letters in Drug Design & Discovery*, **3**(2006) 506-512.

- [12] E. Gürsoy, N. U. Güzeldemirci, "Synthesis and primary cytotoxicity evaluation of new imidazo [2, 1-b] thiazole derivatives," *European journal of medicinal chemistry*, **42**(2007) 320-326.
- [13] J. K. Seydel, K. J. Schaper, E. Wempe, H. P. Cordes, "Mode of action and quantitative structure-activity correlations of tuberculostatic drugs of the isonicotinic acid hydrazide type," *Journal of Medicinal Chemistry*, **19**(1976) 483-492.
- [14] T. Scior, S. J. Garces-Eisele, "Isoniazid is not a lead compound for its pyridyl ring derivatives, isonicotinoyl amides, hydrazides, and hydrazones: a critical review," *Current medicinal chemistry*, **13**(2006) 2205-2219.
- [15] M. D. Mashkovskiy, Drugs [in Russian]; Torsing: Kharkiv, (1997) 334.
- [16] R. Vardanyan, V. Hraby, "Synthesis of essential drugs," *Elsevier*, (2006).
- [17] L. N. Yakhontov, "Advances in the chemistry of heterocycles and the pharmaceutical-chemistry industry of the ussr," *Chemistry of Heterocyclic Compounds*, **13**(1977) 1151-1160.
- [18] A. P. Grekov, Organic Chemistry of Hydrazine; Technika Publishers: Kiev, 1966.
- [19] N. Spiliopoulou, C. T. Constantinou, I. Triandafillidi, C. G. Kokotos, "Synthetic approaches to acyl hydrazides and their use as synthons in organic synthesis," *Synthesis*, **52**(2020) 3219-3230.
- [20] S. N. Mali, B. R. Thorat, D. R. Gupta, A. Pandey, "Mini-Review of the Importance of Hydrazides and Their Derivatives—Synthesis and Biological Activity," *Engineering Proceedings*, **11**(2021) 21.
- [21] a) A. Shamsabadi, V. Chudasama, "An overview of the synthesis of acyl hydrazides from aldehydes and reactions of the products thereof," *Organic & Biomolecular Chemistry*, **15**(2017) 17-33; b) V. Chudasama, J. M. Ahern, D. V. Dhokia, R. J. Fitzmaurice, S. Caddick, "Functionalisation of aldehydes via aerobic hydroacylation of azodicarboxylates 'on' water," *Chemical Communications*, **47**(2011) 3269-3271.
- [22] D. Lee, R. D. Otte, "Transition-Metal-Catalyzed Aldehydic C–H Activation by Azodicarboxylates," *The Journal of Organic Chemistry*, **69**(2004) 3569-3571.
- [23] Y. Qin, Q. Peng, J. Song, D. Zhou, "Highly efficient copper-catalyzed hydroacylation reaction of aldehydes with azodicarboxylates," *Tetrahedron letters*, **52**(2011) 5880-5883.
- [24] Greenberg, C. M. Breneman, J. F. Liebman, "The Amide Linkage: Structural Significance in Chemistry, Biochemistry, and Materials Science," Wiley-Interscience, New York, 2000.
- [25] a) P. Acosta-Guzman, A. Mateus-Gomez, D. Gamba-Sanchez, "Direct transamidation reactions: mechanism and recent advances," *Molecules*, **23**(2018) 2382; b) M. B. Chaudhari, B. Gnanaprakasam, "Recent Advances in the Metal-Catalyzed Activation of Amide Bonds," *Chemistry—An Asian Journal*, **14**(2019) 76-93; c) G. Meng, S. Shi, M. Szostak, "Cross-coupling of amides by N–C

bond activation,” *Synlett*, **27**(2016) 2530-2540; d) J. E. Dander, N. K. Garg, “Breaking amides using nickel catalysis,” *ACS Catalysis*, **7**(2017) 1413-1423; e) S. Shi, S. P. Nolan, M. Szostak, “Well-defined palladium (II)–NHC precatalysts for cross-coupling reactions of amides and esters by selective N–C/O–C cleavage,” *Accounts of Chemical Research*, **51**(2018) 2589-2599; f) Y. Bourne-Branchu, C. Gosmini, G. Danoun, “N-Boc-Amides in Cross-Coupling Reactions,” *Chemistry–A European Journal*, **25**(2019) 2663-2674; g) G. Li, S. Ma, M. Szostak, “Amide bond activation: the power of resonance,” *Trends in Chemistry*, **2**(2020) 914-928; h) G. Li, M. Szostak, “Transition-Metal-Free Activation of Amides by N–C Bond Cleavage,” *The Chemical Record*, **20**(2020) 649-659; i) G. Li, M. Szostak, “Non-classical amide bond formation: Transamidation and amidation of activated amides and esters by selective N–C/O–C cleavage,” *Synthesis*, **52**(2020) 2579-2599; j) G. Meng, J. Zhang, M. Szostak, “Acyclic twisted amides,” *Chemical Reviews*, **121**(2021) 12746–12783; k) R. Szostak, S. Shi, G. Meng, R. Lalancette, M. Szostak, “Ground-state distortion in N-acyl-tert-butyl-carbamates (Boc) and N-acyl-tosylamides (Ts): twisted amides of relevance to amide N–C cross-coupling,” *The Journal of Organic Chemistry*, **81**(2016) 8091-8094; l) C. W. Liu, M. Szostak, “Twisted Amides: From Obscurity to Broadly Useful Transition-Metal-Catalyzed Reactions by N–C Amide Bond Activation,” *Chemistry–A European Journal* **23**(2017) 7157-7173; m) R. Takise, K. Muto, J. Yamaguchi, “Cross-coupling of aromatic esters and amides,” *Chemical Society Reviews*, **46**(2017) 5864-5888; n) G. Li, T. Zhou, A. Poater, L. Cavallo, S. P. Nolan, M. Szostak, “Buchwald–Hartwig cross-coupling of amides (transamidation) by selective N–C (O) cleavage mediated by air- and moisture-stable [Pd(NHC)(allyl) Cl] precatalysts: catalyst evaluation and mechanism,” *Catalysis Science & Technology*, **10**(2020) 710-716; o) C. Liu, M. Szostak, “Decarbonylative cross-coupling of amides,” *Organic & Biomolecular Chemistry*, **16**(2018) 7998-8010; p) T. Zhou, C.-L. Ji, X. Hong, M. Szostak, “Palladium-catalyzed decarbonylative Suzuki–Miyaura cross-coupling of amides by carbon–nitrogen bond activation,” *Chemical science*, **10**(2019) 9865-9871; q) E. Massolo, M. Pirola, M. Benaglia, “Amide bond formation strategies: Latest advances on a dateless transformation,” *European Journal of Organic Chemistry*, **2020**(2020) 4641–4651; r) G. Meng, S. Shi, R. Lalancette, R. Szostak, M. Szostak, “Reversible twisting of primary amides via ground state N–C (O) destabilization: highly twisted rotationally inverted acyclic amides,” *Journal of the American Chemical Society*, **140**(2018) 727-734; s) G. Li, Y. Xing, H. Zhao, J. Zhang, X. Hong, M. Szostak, “Chemoselective Transamidation of Thioamides by Transition-Metal-Free N–C (S) Transacylation,” *Angewandte Chemie International Edition*, **61**(2022) e202200144.

- [26] a) E. L. Baker, M. M. Yamano, Y. Zhou, S. M. Anthony, N. K. Garg, "A two-step approach to achieve secondary amide transamidation enabled by nickel catalysis," *Nature communications*, **7**(2016) 1-5; b) C. W. Cheung, M. L. Ploeger, X. Hu, "Nickel-catalyzed reductive transamidation of secondary amides with nitroarenes," *Acs Catalysis*, **7**(2017) 7092-7096; c) J. E. Dander, E. L. Baker, N. K. Garg, "Nickel-catalyzed transamidation of aliphatic amide derivatives," *Chemical science*, **8**(2017) 6433-6438; d) Y. Liu, S. Shi, M. Achtenhagen, R. Liu, M. Szostak, "Metal-Free Transamidation of Secondary Amides via Selective N–C Cleavage under Mild Conditions," *Organic letters*, **19**(2017) 1614-1617; e) G. Li, M. Szostak, "Highly selective transition-metal-free transamidation of amides and amidation of esters at room temperature," *Nature communications*, **9**(2018) 1-8; f) G. Meng, P. Lei, M. Szostak, "A general method for two-step transamidation of secondary amides using commercially available, air- and moisture-stable palladium/NHC (N-heterocyclic carbene) complexes," *Organic letters*, **19**(2017) 2158-2161; g) S. Shi, M. Szostak, "Pd–PEPPSI: A general Pd–NHC precatalyst for Buchwald–Hartwig cross-coupling of esters and amides (transamidation) under the same reaction conditions," *Chemical communications*, **53**(2017) 10584-10587; h) D. Joseph, M. S. Park, S. Lee, "Metal-free transamidation of benzoylpyrrolidin-2-one and amines under aqueous conditions," *Organic & Biomolecular Chemistry*, **19**(2021) 6227-6232; i) W. Guo, J. Huang, H. Wu, T. Liu, Z. Luo, J. Jian, Z. Zeng, "One-pot transition-metal free transamidation to sterically hindered amides," *Organic Chemistry Frontiers*, **5**(2018) 2950-2954; j) G. Li, M. Szostak, "Highly selective transition-metal-free transamidation of amides and amidation of esters at room temperature," *Nature communications*, **9**(2018) 1-8; k) O. Verho, M. Pourghasemi Lati, M. Oschmann, "A two-step procedure for the overall transamidation of 8-aminoquinoline amides proceeding via the intermediate *N*-acyl-Boc-carbamates," *The Journal of organic chemistry*, **83**(2018) 4464-4476; l) R. Ramkumar, S. Chandrasekaran, "Catalyst-Free, Metal-Free, and Chemoselective Transamidation of Activated Secondary Amides," *Synthesis*, **51**(2019) 921-932; m) M. M. Rahman, G. Li, M. Szostak, "Metal-Free Transamidation of Secondary Amides by N–C Cleavage," *The Journal of Organic Chemistry*, **84**(2019) 12091-12100; n) G. Li, C. L. Ji, X. Hong, M. Szostak, "Highly chemoselective, transition-metal-free transamidation of unactivated amides and direct amidation of alkyl esters by N–C/O–C cleavage," *Journal of the American Chemical Society*, **141**(2019) 11161-11172; o) J. Chen, Y. Xia, S. Lee, "Transamidation for the synthesis of primary amides at room temperature," *Organic letters*, **22**(2020) 3504-3508; (p) S. Yu, T. Shin, M. Zhang, Y. Xia, H. Kim, S. Lee, "Nickel/Briphos-Catalyzed Direct Transamidation of Unactivated Secondary Amides Using Trimethylsilyl Chloride," *Organic Letters*, **20**(2018) 7563-7566; (q) P. Lei, Y. Wang, Y. Mu, Y. Wang, Z. Ma,

- J. Feng, M. Szostak, "Green-Solvent Selection for Acyl Buchwald–Hartwig Cross-Coupling of Amides (Transamidation)," *ACS Sustainable Chemistry & Engineering*, **9**(2021) 14937-14945.
- [27] a) G. Li, P. Lei, M. Szostak, "Transition-metal-free esterification of amides via selective N–C cleavage under mild conditions," *Organic letters*, **20**(2018) 5622-5625; b) D. Ye, Z. Liu, H. Chen, J. L. Sessler, C. Lei, "Cesium carbonate catalyzed esterification of *N*-benzyl-*N*-Boc-amides under ambient conditions," *Organic letters*, **21**(2019) 6888-6892.
- [28] a) P. Sureshbabu, S. Azeez, N. Muniyappan, S. Sabiah, J. Kandasamy, "Chemoselective synthesis of aryl ketones from amides and Grignard reagents via C (O)–N bond cleavage under catalyst-free conditions," *The Journal of Organic Chemistry*, **84**(2019) 11823-11838; b) P. Sureshbabu, S. Azeez, P. Chaudhary, J. Kandasamy, "*tert*-Butyl nitrite promoted transamidation of secondary amides under metal and catalyst free conditions," *Organic & Biomolecular Chemistry*, **17**(2019) 845-850; c) S. Singh, P. Sureshbabu, S. Sabiah, J. Kandasamy, "Synthesis of *N*-Aryl α -Ketoamides, α -Ketoesters, α -Ketothioesters and Their Applications in Quinoxalinone Preparation," *Asian Journal of Organic Chemistry*, **11**(2022) e202200122; d) P. Sureshbabu, S. Azeez, K. Pattanaik, S. Sabiah, J. Kandasamy, "Synthesis of *N*-Cbz Amides and Their Applications in the Transamidation Reactions at Room Temperature," *Asian Journal of Organic Chemistry*, (2022) e202200076; e) S. Azeez, P. Sureshbabu, S. Sabiah, J. Kandasamy, "Controlled reduction of activated primary and secondary amides into aldehydes with diisobutylaluminum hydride," *Organic & Biomolecular Chemistry*, **20**(2022) 2048-2053; f) S. Singh, S. Popuri, Q. M. Junaid, S. Sabiah, J. Kandasamy, "Diversification of α -ketoamides via transamidation reactions with alkyl and benzyl amines at room temperature," *Organic & Biomolecular Chemistry*, **19**(2021) 7134-7140; g) V. K. Kanaujiya, V. Tiwari, K. Pattanaik, S. Sabiah, J. Kandasamy, "Synthesis of Glycouronamides by Transamidation Approach at Room Temperature," *Asian Journal of Organic Chemistry*, (2022) e202200315.
- [29] D. Joseph, S. Lee, "Reaction of Amide and Sodium Azide for the Synthesis of Acyl Azide, Urea, and Iminophosphorane," *Organic Letters*, **24**(2022) 6186-6191.
- [30] Z. X. Wang, H. L. Qin, "Solventless syntheses of pyrazole derivatives," *Green chemistry*, **6**(2004) 90-92.
- [31] S. Azeez, P. Sureshbabu, S. Sabiah, N. Muniyappan, J. Kandasamy, "Chemoselective synthesis of aryl ketones from amides and Grignard reagents via C (O)–N bond cleavage under catalyst-free conditions," *The Journal of Organic Chemistry*, **84**(2019) 11823-11838; b) L. Hie, E. L. Baker, S. M. Anthony, J. N. Desrosiers, C. Senanayake, N. K. Garg, "Nickel-Catalyzed Esterification of

- Aliphatic Amides,” *Angewandte Chemie International Edition*, **55**((2016) 15129-15132.
- [32] S. Azeez, P. Sureshababu, S. Sabiah, J. Kandasamy, “Controlled reduction of activated primary and secondary amides into aldehydes with diisobutylaluminum hydride,” *Organic & Biomolecular Chemistry*, **20**((2022) 2048-2053.

5.8 References

- [1] a) P. Langer, "Regio- and Diastereoselective Cyclization Reactions of Free and Masked 1,3-Dicarbonyl Dianions with 1,2-Dielectrophile," *Chemistry—A European Journal*, **7**(2001) 3858-3866; b) P. Langer, "Cyclization reactions of 1, 3-bis-silyl enol ethers and related masked dianions," *Synthesis*, **2002**(2002) 0441-0459; c) C. Pettinari, F. Marchetti, A. Drozdov, "1.6- β -Diketones and Related Ligands," *Comprehensive Coordination Chemistry II*, J. A. McCleverty, T. J. Meyer, Eds. Pergamon: Oxford, **2003**, 97-115; d) J. Christoffers, A. Baro, T. Werner, " α -Hydroxylation of β -Dicarbonyl Compounds," *Advanced Synthesis & Catalysis*, **346**(2004) 143-151; e) C. Simon, T. Constantieux, J. Rodriguez, "Utilisation of 1, 3-dicarbonyl derivatives in multicomponent reactions," *European Journal of Organic Chemistry*, **2004**(2004) 4957-4980; f) D. Bonne, Y. Coquerel, T. Constantieux, J. Rodriguez, "1, 3-Dicarbonyl compounds in stereoselective domino and multicomponent reactions," *Tetrahedron: Asymmetry*, **21**(2010) 1085-1109; g) N. Kaur, P. Grewal, K. Poonia, "Dicarbonyl compounds in *O*-heterocycle synthesis," *Synthetic Communications*, **51**(2021) 2423-2444; h) W. Li, Y. Zheng, E. Qu, J. Bai, Q. Deng, " β -Keto Amides: A Jack-of-All-Trades Building Block in Organic Chemistry," *European Journal of Organic Chemistry*, **2021**(2021) 5151-5192; i) T. Govender, P. I. Arvidsson, G. E. Maguire, H. G. Kruger, T. Naicker, "Enantioselective organocatalyzed transformations of β -ketoesters," *Chemical Reviews*, **116**(2016) 9375-9437.
- [2] a) D. J. Hogenkamp, T. B. Johnstone, J. C. Huang, W. Y. Li, M. Tran, E. R. Whittemore, K. W. Gee, "Enaminone amides as novel orally active GABAA receptor modulators," *Journal of medicinal chemistry*, **50**(2007) 3369-3379; b) G. P. Jadhav, S. R. Chhabra, G. Telford, D. S. Hooi, K. Righetti, P. Williams, P. M. Fischer, "Immunosuppressive but non-LasR-inducing analogues of the *Pseudomonas aeruginosa* quorum-sensing molecule *N*-(3-oxododecanoyl)-*l*-homoserine lactone," *Journal of medicinal chemistry*, **54**(2011) 3348-3359; c) D. S. Coffey, L. E. Overman, F. Stappenbeck, "Enantioselective Total Syntheses of 13, 14, 15-Isocrambescidin 800 and 13, 14, 15-Isocrambescidin 657," *Journal of the American Chemical Society*, **122**(2000) 4904-4914; d) F. A. Davis, J. Zhang, Y. Li, H. Xu, C. De Brosse, "Asymmetric synthesis of 2, 4, 5-trisubstituted piperidines from sulfinimine-derived δ -amino β -ketoesters. Formal synthesis of pseudodistomin

- B triacetate,” *The Journal of Organic Chemistry*, **70**(2005) 5413-5419; e) M. D. Hill, M. Movassaghi, “New strategies for the synthesis of pyrimidine derivatives,” *Chemistry—A European Journal*, **14**(2008) 6836-6844; f) D. Simoni, F. P. Invidiata, R. Rondanin, S. Grimaudo, G. Cannizzo, E. Barbusca, M. Tolomeo, “Structure–activity relationship studies of novel heteroretinoids: Induction of apoptosis in the hl-60 cell line by a novel isoxazole-containing heteroretinoid,” *Journal of medicinal chemistry*, **42**(1999) 4961-4969; g) Z. Khademi, M. M. Heravi, “Applications of Claisen condensations in total synthesis of natural products. An old reaction, a new perspective,” *Tetrahedron*, **103**(2022) 132573.
- [3] a) S. Benetti, R. Romagnoli, C. De Risi, G. Spalluto, V. Zanirato, “Mastering. beta-keto esters,” *Chemical reviews*, **95**(1995) 1065-1114; b) A.V. Kel'in, “Recent advances in the synthesis of 1, 3-diketones,” *Current Organic Chemistry*, **7**(2003) 1691-1711; c) H. S. P. Rao, S. Rafi, K. Padmavathy, “The Blaise reaction,” *Tetrahedron*, **64**(2008) 8037-8043; d) G. Hilt, D. F. Weske, “Aromatic compounds as synthons for 1, 3-dicarbonyl derivatives,” *Chemical Society Reviews*, **38**(2009) 3082-3091; e) E. A. Shokova, J. K. Kim, V. Kovalev, “1, 3-Diketones. Synthesis and properties,” *Russian journal of organic chemistry*, **51**(2015) 755-830; f) S. E. El-Meligie, N. A. Khalil, H. B. El-Nassan, A. A. Ibraheem, “A Review on the Synthetic Routes to β -keto amides,” *Current Organic Chemistry*, **23**(2019) 2005-2015; g) G. de Gonzalo, A. R. Alcántara, “Recent Developments in the Synthesis of β -Diketones,” *Pharmaceuticals*, **14**(2021) 1043; h) M. C. Hennessy, T. P. O'Sullivan, “Recent advances in the transesterification of β -keto esters,” *RSC advances*, **11**(2021) 22859-22920; i) B. Wahl, H. Bonin, A. Mortreux, S. Giboulot, F. Liron, G. Poli, M. Sauthier, “A General and Efficient Method for the Alkoxyacylation of α -Chloro Ketones,” *Advanced Synthesis & Catalysis*, **354**(2021) 3105-3114; j) Z. Zhang, Y. Liu, M. Gong, X. Zhao, Y. Zhang, J. Wang, “Palladium-Catalyzed Carbonylation/Acyl Migratory Insertion Sequence,” *Angewandte Chemie International Edition*, **49**(2010) 1139-1142; k) M. Rahaman, M. S. Ali, K. Jahan, D. Hinz, J. B. Belayet, R. Majinski, M. M. Hossain, “Synthetic scope of Brønsted acid-catalyzed reactions of carbonyl compounds and ethyl diazoacetate,” *The Journal of Organic Chemistry*, **86**(2021) 6138-6147; l) L. Zeng, Z. Lai, S. Cui, “One-pot reaction of carboxylic acids and ynol ethers for the synthesis of β -keto esters,” *The Journal of Organic Chemistry*, **83**(2018) 14834-

- 14841; m) M. A. Sanchez-Carmona, D. A. Contreras-Cruz, L. D. Miranda, "Base-free two-step synthesis of 1, 3-diketones and β -ketoesters from α -diazocarbonyl compounds, trialkylboranes, and aromatic aldehydes," *Organic & Biomolecular Chemistry*, **9**(2011) 6506-6508.
- [4] a) Akhmedov, A. R. Katritzky, Z. Wang, M. Wang, C. R. Wilkerson, C. D. Hall, N. G. Akhmedov, "Preparation of β -keto esters and β -diketones by C-acylation/deacetylation of acetoacetic esters and acetyl ketones with 1-acylbenzotriazoles," *The Journal of Organic Chemistry*, **69**(2004) 6617-6622; b) G. Zhou, D. Lim, F. Fang, D. M. Coltart, "A Practical Synthesis of β -Keto Thioesters by Direct Crossed-Claisen Coupling of Thioesters and *N*-Acylbenzotriazoles," *Synthesis*, **2009**(2009) 3350-3352; c) D. S. Breslow, E. Baumgarten, C. R. Hauser, "A New Synthesis of β -Keto Esters of the Type RCOCH₂COOC₂H₅," *Journal of the American Chemical Society*, **66**(1944) 1286-1288; d) R. J. Clay, T. A. Collom, G. L. Karrick, J. A. Wemple, *Synthesis*, **3**(1993) 290-292; e) R. J. Clay, T. A. Collom, G. L. Karrick, J. Wemple, "A safe, economical method for the preparation of β -oxo-esters," *Synthesis (Stuttgart)*, **3**(1993) 290-292; f) H. S. P. Rao, S. Rafi, K. Padmavathy, "The Blaise reaction," *Tetrahedron*, **64**(2008) 8037-8043; g) L. Kürti, B. Czako, "Strategic Applications of Named Reactions in Organic Synthesis" Elsevier: Burlington, **2005**, 86-138; h) R. J. Ouellette, J. D. Rawn, *Organic Chemistry (Second Edition)*, R. J. Ouellette, J. D. Rawn, Eds. Academic Press: **2018**, 711-762.
- [5] a) A. Greenberg, C. M. Breneman, J. F. Liebman, Wiley-Interscience: New York, **2000**; b) J. S. Carey, D. Laffan, C. Thomson, M. T. Williams, "Analysis of the reactions used for the preparation of drug candidate molecules," *Organic & biomolecular chemistry*, **4**(2006) 2337-2347; c) S. D. Roughley, A. M. Jordan, "The medicinal chemist's toolbox: an analysis of reactions used in the pursuit of drug candidates," *Journal of medicinal chemistry*, **54**(2011) 3451-3479; d) J. R. Dunetz, J. Magano, G. A. Weisenburger, "Large-scale applications of amide coupling reagents for the synthesis of pharmaceuticals," *Organic Process Research & Development*, **20**(2016) 140-177.
- [6] a) P. Acosta-Guzmán, A. Mateus-Gómez, D. Gamba-Sánchez, "Direct transamidation reactions: mechanism and recent advances," *Molecules*, **23**(2018) 2382; b) M. B. Chaudhari, B. Gnanaprakasam, "Recent Advances in the Metal-Catalyzed Activation of Amide Bonds," *Chemistry-An Asian*

Journal, **14**(2019) 76-93; c) G. Meng, S. Shi, M. Szostak, "Cross-coupling of amides by N–C bond activation," *Synlett*, **27**(2016) 2530-2540; d) J. E. Dander, N. K. Garg, "Breaking amides using nickel catalysis," *ACS catalysis*, **7**(2017) 1413-1423; e) S. Shi, S. P. Nolan, M. Szostak, "Well-Defined Palladium (II)-NHC (NHC= N-Heterocyclic Carbene) 265 Precatalysts for Cross-Coupling Reactions of Amides and Esters by Selective Acyl CO–X (X= N, O) 266 Cleavage," *Acc. Chem. Res.*, **51**(2018) 2589-2599; f) Y Bourne-Branchu, C. Gosmini, G. Danoun, "N-Boc-Amides in Cross-Coupling Reactions," *Chemistry–A European Journal*, **25**(2019) 2663-2674; g) G. Li, S. Ma, M. Szostak, "Amide bond activation: the power of resonance," *Trends in Chemistry*, **2**(2020) 914-928; h) G. Li, M. Szostak, "Transition-Metal-Free Activation of Amides by N–C Bond Cleavage," *The Chemical Record*, **20**(2020) 649-659; i) G. Li, M. Szostak, "Non-classical amide bond formation: Transamidation and amidation of activated amides and esters by selective N–C/O–C cleavage," *Synthesis*, **52**(2020) 2579-2599; j) G. Meng, J. Zhang, M. Szostak, "Acyclic twisted amides," *Chemical Reviews*, **121**(2021) 12746-12783; k) R. Szostak, S. Shi, G. Meng, R. Lalancette, M. Szostak, "Ground-state distortion in N-acyl-tert-butyl-carbamates (Boc) and N-acyl-tosylamides (Ts): twisted amides of relevance to amide N–C cross-coupling," *The Journal of Organic Chemistry*, **81**(2016) 8091-8094; l) C. Liu, M. Szostak, "Twisted Amides: From Obscurity to Broadly Useful Transition-Metal-Catalyzed Reactions by N–C Amide Bond Activation," *Chemistry–A European Journal*, **23**(2017) 7157-7173; m) R. Takise, K. Muto, J. Yamaguchi, "Cross-coupling of aromatic esters and amides," *Chemical Society Reviews*, **46**(2017) 5864-5888; n) G. Li, T. Zhou, A. Poater, L. Cavallo, S. P. Nolan, M. Szostak, "Buchwald–Hartwig cross-coupling of amides (transamidation) by selective N–C (O) cleavage mediated by air-and moisture-stable [Pd (NHC)(allyl) Cl] precatalysts: catalyst evaluation and mechanism," *Catalysis Science & Technology*, **10**(2020) 710-716; o) C. Liu, M. Szostak, "Decarbonylative cross-coupling of amides," *Organic & Biomolecular Chemistry*, **16**(2018) 7998-8010; p) T. Zhou, C. L. Ji, X. Hong, M. Szostak, "Palladium-catalyzed decarbonylative Suzuki–Miyaura cross-coupling of amides by carbon–nitrogen bond activation," *Chemical science*, **10**(2019) 9865-9871; q) E. Massolo, M. Pirola, M. menaglia, "Amide bond formation strategies: Latest advances on a dateless transformation," *European Journal of Organic Chemistry*, **2020**(2020) 4641-4651; r) G. Meng, S. Shi, R.

- Lalancette, R. Szostak, M. Szostak, “Reversible twisting of primary amides via ground state N–C (O) destabilization: highly twisted rotationally inverted acyclic amides,” *Journal of the American Chemical Society*, **140**(2018) 727-734; s) G. Li, Y. Xing, H. Zhao, J. Zhang, X. Hong, M. Szostak, “Chemoselective Transamidation of Thioamides by Transition-Metal-Free N–C (S) Transacylation,” *Angewandte Chemie International Edition*, **61**(2022) e202200144.
- [7] a) E. L. Baker, M. M. Yamano, Y. Zhou, S. M. Anthony, N. K. Garg, “A two-step approach to achieve secondary amide transamidation enabled by nickel catalysis,” *Nature communications*, **7**(2016) 1-5; b) C. W. Cheung, M. L. Ploeger, X. Hu, “Nickel-catalyzed reductive transamidation of secondary amides with nitroarenes,” *ACS Catalysis*, **7**(2017) 7092-7096; c) J. E. Dander, E. L. Baker, N. K. Garg, “Nickel-catalyzed transamidation of aliphatic amide derivatives,” *Chemical science*, **8**(2017) 6433-6438; d) Y. Liu, S. Shi, M. Achtenhagen, R. Liu, M. Szostak, “Metal-Free Transamidation of Secondary Amides via Selective N–C Cleavage under Mild Conditions,” *Organic letters*, **19**(2017) 1614-1617; e) G. Li, M. Szostak, “Highly selective transition-metal-free transamidation of amides and amidation of esters at room temperature,” *Nature communications*, **9**(2018) 1-8; f) G. Meng, P. Lei, M. Szostak, “A general method for two-step transamidation of secondary amides using commercially available, air- and moisture-stable palladium/NHC (N-heterocyclic carbene) complexes,” *Organic letters*, **19**(2017) 2158-2161; g) S. Shi, M. Szostak, “Pd–PEPPSI: A general Pd–NHC precatalyst for Buchwald–Hartwig cross-coupling of esters and amides (transamidation) under the same reaction conditions,” *Chemical communications*, **53**(2017) 10584-10587; h) D. Joseph, M. S. Park, S. Lee, “Metal-free transamidation of benzoylpyrrolidin-2-one and amines under aqueous conditions,” *Organic & Biomolecular Chemistry*, **19**(2021) 6227-6232; i) W. Guo, J. Huang, H. Wu, T. Liu, Z. Luo, J. Jian, Z. Zeng, “One-pot transition-metal free transamidation to sterically hindered amides,” *Organic Chemistry Frontiers*, **5**(2018) 2950-2954; j) G. Li, M. Szostak, “Highly selective transition-metal-free transamidation of amides and amidation of esters at room temperature,” *Nature communications*, **9**(2018) 1-8; k) O. Verho, M. Pourghasemi Lati, M. Oschmann, “A two-step procedure for the overall transamidation of 8-aminoquinoline amides proceeding via the intermediate N-acyl-Boc-carbamates,” *The Journal of organic chemistry*, **83**(2018) 4464-4476; l) R. Ramkumar, S. Chandrasekaran, “Catalyst-Free, Metal-Free, and Chemoselective

- Transamidation of Activated Secondary Amides,” *Synthesis*, **51**(2019) 921-932; m) M. M. Rahman, G. Li, M. Szostak, “Metal-Free Transamidation of Secondary Amides by N–C Cleavage,” *The Journal of Organic Chemistry*, **84**(2019) 12091-12100; n) G. Li, C. L. Ji, X. Hong, M. Szostak, “Highly chemoselective, transition-metal-free transamidation of unactivated amides and direct amidation of alkyl esters by N–C/O–C cleavage,” *Journal of the American Chemical Society*, **141**(2019) 11161-11172; o) J. Chen, Y. Xia, S. Lee, “Transamidation for the synthesis of primary amides at room temperature,” *Organic letters*, **22**(2020) 3504-3508; (p) S. Yu, T. Shin, M. Zhang, Y. Xia, H. Kim, S. Lee, “Nickel/Briphos-Catalyzed Direct Transamidation of Unactivated Secondary Amides Using Trimethylsilyl Chloride,” *Organic Letters*, **20**(2018) 7563-7566; (q) P. Lei, Y. Wang, Y. Mu, Y. Wang, Z. Ma, J. Feng, M. Szostak, “Green-Solvent Selection for Acyl Buchwald–Hartwig Cross-Coupling of Amides (Transamidation),” *ACS Sustainable Chemistry & Engineering*, **9**(2021) 14937-14945.
- [8] a) G. Li, P. Lei, M. Szostak, “Transition-metal-free esterification of amides via selective N–C cleavage under mild conditions” *Organic letters*, **20**(2018) 5622-5625; b) D. Ye, Z. Liu, H. Chen, J. L. Sessler, C. Lei, “Cesium carbonate catalyzed esterification of *N*-benzyl-*N*-Boc-amides under ambient conditions,” *Organic letters*, **21**(2019) 6888-6892.
- [9] a) M. M. Rahman, G. Li, M. Szostak, “Thioesterification and selenoesterification of amides via selective N–C cleavage at room temperature: N–C (O) to S/Se–C (O) interconversion,” *Synthesis*, **52**(2020) 1060-1066; b) Y. Liu, X. Mo, I. Majeed, M. Zhang, H. Wang, Z. Zeng, “An efficient and straightforward approach for accessing thionoesters via palladium-catalyzed C–N cleavage of thioamides,” *Organic & Biomolecular Chemistry*, **20**(2022) 1532-1537.
- [10] a) P. Lei, G. Meng, Y. Ling, J. An, S. P. Nolan, M. Szostak, “General method for the Suzuki–Miyaura cross-coupling of primary amide-derived electrophiles enabled by [Pd (NHC)(cin) Cl] at room temperature,” *Organic letters*, **19**(2017) 6510-6513; b) G. Li, M. Szostak, “Kinetically controlled, highly chemoselective acylation of functionalized grignard reagents with amides by N–C cleavage,” *Chemistry–A European Journal*, **26**(2020) 611-615; c) P. Lei, Y. Mu, Y. Wang, Z. Ma, J. Feng, X. Liu, M. Szostak, “Green-Solvent Selection for Acyl Buchwald–Hartwig Cross-Coupling of Amides (Transamidation),” *ACS Sustainable Chemistry & Engineering*, **9**(2021) 14937-14945; d) P. Lei, G. Li, Y. Ling, J. An, S. P. Nolan,

- M. Szostak, "Protocol for Palladium/N-Heterocyclic Carbene-Catalyzed Suzuki–Miyaura Cross-Coupling of Amides by N–C (O) Activation," *Synthesis*, **53**(2021) 682-687; e) P. Gao, M. Szostak, "Highly Selective and Divergent Acyl and Aryl Cross-Couplings of Amides via Ir-Catalyzed C–H Borylation/N–C (O) Activation," *Organic letters*, **22**(2020) 6010-6015; f) J. Buchspies, M. M. Rahman, R. Szostak, M. Szostak, "N-Acylcarbazoles and N-Acylindoles: Electronically Activated Amides for N–C (O) Cross-Coupling by Nlp to Ar Conjugation Switch," *Organic letters*, **22**(2020) 4703-4709; g) S. Ma, T. Zhou, G. Li, M. Szostak, "Suzuki-Miyaura Cross-Coupling of Amides using Well-Defined, Air-Stable [(PR₃)₂Pd(II)X₂] Precatalysts," *Advanced Synthesis & Catalysis*, **362**(2020) 1887-1892; h) S. Shi, R. Lalancette, R. Szostak, M. Szostak, "Triflamides: Highly Reactive, Electronically Activated N-Sulfonyl Amides in Catalytic N–C (O) Amide Cross-Coupling," *Organic letters*, **21**(2019) 1253-1257; i) C. Liu, G. Li, S. Shi, G. Meng, R. Lalancette, R. Szostak, M. Szostak, "Acyl and Decarbonylative Suzuki 646 Coupling of N-Acetyl Amides: Electronic Tuning of Twisted, Acyclic Amides in Catalytic Carbon– Nitrogen Bond Cleavage," *ACS Catal*, **8**(2018) 9131-9139.; j) F. Yang, D. Zou, S. Chen, H. Wang, Y. Zhao, L. Zhao, L. Li, J. Li, P. J. Walsh, "Transition Metal-Free Aroylation of Diarylmethanes with N-Bn-N-Boc Arylamides and N-Acylpyrroles," *Advanced Synthesis & Catalysis*, **362**(2020) 3423-3430.
- [11] a) F. Bie, X. Liu, Y. Shi, H. Cao, Y. Han, M. Szostak, C. Liu, "Rh-Catalyzed Base-Free Decarbonylative Borylation of Twisted Amides," *The Journal of Organic Chemistry*, **85**(2020) 15676-15685; b) S. Shi, M. Szostak, "Decarbonylative borylation of amides by palladium catalysis," *ACS omega*, **4**(2019) 4901-4907.
- [12] F. Bie, X. Liu, H. Cao, Y. Shi, T. Zhou, M. Szostak, C. Liu, "Pd-catalyzed double-decarbonylative aryl sulfide synthesis through aryl exchange between amides and thioesters," *Organic letters*, **23**(2021) 8098-8103.
- [13] T. Zhou, C. L. Li, X. Hong, M. Szostak, "Palladium-catalyzed decarbonylative Suzuki–Miyaura cross-coupling of amides by carbon–nitrogen bond activation," *Chemical science*, **10**(2019) 9865-9871.
- [14] C. Liu, M. Szostak, "Decarbonylative Phosphorylation of Amides by Palladium and Nickel Catalysis: The Hirao Cross-Coupling of Amide Derivatives," *Angewandte Chemie International Edition*, **56**(2017) 12718-12722.

- [15] S. Shi, M. Szostak, “Decarbonylative cyanation of amides by palladium catalysis,” *Organic letters*, **19**(2017) 3095-3098.
- [16] M. M. Rahman, M. Szostak, “Synthesis of Sulfoxonium Ylides from Amides by Selective N–C (O) Activation,” *Organic letters*, **23**(2021) 4818-4822.
- [17] a) M. M. Rahman, M. Szostak, “Synthesis of Sulfoxonium Ylides from Amides by Selective N–C (O) Activation,” *Organic letters*, **23**(2021) 4818-4822.; (b) J. Chen, Y. Xia, S. Lee, “Coupling of amides with ketones via C–N/C–H bond cleavage: a mild synthesis of 1, 3-diketones,” *Organic Chemistry Frontiers*, **7**(2020) 2931-2937; (c) J. Chen, D. Joseph, Y. Xia, S. Lee, “Amide/Ester Cross-Coupling via C–N/C–H Bond Cleavage: Synthesis of β -Ketoesters,” *The Journal of Organic Chemistry*, **86**(2021) 5943-5953; d) D. Joseph, M. S. Oh, A. Jayaraman, S. Lee, “Amides Activation: Transition Metal-Free Coupling Between C-N Activated Amides and Enolizable Amides,” *Bulletin of the Korean Chemical Society*, **42**(2021) 1293-1295.
- [18] a) P. Sureshbabu, S. Azeez, N. Muniyappan, S. Sabiah, J. Kandasamy, “Chemoselective synthesis of aryl ketones from amides and Grignard reagents via C (O)–N bond cleavage under catalyst-free conditions,” *The Journal of Organic Chemistry*, **84**(2019) 11823-11838; b) P. Sureshbabu, S. Azeez, P. Chaudhary, J. Kandasamy, “*tert*-Butyl nitrite promoted transamidation of secondary amides under metal and catalyst free conditions,” *Organic & Biomolecular Chemistry*, **17**(2019) 845-850; c) S. Singh, P. Sureshbabu, S. Sabiah, J. Kandasamy, “Synthesis of *N*-Aryl α -Ketoamides, α -Ketoesters, α -Ketothioesters and Their Applications in Quinoxalinone Preparation,” *Asian Journal of Organic Chemistry*, **11**(2022) e202200122; d) P. Sureshbabu, S. Azeez, K. Pattanaik, S. Sabiah, J. Kandasamy, “Synthesis of *N*-Cbz Amides and Their Applications in the Transamidation Reactions at Room Temperature,” *Asian Journal of Organic Chemistry*, (2022) e202200076; e) S. Azeez, P. Sureshbabu, S. Sabiah, J. Kandasamy, “Controlled reduction of activated primary and secondary amides into aldehydes with diisobutylaluminum hydride,” *Organic & Biomolecular Chemistry*, **20**(2022) 2048-2053; f) S. Singh, S. Popuri, Q. M. Junaid, S. Sabiah, J. Kandasamy, “Diversification of α -ketoamides via transamidation reactions with alkyl and benzyl amines at room temperature,” *Organic & Biomolecular Chemistry*, **19**(2021) 7134-7140; (g) V. K. Kanaujiya, V. Tiwari, K. Pattanaik, S. Sabiah, J. Kandasamy, “Synthesis of Glycouronamides by Transamidation

- Approach at Room Temperature,” *Asian Journal of Organic Chemistry*, (2022) e202200315.
- [19] L. Zeng, Z. Lai, S. Cui, “One-pot reaction of carboxylic acids and ynol ethers for the synthesis of β -keto esters,” *The Journal of Organic Chemistry*, **83**(2018) 14834-14841.



List of Publications

List of Publications

- [1] **S. Singh**, S. Popuri, Q. M. Junaid, S. Sabiah, J. Kandasamy, "Diversification of α -ketoamides via transamidation reactions with alkyl and benzyl amines at room temperature," *Organic & Biomolecular Chemistry*, **19**(2021) 7134-7140.
- [2] **S. Singh**, P. Sureshbabu, S. Sabiah, J. Kandasamy, "Synthesis of N-Aryl α -Ketoamides, α -Ketoesters, α -Ketothioesters and Their Applications in Quinoxalinone Preparation," *Asian Journal of Organic Chemistry*, **11**(2022) e202200122.
- [3] **S. Singh**, J. Kandasamy, "Synthesis of 1, 3-Dicarbonyl Compounds using N-Cbz Amides as an Acyl Source under Transition-metal-free Conditions at Room Temperature," *Asian Journal of Organic Chemistry*, (2022) e202200416.