

Bibliography

- [1] Z. Pawlak, “Rough sets,” *International Journal of Computer & Information Sciences*, vol. 11, no. 5, pp. 341–356, 1982.
- [2] R. W. Swiniarski and A. Skowron, “Rough set methods in feature selection and recognition,” *Pattern recognition letters*, vol. 24, no. 6, pp. 833–849, 2003.
- [3] R. Jensen and Q. Shen, “Finding rough set reducts with ant colony optimization,” in *Proceedings of the 2003 UK workshop on computational intelligence*, vol. 1, 2003, pp. 15–22.
- [4] X. Wang, J. Yang, X. Teng, W. Xia, and R. Jensen, “Feature selection based on rough sets and particle swarm optimization,” *Pattern Recognition Letters*, vol. 28, no. 4, pp. 459–471, 2007.
- [5] D. Dubois and H. Prade, “Rough fuzzy sets and fuzzy rough sets*,” *International Journal of General System*, vol. 17, no. 2-3, pp. 191–209, 1990.
- [6] ———, “Putting rough sets and fuzzy sets together,” in *Intelligent Decision Support*. Springer, 1992, pp. 203–232.
- [7] R. B. Bhatt and M. Gopal, “On the compact computational domain of fuzzy-rough sets,” *Pattern Recognition Letters*, vol. 26, no. 11, pp. 1632–1640, 2005.
- [8] R. Jensen and Q. Shen, “New approaches to fuzzy-rough feature selection,” *IEEE Transactions on Fuzzy Systems*, vol. 17, no. 4, pp. 824–838, 2009.
- [9] N. Mac Parthaláin and R. Jensen, “Unsupervised fuzzy-rough set-based dimensionality reduction,” *Information Sciences*, vol. 229, pp. 106–121, 2013.

- [10] C. Wang, Y. Qi, M. Shao, Q. Hu, D. Chen, Y. Qian, and Y. Lin, “A fitting model for feature selection with fuzzy rough sets,” *IEEE Transactions on Fuzzy Systems*, vol. 25, no. 4, pp. 741–753, 2017.
- [11] A. M. Radzikowska and E. E. Kerre, “A comparative study of fuzzy rough sets,” *Fuzzy sets and systems*, vol. 126, no. 2, pp. 137–155, 2002.
- [12] I. Guyon and A. Elisseeff, “An introduction to variable and feature selection,” *The Journal of Machine Learning Research*, vol. 3, pp. 1157–1182, 2003.
- [13] D. Ren and A. Y. Ma, “Research on feature extraction from remote sensing image,” *International Conference in Computer Application and System Modeling*, vol. 1, p. V144 V148, 2010.
- [14] Y. Saeys, I. Inza, and P. Larrañaga, “A review of feature selection techniques in bioinformatics,” *bioinformatics*, vol. 23, no. 19, pp. 2507–2517, 2007.
- [15] N. K. Verma, T. Maini, and A. Salour, “Acoustic signature based intelligent health monitoring of air compressors with selected features,” in *Information Technology: New Generations (ITNG), 2012 Ninth International Conference on*. IEEE, 2012, pp. 839–845.
- [16] T. Maini, R. Misra, and D. Singh, “Optimal feature selection using elitist genetic algorithm,” in *Computational Intelligence: Theories, Applications and Future Directions (WCI), 2015 IEEE Workshop on*. IEEE, 2015, pp. 1–5.
- [17] G. Forman, “An extensive empirical study of feature selection metrics for text classification,” *Journal of machine learning research*, vol. 3, no. Mar, pp. 1289–1305, 2003.
- [18] J. Bins and B. A. Draper, “Feature selection from huge feature sets,” in *Proceedings Eighth IEEE International Conference on Computer Vision. ICCV 2001*, vol. 2. IEEE, 2001, pp. 159–165.
- [19] M. Muštra, M. Grgić, and K. Delač, “Breast density classification using multiple feature selection,” *automatika*, vol. 53, no. 4, pp. 362–372, 2012.

- [20] N. Dessì, E. Pascariello, and B. Pes, “A comparative analysis of biomarker selection techniques,” *BioMed research international*, vol. 2013, 2013.
- [21] H. Abusamra, “A comparative study of feature selection and classification methods for gene expression data of glioma,” *Procedia Computer Science*, vol. 23, pp. 5–14, 2013.
- [22] C. Liu, D. Jiang, and W. Yang, “Global geometric similarity scheme for feature selection in fault diagnosis,” *Expert Systems with Applications*, vol. 41, no. 8, pp. 3585–3595, 2014.
- [23] I. Jolliffe, *Principal component analysis*. Wiley Online Library, 2002.
- [24] P. Comon, “Independent component analysis, a new concept?” *Signal processing*, vol. 36, no. 3, pp. 287–314, 1994.
- [25] H. K. Ekenel and B. Sankur, “Feature selection in the independent component subspace for face recognition,” *Pattern Recognition Letters*, vol. 25, no. 12, pp. 1377–1388, 2004.
- [26] R. Gilad-Bachrach, A. Navot, and N. Tishby, “Margin based feature selection-theory and algorithms,” in *Proceedings of the twenty-first international conference on Machine learning*. ACM, 2004, p. 43.
- [27] Q. Song, J. Ni, and G. Wang, “A fast clustering-based feature subset selection algorithm for high-dimensional data,” *IEEE transactions on knowledge and data engineering*, vol. 25, no. 1, pp. 1–14, 2013.
- [28] R. Battiti, “Using mutual information for selecting features in supervised neural net learning,” *IEEE Transactions on neural networks*, vol. 5, no. 4, pp. 537–550, 1994.
- [29] C. Bae, W.-C. Yeh, Y. Y. Chung, and S.-L. Liu, “Feature selection with intelligent dynamic swarm and rough set,” *Expert Systems with Applications*, vol. 37, no. 10, pp. 7026–7032, 2010.
- [30] N. Mac Parthaláin and R. Jensen, “Fuzzy-rough feature selection using flock of starlings optimisation,” in *Fuzzy Systems (FUZZ-IEEE), 2015 IEEE International Conference on*. IEEE, 2015, pp. 1–8.

- [31] T. Maini, A. Kumar, R. Misra, and D. Singh, “Rough set based feature selection using swarm intelligence with distributed sampled initialisation,” in *Computer Applications In Electrical Engineering-Recent Advances (CERA), 2017 6th International Conference on*. IEEE, 2017, pp. 92–97.
- [32] T. Maini, A. Kumar, R. K. Misra, and D. Singh, “Feature selection with intelligent dynamic swarm and fuzzy rough set,” in *Computing, Communication and Automation (ICCCA), 2017 International Conference on*. IEEE, 2017, pp. 384–388.
- [33] T. Maini, R. K. Misra, D. Singh, and A. Kumar, “Rough set based feature selection using swarm algorithms with improved initialization,” *Journal of Computational and Theoretical Nanoscience*, vol. 15, no. 6-7, pp. 2350–2354, 2018.
- [34] T. Maini, A. Kumar, R. K. Misra, and D. Singh, “Fuzzy rough set-based feature selection with improved seed population in pso and ids,” in *Computational Intelligence: Theories, Applications and Future Directions-Volume II*. Springer, 2019, pp. 137–149.
- [35] M. H. Aghdam, N. Gh asem Aghaee, and M. E. Basiri, “Text feature selection using ant colony optimization,” *Expert systems with applications*, vol. 36, no. 3, pp. 6843–6853, 2009.
- [36] R. Jensen and Q. Shen, “Fuzzy-rough sets assisted attribute selection,” *IEEE Transactions on fuzzy systems*, vol. 15, no. 1, pp. 73–89, 2007.
- [37] E. C. Malthouse, “Limitations of nonlinear pca as performed with generic neural networks,” *IEEE Transactions on neural networks*, vol. 9, no. 1, pp. 165–173, 1998.
- [38] D. Djuwari, D. K. Kumar, and M. Palaniswami, “Limitations of ica for artefact removal,” in *2005 IEEE Engineering in Medicine and Biology 27th Annual Conference*. IEEE, 2006, pp. 4685–4688.
- [39] M. L. Raymer, W. F. Punch, E. D. Goodman, L. A. Kuhn, and A. K. Jain, “Dimensionality reduction using genetic algorithms,” *IEEE transactions on evolutionary computation*, vol. 4, no. 2, pp. 164–171, 2000.

- [40] P. Ghamisi and J. A. Benediktsson, "Feature selection based on hybridization of genetic algorithm and particle swarm optimization," *IEEE Geoscience and remote sensing letters*, vol. 12, no. 2, pp. 309–313, 2014.
- [41] C.-L. Huang and C.-J. Wang, "A ga-based feature selection and parameters optimization for support vector machines," *Expert Systems with applications*, vol. 31, no. 2, pp. 231–240, 2006.
- [42] K. Nag and N. R. Pal, "A multiobjective genetic programming-based ensemble for simultaneous feature selection and classification," *IEEE transactions on cybernetics*, vol. 46, no. 2, pp. 499–510, 2015.
- [43] K. Deb, *Optimization for engineering design: Algorithms and examples*. PHI Learning Pvt. Ltd., 2012.
- [44] D. Beasley, D. R. Bull, R. R. Martin *et al.*, "An overview of genetic algorithms: Part 2, research topics," *University computing*, vol. 15, no. 4, pp. 170–181, 1993.
- [45] S. S. Rao, *Engineering optimization: theory and practice*. John Wiley & Sons, 2009.
- [46] R. C. Eberhart, J. Kennedy *et al.*, "A new optimizer using particle swarm theory," in *Proceedings of the sixth international symposium on micro machine and human science*, vol. 1. New York, NY, 1995, pp. 39–43.
- [47] Y. Shi and R. Eberhart, "A modified particle swarm optimizer," in *Evolutionary Computation Proceedings, 1998. IEEE World Congress on Computational Intelligence., The 1998 IEEE International Conference on*. IEEE, 1998, pp. 69–73.
- [48] Y. Shi *et al.*, "Particle swarm optimization: developments, applications and resources," in *evolutionary computation, 2001. Proceedings of the 2001 Congress on*, vol. 1. IEEE, 2001, pp. 81–86.
- [49] H. Chen, W. Jiang, C. Li, and R. Li, "A heuristic feature selection approach for text categorization by using chaos optimization and genetic algorithm," *Mathematical problems in Engineering*, vol. 2013, 2013.

- [50] R. Forsati, A. Moayedikia, and B. Safarkhani, “Heuristic approach to solve feature selection problem,” in *International Conference on Digital Information and Communication Technology and Its Applications*. Springer, 2011, pp. 707–717.
- [51] J. R. Quinlan, “C4. 5: Programming for machine learning,” *Morgan Kauffmann*, 1993.
- [52] C. Velayutham and K. Thangavel, “Unsupervised quick reduct algorithm using rough set theory,” *Journal of electronic science and technology*, vol. 9, no. 3, pp. 193–201, 2011.
- [53] M. A. Tahir, A. Bouridane, and F. Kurugollu, “Simultaneous feature selection and feature weighting using hybrid tabu search/k-nearest neighbor classifier,” *Pattern Recognition Letters*, vol. 28, no. 4, pp. 438–446, 2007.
- [54] D. Rodrigues, L. A. Pereira, T. Almeida, J. P. Papa, A. Souza, C. C. Ramos, and X.-S. Yang, “Bcs: A binary cuckoo search algorithm for feature selection,” in *2013 IEEE International Symposium on Circuits and Systems (ISCAS2013)*. IEEE, 2013, pp. 465–468.
- [55] R. Y. Nakamura, L. A. Pereira, K. A. Costa, D. Rodrigues, J. P. Papa, and X.-S. Yang, “Bba: a binary bat algorithm for feature selection,” in *2012 25th SIBGRAPI conference on graphics, Patterns and Images*. IEEE, 2012, pp. 291–297.
- [56] X. Liu and L. Shang, “A fast wrapper feature subset selection method based on binary particle swarm optimization,” in *2013 IEEE Congress on Evolutionary Computation*. IEEE, 2013, pp. 3347–3353.
- [57] S. Dara and H. Banka, “A binary pso feature selection algorithm for gene expression data,” in *2014 International Conference on Advances in Communication and Computing Technologies (ICACACT 2014)*. IEEE, 2014, pp. 1–6.
- [58] S. Theodoridis, A. Pikrakis, K. Koutroumbas, and D. Cavouras, *Introduction to pattern recognition: a matlab approach*. Academic Press, 2010.
- [59] I. Witten and E. Frank, “Data mining: Practical machine learning tools with java implementations, ed,” *M. Kaufmann, San Francisco*, 2000.

- [60] M. Hall, E. Frank, G. Holmes, B. Pfahringer, P. Reutemann, and I. H. Witten, “The weka data mining software: an update,” *ACM SIGKDD explorations newsletter*, vol. 11, no. 1, pp. 10–18, 2009.
- [61] D. Newman, S. Hettich, C. Blake, and C. Merz, “Uci repository of machine learning databases. irvine, ca: University of california, department of information and computer science,” *See also <http://www.ics.uci.edu/~mlearn/MLRepository.html>*, 1998.
- [62] A. K. Srivastava, D. Singh, A. S. Pandey, and T. Maini, “A novel feature selection and short-term price forecasting based on a decision tree (j48) model,” *Energies*, vol. 12, no. 19, p. 3665, 2019.
- [63] N. Hoque, D. K. Bhattacharyya, and J. K. Kalita, “Mifs-nd: A mutual information-based feature selection method,” *Expert Systems with Applications*, vol. 41, no. 14, pp. 6371–6385, 2014.
- [64] L. Yu and H. Liu, “Feature selection for high-dimensional data: A fast correlation-based filter solution,” in *Proceedings of the 20th international conference on machine learning (ICML-03)*, 2003, pp. 856–863.
- [65] H. Peng, F. Long, and C. Ding, “Feature selection based on mutual information: criteria of max-dependency, max-relevance, and min-redundancy,” *IEEE Transactions on Pattern Analysis & Machine Intelligence*, no. 8, pp. 1226–1238, 2005.
- [66] M. Robnik-Šikonja and I. Kononenko, “Theoretical and empirical analysis of relief and rrelieff,” *Machine learning*, vol. 53, no. 1-2, pp. 23–69, 2003.
- [67] S. Mika, G. Ratsch, J. Weston, B. Scholkopf, and K.-R. Mullers, “Fisher discriminant analysis with kernels,” in *Neural networks for signal processing IX: Proceedings of the 1999 IEEE signal processing society workshop (cat. no. 98th8468)*. Ieee, 1999, pp. 41–48.
- [68] G. Xuan, X. Zhu, P. Chai, Z. Zhang, Y. Q. Shi, and D. Fu, “Feature selection based on the bhattacharyya distance,” in *18th International Conference on Pattern Recognition (ICPR’06)*, vol. 4. IEEE, 2006, pp. 957–957.

- [69] N. Spolaor, A. C. Lorena, and H. D. Lee, "Use of multiobjective genetic algorithms in feature selection," in *2010 eleventh Brazilian symposium on neural networks*. IEEE, 2010, pp. 146–151.
- [70] Q. Shen and A. Chouchoulas, "A rough-fuzzy approach for generating classification rules," *Pattern Recognition*, vol. 35, no. 11, pp. 2425–2438, 2002.
- [71] L. A. Zadeh, "The concept of a linguistic variable and its application to approximate reasoningi," *Information sciences*, vol. 8, no. 3, pp. 199–249, 1975.
- [72] Q. Lu, Q.-H. Xu, and X.-N. Qiu, "Discrete particle swarm optimization with chaotic initialization," in *2009 3rd International Conference on Bioinformatics and Biomedical Engineering*. IEEE, 2009, pp. 1–4.
- [73] R. Ngamtawee and P. Wardkein, "Multi-band fir filter design using particle swarm optimization with minimax initialization," in *2012 9th International Conference on Electrical Engineering/Electronics, Computer, Telecommunications and Information Technology*. IEEE, 2012, pp. 1–4.
- [74] P. Cazzaniga, M. S. Nobile, and D. Besozzi, "The impact of particles initialization in pso: parameter estimation as a case in point," in *2015 IEEE Conference on Computational Intelligence in Bioinformatics and Computational Biology (CIBCB)*. IEEE, 2015, pp. 1–8.
- [75] A. N. Babu, C. V. Suresh, S. Sivanagaraju *et al.*, "A two stage initialization based particle swarm optimization algorithm for optimal power flow solution with tcsc," in *2014 International Conference on Smart Electric Grid (ISEG)*. IEEE, 2014, pp. 1–6.
- [76] J. Guo and S.-j. Tang, "An improved particle swarm optimization with re-initialization mechanism," in *2009 International Conference on Intelligent Human-Machine Systems and Cybernetics*, vol. 1. IEEE, 2009, pp. 437–441.
- [77] M. Lichman, "UCI machine learning repository," 2013. [Online]. Available: <http://archive.ics.uci.edu/ml>
- [78] J. R. Quinlan, "Induction of decision trees," *Machine learning*, vol. 1, no. 1, pp. 81–106, 1986.

- [79] W. W. Cohen, “Fast effective rule induction,” in *Proceedings of the twelfth international conference on machine learning*, 1995, pp. 115–123.
- [80] I. H. Witten and E. Frank, “Generating accurate rule sets without global optimization,” in *Proceedings of the fifteenth international conference on machine learning*. M. Kaufmann, San Francisco, 1998.
- [81] A. Kumar, R. Misra, and D. Singh, “Butterfly optimizer,” in *Computational Intelligence: Theories, Applications and Future Directions (WCI), 2015 IEEE Workshop on*. IEEE, 2015, pp. 1–6.
- [82] A. Kumar, R. K. Misra, and D. Singh, “Improving the local search capability of effective butterfly optimizer using covariance matrix adapted retreat phase,” in *2017 IEEE congress on evolutionary computation (CEC)*. IEEE, 2017, pp. 1835–1842.